

References

A

- Afzelius B.A.: (1986):** A human syndrome caused by immotile cilia. *Science*; 193: 317-19.
- Aksungur E.H., Biçakçı K., Inal M., Akgül E., Binokay F., Aydoğan B. and Oguz M.: (1999):** CT demonstration of accessory nasal turbinates: secondary middle turbinate and bifid inferior turbinate. *Eur J Radiol*; 31:174-6.
- Alberti P.W.: (1976):** Applied surgical anatomy of the maxillary sinus. Symposium on the maxillary sinus. *Otolaryngol. Clin. North Am.*; 9 (1):3-20.
- Anand V.K. and Glasgold M.J.: (2003):** Functional endoscopic sinus surgery. In: *Operative otorhinolaryngology*. Bleach N., Milford C. and Van-Hasselt A. (Edts.). Blackwell Science Ltd., (Section 3), (Chap. 27) Pp.196.
- Anon J., Rontal M. and Zinreich S.: (1996):** Maxillary sinus anatomy. In: *Anatomy of the paranasal sinuses*. Anon J., Rontal M. and Zinreich S. (Edts.). New York: Thieme; p. 18-21.
- Arslan H., Aydınlioğlu L.A., Bozkurt M. and Egeli C.E.: (1999):** Anatomic variations of the paranasal sinuses: CT examination for endoscopic sinus surgery. *Auris Nasus Larynx*; 26: 39-48.
- Aust R., Drettner B. and Hemmingson A.: (1976):** Elimination of contrast medium from the maxillary sinus. *Acta Otolaryngologica*; 81: 468-7.

B

- Babbel R.W. and Harnsberger H.R.: (1991):** Optimization of techniques in screening CT of the sinuses. *A J N R*; 12: 849-54.
- Ballenger J.J.: (1977):** Clinical anatomy and physiology of the nose and accessory sinuses. In: *Diseases of the nose, throat, and ear* 12th ed. Ballenger J.J. (Edt.). Lea & Febiger, Philadelphia, (Chap.1). Pp.1-22.
- Becker S.P.: (1989):** Anatomy for endoscopic sinus surgery. *Otolaryngol. Clin. North Am.*; 22(4): 677-82.
- Bhattacharyya N.: (2006):** Clinical and symptom criteria for the accurate diagnosis of chronic rhinosinusitis. *Laryngoscope*; 116(7 Pt 2 Suppl 110):1-22.
- Bolger W.: (2001):** Anatomy of the paranasal sinuses. In: *Diseases of the sinuses: diagnosis and management*: Kennedy D., Bolger W. and Zinreich S. (Edts); Hamilton, Ontario, Canada: BC Decker Inc; Pp. 1-12.
- Bolger W., Woodruff W. and Parsons D.S.: (1990):** CT demonstration of pneumatization of the uncinate process. *Am J Neuroradiol*; 11:552.
- Bolger W. and Kennedy D.: (1992):** Nasal endoscopy in the outpatient clinic. *Otolaryngologic Clinic of North America*; 25: 791-802.
- Brain D.J.: (1989):** Anatomy, physiology and ultrastructure of the nose. In: *Rhinitis mechanism and management*: Mackay I. (Edt.); Royal Society Of Medicine. Services limited, London.

Bublik M., Herman B. and Younis R.: (2009): Functional endoscopic sinus surgery. Operative Techniques in Otolaryngology; 20: 167-171.

C

Chong V. F. H., Fan Y. F., Lau D. and Sethi D. S.: (1998): Functional Endoscopic Sinus Surgery (FESS): What Radiologists Need to Know. Clinical Radiology; 53: 650-658.

D

Dogru H., Doner F., Uygun K., Gedikli O. and Cetin M.: (1999): Pneumatized inferior turbinate. Am J Otolaryngol; 20: 139-41.

Draf W.: (1993): Endoscopic anatomy and pathology of the paranasal sinuses. In: Endoscopy of the paranasal sinuses: Draf W. (Edt.); Springer-Verlag, New York.

Drake-Lee A.: (2008): Physiology of the nose and paranasal sinuses. In: Scott-Brown's Otorhinolaryngology, Head and Neck Surgery 7th ed.: Gleeson M., Browning G.G., Burton M.J., Clarke R., Hibbert J., Jones N.S., Lund V.J., Luxon L.M. and Watkinson J.C. (Edts), Edward Arnold (publishers) Ltd. Vol. (2): Pp. 1355- 1371.

Driben J.S., Bolger W.E., Robles H.A., Cable B. and Zinreich S.J.: (1998): The reliability of computerized tomographic detection of the Onodi (sphenoid) cell. Am J Rhinol; 12: 105-11.

E

Escudier E., Duquesnoy P., Papon J.F. and Amselem S.: (2009): Ciliary defects and genetics of primary ciliary dyskinesia. Paediatric Respiratory Reviews; 10: 51-54.

F

Fireman P.: (1992): Diagnosis of sinusitis in children: Emphasis on the history and physical exam. *J. Allergy Clin. Immunol*; 90: 433-6.

Fischbein N.J. and Kenneth C.O.: (2008): Radiology. In: Current diagnosis and treatment, *Otolaryngology Head and Neck Surgery* 2nd ed.: Lalwani A.K. (Edt.), The McGraw-Hill companies, Inc., Vol. (1): Pp 102-114.

Forsgren K. and Fukam M.: (1995): Endoscopic and Culd-Well-Luc approach in chronic maxillary sinusitis, a comparative study on preoperative and postoperative mucosal morphology. *Ann. Otol. Rhinol. Laryngol.*; 104: 350-7.

G

Genc S., Ozcan M., Titiz A. and Unal A.: (2008): Development of maxillary accessory ostium following sinusitis in rabbits. *Rhinology*; 46(2): 121-4.

Graney D.O.: (1986): Anatomy of the paranasal sinuses. In: *Otolaryngology Head and Neck surgery*; Cummings C.W., Fredrickson J.M. and Harker L.A. (Edts); C.V. Mosby Co. St. Louis. Vol.(1); Pp 845-50.

Gutman M. and Houser S.: (2003): Iatrogenic maxillary sinus recirculation and beyond. *Ear Nose Throat J.*; 82(1): 61-3.

H

Hagtvedt T., Aalokken T.M. and Notthellen J.: (2003): A new low-dose CT examination compared with standard-dose CT in the diagnosis of acute sinusitis. *Eur Radiol*; 13: 976-80.

- Halama A.R., Decreton S. and Bljloos J.M.: (1990):** Density of epithelial cells in the normal nose and the paranasal sinus mucosa. A scanning electron microscopic study. *Rhinology*; 28: 25-32.
- Helliwell T.: (2010):** Inflammatory diseases of the nasal cavities and paranasal sinuses. *Diagnostic histopathology*; 16:6.
- Ho J.C., Chan K.N., Hu W.H., Tam W.K., Zheng L. and Tipoe G.L.: (2001):** The effect of aging on nasal mucociliary clearance, beat frequency, and ultrastructure of respiratory cilia. *American Journal of Respiratory and Critical Care Medicine*; 163: 983-8.
- Holmberg K. and Pipkorn U.: (1985):** Mucociliary transport in the human nose. The effect of topical glucocorticoid treatment. *Rhinology*; 23: 181-6.
- Hospiline Equipments Pvt. Ltd.: (2009):** An ISO 13485:2003 certified company & CE certified products. A total endoscopy solution, Kobra rigid endoscopes.

J

- James B., Malow M.D., Catherine M. and Creticos M.: (1989):** Non surgical treatment of sinusitis. *Otolaryngologic Clin. North. Am.*; 4: 809-17.
- Joe J.K., Ho S.Y., and Yanagisawa E.: (2000):** Documentation of variations in sinonasal anatomy by intraoperative nasal endoscopy. *Laryngoscope*; 110: 229-235.
- Joe S.A., Bolger W. and Kennedy D.: (2001):** Nasal endoscopy: Diagnosis and staging of inflammatory sinus disease. In: *Diseases of the sinuses: diagnosis and management*; Kennedy D., Bolger W. and Zinreich S.J. (Edts); Hamilton, Ontario: BC Decker, Inc.; 119-28.

Jog M. and McGarry G.W.: (2003): How frequent are accessory sinus ostia? J Laryngol. Otol.; 117:270-272.

K

Kane K.J.: (2007): Recirculation of mucus as a cause of persistent sinusitis. Am J Rhinol.; 11(5): 361-9.

Kantarci M., Karasen R.M., Alper F., Onbas O., Okur A. and Karaman A.: (2004): Remarkable anatomic variations in paranasal sinus region and their clinical importance. Eur. J. Radiol.; 50: 296-302.

Kennedy D.W.: (1992): Prognostic factors, outcomes, and staging in ethmoid sinus surgery. Laryngoscope; 102: 1-18.

Kennedy D.W., Zinreich S.J. and Rosenbaum A.E.: (1985): Functional endoscopic sinus surgery: theory and diagnostic evaluation. Arch Otolaryngol; 111: 576-82.

Kennedy D.W., Zinreich S.J., Shaalan H., Kuhn F., Naclerio R. and Lock E.: (1987): Endoscopic middle meatal antrostomy: theory, technique, and patency. Laryngoscope; 97: 1-9.

Kuhn F.A.: (2004): Role of endoscopy in the management of chronic rhinosinusitis. Ann Otol Rhinol Laryngol Suppl.; 193: 15-8.

Kumar H., Choudhry R. and Kakar S.: (2001): Accessory Maxillary Ostia: Topography and Clinical Application. J Anat. Soc. India; 50(1): 3-5.

L

Lee C., Given C.A. and Ritter J.W.: (2000): Nasal cavity anomalies in chronic sinusitis and FESS (functional endoscopic sinus surgery). Am J Roentgenol.; 173(3): 80.

Levine H.L., Mark M., Rontal M. and Rontal E.: (2003): Complex Anatomy of lateral nasal wall simplified for endoscopic surgeon. Endoscopic sinus surgery, Thieme Medical Publishers, New York, Pp. 1-28.

Lim C.C., Dillon W.P. and McDermott M.W.: (1999): Mucocele involving the anterior clinoid process: MR and CT findings. Am J Neuroradiol; 20: 287-90.

Lund V.J.: (1997): Anatomy of the nose and paranasal sinuses. In: Scott-Brown's Otolaryngology 6th edition; Heinemann B. and Gleeson M. (Edts).

Lund V.J., Kennedy D.W. & Faculty of staging and therapy group: (2001): Quantification for staging sinusitis. Annals Otol. Rhinol. Laryngol. Supplement 167 Vol. 104, No. 2, 17-21.

M

Mackay I.S.: (1995): Functional endoscopic sinus surgery. In: Recent advances in otolaryngology; Moffat D.A. (Edt.), Longman Singapore Publishers Ltd.; Chap. (14), Pp. 230-231.

Mafee M.F.: (1991): Endoscopic sinus surgery: role of the radiologist. Am J Neuroradiol; 12: 855-60.

Mafee M.F.: (1993): Pre-operative: Imaging anatomy of the nasal ethmoid complex for functional endoscopic sinus surgery. Radiologic Clinic of North America; Volume 31 Number 1, 1-20.

Maran A.G. and Lund V.J.: (1990): Basic sciences. In: Clinical rhinology; Maran A.G. and Lund V.J. (Edts), Thieme medical publishers, INC. New York.; Pp 32- 40.

- Marple B.F., Stankiewicz J.A., Baroody F.M., Chow J.M., Conley D.B., Corey J.P., Ferguson B.J., Kern R.C., Lusk R.P., Naclerio R.M., Orlandi R.R. and Parker M.J.: (2009):** Diagnosis and management of chronic rhinosinusitis in adults. *Postgrad Med.*; 121(6): 121-39.
- Mason J.D., Jones N.S. and Hughes R.J.: (1998):** A systematic approach to the interpretation of computed tomography scans prior to endoscopic sinus surgery. *The J. Laryngol. Otol.*; 112: 986-990.
- Matthews B.L. and Burke A.J.: (1997):** Recirculation of mucus via accessory ostia causing chronic maxillary sinus disease. *Otolaryngol Head Neck Surg* 117: 422-423.
- May M.: (1991):** Complex paranasal sinus anatomy simplified for the surgeon. *Oper. Tech. Otolaryngol. Head Neck Surg.*; Vol. (2); (4): 214-7.
- May M.: (1993):** Endoscopic sinus surgery; Levin H.L. and May M. (Edts), Thieme Medical publisher. New York.
- Mc Minn R.M.H.: (1990):** Last's Anatomy Regional and Applied 8th ed.; English Language Book society Churchill Livingstone.
- Melen I. and Lindahl L.: (1996):** Chronic maxillary sinusitis, definition, diagnosis and relation to dental infections and nasal polyposis. *Acta. Otolaryngol. (Stockh)*; 102: 500-8.
- Melhem E.R., Oliverio P.J., and Benson M.L.: (1996):** Optimal CT evaluation for functional endoscopic sinus surgery. *AJNR*; 17: 181-188.
- Messerklinger W.: (1988):** Technik und möglichkeiten der nasen endoscopic. *HNO*; 20: 133-5.

Mladina R., Vuković K. and Poje G.: (2009): The two holes syndrome. *Am J Rhinol Allergy*; 23(6): 602-4.

Moghadasi H., Taheri M.S., Vazirnezami M., Mohammadpour H., Jalali A.H., Delavari H. and Chashnasar M.P.: (2008): Association between Clinical Symptoms and CT Findings in Chronic rhinosinusitis. *Iran J Radiol*; 5(3): 145-149.

Myerson M.C.: (1972): The natural orifice of the maxillary sinus. *Arch. Otolaryngol.*; 15: 80-91.

Mygind N., Pederson M. and Nielsen M.H.: (1982): Morphology of the upper airway epithelium. In: *The nose: upper airway physiology and the atmospheric environment*; Proctor D.F. and Anderson I.B. (Edts), Elsevier Biochemical Press, Amsterdam. (Chap. 4); Pp 71-96.

N

Nolander T., Westrin K.M. and Stierna P.: (1994): The inflammatory response of the sinus and nasal mucosa during sinusitis: Implications for research and therapy. *Acta Otolaryngol. (Stockh)*; 515: 38-44.

O

Ozcan K.M., Selcuk A., Ozcan I., Akdogan O. and Dere H.: (2008): Anatomical variations of nasal turbinates. *J Craniofac Surg.*; 19(6): 1678-82.

P

Perić A., Sotirović J., Baletić N., Kozomara R., Bijelić D. and Rasić D.: (2008): Concha bullosa and the nasal middle meatus obstructive syndrome. *Vojnosanit Pregl.*; 65(3): 255-8.

Petrie A. and Sabin C. (2005): *Medical Statistics at a Glance*. 2nd ed., Blackwell Publishing.

Petruson B., Hanson H.A. and Karlsson G.: (1984): Structural and functional aspects of cells in the nasal mucociliary system. Arch. Otolaryngol.; 110: 576-81.

Proctor D.F.: (1982): The mucociliary system. In: The nose: upper airway physiology and the atmospheric environment; Proctor D.F. and Anderson I.B. (Edts), Elsevier Biochemical Press, Amsterdam. (Chap. 10); Pp 245-78.

R

Reh D., Mace J., Robinson J. and Smith T.: (2007): Impact of age on presentation of chronic rhinosinusitis and outcomes of endoscopic sinus surgery. Am J Rhinol; 21(2):207-13.

Rich R.R., Fleischer T.A., Shearer W.T., Schroeder H.W., Frew A.J. and Weyand C.M.: (2008): Clinical Immunology. 3rd ed., London: Mosby Elsevier; Pp. 626-39.

Robson A., Smallman L. and Drake-Lee A.: (1992): Factors affecting ciliary function *in vitro*: a preliminary study. Clinical Otolaryngology and Allied Sciences; 17: 125-9.

Rossmann C.M., Forrest J.B., Ruffin R.E. and Newhouse M.T.: (1990): Immobile cilia syndrome in persons with and without Kartagener's syndrome. Am. Rev. Respir. Dis.; 121: 1011-16.

S

Salentijn L.M.: (1985): Anatomy and embryology of paranasal sinuses. In: surgery of paranasal sinuses; Blitzer A., Lawson W. and Friedman W. (Edts), W.B. Saunders Co. Philadelphia. (Chap. 4).

Samak A.M. (2005): Middle meatal antrostomy mucociliary clearance in different techniques. Thesis submitted for partial fulfillment of the master degree in ORL, faculty of medicine, Benha University.

Schlosser R.J. and Kennedy D.W.: (2008): Nasal endoscopy. In: Scott-Brown's Otorhinolaryngology, Head and Neck Surgery 7th ed.: Gleeson M., Browning G.G., Burton M.J., Clarke R., Hibbert J., Jones N.S., Lund V.J., Luxon L.M. and Wathinson J.C. (Edts), Edward Arnold (publishers) Ltd. Vol. (2): 1344- 1354.

Setliff R.C., Catalano P.J., Catalano L.A. and Francis C.: (2001): An anatomic classification of the ethmoidal bulla. Otolaryngology Head and Neck Surgery. Volume 125, Number 6, 598-602.

Siegel J.D.: (1997): Diagnosis and management of acute sinusitis in children. Pediatric Infect. Dis.,; 6: 95-7.

Simmen D.B.: (2008): Medical and surgical treatment options in the management of upper airway diseases. Ther Umsch.; 65(3): 175-80.

Stammberger H.: (1986): Endoscopic endonasal surgery: concepts in treatment of recurring rhinosinusitis. Surgical technique. Otolaryngol Head Neck Surg. Part II; 94: 147-56.

Stammberger H.: (1991): Functional Endoscopic Sinus Surgery. B C Decker Philadelphia.

Stammberger H., and Wolf G.: (1988): Headache and sinus disease: the endoscopic approach. Ann. Otol. Rhinol. Laryngol.; 97(supp 134): 3-23.

Stammberger H. and Hawke M.: (1993): Essentials of Functional Endoscopic Sinus Surgery. Mosby St. Louis.

Stammberger H. and Kennedy D.W.: (1995): Paranasal sinuses: anatomic terminology and nomenclature. *Ann. Otol. Rhinol. Laryngol.*; 104(Suppl.167: Number 10, Part 2),7-16.

Stanley P.J., Wilson R., Greenstone M.A., MacWilliam L. and Cole P.J.: (1986): Effect of cigarette smoking on nasal mucociliary clearance and ciliary beat frequency. *Thorax*; 41(7): 519-23.

Straatman N.J. and Buiter C.T.: (1981): Endoscopic surgery of the nasal fontanelle. *Arch. Otolaryngol.*; 107: 290-3.

T

Tichenor W. S., Adinoff A., Smart B., and Hamilos D.L.: (2008): Nasal and sinus endoscopy for medical management of resistant rhinosinusitis, including postsurgical patients. *J Allergy Clin Immunol*; 121: 917-27.

Toremalm N., Mercke U. and Reimor A.: (1975): The mucociliary activity of the upper respiratory tract. *Rhinology*; 13: 113-20.

Tos M.: (1976): Density of mucous glands in normal adult nasal septum. *Arch. Oto. Rhino. Laryngol.*; 214-215.

Tos M.: (1982): Goblet cells and glands in the nose and paranasal sinuses. In: *The nose: upper airway physiology and the atmospheric environment*; Proctor D.F. and Anderson I.B. (Edts), Elsevier Biochemical Press, Amsterdam. (Chap. 3).

U

Ueki I., German V. and Nadal J.: (1980): Micropipette measurement of airway submucosal gland secretion, autonomic effects. *Am. Rev. Respir. Dis.*; 121: 351-7.

V

Vinning E.M., Yanagisawa K. and Yanagisawa E.: (1993): The importance of preoperative nasal endoscopy in patients with sinonasal disease. *Laryngoscope*; 103: 512-9.

W

Waguespack R.: (1995): Mucociliary clearance patterns following endoscopic sinus surgery. *Laryngoscope*; 105: 1-40.

Wanner A.: (1977): Clinical aspects of mucociliary transport. *Am. Rev. Respir. Dis.*; 116: 73-125.

Warrick R. and Williams P.L.: (1973): Osteology. In: *Gray's anatomy* 35th ed., Longman group (Publisher) Ltd., (Chap. 3), Pp. 301.

Weir N. and Golding-wood D.G.: (1997): Infective rhinitis and sinusitis. In: *Scott-Brown's Otolaryngology* 6th ed.: Mackay I.S. and Bull T.R. (Edts), Butterworth Heinemann, Oxford U.K.

Wellington S., Tichenor W.S., Adinoff A., Smart B. and Hamilos D.L.: (2008): Nasal and sinus endoscopy for medical management of resistant rhinosinusitis, including postsurgical patients. *J Allergy Clin Immunol*; 121: 917-27.

White P.S., Robinson J.M. and Stewart I.A.: (1990): Computerized tomography mini-series: an alternative to standard paranasal sinus radiographs. *Aust N Z J Surg*; 60: 25-9.

Widdicombe J. and Wells U.K.: (1982): Airway secretions. In: *The nose: upper airway physiology and the atmospheric environment*: Proctor D., Anderson I. (Edts), Amsterdam Elsevier; 215-44.

Wilson R., Roberts D. and Cole P.J.: (1985): Effect of bacterial products on human ciliary function in vitro. *Thorax*; 40: 125-31.

Y

Yanagisawa E., Weaver E.M. and Ashikawa R.: (1998): The Onodi (sphenothmoid) cell. *Ear Nose Throat J*; 77: 578-80.

Yanagisawa E., Yanagisawa K., Christmas D.A., and Yanagisawa R.: (2004): Endoscopic views of the ostia and ostia-like structures in the lateral nasal wall. *Ear Nose Throat J* 83:446–448.

Yilmaz N.A., Cicekcibasi A.E., Emlik D., Yilmaz M.T., Keles B. and Salbacak A.: (2010): Morphometric analyses of the development of nasal cavity in human fetuses: An anatomical and radiological study. *International Journal of Pediatric Otorhinolaryngology*; 74: 796-802.

Yongging G.: (1997): Effects of Functional Endoscopic Sinus Surgery on the maxillary sinus mucosa. *Arch. Otolaryngol. Head Neck Surg.*; 123: 1097-100.

Z

Zinreich S.J., Mattox D.E., Kennedy D.W., Chisholm H.L., Diffley D.M. and Rosenbaum A.E.: (1988): Concha bullosa: CT evaluation. *J Comput Assisted Tomogr*; 12: 778–84.

Zinreich S.J., Kennedy D.W., Rosenbaum A.E., Gayler B.W., Kumar A.J. and Stammberger H.: (1997): Paranasal sinuses: CT imaging requirements for endoscopic surgery. *Radiology*; 163: 769-775.

Zoumalan R.A., Lebowitz R.A., Wang E., Yung K., Babb J.S. and Jacobs J.B.: (2009): Flat panel cone beam computed tomography of the sinuses. *Otolaryngol Head Neck Surg.*; 140(6): 841-4.