

REFERENCES

The word "REFERENCES" is rendered in a bold, sans-serif font. Each letter is a different color, following a rainbow spectrum: R (magenta), E (red), F (orange), E (yellow), R (light green), E (green), N (teal), C (blue), and S (purple). The letters are slightly 3D, with a soft grey shadow cast to the left and slightly forward.

Adamson J E, (1987): Constriction of the internal nasal valve : treatment and prevention. *Ann Plast Surg*, 18: 114-121.

Anggard, A and Edwall, L. (1974): The effect of sympathetic nerve simulation on the tracer disappearance rate and local blood content in the nasal mucosa of the cat, *Acta Otolaryngol.*, 77,131-139.

Austin, C.E. and Foreman, J.C. (1994): Acoustic rhinometry compared with posterior rhinomanometry in the measurement of histamine- and bradykinin-induced changes in nasal airway patency. *Br Clin Pharmacol* 1994;37:33-37.

Bachert, C.; Wagenmann, M. and Vossen, Holzenkamp, S. (1996): Intranasal levocabastine provides fast and effective protection from nasal allergen challenge. *Rhinology*: 34:140-143.

Bachmann W. and Legler, U. (1972) : Studies on the structure and function of the anterior segment of the nose by means of luminal impressions. *Acta Otolaryngol.* 73, 433-442.

Bachmann w, and Legler U, (1982): Studies on the structure and function of anterior section of the nose by means of luminal impressions. *Acta Otolaryngol*; 73: 433-442.

Bachmann w (1990): Differential diagnosis in patients with nasal obstruction: rhinomanometric indications for surgery, *Facial Plast Surg* 7: 274.

Ballenger JJ(1977):. The clinical anatomy and physiology of the nose and accessory sinuses. In: Ballenger JJ, ed. *Diseases of the Nose, Throat, and Ear*. 12th ed. Philadelphia: Lea & Fibiger: 1-22

Bascom, R.; Kesavanathan, J.; Pikmutt, T.; Fitzgerald, T.K.; Saudfi, L. and Swnt, D.L. (1996): Tobacco smoke upper respiratory response relationships in healthy nonsmokers. *Fundam Appl Toxicol* 29:86-93.

Bende, M. Andersson, K.E.; Johansson, C.J.; Sjogren, C. and Svensson, G. (1984): Dose-response relationship of a topical nasal decongestant: phenylpropanolamine. *Acta Otolaryngol (Stockh)*:98:543-547.

Berkinshaw ER and others (1987): The effect of methodology on the determination of nasal resistance. *Am J Orthod Dentofacial Orthop*, 92: 329.

Binder, E.; Holopainen, E.; Maimbikui, and Salo, O.P. (1984): Clinical findings in patients with allergic rhinitis. *Rhinology*; 22:255-260.

Bottini J, Gentile P, Arpine A, Dasero G, and Cervelli V (2007): Reconstruction of the nasal valve. *J Craniofac Surg*; 18(3): 516-9.

Bridger, G.P (1970): Physiology of the nasal valve. *Arch of Otolaryngol*. 92, 543-553.

Bridger, G.P and proctor, D.F. (1970 : Maximum nasal inspiratory flow and nasal resistance. *Ann Otol Rhinol and Laryngol*. 79, 481-488.

Brooks, L.J.; Castile, R.G.; Glass, G.M.; Griscom, N.T.; Wohl, M.E. and Frkdhfrg, J.J. (1984): Reproducibility and accuracy of airway area by acoustic reflection. *J Appl Physiol* 57:777-787.

Brooks, L.J.; Byard, P.J.; Helms, R.C.; Fouke, J.M. and Strohl, K.P. (1988): Relationship between lung volume and tracheal area as assessed by acoustic reflection. .1 Appl Physiol: 64:1050-1054.

Broms, P.; Ivarsson, A.; Jonson, B. and Rhinomanometry, I. (1982): Simple equipment. Acta Otolaryngol (Stockh) :93:455-460.

Burget GC, Menick FJ (1985). The subunit principle in nasal reconstruction. *Plast Reconstr Surg*. Aug 1985;76(2):239-47. [[Medline](#)].

Burnham, H.(1935) : An anatomical investigation of blood vessels of the lateral nasal wall and their relation to turbinates and sinuses. J Laryngol and Otol; 50, 569-593

Cakmak O, and others (1988): Value of acoustic rhinometry in measuring the nasal valve area. Laryngoscope, 113: 413.

Canter, R.J (1986): A non – invasive method of demonstrating the nasal cycle using flexible liquid crystal thermograph. Clin Otolaryngol; 11, 329-336.

Cauna, N.and Cauna, D. (1975) : The fine structure and innervations of the cushion veins of the human nasal mucosa. Anatomical record, 181, 1-16.

Clement, P.A. and Kaufman, L. and Roussli, P. (1983): Active anterior rhinomanometry in pre- and postoperative evaluation, use of Broms' mathematical model. Rhinology: 21:121-133.

Cole P , (1993): The respiratory role of the upper airways, St louis, Mosby.

Cole P , (1992): Nasal and oral airflow resistors : site , function and assessment , Arch Otolaryngol Head Neck Surg, 118:79.

Cole P and Roithmann R, (1996): The nasal valve and current technology. Am J Rhinol; 10: 23-28.

Cole, P.; Ciiaban, R.; Naito, K. and Oprysk, D. (1988): The obstructive nasal septum. Effect of simulated deviations on nasal airflow resistance. Arch Otolaryngol Head Neck Surg:114:410-412.

Constantian, MB, and Clardy, RB(1996): The relative importance of septal and nasal valvular surgery in correcting airway obstruction in primary and secondary rhinoplasty. Plast Reconstruct Surg. 98 (1):38-54.

Cook PR and others (1995): Effect of partial middle turbinectomy on nasal airflow resistance (review) , Otolaryngol Head Neck Surg 113: 413.

Corey, J.P.; Gungor, A.; Nelson, R.; Freduerg, J. and Lai, V. (1997): A comparison of the nasal cross-sectional areas and volumes obtained with acoustic rhinometry and magnetic resonance imaging. Otolaryngol Head Neck Sum: 117:349-354.

Corey, J.P.; Nalbone, V.P. and No, B.A. (1999): Anatomic correlates of acoustic rhinometry as measured by rigid nasal endoscopy. Otolaryngol Head Neck Surg: 121:572-576.

Dahlstrom, A. and Fuxe, K. (1965): The adrenergic innervations of the nasal mucosa of certain mammals. Acta Otolaryngol, 59, 65-72.

Dang, J.; Honda, K. and Suzuki, H. (1994): Morphological and acoustical analysis of the nasal and the paranasal cavities. J Acoust Soc Am. 96:2088-2100.

Dastidar, P.; Hlinonun, T.; Numminln, J.; Rautiainen, M. and Laasonen, E. (1999): Semiautomatic segmentation of computed tomographic images in volume trie estimation of nasal airway. Eur Arch Otorhinolaryngol: 256:192-198.

Deylamipour M, Azarhoshangh A, and Karimi H, (2005): Reconstruction of the internal nasal valve with a splay conchal graft. Plast Reconstr Surg; 116 : 712-722.

Drake-Lee Adrian (1998): The physiology of the nose and paranasal sinuses in Scott Brown's Otolaryngology. Sixth Edition , volume 6, PP1/6/1-21.

Druce, H.M. (1991): Imaging techniques in the diagnosis of sinusitis. Ann Allergy: 66:132-136.

Dvoracek, J.E.; Hillis, A. and Rossinc, K.G. (1985): Comparison of sequential anterior and posterior rhinomanometry. J Allergy Clin Immunol 76:577-582.

Eccles R. and Wilson H. (1974) : the autonomic innervations of the nasal blood vessels of the cat. J Physiol; 230, 213-233.

Eccles R. (1978) : The domestic pig as an experimental animal for studies on the nasal cycle. Act Otolaryngol; 85, 431-436.

Eccles R. (1982) : Neurological and Pharmacological considerations. In : the upper airway physiology and the atmospheric environment,

edited. *Proctor DF. And Andersen I. (eds). (Amsterdam): Elsevier Biomedical PP. 191-214.*

Eccles, R.; Jawad, M.S. and Morris, S. (1990): The effects of oral administration of menthol on nasal resistance to airflow and nasal sensation of airflow in subjects suffering from nasal congestion associated with the common cold. *J Pharm Pharmacol*, 42:652-654.

Eccles R. (1998): Evaluation of the nasal airway and nasal challenge in Scott Brown's Otolaryngology. Sixth Edition, Volume 4, pp. 4/4/1-15.

Elbrond O, Fielding J.U.G and Ustavsén K. M.G (1991): Acoustic rhinometry used as a method to monitor the effect of the intramuscular injection steroids in the treatment of nasal polyps. *J Laryngol Otol*; 105, 178-180.

Elwany, S. and Harrison, R. (1990): Inferior turbinectomy: comparison of four techniques. *J Laryngol Otol* 104:206-209.

Elwany, S and Thabet, H (1996): Obstruction of the nasal valve . *J Laryngol Otol*, 110; 221-4

Ferris B.G, Mead J, and Opie L.H (1964) : Partitioning of respiratory flow resistance in man . *J Appl Physiol*; 19, 653-659.

Fisher, EW, Scadding GK and Lund, V.J. (1993): The role of acoustic rhinometry in studying the nasal cycle. *Rhinology* 31:57

Fisher, E.W.; Daly, N.J.; Morris, D.P. and Lund, V.J. (1994): Experimental studies of the resolution of acoustic rhinometry in vivo. Acta Otolaryngol (Stockh):114:647-650.

Fisher, EW, Palmer CR and Lund, V.J. (1995): Practical aspects of acoustic rhinometry: problems and solutions. Rhinology 33:219.

Fisher, EW and Boreham AB (1995): Improving the reproducibility of acoustic rhinometry: a customized stand giving control of height and angle, J Laryngol Otol 109: 536.

Fisher E.W. (1997): Acoustic rhinometry. Clin Otolaryngol; 22, 307-317.

Chawdry MR, Akhtar S, Dwalsaint F (1996): Rhinomanometric evaluation of the improved mechanical therapeutic nasal dilator in patients with anterior nasal obstruction. Rhinology, 34:32.

Gilain, L.; Costl, A.; Ricolii, F. et al., (1997): Nasal cavity geometry measured by acoustic rhinometry and computed tomography. Arch Otolaryngol Head Neck Surg: 123:401-405.

Girod, S.; Zahm, J.M.; Plotkowski, C.; beck, G. and Pucielle, E. (1992): Role of the physiochemical properties of mucus in the protection of the respiratory epithelium. Eur Respir J 5:477-487.

Griffith J.W, Hunter G, Ferguson D, and Sillers M.J (1997): Physiological effects of an external nasal dilator. Laryngoscope; 107; 1235-1238.

Grobler NJ(1966): Reactivity of the nasal respiratory mucosa (a clinical and epidemiological study). Unpublished,

Grosclaude, M.; Balland, S.; Ballandras, A. and Perrin Fayolle, M. (1985): [Diagnostic value of passive anterior rhinomanometry in everyday allergological practice. 4 years' experience]. Rev Pneumol Clin: 41:9-16.

Grymer L F, Hilberg O, Elbrond O, and Pedersen OF.(1989): Acoustic rhinometry : Evaluation of the nasal cavity with septal deviation before and after septoplasty. Laryngoscope; 99; 1180-1187.

Grymer L F, Hilberg O, Pedersen OF and Rasmussen TR.(1991): Acoustic rhinometry : values from adults with subjective normal nasal patency. Rhinology; 29: 35-47.

Grymer, L.F.; Illum, P. and Hiihfu, O.(1996): Bilateral inferior turbinoplasty in chronic nasal obstruction;34:50-53.

Grymer LF, Gregers-petersen C and Baymier Pedersen H (1999): Laryngoscope, 109(6): 936-8.

Guillette BJ and Perry CJ (1990): Use of nasal valve stent with anterior rhinomanometry to quantitate nasal valve obstruction. Ann Otol Rhinol Laryngol, 99:175.

Guyuron B, Michelow B J, Engelhard C (1998): Upper lateral splay graft. Plastic and Reconstructive Surgery, 102(6) 2169-77.

Haight J.S and Cole, P. (1983): The site and function of the nasal valve. Laryngoscope, 93: 49-55.

Hamilton, J w and others (1995): The accuracy of acoustic rhinometry using a pulse train signal, Clin Otolaryngol, 20:270

Hamilton, J.W.; Mcraf, R.D. and Jonfs, A.S. (1997): The magnitude of random errors in acoustic rhinometry and re-interpretation of the acoustic profile. Clin Otolaryngol 1997:22-408.

Haraldsson, P.O.; Nordemar, H. and Anggard, A. (1987): Long-term results after septal surgery - sub mucous resection versus septoplasty. ORL J Otorhinolaryngol Relat Spec 1987;49:2 18-222 .

Haung C, Manarey C, and Anand V (2006): Endoscopic placement of spreader graft in the nasal valve. Otolaryngology Head and Neck surgery, 134: 1001-1005.

Hengerer AS, Oas RE.(1987): Congenital anomalies of the nose: Their embryology, diagnosis, and management (SIPAC). Alexandria, Va: American Academy of Otolaryngology

Heidari Z, Mahmoudzadeh-Sagheb H, Khammar T, Khammar M (2009): Anthropometric measurements of the external nose in 18-25-year-old Sistani and Baluch aborigine women in the southeast of Iran. Folia Morphol (Warsz). ;68(2):88-92. [\[Medline\]](#)

Heinberg C E, and Kern EB,(1978): The Cottle sign . An aid in physical diagnosis of nasal airflow disturbances. Rhinology 11:89.

Hilberg, O.; Jackson, A.C. and Swi, T. (1989): Acoustic rhinometry. Evaluation of nasal cavity geometry in acoustic reflection. J Appl Physiol :66:295-303.

Hilberg O.; Jensen, F.T. and Pldlksin, O.F. (1993): Nasal airway geometry: comparison between acoustic reflections and magnetic resonance scanning. .1 .Appl Physiol: 75:2811-2819.

Hilberg, O.; Grymer, L.F. and Pedersen, O.F. (1995): Spontaneous variation of the nasal mucosa. Ann Allergy Asthma Immunol 1995; 74:516-521.

Hilberg, O.; Grymer, L.F.; Pedersen, O.F. (1995): Nasal hypersensitivity evaluated by histamine challenge. Allergy: 50:166-173.

Hilberg, O. (1995): Effect of terfenadine and budesonide on nasal symptoms. Olfaction and nasal airway patency after allergen challenge. Allergii: 50:683-688.

Hilberg, O. and Pedersen, O.F. (1996): Acoustic rhinometry: influence of paranasal Sinuses. J Appl Physiol 1996;80:1589-1594.

Hilberg, O.; Lyholm, B.; Mkihisi, A.; Pedersen, O.F. and Jacobsen, O. (1998): Acoustic reflections during rhinometry: spatial resolution and sound loss. .1 Appl Physiol 1998;84:1030-1039.

Hilberg, O. and Pedersen, O.F. (2000): Acoustic rhinometry: recommendation for technical specification and standard operating procedures. Rhinol Suppl.:16:3-17.

Hilberg, O (2002): Objective measurement of nasal airway dimensions using acoustic rhinometry: methodological and clinical aspects. Allergy 57 suppl 70: 5-39.

Hirschberg A and others (1995): The airflow resistance profile of healthy nasal cavities. Rhinology, 33:10.

Hollinshead W H, (1982): Anatomy for surgeons, vol 1, the head and neck, ed 3 , Philadelphia, Haper and Row.

Holmstrom, M.; Scadding, G.K.; Lund, V.J. and Darby, Y.C. (1990): Assessment of nasal obstruction. A comparison between rhinomanometry and nasal inspiratory peak flow. Rhinology 28:191-196.

Holmstrom M and Kumlien J (1988): A clinical follow up of septal surgery with a special attention to the value of preoperative rhinomanometric examination in the decision concerning the operation, Clin Otolaryngol 3: 115.

Ichler, J. and Lenz, H. (1985): Comparison of different coefficients and units in rhinomanometry. Rhinology: 23:149-157.

Illum, P.; Grymer, L. and Hilherc, O. (1992): Nasal packing after septoplasty. Clin Otolaryngol 1992; 17:158-162.

Illum P (1997): Septoplasty and compensatory inferior turbinate hypertrophy; long term results after randomized turbinectomy. Eur Arch Oto-Rhino-Laryngol Suppl 1: 589-592.

Ingelstedt, S.and Ivskern, B. (1949): The source of nasal secretion in normal conditions. Acta Otolaryngol; 37: 446-450.

Iroeder, M.E. (1967): Determination of the geometry of the human vocal tract by acoustic measurements. J Acoust Soc Am; 41: 1002-1010.

Jafek BW (1996). Anatomy and physiology of the nose. In: Jafek BW, Stark AK, eds. ENT Secrets. Philadelphia: Hanley & Belfus;; 77-83.

Jafek BW, Dodson BT (1998):. Nasal obstruction. In: Bailey BJ, et al, eds. Head and Neck Surgery--Otolaryngology. 2nd ed. Philadelphia: Lippincott-Raven; 371-7.

Jessen, M.; Jacobson, S. and Malm, L. (1988): On rhinomanometry in rhinoplasty. Plast ' Reconstr Surg: 81:506-511

Jones, A.S.; Lancer, J.M.; Stevens, J.C. and Buckingham, E. (1987): Rhinomanometry: do V' the anterior and posterior methods give equivalent results? Clin Otolaryngol: 12:109-114

Jones, A.S.; Willatt, D.J. and Durham, L.M. (1989): Nasal airflow: resistance and sensation. J Laryngol Otol; 103:909-911.

Juto, J.E. and Lund erg, C. (1985): Human nasal mucosa reaction during chilling of the feet. Rhinology: 23:131-136.

Kamami YV (1997): Laser-assisted outpatient septoplasty results on 120 patients. J Clin Laser Med Surg 15(3) 123-9.

Kase, Y.; Itimura, K. and Iinuma, T. (1993): [An evaluation of nasal patency with acoustic rhinometry – preoperative. and postoperative comparisons]. Nippon Jibiinkoka Gakkai Kaiho; 96:197-202.

Kase, Y.; Masato, N.; Abe, K. and Tanaka, T. (1995): [Precision and problems in interpretation of acoustic rhinometry in cases of nasal mass lesion]. Nippon Jibiinkoka Gakkai Kaih: 98:813-819.

Kasperbauer J L, and Kern EB (1987): Nasal valve physiology. Otolaryngol Clin North Amer, 20(4): 699-719.

Kayser, R. (1895) : Quoted after Drake-Lee. 1998.

Kern, E.B. (1978): Surgical approaches to the internal nasal valve abnormalities. *Rhinology* 16: 165.

Kern, E.B. (1981): Committee, Report on standardization of rhinomanometry. *Rhinology*: 19:231-236.

Kesavanathan, J.; Swift, D.L.; Fitzgerald, T.K.; Permutt, T. and Bascom, R. (1996): Evaluation of acoustic rhinometry and posterior rhinomanometry as tools for inhalation challenge studies. *J Toxicol Environ Health*: 48:295-307.

Kimmelman CP (1989) : The problem of nasal obstruction. *Otolaryngol Clin North Amer*; 22(2): 253-264.

Kimmelman CP and Jablonski RD (1993): The efficacy of turbinate surgery for the relief of nasal obstruction, *Am J Rhinol* 7: 25.

Klein, J.C. (1986): Nasal respiratory function and craniofacial growth. *Arch Otolaryngol Head Neck Sum*: 12:843-849.

Lelong, M.; Henard, J. and VANni-wn, T. (1989): [Chronic rhinopathies of childhood (apropos of 265 cases)]. *Allerg Immunol Paris* 21:33-38.

Lenders, H, and Pirsig, W. (1990): Diagnostic value of acoustic rhinometry: patients with allergic and vasomotor rhinitis compared with normal controls. *Rhinology*: 28:5-16.

Lenders, H, Schaefer J and Pirsig, W. (1991): Turbinate hypertrophy in habitual snorers and patients with obstructive sleep apnea: findings of acoustic rhinometry, *Laryngoscope* 101; 614.

Lueg EA, Irish JC, Roth Y, et al (1998): An objective analysis of the impact of lateral rhinotomy and medial maxillectomy on nasal airway function. *Laryngoscope* 108, 1320-1324.

Lund, V.J. (1989): Objective assessment of nasal obstruction. *Otolaryngol Clin North Am* 22:279-29.

Malm L.(1977): Sympathetic influence on the nasal mucosa. *Acta Otolaryngol*; 83: 20-21.

Malm L (1992): Rhinomanometric assessment for rhinologic surgery , *Ear Nose Throat J* 71:11.

Marais, J.; Murray, J.A.; Marshaii, I.; Douglas, N. and Martin, S. (1994): Minimal cross-sectional areas, nasal peak (low and patients' satisfaction in septoplasty and inferior turbinectomy. *Rhinoloi*; 32:145-147.

Masaki, H.; Ahmed, K.; Fujishita, M. et al. (1993): [A case of Kartagener's syndrome with S. pneumonia lung abscess]. *Kansenshogaku Zasshi* 67:355-360.

Masing, H. (1979): Rhinomanometry, dilia en* techniques and results. *Acta Otorhinolaryngol Belg* 33:566-571.

Mayhew, T.M. and O'lynn, P. (1993): Validation of acoustic rhinometry by using the Cavalieri principle to estimate nasal cavity volume in cadavers. *Clin Otolaryngol*: 18:220-225.

Melon, J. and Daele, J. (1979): Les explorations fonctionnelles et endoscopiques en rhinologie. *Acta Otorhinolaryngol Belg* 33:639-721.

Melon, J. (1991): [Physiopathology of nasal respiration]. Rev Beige Med Dent 46:13-20.

Mennella, J. and Beauchamp, G. (1992): Developmental changes in the nasal airflow patterns. Acta Otolaryngol; 112: 1025-1031.

Meyer, R, Jovanovich, B, and Derder, S (1996): All about the nasal valve collapse. Aesthetic Plast Surg, 20: 141.

Mclean, J.A.; Bacon, J.R.; Mathews, K.P.; et al. (1984): Distribution and clearance of radioactive aerosol on the nasal mucosa. Rhinology 22:65-75.

Michael, R.P.Zumpe.D Kevern, D.B and Bonsall, R.W (1972): Neuroendocrine factors in the control of primary behavior. Recent Progress in Hormone Research; 28: 665-706.

Miman MC, Deliktas H, Ozturan O, and Akarcay (2006): Internal nasal valve: Revisited with objective facts. Otolaryngology Head Neck Surg 134, 41-47

Min, Y.G. and, Jang, Y.J. (1995): Measurements of cross-sectional area of the nasal cavity by acoustic rhinometry and CT scanning. Laryngoscope: 105:757-759.

Morgan NJ, and others (1995): Racial differences in nasal fossa dimensions determined by acoustic rhinometry, Rhinology 33:224.

Ogura, J.H. and Stoksted, P. (1958): Rhinomanometry in some rhinologic diseases. Laryngoscope: 68:2001-2014.

Olive Perez A. (1989): Nasal provocation test (NPT) through previously active rhinomanometry: physical and mathematical reasons. Allergol Immunopathol Madr: 17:291-299

Ohki, M.; Sata, Y.; Kawano, K. and Usui, N. (1998): [Evaluation of nasal obstruction with acoustic rhinometry: a simulated study with a nasal model]. Nippon Jibiinkoka Gakkai Kaiho; 101:1022-1028.

Oneal RM, Beil RJ, and Schlesinger J (1996): Surgical anatomy of the nose . Clin Plast Surg, Apr 23 (2), 195:222.

Ophir, D.; Elad, Y.; Dolev, Z. and Geller Bernstein, C. (1988): Effects of inhaled humidified warm air on nasal patency and nasal symptoms in allergic rhinitis. Ann Allergy 1988;60:239-242.

Orgel, H.A.; Meltzer, E.O.; Kemp, J.P. and Welch, M.J. (1986): Clinical, rhinomanometric, and cytological evaluation of seasonal allergic rhinitis treated with beclomethasone dipropionate as aqueous nasal spray or pressurized aerosol. J Allergy Clin Immunol: 77:858-864

Ozturan O (2000): Techniques for improvement of the internal nasal valve in functional-cosmetic nasal surgery. Acta Otolaryngol; 120:312-315.

Paniello, R.C. (1996): Nasal valve suspension. An effective treatment for nasal valve collapse. Arch Otolaryngol Head Neck Surg; 122:1342-1346.

Parker, A.J.; Clakkl, P.M.; Dawes, P.J. and Maw, A.R. (1990): A comparison of active anterior rhinomanometry and nasometry in

the objective assessment of nasal obstruction. *Rhinology* 28:47-53.

Parkes, ML and Kanodia, R (1981): Avulsion of the upper lateral : Etiology, diagnosis, surgical anatomy and management. *Laryngoscope*, 91: 785.

Parvez, L.; Ersala, G. and Noroniia, A. (2000): Novel techniques, standardization tools to enhance reliability of acoustic rhinometry measurements. *Rhinol Suppl*: 16:18-28.

Passali, D.; Biagini, C.; Digikulamu, S. and Bellussi, L. (1996): Acoustic rhinometry. Practical aspects of measurement. *Acta Otorhinolaryngol Belg*: 50:41-45.

Pirila T and Tikanto J (2001): Unilateral and bilateral effects of nasal septum surgery demonstrated with acoustic rhinometry, rhinomanometry, and subjective assessment, *Am J Rhinol* 15:127.

Porter, M.J.; Maw, A.R.; Klkkiixi, D.M. and Williamson, I.M. (1997): Manometric rhinometry: a new method of measuring the Volume of the air in the nasal cavity. *Acta Otolaryngol (Stockh)*:117:298-301..

Portugal, L.G.M. Eiita, and R.H.(1997): smiiii Hi., sabnani JB, matava MJ. Objective assessment of the breathe-right device during exercise in adult males. *Am J Rhinol*: 11:393-397.

Postema, C.A.; Huycjfn, P.L.; Lefcluse, R.G. and Wentues, R.T. (1980):

The lateralization percentage as a measure of nasal flow asymmetry in active anterior rhinomanometry. Clin Otolaryngol: 5:165-170.

Powell N, and Humphreys B (1934): Proportions of the aesthetic face, New York, Thieme-Stratton.

Prasun, D.; Jura, M.; Tomi, H.; Pertti, R.; Markus, R. and Erkk, L. (1999): Nasal airway volume trie measurement using segmented HRCT images and acoustic rhinometry. Am J Rhinol:13:97-103.

Prendiville, H, Zimblér MS, Kokosaka MS, et al(2002): MIDDLE VAULT NARROWING IN THE WIDE NASAL DORSUM, THE REVERSE SPREADER TECHNIQUE. ARCH FACIAL PLAST SURG. 4: 52,

Proctor, D.F.; Anderson, I. and Lindquist, G. (1973): Clearance of inhaled particles from the human nose. Arch Intern Med 131:132-139.

Rasmussen, T.R.; Swiet, D.L.; Hilberg, O. and Pedersen, O.F. (1990): Influence of nasal passage geometry on aerosol particle deposition in the nose. J Aerosol Med 3: 16-25.

Reber, M.; Rahm, F. and Monnifr, P. (1998): The role of acoustic rhinometry in the pre-and postoperative evaluation of surgery for nasal obstruction. Rhinology: 36:184-187.

Ricci E, palonta F, and others (2001): role of nasal valve in surgically corrected nasal respiratory obstruction: Evaluation through rhinomanometry. American J Rhinology; 15: 307-310.

Rivron, R.P. (1990): Cross-sectional area as a measure of nasal resistance. Rhinology: 28:257-264.

Roithmann, R.; Cole, P.; Chapnik, J.; Barreto, S.M.; Szalai, J.P. and Zamel, N. (1994): Acoustic rhinometry, rhinomanometry, and the sensation of nasal patency: a correlative study. J Otolaryngol; 23:454-458.

Roithmann, R.; Cole, P.; Chapnik, J.; Barreto, S.M.; Szalai, J.P. and Zamel, N. (1995): Acoustic rhinometry in the evaluation of nasal obstruction. Laryngoscope, 105: 275.

Roithmann, R.; Cllapnik, J.; Zamel, N.; Barreto, S.M. and Coiv, P. (1997): Acoustic rhinometric assessment of the nasal valve. Am J Rhinol: 11:379-385.

Roithmann, R.; Cole, P.; Chapnik, J and Cole P. (1998): The effect of the external nasal dilator on nasal sensation structure and function. Proceeding of E.R.S. and I.S.A.N. Meeting 98 Vienna, Austria P. 262-265.

Roth and others (1996): A head and tube stabilizing apparatus for acoustic rhinometry measurements. Am J Rhinol 10:83.

Rubinstein, I.; MacLean, P.A.; Boucimu, R.; Zamel, N.; Friedberg, J.J. and Huirsn, V. (1987): Effect of mouthpiece, nose clips, a head position on airway area measured by acoustic reflections. J Appl Physiol: 63:1469-1474.

Sakai S. (1989): [Use of nasal flowmeter to measure nasal patency].
Nippon Jibiinkoka Gakkai Kaiho 92:253-259.

Sackner M, Sakethoo K, and Kaplan I,(1979): Effect of exercise on nasal mucus velocity and nasal airflow resistance in normal subjects. J Appl Physiol; 46: 369-71.

Series, F., Cormier Y, Desmeules M, and Forge LA-J (1989): Influence of respiratory drive on upper airway resistance in normal men. J Appl Physiol; 66: 1242-1249.

Seyhan, A (1997): A method for middle vault reconstruction in primary rhinoplasty: Upper lateral cartilage bending .Plast Reconstr Surg, 100:1941.

Schafer, J. and Pirsig, W. (1990): Digital signal analysis of snoring sounds in children. Int J Pediatr Otorhinolaryngol: 20:193-202.

Scharf M, Brannen D, McDonald M (1994): A subjective evaluation of nasal dilator on sleep and snoring, Ear Nose Throat J, 73:395.

Scherer, P.W.; Hahn, I.I. and Mozfell, M.M. (1989): The biophysics of nasal airflow. Otolaryngol Clin North Am: 22:265-278.

Schlosser, RJ, and Park, SS (1999): Surgery for the dysfunctional nasal valve, cadaver analysis and clinical outcomes. Arch Facial Plast Surg, 1:105-10.

Schmal, F. and Dietmer, T. (1993): [Evaluation of nasal patency]. Laryngorhinootologie -:72:611-613.

Sciuto, S, and Bernardeschi, D (1999): Upper lateral cartilage suspension over the dorsal grafts: A treatment for internal nasal valve dynamic incompetence. *Facial Plast Surg*, 15: 309.

Shelton, D.M.; Pertuze, J.; Gleeson M.J.; et al.(1990): Comparison of oscillation with three other methods for measuring nasal airways resistance. *Respir Mod*. 84:101-106.

Shelton DM and Eiser NM (1992): Evaluation of active anterior and posterior rhinomanometry in normal subjects. *Clin Otolaryngol Allied Sci* Apr 17 (2), 178:82.

Sheen J H,(1984): Spreader graft: a method of reconstructing the roof of the middle nasal vault following rhinoplasty . *Plast Reconstr Surg*. 73(2); 230-39.

Shreck JI, and others (1993): Correlations between flow resistance and geometry in a model of human nose, *J Appl Physiol*, 75: 1767.

Shemen, L. and Hamburg, R. (1997): Preoperative and postoperative nasal septal surgery assessment with acoustic rhinometry. *Otolaryngol Head Neck Surg* 1997;117:338-342.

Sikizawa, K.; Shindoh, C.; Hida, W.; et al. (1983): Noninvasive method for detecting laryngeal narrowing with low-frequency sound. *J Appl Physiol*: 55:591-597.

Silkoff, P.E.; Chakravorty, S.; Chapnik, J.; Cole, P. and Zamel, N. (1999): Reproducibility of acoustic rhinometry and rhinomanometry in normal subjects. *Am J Rhinol* 1999;13:131-135.

Simons RL (1982): Nasal tip projection, ptosis and supratip thickening, Ear Nose Throat J 61: 452.

Sipila JI and others (1992): Rhinomanometry before septoplasty : an approach to clinical material with diverse nasal symptoms . Am J Rhinol 6:17.

Slawinski,et, E.B. and Dubanowicz Kossowska, E. (1993): The assessment of hypertrophy of nasopharyngeal tonsil by acoustical methods. Int J Pediatr Otorhinolaryngol 27:229-244.

Stumberger, H. and Posawetz, W. (1990): Functional endoscopic sinus surgery. Concept, indications and results of the Messerklinger technique. Eur Arch Otorhinolaryngol 1990:247:63-76.

Strohl, K.P.; Arnold, J.L.; Decker, M.J.; Hoekje, P.L. and McFadden, E.R. (1992): Nasal flow-resistive responses to challenge with cold dry air. J Appl Physiol: 72:1243-1246.

Stuker FJ, and Hoasjoe DK(1994): nasal reconstruction with conchal cartilage correcting the nasal valve and lateral collapse. Arch Otol Laryngol Head Neck Surg, 120: 653-8.

Suonpaa JT, Sipila JI, and Laippala PJ (1993): Do rhinomanometric findings predict subjective postoperative satisfaction: long term follow up after septoplasty. Am J Rhinol 7:71.

Swift D L.(1982): Physical principles of airflow and transport phenomena influencing air modification . In : The nose : Upper airway physiology and the atmospheric environment , edited by Proctor D F and Anderson I, Amsterdam; Elsevier; pp. 337-349.

Szccs, E. and Clement, P.A. (1998): Acoustic rhinometry and rhinomanometry in the evaluation of nasal patency of patients with nasal septal deviation. *Am J Rhinol*; 12:345-352.

Tai, C.F.; Ho, K.Y. and Hasegawa, M. (1998): Evaluating the sensation of nasal obstruction with acoustic rhinometry and rhinomanometry. *Kao Hsiung I Hsueh KO Hsueh Tsa Chih*: 14:548-553.

Tange, R.A. (1991): Some historical aspects of surgical treatment of the infected maxillary sinus. *Rhinology* 29:155-162

Tanida, M.; Nonaka, S.; Yokoyama, T.; Horikawa, H. and Unno, T. (1996): [A fundamental study of relationships between rhinomanometry and acoustic rhinometry]. *Nippon Jibiinkoka Gakkai Kaiho* 1996; 99:601-610.

Tarabichi M, and Fanous N, (1993) : Finite element analysis of airflow in the nasal valve. *Arch Otolaryngol Head Neck Surg*; 119:638-42.

Tardy ME, Brown RJ (1990): *Surgical Anatomy of the Nose. New York: Lippincott-Raven*;: 1-98.

Toledano, A.; Galindo, A. and Gavilan, J. (1999): [Reliability of determining minimal cross section by acoustic rhinometric Acta Otorhinolaryngol Esp. 1999:50:435-442.

Toledano, A.; Galindo, A. and Gavilan, J. (1999): [Relation between minimal cross section and subjective nasal obstruction], *Acta Otorhinolaryngol Esp*: 50:439-442.

Thorek P (1962): Anatomy in Surgery (: 2nd ed. Philadelphia: Lippincott-Raven; 1962.

Thomas, P.L.; John, D.G. and Carlin, W.V. (1988): The effect of inferior turbinate outfractures on nasal resistance to airflow in vasomotor rhinitis assessed by rhinomanometry. J Laryngol Otol: 102:144-145.

Tomkinson, A. and Eccles, R. (1995): Errors arising in cross-sectional area estimation by acoustic rhinometry produced by breathing during measurement. , Rhinology 1995:33:138-140.

Tomkinson A.(1996): Comparison of the relative abilities of acoustic rhinometry, rhinomanometry, and the visual analogue scale in detecting changes in the nasal cavity in a healthy adult population. Am J Rhinol; 10: 161-165.

Tomkinson A.(1995): The reliability of acoustic rhinometry. J Laryngol Otol, 109; 1234-1236.

Tomkinson, A. and Eccles, R. (1996): The effect of changes in ambient temperature on the reliability of acoustic rhinometry data. Rhinology; 34:75-77.

Tomkinson, A. and Eccles, R. (1998): Acoustic rhinometry: an explanation of some common artifacts associated with nasal decongestion. Clin Otolaryngol 1998;23:20-26.

Ukai, K. and Sakakura, Y. (1990): [Effect of mucociliary dysfunction on nasal viral infection]. Nippon Jibiinkoka Gakkai Kaiho 93:762-771.

Urpegui, A.M.; Valles, H.; Millan, J. and Royo, J. (1999): [Evaluation with acoustic rhinometry of surgical results in patients undergoing septoplasty]. Act a Otorhinolaryngol Esp: 50:34-39.

Van Dishoeck, E.A. (1973): Passive anterior rhinomanometry and inhalation provocation through the nose. Rhinology: 11:103-108.

Van Couwenberge, p B and Delaye, L (1984): Nasal cycle in children. Arch Otolaryngol; 110: 108-110.

Vuyk HD and Klater ES,(1993): Cartilage spreader grafting for lateral augmentation of the middle third of the nose. Face ; 3: 159-170.

Wahmam, U.; Kunkel, M. and Wagner, W. (1998): Preoperative assessment of airway patency in the planning of corrective cleft nose surgery. Mund Kiefer Gesichtsehir 2(Suppl. 1):S153-S157

Wang, D.; Clement, P.; Kauiman, L. and Derde, M.P. (1992): Fiber optic examination of the nasal cavity and nasopharynx in children. Int J Pediatr Otorhinolaryngol: 24:35-44.

Warren, D.W.; Hairhield, W.M. and Dalston, E.T. (1990): Effect of age on nasal cross-sectional area and respiratory mode in children. Laryngoscope: 100:89-93

Wasicko, M.J.; Leiter, J.C.; Erlichman, J.S.; strobel, R.J. and Bartlett, D.J. (1991): Nasal and pharyngeal resistance after topical mucosal vasoconstriction in normal humans. Am Rev Respir Dis: 144:1048-1052.

Zaher SW, Dewidar HM and others (1998): Effect of the external nasal dilators on the nasal patency. Thesis for Msc degree Cairo University.

Zedalis, D.; Doien, W.K.; Glover, G.C.; Wiener, M.B.; Seiner, J.C. and Weber, R.W. (1989): Evaluation of nasal patency by fiber optic rhinoscopy. J Allergy Clin Immunol: 83:973-978.

Zheng, C.; Pociion, N. and Lacroix, J.S. (1995): [Acoustic rhinometry. comparison of pre- and post-septoplasty]. Chung Hua Erh Pi Yen Hou KO Tsa Chih: 30:343-346.