## **CONTENTS**

| INTRODUCTION  |  |
|---|--|
| AIM OF THE WORK   |  |
| REVIEW OF LITERATURE                                    |  |
| * Spontaneous bacterial peritonitis                     |  |
| -Definition   |  |
| -Epidemiology   |  |
| -Risk factors   |  |
| -Variants of SBP  |  |
| -Causes   |  |
| -Pathogenesis   |  |
| -Clinical presentation                                  |  |
| -Differential diagnosis                                 |  |
| -Diagnosis  |  |
| -Treatment  |  |
| -Prophylaxis  |  |
| -Complications  |  |
| -Prognosis  |  |
| * Lactoferrin   |  |
| -Definition   |  |
| -Structure and properties                               |  |
| -Source of lactoferrin                                  |  |
| -Regulation of synthesis                                |  |
| -Lactoferrin receptors                                  |  |
| -Lactoferrin metabolism                                 |  |
| -Biological functions of lactoferrin                    |  |
| * Lactoferrin and iron metabolism                       |  |
| * Antimicrobial functions                               |  |
| * Lactoferrin and tumour growth                         |  |
| *Lactoferrin and cell proliferation and differentiation |  |
| * Lactoferrin and bone                                  |  |
| * Enzymatic activity of ribonuclease                    |  |
| -Role of Lactoferrin in inflammatory diarrhea           |  |
| - Role of Lactoferrin in SBP                            |  |
| PATIENTS AND METHODS                                    |  |
| RESULTS   |  |
| DISCUSSION  |  |
| SUMMARY   |  |
| CONCLUSION  |  |
| RECOMMENDATIONS.  |  |
| REFERENCES.   |  |
| ARABIC SUMMARY  |  |

## LIST OF TABLES

| Table | Title   | Page |
|-------|---|------|
| I     | Sensitivity and specificity of ascitic PMN count in SBP.  | 20   |
| 1     | An overview on the relevant history and clinical data of the studied cases.                     | 70   |
| 2     | Clinical examination of all studied cases.  | 71   |
| 3     | Classification of the studied cases according to modified Child's Pugh Classification.          | 72   |
| 4     | Classification of the studied cases according to ascitic fluid PMN count.                       | 73   |
| 5     | General features of SBP and non SBP groups.   | 74   |
| 6     | Clinical presentation of studied groups.  | 75   |
| 7     | Clinical examination of studied groups.   | 77   |
| 8     | Laboratory investigations of studied groups.  | 78   |
| 9     | Abdominal ultrasonographic findings among studied cases.  | 79   |
| 10    | Child's Pugh classification of both groups.   | 81   |
| 11    | Ascitic fluid physical examination among studied cases.   | 82   |
| 12    | Ascitic fluid characters of both groups (cell count and chemical analysis).                     | 83   |
| 13    | Ascitic fluid characters of both groups (cell count in comparison between AFLAC and Multistix). | 84   |
| 14    | Impact of treatment on ascitic fluid chemical composition among the SBP group.                  | 85   |
| 15    | Impact of treatment on the results of multistixs among the SBP group.                           | 86   |
| 16    | Cut off value, sensitivity, specificity and accuracy of AFLAC to diagnose                       | 88   |
|       | SBP.  |      |
| 17    | Sensitivity, specificity and accuracy of Multistixs for diagnosis of SBP.                       | 89   |

## LIST OF FIGURES

| Fig. | Title   | Page |
|------|---|------|
| 1    | studied patients according to gender  | 70   |
| 2    | Blood pressure in studied patients  | 72   |
| 3    | Classification of the studied cases according to Modified Child's Pugh Classification | 72   |
| 4    | Classification of the studied cases according to ascitic fluid PMN count              | 73   |
| 5    | Age of studied groups   | 74   |
| 6    | studied groups according to gender  | 75   |
| 7    | Clinical presentation of studied groups   | 76   |
| 8    | Temperature in studied groups   | 78   |
| 9    | Serum total bilirubin in studied groups   | 79   |
| 10   | Focal lesions in both groups  | 80   |
| 11   | Presence of internal echoes in ascites in both groups                                 | 81   |
| 12   | Studied groups according to Child Pugh classification                                 | 82   |
| 13   | Ascitic fluid physical examination among the studied patients.                        | 83   |
| 14   | AFLAC levels in both groups   | 84   |
| 15   | Ascitic fluid characters of both groups   | 85   |
| 16   | Impact of treatment on ascitic fluid chemical composition among the SBP group         | 86   |
| 17   | Impact of treatment on the results of multistix among the SBP                         | 87   |
|      | group   |      |
| 18   | ROC curve of AFLAC  | 88   |
| 19   | ROC curve of Multistix  | 89   |

## LIST OF ABBREVIATIONS

**AFLAC** Ascitic fluid lactoferrin.

**ALT** Alanine transaminase.

**CNNA** Culture negative neutrocytic ascites

**GE** Granulocyte elastase

**HBV** Hepatitis B virius.

**HCC** Hepatocellular carcinoma.

**HCV** Hepatitis C virus.

**HRS** Hepatorenal syndrome.

**ICAM-1** Intercellular adhesion molecules-1

**IL-1** Interleukin-1.

**IL-6** Interleukin-6.

**IL-8** Interleukin-8.

**LDH** Lactate dehydrogenase.

**LPS** Lipopolysaccharide.

MCP-1 Monocyte chemotactic protein-1.

**MNB** Monomicrobial non neutrocytic bacterascites.

**mRNA** Messenger RNA.

**NO** Nitric oxide.

**NPV** Negative predictive value.

**PMN** Polymorpho-nuclear leucocyte.

**PNB** Polymicrobial non neutrocytic bacterascties.

**PPV** Positive predictive value.

**SAAG** Serum ascites albumin gradient.

**SBP** Spontaneous bacterial peritonitis.

**SBP-RI** Spontaneous bacterial peritonitis-Renal impairment.

SIBO Small intestinal bacterial over growth

**TNF-α** Tumour necrosis factor alpha

**VCAM-1** vascular cell adhesion molecule-1

**VEGF** Vascular endothelial growth factor