

References

- Adachi H, Strauss W, Ochi H, and Wagner H. (1976):*** The effect of hypoxia on regional distribution of cardiac output in the dog. *Circ. Res.*; 39:314- 319.
- Adler M. (2001):*** Recent insights into pathophysiology of sepsis associated liver dysfunction. *Acta Gastroenterology Belg.*; 64:314-317.
- Am J. (1978):*** Ultrastructural changes in the liver in heat stroke. *Pathol.*;90:609-618.
- Aninat C, Seguin P and Descheemaeker P-N. (2008):*** Catecholamines induce an inflammatory response in human hepatocytes. *Crit Care Med* 36: 848–54.
- Anouk Emadali, Be´ atrice Muscatelli-Groux , Fre´ de´ ric Delom , Sarah Jenna , Daniel Boismenu_, David B. Sacks , Peter P. Metrakos , and Eric Chevet (2006):*** Proteomic Analysis of Ischemia-Reperfusion Injury upon Human Liver Transplantation Reveals the Protective Role of IQGAP1. *The American Society for Biochemistry and Molecular Biology*; 1300;1313.
- Aranow JS and Fink MP. (1996):*** Determinants of intestinal barrier failure in critical illness. *Br J Anaesth.* ;77:71–81.

- Aslan S, Meral M, Akgun M, Acemoglu H, Ucar EY, Gorguner M and Mirici (2007) :** Liver dysfunction in patients with acute pulmonary embolism. *Hepatol Res* ; 37(3):205-13.
- Aspasia and Dourakis SP. (2005):** Liver dysfunction in the intensive care unit. *ANNALS OF GASTROENTEROLOGY*;18(1):35-45.
- Ayuse T, Brienza N, O'Donnell CP, and Robotham JL. (1994):** Pressure-flow analysis of portal vein and hepatic artery interactions in porcine liver. *Am J Physiology*; 267: H1233H1242.
- Bassi M and Bernelli-Zazzera A.(1964):** Ultrastructural cytoplasmic changes of liver cells after reversible and irreversible ischemia. *Exp. Mol. Pathol.* 3:332-350.
- Baue AE. (2000):** Liver: multiple organ dysfunction and failure. In: Baue AE, ed. *Multiple Organ Failure: Pathophysiology, Prevention, and Therapy*. New York, NY: Springer-Verlag NY Inc;459-462.
- Bauer M, Paxian M, and Kortgen A. (2004):** Acute liver failure: Current aspects of diagnosis and therapy. *Anaesthesist*. 53:511-530.
- Benkoel L , Doderio F , Hardwigsen J , Campan P , Botta-Fridlund D , Lombardo D , Le Treut Y. P , and Chamlian A. (2001) :** Effect of ischemia- reperfusion on bile canalicular F-actin microfilaments in

hepatocytes of human liver allograft: image analysis by confocal laser scanning microscopy. Dig. Dis. Sci. 46, 1663–1667.

Ben-Shachar D, Zuk R, and Glinka, Y. (1995): Dopamine neurotoxicity: inhibition of mitochondrial respiration. J Neurochem. ; 64:718-723.

Benticuaga Martínez MN, Pardo Cabello AJ, Martín Moreno A, Miras Parra FJ and Sabio Reyes F. (2005): Acute liver failure following heat stroke. A Med Interna. ;22(9):429-30.

Beyer J, Beckenlechner P, and Messmer K. (1982): The influence of PEEP ventilation on organ blood flow and peripheral oxygen delivery. Intensive Care Med.; 8:75–80.

Bianchi L, Ohnacker H. Beck K and Zimmerli-Ning MI. (1972) : Liver damage in heatstroke and its regression. Hum Pathol 3:2.37-248.

Biasi F, Lanfranco G and Capra A. (1994): Oxidative stress in the development of human ischemic hepatitis during circulatory shock. Free Radic Biol Med 17: 225–33.

Birrer R, Takuda Y and Takara T. (2007): Hypoxic hepatopathy: pathophysiology and prognosis. Intern Med 46: 1063–70.

Bradbury AW, Brittenden J, McBride K, and Ruckley CV (1995): Mesenteric ischemia: A multidisciplinary approach. Br J Surg; 82:1446–1459.

Brealey D, Karyampudi S, Jacques TS, Novelli M, Stidwill R, Taylor V, et al. (2004): Mitochondrial dysfunction in a long-term rodent model of sepsis and organ failure. *Am. J. Physiol. Regul. Integr. Comp. Physiol.*; 286:R491-497.

Bredenberg CE and Paskanik AM. (1983): Relation of portal haemodynamics to cardiac output during mechanical ventilation with PEEP. *Ann Surg*; 198:218–222.

Brienza N, Revelly JP, Ayuse T, et al. (1995): Effects of PEEP on liver arterial and venous blood flows. *Am J Respir. Crit. Care Med.*; 152:504–510.

Caroleo S, Rubino AS, Tropea F, Bruno O, Vuoto D, Amantea B and Renzulli A. (2010) : Coupled plasma filtration adsorption reduces serum bilirubine in a case of acute hypoxic hepatitis secondary to cardiogenic shock.

Carroll R. (1963): Infarction of the human liver. *J Clin Pathol*; 16:133–136.

Cassidy WM and Reynolds TB. (1994): Serum lactic dehydrogenase in the differential diagnosis of acute hepatocellular injury. *J Clin. Gastroenterol.* ; 19:118-121.

Ceppa E, Fuh KC and Bulkley GB (2003): Mesenteric hemodynamic response to circulatory shock. *Curr Opin Crit Care* 9: 127–32.

- Chang JX, Chen S, Ma LP, Jiang LY, Chen JW, Chang RM, Wen LQ, Wu W, Jiang ZP, and Huang ZT. (2005):** Functional and morphological changes of the gut barrier during the resuscitation process after hemorrhagic shock. *World J Gastroenterol*; 11:5485–5491.
- Chu CM, Chang CH, Liaw YF. (1984):** Jaundice after open heart surgery: a prospective study. *Thorax*, 39:52.
- Clavien PA, Yadav S, Sindram D and Bentley RC. (2000) :** Protective effects of ischemic preconditioning for liver resection performed under inflow occlusion in humans. *Ann. Surg.* 2000; 232: 163–5.
- Clemmesen JO, Galatius S, Skak C, Dalgaard, P, Larsen, FS, and Ott P. (1999):** The effect of increasing blood pressure with dopamine on systemic, Splanchnic, and lower extremity haemodynamics in patients with acute liver failure. *Scand J Gastroenterol*; 34:921-927.
- Clemmesen O, Ott P, and Larsen FS. (2004):** Splanchnic metabolism in acute liver failure and sepsis. *Curr Opin. Crit. Care.*; 10:152-155.
- Collins JD, Bassendine MF, and Ferner R. (1983):** Incidence and prognostic importance of jaundice after cardiopulmonary bypass surgery. *Lancet*, i: 1119.
- Coralli RJ and Crawley IS. (1986):** Hepatic pulsations in constrictive pericarditis. *Am J Cardiol.* ; 58:370.

- Cremer J, Martin M, Redl H, et al. (1996):** Systemic inflammatory response syndrome after cardiac operations. *Ann. Thorac. Surg.*; 61:1714–20.
- Creteur J, De Backer D, Sun Q, and Vincent JL. (2004):** The hepatosplanchnic contribution to hyperlactatemia in endotoxic shock: effects of tissue ischemia. *Shock*; 21:438-443.
- Cutrin J. C , Cantino D, Biasi F , Chiarpotto E , Salizzoni M , Andorno E , Massano G , Lanfranco G , Rizzetto M , Boveris A , and Poli, G. (1996) :** Reperfusion damage to the bile canaliculi in transplanted human liver. *Hepatology* 24, 1053–1057.
- Damman K, Navis G, Voors AA, Asselbergs FW, Smilde TD, Cleland JG, van Veldhuisen DJ and Hillege HL. (2007):** Worsening renal function and prognosis in heart failure: systematic review and meta-analysis. *J Card Fail*;13:698–700.
- David H, Uerlings I., and Grupe MI. (1971):** Strukturveränderungen von Leberzellen bei supranormalen Temperaturen. *Exp. Pathol. (Jena)* 3:2-10..
- Deleve LD, Shulman HM, and McDonald GB. (2002):** Toxic injury to hepatic sinusoids: sinusoidal obstruction syndrome (venocclusive disease). *Semin. Liver Dis.*; 22: 27–41.

Dellinger R, Levy MM and Carlet JM. (2008): Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock: 2008. *Intensive Care Med* 34: 17–60.

Diggs LW. (1965): Sick cell crises. *Am J Clin Pathol* 44:1-19.

Doctor B, Dahl R. H , Salter K. D , and Fitz J. G. (1999) : Reorganization of cholangiocyte membrane domains represents an early event in rat liver ischemia. *Hepatology* 29, 1364–1374.

Dunn GD, Hayes P, Breen KJ, and Schenker S. (1973): The liver in congestive heart failure: a review. *Am J Med. Sci.*; 265:174-189.

Durand P, Debray D and Mandel R. (2001): Acute liver failure in infancy: a 14-year experience of a pediatric liver transplantation center. *J Pediatr*;139:871–6.

Ebert E. (2006): Hypoxic liver injury. *Mayo Clin Proc* 81: 1232–6

Ebert EC, Nagar M and Hagspiel KD. (2010): Gastrointestinal and hepatic complications of sickle cell disease. *Clin Gastroenterol Hepatol*. 2010 Jun;8(6):483-9.

Edelstone DI and Rudolph AM. (1979): Preferential streaming of ductus venosus blood to the brain and heart in fetal lambs. *Am J Physiol*; 237:H724–9.

Edmondson HA and Peters RL. (1977): Liver. In Pathology, 7th ed. WAD Anderson, JM Kissane (Eds). St. Louis, CV Mosby, pp 1321-1438.

Engler S, Elsing C, Flechtenmacher C, Theilmann L, Stremmel W, and Stiehl A. (2003): Progressive sclerosing cholangitis after septic shock: a new variant of vanishing bile duct disorders. Gut; 52:688-693.

Enomoto N, Takei Y, Hirose M, Kitamura T, Ikejima K, and Sato N. (2003): Protective effect of thalidomide on endotoxin-induced liver injury. Alcohol Clin. Exp. Res.; 27:2S-6S.

Eric López-Méndez; Eduardo López-Méndez; Iván López-Méndez; Pablo Hernández-Reyes; Jaime Galindo-Uribe; Vanessa Angulo-Ramírez; Lourdes Ávila-Escobedo and Misael Uribe (2006) : Case Report a 57 year old man with chronic renal failure and cardiac tamponade who developed ischemic hepatitis. Annals of Hepatology 2006; 5(1): January-March: 50-52.

Ericzon B.G , Eusufzai S , Kubota K , Einarsson K and Angelin B. (1990): Characteristics of biliary lipid metabolism after liver transplantation. Hepatology 12, 1222–1228.

Fang C, Yoon S, Tindberg N, Jarvelainen HA, Lindros KO, and Ingelman-Sundberg M. (2004): Hepatic expression of multiple acute phase

proteins and down-regulation of nuclear receptors after acute endotoxin exposure. *Biochem. Pharmacol.* ; 67:1389-1397.

Fruchterman TM, Spain DA, Wilson MA, Harris PD, and Garrison RN.

(1998): Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation. *Surgery*; 124:782– 791.

Fuchs S, Bogomolski-Yahalom V and Paltiel O. (1998): Ischemic hepatitis:

clinical and laboratory observations of 34 patients. *J Clin Gastroenterol.*; 26: 183–6

Fuhrmann V, Madl C and Mueller C. (2006): Hepatopulmonary syndrome

in patients with hypoxic hepatitis. *Gastroenterology* 131: 69–75.

Fuhrmann V, Kneidinger N and Herkner H. (2008): Impact of hypoxic

hepatitis on mortality at the intensive care unit. *Hepatology* 48[Suppl 4]: A320.

Fuhrmann V, Kneidinger N, Herkner H, Heinz G, Nikfardjam M, Bojic A,

Schellongowski P, Angermayr B, Kitzberger R, Warszawska J,

Holzinger U, Schenk P and Madl C.(2009): Hypoxic hepatitis:

Underlying conditions and risk factors for mortality in critically ill Patients. *Intensive Care Med.*; 35:1397–405.

Fujita Y. (1993): Effects of PEEP on Splanchnic haemodynamics and blood

volume. *Acta Anaesthesiol. Scand*; 37:427–431.

- Garcia-Tsao G, Sanyal AJ, Grace ND and Carey WD . (2007) :** Prevention and management of gastroesophageal varices and variceal hemorrhage in cirrhosis. *Am J Gastroenterol* .;102:2086-2102.
- Garrison RN, Conn AA, Harris PD, and Zakaria ER. (2004):** Direct peritoneal resuscitation as adjunct to conventional resuscitation from hemorrhagic shock: a better outcome. *Surgery*; 136:900–908.
- Giallourakis CC, Rosenberg PM, and Friedman LS. (2002):** The liver in heart failure. *Clin. Liver Dis.*; 6:947–967.
- Girgis B. (1952) :** Pulmonary heart disease due to Bilharzia: The bilharzial cor pulmonale : A clinical study of twenty cases . *American Heart Journal* ; 43: 606-614 .
- Gooley TA, Rajvanshi P, Schoch HG, and McDonald GB. (2005):** Serum bilirubin levels and mortality after myeloablative allogeneic hematopoietic cell transplantation. *Hepatology*; 41: 345–352.
- Green TW, Conley CL, and Berthrong M. (1953):** The liver in sickle cell anemia, *Johns Hopkins Med J* 92:90-127.
- Gruenwald P. (1949):** Degenerative changes in the right half of the liver resulting from intrauterine hypoxia. *Am J Clin. Pathol.* ;19: 801–13.

- Grum CM. (1993):** Tissue oxygenation in low flow states and during hypoxemia. Crit. Care Med.; 21:S44-S49.
- Gullo A and Berlot G. (1996):** Ingredients of organ dysfunction and failure. World J Surg.; 20: 430–436.
- Guo LM, Liu JY, Xu DZ, Li BS, Han H, Wang LH, Zhang WY et al. (2003):** Application of Molecular Adsorbents Recirculating System to remove NO and cytokines in severe liver dysfunction in the intensive care unit failure patients with multiple organ dysfunction syndrome. Liver Int.; 23 Suppl 3:16-20.
- Guzman JA, Rosado AE, and Kruse JA. (2001):** Dopamine-1 receptor stimulation attenuates the vasoconstrictive response to gut ischemia. J Appl. Physiol.; 91:596-602.
- Halasz NA. (1991):** Cholecystectomy and hepatic artery injury. Arch Surg.; 126:137–138.
- Hampton JC, Patterson R, and Rosario B. (1968):** Fine structural changes in livers of dogs in anaphylaxis. Exp. Mol. Pathol. 9:258-270,.
- Hampton WW, Townsend MC, Schirmer WJ, et al. (1989):** Effective hepatic blood flow during cardiopulmonary bypass. Arch Surg.; 124:458–9.

- Harry R, Auzinger G, and Wendon J. (2003):** The effects of supraphysiological doses of corticosteroids in hypotensive liver failure. *Liver Int.*; 23:71-77.
- Hart DW, Gore DC, Rinehart AJ, Asimakis GK, and Chinkes DL. (2003):** Sepsis-induced failure of hepatic energy metabolism. *J. Surg. Res.*; 115:139-147.
- Hawker F. (1991):** Liver dysfunction in critical illness. *Anaesth Intensive Care*; 19:165-181.
- Hein OV, Ohring R, Schilling A, Oellerich M, Armstrong VW, Kox WJ, et al. (2004):** N-acetylcysteine decreases lactate signal intensities in liver tissue and improves liver function in septic shock patients, as shown by magnetic resonance spectroscopy: extended case report. *Crit Care.*; 8:R66-71.
- Henrion J, Descamps O and Luwaert R. (1994):** Hypoxic hepatitis in patients with cardiac failure: incidence in a coronary care unit and measurement of hepatic blood flow. *J Hepatol* 21: 696–703.
- Henrion J, Schapira M and Heller F. (1996):** Ischemic hepatitis: the need for precise criteria. *J Clin Gastroenterol.*; 23: 305–6.

Henrion J, Colin L, Schapira M, and Heller FR. (1997): Hypoxic hepatitis caused by severe hypoxemia from obstructive sleep apnea. J Clin. Gastroenterol. ; 24:245-249.

Henrion J, Minette P, Colin L, Schapira M, Delannoy A, and Heller FR. (1999): Hypoxic hepatitis caused by acute exacerbation of chronic respiratory failure: a case-controlled, haemodynamic study of 17 consecutive cases. Hepatology; 29:427-433.

Henrion J, Descamps O and Luwaert R. (2000): Ischemia/ reperfusion injury of the liver: pathophysiologic hypotheses and potential relevance to human hypoxic hepatitis. Acta Gastroenterol Belg 63: 336–47.

Henrion J, Schapira M and Luwart R. (2003): Hypoxic hepatitis. Clinical and hemodynamic study in 142 consecutive cases. Medicine (Baltimore) 82: 392–406.

Henrion J, Deltenre P, De Maeght S, Peny MO and Schapira M. (2010) : Acute Lower Limb Ischemia as a Triggering Condition in Hypoxic Hepatitis: A Study of 5 Cases. J clin gastroenterol . journal article .

Henrion J, Deltenre P, Peny MO, Dumoulin P, Laurent Y and Brenard R. (2010): Fatal hypoxic hepatitis in a patient with hereditary hemorrhagic telangiectasia (Rendu-Osler-Weber's disease). Acta Gastroenterol Belg; 73(1):61-4.

- Hickman PE and Potter JM. (1990):** Mortality associated with ischaemic hepatitis. Aust. NZ Med.; 20:32-4.
- Holger K. Eltzschig and Peter Carmeliet (2011) :** Hypoxia and Inflammation. N Engl J Med ;364:656-65.
- Hopkinson JM, Pearce PJ, and Oliver JS. (1980):** Carbon monoxide poisoning mimicking gastroenteritis. Br Med. J; 281:214-5.
- Howard EW 3rd and Jones HL. (1993):** Massive hepatic necrosis in toxemia of pregnancy. Tex. Med.; 89:74–80.
- Hwang TL and Han ML. (2003):** The changes of hepatic sinusoidal microcirculation and effects of nitric oxide synthase inhibitor during sepsis. Hepatogastroenterology; 50:213-216.
- Ichai P and Saliba F. (2009):** Fulminant and subfulminant hepatitis: causes and treatment Presse Med; 38(9):1290-8.
- Iseki J, Touyama K, Noie T, Nakagami K, Takagi M, Hakamada K, Tanaka A, Yamada A, Hanakita J, and Suwa H. (1992):** Partial portal arterialization for the prevention of massive liver necrosis following extended pancreaticobiliary surgery: Experience of two cases. Surg. Today; 22:568–571.

- Itskovitz J, Goetzman B, and Rudolph AM. (1982):*** Effects of hemorrhage on umbilical venous return and oxygen delivery in fetal lambs. *Am J Physiol.*; 242:H543–8.
- Jacquemin E, Saliba E, Blond MH, et al. (1992):*** Liver dysfunction and acute cardiocirculatory failure in children. *Eur J Pediatr*; 151: 731–4.
- Jaeschke H. (2006):*** Mechanisms of Liver Injury. II. Mechanisms of Neutrophil-induced liver cell injury during hepatic ischemia reperfusion and other acute inflammatory conditions. *Am J Physiol Gastrointestinal Liver Physiol*; 290:G1083–G1088.
- Jaeschke H, Farhood A, and Bautista AP. (1993):*** Complement activates Kupffer cells and neutrophils during reperfusion after hepatic ischemia. *Am. J. Physiol.*; 264: G801–9.
- Jakob SM. (2002):*** Clinical review: Splanchnic ischemia. *Crit. Care.* ; 6:306.312.
- Jakob S, Tenhunen JJ, Heino A, et al (2002):*** Splanchnic vasoregulation during mesenteric ischemia and reperfusion in pigs. *Shock* 18: 142–7.
- James PE, Madhani M, Roebuck W, Jackson SK, and Swartz HM. (2002):*** Endotoxin-induced liver hypoxia: defective oxygen delivery versus oxygen consumption. *Nitric Oxide*; 6:18-28.

Jarrar D, Chaudry IH, and Wang P. (1999): Organ dysfunction following hemorrhage and sepsis: Mechanisms and therapeutic approaches [review]. *Int. J Mol. Med.*; 4:575-583.

Jarrar D, Wang P, Cioffi WG, Bland KI, and Chaudry IH. (2000): Critical role of oxygen radicals in the initiation of hepatic depression after trauma hemorrhage. *J Trauma*; 49:879–885.

Jarrar D, Wang P, and Chaudry IH. (2001): Hepatocellular dysfunction caused by hemorrhage, trauma and infection. In: Fingerhut A, Holzheimer RG, eds. *Evidence Based Surgery Textbook*. Berlin, Germany: Springer-Verlag;763-767.

Joan M. Raurich, Olatz Pérez, Juan A. Llompарт-Pou, Jordi Ibáñez, Ignacio Ayestarán and Jon Pérez-Bárcena (2009): Incidence and outcome of ischemic hepatitis complicating septic shock. *The Japan Society of Hepatology*; 39:700 – 705.

John Koskinas, Ilias P Gomatos, Dina G Tiniakos, Nikolaos Memos, Maria Boutsikou, Aspasia Garatzioti, Athanasios Archimandritis and Alexander Betrosian (2008): Liver histology in ICU patients dying from sepsis: A clinico-pathological study. *World J Gastroenterol*; 14(9): 1389-1393.

- Johnson RD, O'Connor ML, and Kerr RM. (1995):** Extreme serum elevations of aspartate aminotransferase. *Am J Gastroenterol.*; 90:1244-1245.
- Kainuma M, Nakashima K, Sakuma I, et al. (1992):** Hepatic venous hemoglobin oxygen saturation predicts liver dysfunction after hepatectomy. *Anesthesiology*; 76:379–386.
- Kaplan M.(1993):** Laboratory tests. In: Schiff L (ed) *Diseases of the liver*. JB Lippincott, Philadelphia, pp 108–44
- Kiernan F. (1833):** The Anatomy and Physiology of the Liver. *Philosophical Transactions of the Royal Society of London.* , pt. 2, PP. 7II-770.
- Killip T and Payne MA. (1960):** High serum transaminase activity in heart disease: circulatory failure and hepatic necrosis. *Circulation*; 21:273–293.
- Kline G, Lucas CE, Ledgerwood AM, and Saxe JM. (1994):** Duodenal organ injury severity (OIS) and outcome. *Am Surg.*; 60:500–504.
- Klion FM and Schaffner F. (1967):** Ultrastructural features of canine hepatic auxiliary transplant rejection. *Exp. Mol. Pathol.* 6:361-369.
- Korean J (2009):** Hypoxic hepatitis in post resuscitation patients. *Soc Emerg Med.*;20(1):65-71.

- Kramer L, Jordan B and Druml W. (2007):** Incidence and prognosis of early hepatic function in critically ill patients – a prospective multicenter study. Crit Care Med 35: 1099–104.
- Krejci V, Hiltebrand LB and Sigurdsson GH. (2006):** Effect of epinephrine, norepinephrine, and phenylepinephrine on microcirculatory blood flow in the gastrointestinal tract in sepsis. Crit Care Med 34: 1456 63.
- Kubo SH, Walter BA, John DH, Clark M, and Cody RJ. (1987):** Liver function abnormalities in chronic heart failure. Influence of systemic haemodynamics. Arch Intern. Med.; 147:1227–1230.
- Kummer N, Cackovic M, Paidas M and Funai E. (2008) :** Hypoxic hepatitis in a pregnant patient: a complication of gastric bypass surgery. AmJ Perinatol; 25(8):469-71.
- Landgarten MJ, Kumar A, and Parrillo JE. (2000):** Cardiovascular dysfunction in sepsis and septic shock. Curr. Treatment Options Cardiovasc. Med.; 2:451-459.
- Lang JTX, Chumley P, Crawford JH, Isbell TS and Chacko BK. (2007):** Inhaled NO accelerates restoration of liver function in adults following orthotopic liver transplantation. J Clin Invest 117: 2583–91.
- Larry A. Allen , G. Michael Felker , Stuart Pocock , John J.V. McMurray, Marc A. Pfeffer , Karl Swedberg , Duolao Wang , Salim Yusuf , Eric**

- L. Michelson and Christopher B. Granger (2009) :*** Liver function abnormalities and outcome in patients with chronic heart failure: data from the Candesartan in Heart Failure: Assessment of Reduction in Mortality and Morbidity (CHARM) program . European Journal of Heart Failure 11, 170–177.
- Lau GT, Tan HC, and Kritharides L. (2002):*** Type of liver dysfunction in heart failure and its relation to the severity of tricuspid regurgitation. Am J Cardiol. ; 90:1405–1409.
- Lautt W. (1995):*** The 1995 Ciba-Geigy Award Lecture: intrinsic regulation of hepatic blood flow. Can J Physiol Pharmacol 74: 223–33.
- Lautt W. (2007):*** Regulatory processes interacting to maintain hepatic blood flow constancy: vascular compliance, hepatic arterial buffer response, hepatorenal reflex, liver regeneration, escape from vasoconstriction. Hepatol Res 37: 891–903.
- Lee NK, Sziklas JJ, Spencer RP, Siegfeld RP, and Rosenberg RJ. (1993):*** Splenic and hepatic necrosis after vascular occlusion. Clin. Nucl. Med.; 18:140–142.
- Lefkowitz JH. (1982):*** Bile ductular cholestasis: an ominous histopathologic sign related to sepsis and “cholangitis lenta”. Hum Pathol; 13: 19-24.

LeGall J, Lemeshow S and Saulnier F. (1993): A new simplified acute physiology score (SAPS II) based on a European/ North American multicenter study. JAMA 270: 2957–63.

Lentsch AB, Atsushi K, Yoshidome H, McMasters KM and Edwards MJ. (2000): Inflammatory mechanisms and therapeutic strategies for warm hepatic ischemia/reperfusion injury. Hepatology; 32: 169–73.
liver transplantation. Liver Transplant. 9, 1005–1018.

Lovett JV, Morriss LL, Bomberger RA, et al. (1992): The effects of positive expiratory pressure on peritoneovenous shunt flow. J Surg. Res.; 53:1–3.

Lubanda H, Novák F, Trunecka P, Urbáek P, Onderkvá R, Zák A. (2004): Acute liver failure related to the syndrome of exertional heatstroke. Cas Lek Cesk.;143(5):336-8.

Lysova NL, Gurevich LE, Trusov OA, Shchegolev AI, and Mishnev OD. (2001): Immunohistochemical characteristics of the liver in patients with peritonitis (early autopsy). Bull Exp. Biol. Med.; 132: 1125-1129.

MacMahon HE. (1972): Systemic sclerodermia and massive infarction of the intestine and liver. Surg. Gynecol. Obstet.; 134:10–14.

Majno PE, Pretre R, Mentha G, and Morel P. (1996): Operative injury to the hepatic artery. Arch Surg.; 131:211–215.

- Malinoski DJ, Hadjizacharia P, Salim A, Kim H, Dolich MO, Cinat M, Barrios C, Lekawa ME and Hoyt DB. (2009):** Elevated serum Pancreatic enzyme levels after hemorrhagic shock predict organ Failure and death. *J Trauma*.;67:445–9.
- Manny J, Justice R, and Hechtman HB. (1979):** Abnormalities in organ blood flow and its distribution during positive end-expiratory pressure. *Surgery*; 85:425–432.
- Marrero J, Martinez FJ, and Hyzy R. (2003):** Advances in critical care hepatology. *Am J Respir. Crit. Care Med.*; 168:1421-1426.
- Masao Omata, , Cage S. Johnson , Myron Tong , and Dorothy Tatter (1986):** Pathological Spectrum of Liver Diseases in Sickle Cell Disease. *Digestive Diseases and Sciences*; pp. 247-256.
- Masuko H, Jin MB and Horiuchi H. (2001):** Protective effect of angiotensin II type I receptor antagonist, CV-11974, on ischemia and reperfusion injury of the liver. *Transplantation* 71: 1034–9.
- Matsubara S. (1994):** Combination of plasma exchange and continuous haemofiltration as temporary metabolic support for patients with acute liver failure. *Artif. Organs*; 18:363–366.
- Maynard ND, Bihari DJ, Dalton RN, et al. (1997):** Liver function and Splanchnic ischemia in critically ill patients. *Chest*; 111:180–187.

- Mays ET and Conti S. (1979):** Hepatic artery ligation. Surgery; 86:536–543.
- Mays ET and Wheeler CS (1974):** Demonstration of collateral arterial flow after interruption of hepatic arteries in man. N Engl. J Med; 290:993–996.
- McDonald GB. (2006):** Management of hepatic disease following hematopoietic cell transplant. Alimentary Pharmacol. Ther. ;24: 441–452.
- McDonald GB, Hinds MS, Fisher LB, Schoch HG, Wolford JL, Banaji M et al. (1993):** Venocclusive disease of the liver and multiorgan failure after bone marrow transplantation: a cohort study of 355 patients. Ann Intern Med; 118: 255–267.
- McIntyre RC Jr, Pulido EJ, Bensard DD, Shames BD, and Abraham E. (2000):** thirty years of clinical trials in acute respiratory distress syndrome. Crit Care Med.; 28:3314-3331.
- McKoy JM, Angelotta C, Bennett CL, Tallman MS, Wadleigh M, Evens AM et al. (2007):** Gemtuzumab ozogamicin-associated sinusoidal obstructive syndrome (SOS): an overview from the research on adverse drug events and reports (RADAR) project. Leuk. Res.; 31: 599–604.

Ming Z, Han C and Lautt WW. (1999): Nitric oxide mediates hepatic arterial vascular escape from norepinephrine-induced constriction. *Am J Physiol Gastrointest Liver Physiol* 277: G1200–6.

Mizushima Y, Wang P, Jarrar D, Cioffi WG, Bland KI, and Chaudry IH. (2000): Estradiol administration after trauma-hemorrhage improves cardiovascular and hepatocellular functions in male animals. *Ann Surg.*; 232:673-679.

Murry CE, Jennings RB and Reimer KA. (1986) : Preconditioning with ischemia: a delay in lethal cell injury in ischemic myocardium. *Circulation* 1986; 74: 1124–36.

Myers JO and Hickman JB. (1948): An estimation of hepatic blood flow and Splanchnic oxygen consumption in heart failure. *J Clin. Invest.*; 27: 620-627.

Mythen MG and Webb AR. (1995): Perioperative plasma volume expansion reduces the incidence of gut mucosal hypoperfusion during cardiac surgery. *Arch Surg.*; 130:423–9.

Naschitz JE, Slobodin G, Lewis RJ, Zuckerman E, and Yeshurun D. (2000): Heart diseases affecting the liver and liver diseases affecting the heart. *Am Heart J.*; 140:111-120.

- Offner PJ and Moore EE. (2000):** Risk factors for MOF and pattern of organ failure following severe trauma. In Baue AE, ed. Multiple Organ Failure: Pathophysiology, Prevention, and Therapy. New York, NY: Springer-Verlag NY Inc;30-43.
- Ohri SK, Becket J, Brannan J, et al. (1994):** Effects of cardiopulmonary bypass on gut blood flow, oxygen utilization, and intra-mucosal pH. Ann Thorac Surg; 57:1193–9.
- Ohri SK, Bowles CW, Mathie RT, et al. (1997):** Effect of cardiopulmonary bypass perfusion protocols on gut tissue oxygenation and blood flow. Ann Thorac Surg; 64:163–70.
- Okano S, Savai K, Tangueti H, and Takahashi T. (1993):** Aberrant left hepatic artery arising from the left gastric artery and liver function after radical gastrectomy for gastric cancer. World J Surg.;17:70–74.
- Ozaki M, Deshpande SS, and Angkeow P. (2000):** Inhibition of the Rac1 GTPase protects against non-lethal ischemic/ reperfusion-induced necrosis and apoptosis in vivo. FASEB J .; 14: 418–29.
- Panis Y, McMullan DM, and Emond JC. (1997):** Progressive necrosis after hepatectomy and the Pathophysiology of liver failure after massive reduction. Surgery; 121:142–149.

Peng XX, Currin RT, Thurman RG, and Lemasters JJ. (1995): Protection by pentoxifylline against normothermic liver ischemia/reperfusion in rats. *Transplantation*; 59:1537–1541.

Peralta C, Perales J and Bartrons R. (2002): The combination of ischemic preconditioning and liver BCL-2 overexpression is a suitable strategy to prevent liver and lung damage after hepatic ischemia-reperfusion. *Am J Pathol* 160: 2111–22.

Perkins MW, Dasta JF, and DeHaven B. (1989): Physiologic implications of mechanical ventilation on pharmacokinetics. *DICP*; 23:316–323.

Philippe Ichai, M.D. , ammanuel Huguet, catherine Guettier , vaniel Azoulay , Maria Eugenia Gonzalez , Mernard Fromenty, Oascal Masnou, Baouzi Saliba, Mruno Roche, Fahed Zeitoun, Venis Castaing, Hidier Samuel (2003): Fulminant hepatitis after grand mal seizures: Mechanisms and role of liver transplantation. *American Association for the study of Liver Diseases*;38: 443 – 451.

Powell-Jackson PR, Greenway B, and Williams R. (1982): Adverse effects of exploratory laparotomy in patients with unsuspected liver disease. *Br J Surg*.;69 :449-53.

- Purcell PN, Branson RD, Hurst JM, et al. (1992):** Gut feeding and hepatic haemodynamics during PEEP ventilation for acute lung injury. *J Surg. Res.*; 53:335–341.
- Rashed KA, McNabb WR and Lewis RR. (2003):** Ischaemic hepatitis in the elderly. *Gerontology*;48(4):245-9
- Raurich JM, Perez O, Llompart-Pou JA, Ibañez J, Ayestara I, Peñerbañena J. (2009):** Incidence and outcome of ischemic hepatitis complicating septic shock. *Hepatol Res.* ; 39:700–5.
- Rawson J and Achord JL. (1985):** Shock liver. *South Med J.*; 78: 1421–5.
- Rees DC, Williams TN and Gladwin MT.. (2010):** Sickle-cell disease. *Lancet*;376(9757):2018-31.
- Refsum HE. (1964):** Severe arterial hypoxemia and liver cell necrosis in patients with pulmonary insufficiency. *Acta Med. Scand*; 176:473-478.
- Rela M, Muiesan P, Heaton ND, Corbally M, Hajj H, Mowat AP, Williams R, and Tan KC (1995):** Orthotopic liver transplantation for hepatic based metabolic disorders. *Transplant Int*; 8:41–44.
- Reuss ML and Rudolph AM. (1980):** Distribution and recirculation of umbilical and systemic blood flow in fetal lambs during hypoxia. *J Develop Physiol.*; 2:71–84.

Revelly JP, Tappy L, Berger MM, et al. (2001): Early metabolic and Splanchnic responses to enteral nutrition in postoperative cardiac surgery patients with circulatory compromise. *Intensive Care Med.*; 27:540–7.

Riddington DW, Venkatesh B, Boivin CM, et al. (1996): Intestinal permeability, gastric intra-mucosal pH, and systemic endotoxaemia in patients undergoing cardiopulmonary bypass. *JAMA* 1996; 275:1007–12.

Ringe B and Pichlmayr R. (1995): Total hepatectomy and liver transplantation: A life saving procedure in patients with severe hepatic trauma. *Br J Surg*; 82:837–839.

Risoe C, Hall C, and Smiseth OA. (1991): Splanchnic vascular capacitance and positive end-expiratory pressure in dogs. *J Appl. Physiol.*; 70:818–824.

Rizzardini M, Zappone M and Villa P. (1998): Kupffer cell depletion partially prevents hepatic hemoxygenase 1 messenger RNA accumulation in systemic inflammation in mice: role of interleukin 1b. *Hepatology*; 27: 703–10.

R kke O, S ndenaa K, Amundsen S, Bjerke Larssen T, and Jensen D.

(1997): Successful management of eleven Splanchnic artery aneurysms.

Eur J Surg; 163:411–417.

Rosenblate HJ, Eisenstein R, and Holmes AW. (1970): The liver in sickle

cell anemia: A clinical-pathologic study. Arch Pathol 90:235-245.

Rosser BG and Gores GJ. (1995): Liver cell necrosis: Cellular mechanisms

and clinical implications. Gastroenterology; 108:252–275.

Rudolph AM and Heymann MA. (1970): Circulatory changes during growth

in the fetal lamb. Circ. Res.; 26:289–99.

Rudolph AM. (1983): Hepatic and ductus-venosus blood flows during fetal

life. Hepatology; 3:254–8.

Sakai M , Strasser SI , Shulman HM , McDonald SJ , Schoch HG and

McDonald GB (2009) : Severe hepatocellular injury after

hematopoietic cell transplant: incidence, etiology and outcome . Bone

Marrow Transplantation (2009) 44, 441–447 .

Santos-Buch CA and Treadwell PE. (1967): Disruption of Kupffer cells

during systemic anaphylaxis in the mouse. II. Changes in tissue and

plasma heat- and formaldehydes table acid p-nitrophenylphosphatase.

Am J Pathol. 51:505-525.

Scheuer PJ and Lefkowitz JH. (2006): Liver biopsy interpretation. 7th ed.
Philadelphia: Elsevier Saunders,: 331-332.

Schiltholt J and Shiraishi T. (1970): Die Wirkung einer allgemeinen
Hypoxie, Hypocapnie und Hypercapnie auf die Durchblutung der Leber
und des Splanchnicusgebietes des narkotisierten Hundes. Pfl uegers
Arch 318: 185–201.

**Schnog JB, Duits AJ, Muskiet FA, ten Cate H, Rojer RA and Brandjes DP.
(2004):** Sickle cell disease; a general overview. Neth J
Med.;62(10):364-74.

Schuler JG, Filtzer HS, and Rogoff P. (1997): Liver infarction after sigmoid
resection: An unusual case of mesenteric ischemia. Surgery 1993;
114:607– 612.

Seeto R, Fenn B andRockey DC (2000): Ischemic hepatitis: clinical
presentation and pathogenesis. Am J Med 109: 109–13.

Shibayama Y, Urano T, Asaka S, Hashimoto K, and Nakata K. (1993):
Pathogenesis of centrilobular necrosis following congestion of the liver.
J Gastroenterol Hepatol.; 8:530-534.

Shulman HM and McDonald GB. (2007): Hepatic complications of
hematopoietic cell transplantation. In: Gershwin ME, Vierling JM,

Manns M (Eds). Liver Immunology: Principles and Practice. Humana Press: Totowa, NJ, , pp 409–421.

Steiner JW. (1961): Investigations of allergic liver injury. I. Light, fluorescent and electron microscopic study of the effects of soluble immune aggregates. Am j Pathol. 38:411- 436,.

Stephanini M and Spicer DD. (1971): Haemostatic breakdown, fibrinolysis, and acquired hemolytic anemia in a patient with fatal heatstroke: Pathogenetic mechanisms. Am J Clin. Pathol. 55:180-186.

Strasser SI, Sakai M, Shulman HM, McDonald SJ, Schoch HG and McDonald GB. (2009) : Severe hepatocellular injury after hematopoietic cell transplant: incidence, etiology and outcome. Bone Marrow Transplant ; 44(7):441-7.

Sucak G, Yegin Z, Ozkurt Z, Aki S, Karakan T, Akyol G. (2008): The role of liver biopsy in the workup of liver dysfunction late after SCT: is the role of iron overload underestimated? Bone Marrow Transplant; 42: 461–467.

Szabo G, Romics L Jr, and Frendl G. (2002): Liver in sepsis and systemic inflammatory response syndrome. Clin. Liver Dis.; 6:1045-1066.

Szypowska A, Skórka A and Pańkowska E. (2008) : Acute hypoxic hepatopathy: diabetic ketoacidosis complication in an infant newly

diagnosed with type 1 diabetes mellitus. *Pediatr Endocrinol Diabetes Metab*; 14(4):249-51.

Tadros T, Traber DL, and Herndon DN. (2004): Opposite effects of prostacyclin on hepatic blood flow and oxygen consumption after burn and sepsis. *Ann Surg*; 239:67-74.

Tanneau R, Pennec YL and Le Mev G. (1987): Hépatite isché mique et hypoxe mie profonde. *Sem Hop Paris*;63:3121-3122.

Tao W, Zwischenberger JB, Nguyen TT, et al. (1995): Gut mucosal ischemia during normothermic cardiopulmonary bypass results from blood flow redistribution and increased oxygen demand. *J Thorac. Cardiovasc. Surg*; 110:819–28.

Tarazov PG. (1994): Iodized oil in the portal vein after arterial chemoembolization of liver metastases: A caution regarding hepatic necrosis. *Acta Radiol*; 35:143–146.

Taylor KM, Bain WH, and Morton JJ. (1980): The role of angiotensin II in the development of peripheral vasoconstriction during open heart surgery. *Am Heart J*; 100:935–7.

Toledo-Pereyra LH, Simmons RL and Najarian JS. (1975): Protection of the ischemic liver by donor pretreatment before transplantation. *Am. J. Surg*; 129: 513–17.

Tolia J and Smith LG. (2007) : Fever of unknown origin: historical and physical clues to making the diagnosis. *Infect Dis Clin North Am.*;21(4):917-36.

Totsuko E, Fung JJ, Urakami A, Moras N, Ishii T and Takahashi K. (2000): Influence of donor cardiopulmonary arrest in human liver transplantation. *Hepatology*; 31: 577–80.

Trager K, Radermacher P, and Georgieff M. (1996): PEEP and hepatic metabolic performance in septic shock. *Intensive Care Med.*; 22:1274–1275.

Trakada G, Gogos C, Tsiamita M, Siagris D, Goumas P and Spiropoul s K. (2004): A case of ischemic hepatitis. *Sleep Breath* ;8(3):155-9.

Ucgun A., Ozakyol, M., Metintas, H., Moral, A., Orman C., Bal H.and Yildirim (2009): Relationship between hypoxic hepatitis and cor pulmonale in patients treated in the respiratory ICU. *International Journal of Clinical Practice*; 59:1295 – 1300.

Van Leeuwen MS , Noordzij J and Hennipman A. (2006) : planning of liver surgery using three dimensional imaging techniques .Department of radiology and surgery ; university hospital utrecht ,The Netherland.

- Vollmar B and Menger MD (2009):** The hepatic microcirculation: mechanistic contributions and therapeutic targets in liver injury and repair. *Physiol Rev.*; 89: 1269–339.
- Vyberg M and Poulsen H. (1984):** Abnormal bile duct epithelium accompanying septicemia. *Virchows Arch A Pathol Anat. Histopathol.*; 402: 451-458.
- Wang P, Hauptman JG, and Chaudry IH. (1990):** Hepatocellular dysfunction occurs early after hemorrhage and persists despite fluid resuscitation. *J Surg. Res.*; 48:464-470.
- Wanless IR, Liu JJ, and Butany J. (1995):** Role of thrombosis in the pathogenesis of congestive hepatic fibrosis (cardiac cirrhosis). *Hepatology.*; 21:1232-1237.
- Ware AJ. (1978):** The liver when the heart fails. *Gastroenterology*; 74:627-628.
- Washington K. (2005) :** Update on post-liver transplantation infections, malignancies, and surgical complications. *Adv. Anat. Pathol.* 12, 221–226.
- Whitehead MW, Hawkes ND, Hainsworth I, and Kingham JGC. (1999):** A prospective study of the causes of notably raised aspartate aminotransferase of liver origin. *Gut*; 45:129-133.

Wills EJ., Findlay JMI., MtcMtanus JP. (1976): Effects of hyperthermia therapy on the liver. II. Morphological observations. J Clin. Pathol. 29:1-10.

Winter PM and Miller JN. (1976): Carbon monoxide poisoning. JAMA; 236:1502 4.

Yin B, Li Z, Yu S, Jiang X, Feng W, and Xu Y. (2002): The effect of transmembrane- and secreted-tumor necrosis factor-alpha on shock liver. Zhonghua Bing Li Xue Za Zhi. ; 31:534-537.

Yokoyama Y, Schwacha MG, Samy TSA, Bland KI, and Chaudry IH. (2002): Gender dimorphism in immune responses following trauma and hemorrhage. Immunol. Res.; 26:63-76.

Zakaria ER, Spain DA, Harris P, and Garrison RN. (2002): Resuscitation regimens for hemorrhagic shock must contain blood. Shock; 18:567–573.

Zakaria ER, Garrison RN, Spain DA, and Harris PD. (2004): Impairment of endothelium-dependent dilation response after resuscitation from hemorrhagic shock involved postreceptor mechanisms. Shock; 21:175–181.

Zakaria ER, Li N, Matheson PJ and Garrison RN. (2007 (a)): Cellular edema regulates tissue capillary perfusion after hemorrhage resuscitation. *Surgery*; 142:487–496.

Zakaria ER, Campbell JE, Peyton JC, and Garrison RN. (2007 (b)): Post resuscitation tissue Neutrophil infiltration is time-dependent and organ-specific. *J Surg. Res.*; 143:119–125.

Zakaria ER, Li N, and Garrison RN. (2007 (c)): Mechanisms of direct peritoneal resuscitation-mediated Splanchnic hyperperfusion following hemorrhagic shock. *Shock*; 27:436–442.