

REFERENCES

Abbas A. K. and Lichtman A. H. (2003):

Cellular and Molecular immunolog. 5th ed.; Suanders;
Philadelphia. ISBN O-7216-0008-5.

Abbas A. K., Lohr J., Knechol B. and Nagabhushan V. (2006):

T cell tolerance and autoimmunity.
Autoimmunity reviews; 3:471-475.

Ahmed S., Ayoub E. M., Scornik J. C, Wang C. Y and She J-X (1998):

Post-streptococcal reactive arthritis. Clinical characteristics
and association with HLA-DR alleles.
Arthritis Rheum; 41: 1096-102.

Al-Wahadneh A. M. and Khriesat I.A.H. (2005):

Post-streptococcal reactive arthritis (PSRA): Clinical
features and risk of carditis.
Kuwait Med.J.; 37(2):82-85.

Ayoub E. M., Barrett D.J., Maclaren N. K. and Krisher J. P. (1986):

Association of class II human histocompatibility leukocyte
antigens with rheumatic fever.
J. Clin. Invest.; 77:2019-26.

Batzloff M., Yan H., Davies M., Hartas J. and Good M. (2004):

Preclinical evaluation of a vaccine based on conserved
regions of M protein that prevents group A streptococcal
infection.
Indian J. Med. Res.; 199 (Suppl.): 104-7.

Beitz LO, Fruman DA, Kurosaki T, Cantley LC, and Scharenburg AM (1999):

SYK is upstream of phosphoinositide 3-kinase in B cell receptor signaling.

J Biol Chem ; 274:32,662–32,666.

Benhschop R. J. and Cambier J. C. (1999):

B cell development: signal transduction by antigen receptors and their surrogates.

Curr. Opin. Immunol; 11:143.

Bessen D. E. and V. A. Fischetti (1997):

Vaccines against streptococcus pyrogenes infections, P. 783-802. In M. M. Levine; G. C. Woodrow, J. B. Kaper and G. S. Cobon (ed.), New generation vaccines. Mercel Deker, Inc., NewYork.

Bessen d. E., Carapetis J. R., Beall B. et al. (2000):

Contrasting molecular epidemiology of group A streptococci causing tropical and non-tropical infections of the skin and throat.

J. infect. Dis;182: 1109-16.

Bisno A. L. (1993):

Acute rheumatic fever: a present deey perspective classic in medicine.

Medicine, 72: 278-283.

Bisno A. L. (2004):

Are cephalosporins superior to penicillin for treatment of acute streptococcal pharyngitis?

Clin. Infect. Dis.; 38:1535-57.

Bisno A. L., Gerber M. A., Gwa/Tney J. M., Kaplan E. L. and Schwartz R. H. (2002):

Practice guidelines for the diagnosis and management of group A streptococcal pharyngitis. Infections diseases society of America.

Clin. Infect. Dis.; 35: 113:25.

British Journal of Rheumatology(2007):

Acute rheumatic fever or poststreptococcal reactive arthritis:A clinical problem revisited;37:335-340.

Canadian Journal of infections diseases (1995):

Post-streptococcal arthritis. 6(3):133-135.

Carapetis J. R. (2004):

A review of WHO, activities in, the burden of, and the evidence for strategies: part 4: A review of the technical basis for the current WHO, approach to the control of conditions associated with GAS infections.

Geneva: WHO; 1-46.

Carapetis J. R.,Johnston F., Nadjamerrek J. and Kairupan J. (1999):

Skin scores in Aboriginal children.

J. Paediatr. Child Health; 31:569.

Carapetis J. R., Powers J. R., Currie B. J. et al. (2000):

Outcomes of cardiac valve replacement for rheumatic heart disease in aboriginal Australians.

Asia Pac. Heart J.; 8: 138-47.

Carapetis J., Robins-Browne R., Martin D., Shelby-James T. and Hogg G. (1995):

Increasing severity of invasive group A streptococcal disease in Australia: clinical and molecular epidemiological features and identification of a new virulent M-nontypeable clone.

Clin. Infect. Dis.; 21:1220-7.

Carapetis J.R., Steer A.C., Mulholland E.K. and Weber M. (2005):

The global burden of group A streptococcal diseases.

Lancet Infect. Dis., 5:585-94.

Carapetis J. R., Walker A. M., Hibble M., Sriprakash K.S. and Currie B. J. (1999):

Clinical and epidemiological features of group A streptococcal bacteraemia in a region with hyperendemic superficial streptococcal infection.

Epidemiol. Infect; 59:65.

Central Australian Rural Practitioner's Association (CARPA) (2003):

Standard treatment manual, 4th ed. P. 322.

Chapman F., Visvanathan K., Carreno-Manjarrez R. and Zabriskie J. (1998):

A flow cytometric assay for D8/17 B cell marker in patients with Tourette's syndrome and obsessive compulsive disorder.

J. Immunol. Methods; 219:181-186.

Chelsom J., Halstensen A., Haga T. and Hioby EA (1994):

Necrotising fascitis due to group A streptococci in western norway: incidence and clinical features lancet, 344: 111-5.

Cilliers A.M., Manyemba J. and Saloojee H. (2003):

Anti-inflammatory treatment for carditis in acute rheumatic fever.

Cochrane database Syst. Rev.; 2:CD003176.

Courtney H. S., J. B. Dale and D. L. Hasty (1999):

Strategies for prevention of group A streptococcal adhesion and infection, P. 553-579. In Y. H. An and R. J. Friedman (ed.), Handbook of bacterial adhesion: principle, methods and applications. Humana press, Totowa, N.J.

Cunningham M. W. (2000):

Pathogenesis of Group A streptococcal infections.

Clinical microbiology Reviews, Vol. 13, No. 3:471-511.

Cunningham M. W. (2003):

Autoimmunity and molecular mimicry in the pathogenesis of post-streptococcal heart disease.

Front biosci; 8:s533-s543.

Danchin M. H., Rogers S., Selvara J. et al. (2004):

The burden of group A streptococcal pharyngitis in Melbourne families.

Indian J. Med. Res.; 119 (Sup.): 144-7.

Daniel L. and Patrick J. Mckee (2008):

Poststreptococcal Reactive Arthritis.

J. Am. Pediatr. Med. Assoc. 96(4):362-366.

Davidson A. and Diamond B. (2001):

Autoimmune diseases. N. Engl. J. Med.; 345-340.

Davies H.D., McGeer A., Schwartz et al. (1996):

Invasive group A streptococcal infections in Ontario, Canada. Ontario Group A streptococcal study Group.

N. Engl. J. Med.; 335:547-54.

Delvig A. and J. H. Robinson (1998):

Different endosomal proteolysis requirements for antigen processing of two T cell epitopes of the MS protein form viable streptococcus pyogenes.

J. Biol. Chem.; 273: 3291-3295.

Ellis N.M.J., Li Y., Hildebrand W., Fischetti V. A. and Cunningham M.W. (2005):

T cell mimicry and epitope specificity of cross-reactive T cell clones from rheumatic heart disease.

J Immunol; 175: 54448-5456.

Fair-weather D. (2007):

Autoimmune disease mechanisms.

Encyclopedia of life sciences; 1-6.

Fair-weather D. and Rose N. R. (2006):

Women and autoimmune diseases. Emerging infections diseases; 10:2005-2011.

Fearon DT and Carter RH (1995):

The CD19/CR2/TAPA-1 complex of B lymphocytes: linking natural to acquired immunity.

Annu Rev Immunol ;13:127–149.

Feldman, B., Zabariskie J13, et al., (1993):

Diagnostic use of B cell alloantigen D8/17 in heumatic chorea.

J. Ped.; 123(1):84-6.

Ferretti J.J, Mcshan W.M, Ajdic D. et al. (2001):

Complete genome sequence of an M₁ strain of streptococcus pyogenes.

Pro. Natl. acad. Sci. USA, 98:4658-63.

Fujimoto M., Fujimoto Y., Poe J.C., et al. (2000):

CD19 regulates scr-family protein typosine kinase activation in B lymphocytes through processive amplification.

Immunity; 13:47-57.

Fujimoto M. , Poe J. C., Hasegawa M. ,and Tedder T. F.(2000):

CD19 Regulates Intrinsic B Lymphocyte Signal Transduction and Activation Through a Novel Mechanism of Processive Amplification.

Immunologic Research ;22/2–3:281–298.

Galvin J. E., Hemric M. E., Koscnke S. D., Factor S. M., Quinn A. And Cunningham (2002):

Induction of myocarditis and valvulitis in lewis rate by different epitopes of cardiac myosin and its implications in rheumatic carditis.

Am J. pathol; 160:297-306.

Ganguly, N., I. Anand, et al. (1992):

Frequency of D8/17 B lymphocyte alloantigen in North Indian patients with rheumatic heart disease.

Immunology and Cell Biology ;70(Pt 1): 9-14.

Gibofsky A., A. Khanna, et al. (1991):

The genetics of rheumatic fever: relationship to streptococcal infection and autoimmune disease.

J. Rheumatol. Suppl. (30): 1-5.

Gibofsky A. and Zabriskie (1995):

Rheumatic fever and post-streptococcal reactive arthritis. Current opinions in rheumatic; 7:299-305.

Gray E. D., Regelmann W.E. and Zabriskie J. B. (1985):

Rheumatic cell surface antigens in peripheral blood and tonsils in rhematic heart disease. In: Recent advances in streptococci and streptococcal disease. Y Kimura(Ed), Oxford, Reed books, (In press).

Gray F. G., Quinn R. W. and Quinn J. P. (1952):

A long- term surgery of rheumatic and non-rheumatic families with particular reference to environment and hereditary.

Am. J. Med; 13:400.

Guilherme L., Kalil J. and Gunningham M. (2006):

Molecular mimicry in the auto immune pathogenesis of rheumatic heart disease.

J. Autoimmun.; 39: 31-39.

Guilherme L., Oshiro S. E., Fae K. C., Cunha-Neto E., Renesto G., Goldberg A. C., Tanaka A. C., Pomerantzeff P. M., Kiss M. H., Silva C, Guzman F., Patarroyo M. E., Southwood S., Sette A. and Kalil J. (2001):

T-cell reactivity against streptococcal antigens in the periphery mirrors reactivity of heart-infiltrating T lymphocytes in rheumatic heart disease patients.

Infect Immun; 69: 5345-5351.

Gupta R. K. (2007):

Reactive arthritis in children.

J. JK. Science; Vol.9, No.3;109-110.

Hahn R. G., Lynda M. Knox, and Todd A. Forman (2005):

Evaluation of Poststreptococcal Illness, American Academy of Family Physicians.

Am. Fam. Physician;(71):1949-54.

Harel L , Masha Mukamel ,Abraham Zeharia , Yona Kodman , Dario Prais , Yosef Uziel , John B. Zabriskie and Jacob Amir (2007):

Presence of D8/17 B-cell marker in patients with poststreptococcal reactive arthritis.

J. Rheumatol. Int. ; 27:695–698.

Harel, L., A. Zeharia, et al. (2002):

Presence of the D8/17 B-cell marker in children with rheumatic fever in Israel.

Clinical Genetics; 61(4): 293-8.

Harrington Z. (2005):

B Cell antigen D8/17 as a marker of susceptibility to rheumatic fever in Australians and The sharp end of the needle: Rheumatic fever prophylaxis and concepts of care for Yolngu patients. Thesis p.1-245.

Hasty D. L., I. Ofek, H.S. Courtney and R.J. Doyle (1992):

Multiple adhesions of streptococci.

Infect. Immune. 60:2147-2152.

Haynes B.F. and Fauci A. S. (2005):

Introduction to the immune system.

Harrison's test book of internal Medicine, 16th ed, 295: 1907-30.

Hernandez-pacheco G, Flores-Dominguez C, Rodriguez-Perez J. M.; Perez-Hernandez N., Frugoso J.M., Saul A., Granados J., Reyes P. A. and Vargas-Alarcon G. (2003):

Tumor necrosis factor- α promoter polymorphisms in Mexican patients with rheumatic heart disease.

J. Autoimmune; 21: 59-63.

Hoekstra P. J., Bijzet J., Limbury P. C., Steenhuis M. P., Troost P. W. and Dosterhoff M. D. (2001):

Elevated D8/17 Expression on B lymphocytes, a marker of rheumatic fever, measured with flow cytometry in tic disorder patients.

Am. J. Psychiatry; 158:605-610.

Inaoki M, Sato S, Weintraub BC, Goodnow CC, and Tedder TF(1997):

CD19- regulated signaling thresholds control peripheral tolerance and autoantibody production in B lymphocytes.

J Exp Med ;186: 1923–1931.

JAMA (The Journal Of The American Medical Association) (1992):

Special writing group of the committee on rheumatic fever and Kawasaki Disease of the council on cardiovascular diseases in the young of the American heart association. Guidelines for the diagnosis of rheumatic fever.

Criteria; 268: 2069-73.

JAMA (1993):

The working group on severe streptococcal infections.
Defining the group A streptococcal toxic shock syndrome.
Rational and consensus definition. 269: 390-1.

Janeway, Charles; Paul Traver, Mark Wal Port, and Mark Shlomchik (2001):

Lymphocyte. Immunobiology; 5th ed. New York and London:
Garland science. ISBN 0-8153-4101-6.

Jansen T. L. T. A., Jansson M., Traksel R. and Jong A. J. L. (1999):

A clinical and serological comparison of group A versus
non-group A streptococcal reactive arthritis and throat
culture negative cases of post-streptococcal reactive
arthritis.

Ann. Rheum. Dis.; 58:410-4.

Jansen T. L. T. A. , Janssen M. and Van Riel P. L. C. M. (1998):

Acute Rheumatic Fever Or Post-Streptococcal Reactive
Arthritis.

British Journal of Rheumatology ;37:335–340.

Johnson D. R.; D. L. Steven and E.L. Kaplan (1992):

Epidemiologic analysis of group A streptococcal serotypes
associated with severe systemic infections, rheumatic fever,
or uncomplicated pharyngitis.

J. Infect. Dis; 166: 374-382.

Kaplan E. L. (1985):

Epidemiological approaches to understanding the pathogenesis of rheumatic fever.

Int. J. Epidemiol.; 14: 499-501.

Kaplan E. L. (2005):

Pathogenesis of acute rheumatic fever and rheumatic heart disease elusive after half a century of clinical, epidemiological and laboratory investigation heart; 21:3-4.

Karthikeyan G., Mayosi B. M. (2009):

Is Primary Prevention of Rheumatic Fever the Missing Link in the Control of Rheumatic Heart Disease in Africa?.

Circ. ;120:709-713.

Kaul R., MC Geer A. and Norrby-Tegland (1999):

Intravenous immunoglobulin therapy for streptococcal toxic shock syndrome a comparative observational study. The Canadian streptococcal study group.

Clin. Infect. Dis.; 28:800-7.

Kaur S., Kumar D. and Grover A (2004):

Ethnic differences in expression of susceptibility marker in rheumatic fever/ rheumatic heart disease patients.

Int. J. Cardiol.;64:9-14.

Kearns T., Evans C. and Krause V. (2000):

Outbreak of acute post-streptococcal glomerulonephritis in the Northern Territory.

Northern Territory Dis.Control.Bull. ;8:6-14.

Kemeny E., Husby G., Williams R. C., Zabriskie J.B.(2003):

Tissue distribution of antigen(s) defined by monoclonal antibody D8/17 reacting with B lymphocytes of patients with rheumatic heart disease.

Clin Immunol Immunopathol. ;72(1):35-43.

Khanna A. K., D. R. Buskirk, R. C. Williams, Jr., A. Gibofsky, M. K. Crow and A. Menon (1989):

Presence of a non HLB cell antigen in rheumatic fever patients and their families as **defined** by a monoclonal antibody.

J. Clin. Investing; 83:1710-1716.

Kirvan C. A., Swedo S. E., Heuser J.S. and Cunningham M.W. (2003):

Mimicry and autoantibody-mediated neuronal cell signaling in sydenham chorea. Nat. Med.; 9: 914-920.

Klein G.C.(1976):

Manual of Clinical Immunology ASM. 264-273: 1976.

Knapp R. G. & Miller M. C. (1992):

Clinical epidemiology and biostatistics. National Medical Series from William and Wilkins. Baltimore, Hongkong, Londong, Sydney, Egypton Edition,p:209.

Krop I., Shaffer A. L., Fearon D. T., and Schlissel M. S. (1996):

The signaling activity of murine CD19 is regulated during B cell development. J. Immunol; 157:48-56.

Lam and Rajewsky (1999):

B cell development, in *Inflammation: Basic Principles and Clinical Correlates*, 3d ed. J Gallin, R Snyderman (eds). Philadelphia, Lippincott Williams & Wilkins , pp 151–166.

Lawrence G. W.; Leafasis J. and Sheridan J. (2005):

Control of scabies, skin sores and hematuria in children in the solomon isomds: another role for ivermectin. *Bull. World Health Organ*; 83: 34-42.

Li P. L. L., Tiedemann R. E., Moffat S. L. and Fraser J. D. (1997)):

The superantigen streptococcal pyrogenic exotoxin C exhibits a novel mode of action. *J. Exp. Med.*; 186:375-388.

Li, Y.; Pan Z.; Ji Y.; et al. (2005):

Herpes simplex virus type 1 infection in rheumatic valvar disease. *Heart*; 91:87-8.

Mackie S. L. and A. Keat, (2004):

Poststreptococcal reactive arthritis: what is it and how do we know?. *J. Rheumatology* ;43:949–954.

MCDonald M., Currie. B.J. and Carapetis (2004):

Acute rheumatic fever: a chink in the chain that links the heart to the throat? *Lancet infect. Dis*; 4:240-5.

McIntosh R.M., R. Garcia, L. Rubio, D. Rabideau; J. E. Allen, R.I. Carr and B. Rodriguez-Iturbe (1978):

Evidence for autologous immune complex pathogenic mechanism in acute post-streptococcal glomerulonephritis. Kidney international, Vol. 14; 501-510.

McIsaac W. J., Kellner J. D., Aufricht P., Vanjaka A. And Low DE (2004):

Empirical validation of guidelines for the management of pharyngitis in children and adult. JAMA; 291: 1587-95.

McMahon E.J., Bailey S. L., Castenada C.V., Waldner H. and Miller S. D. (2005):

Nat Med; 11:335-339.

Mecenas J. (2007):

Streptococcus classification. Tufts university; P. 7-17.

Miller L. M. and Cassidy T. J. (2004):

Post-infectious arthritis and related conditions. In: Behrman R. E., Kliegman R. M. and Jenson H.B. (eds) Nelson textbook of pediatrics. 17th ed. Philadelphia, WB Saunders; 809-10.

Miller D. L. and Laxer R. M. (2004):

Pediatric Autoimmune Neuropsychiatric Disorders Associated with Streptococcal Infection (PANDAS). Review Article ;34-46.

Muller M.P., Low D.E.; Green K. A et al. (2003):

Clinical and epidemiologic features of group A streptococcal pneumonia in Ontario, Canada. Arch. Intern. Med.; 163-72.

Muller M.P., McGeer A. and Low DE (2001):

Ontario Group A streptococcal study 41st interscience conference on antimicrobial agents and chemotherapy, Chicago.

Muotiala, A, H. Seppala, P. Huovinen, and J. Vuopio-Varkila (1997):

Molecular comparison of group A streptococci of T₁M₁ serotype from invasive and non invasive in Finland.
J. Infect. Dis. 175: 392-399.

Narula J. and Kaplan E. L. (2001):

Echocardiographic diagnosis of rheumatic fever.
Lancet; 358:2000.

National heart foundation of Australia and the cardiac society of Australia and New Zealand (2006):

Diagnosis and management of acute rheumatic fever and rheumatic heart disease in Australia-an evidence based review, Sydney.

Nelson B. H. (2004):

Il-2, regulatory T cells, and Tolerance. J. Imman; 172:3983-3988.

Nelson J., E.M. Ayoub, and L. W. Wannamaker (1968):

Streptococcal antideoxyribonuclease B: microtechnique determination.
J.Lab. Clin. Med. 11:868-873.

Okada N.; A. P. Pentland; P. Falk and M.G. Caparon (1994):

M protein and protein F act as important determinants of cell-specific tropism of streptococcus pyogenes in skin tissue. J. Clin. Investig. 94: 965-977.

Olivier C. W. (2004):

Rheumatic fever. Orphaned encyclopedia.

Osterlund A.; R. Popa; T. Nikkila; A. Scheynium and L. Engstrand (1997):

Intracellular reservoir of streptococcus pyogenes in vivo: a possible explanation for recurrent pharyngotonsillitis. Laryngoscope 107: 640-647.

Patarroyo ME, Winchester RJ, Vejerano A, Gibofsky FC, Zabriskie JB, and Kunkel HG (1979):

Association of a B cell alloantigen with susceptibility to rheumatic fever. Nature 1979;278:173.

Pena J., Mora E., Cardozo j., Molina O., Montiel C. (2002):

Comparison of the efficacy of carbamazepine, haloperidol and valproic acid in the treatment of children with Sydenham's chorea: clinical follow up of 18 patients.

Arg. Neuropsiquiatr; 60: 374-7.

Raizada V., Williams J. R., Chopra P., Gopinath N., Prakash K., Sharma K. B., Cherian K.M., Panday S., Arora R., Nigam M., Zabriskie J. B. and Husby G. (1983):

Tissue distribution of lymphocytes in rheumatic heart valves as defined by monoclonal anti-T cell antibodies.

Am J. Med; 74: 90-96.

Rogers M., Doman D. C., Gapes M. and Ly J. (1987):

A three-year study of impetigo in sydney.
Med. J. Aust.; 147: 63-5.

Rose N. R. and Mackay I. R. (eds) (2006):

The autoimmune. Diseases, 1th ed. London: El servier
Academic press.

**Sarakbi H. A., Mohammed Hammoudeh, Izzat Kanjar, Samar Al-
Emadi, Salah Mahdy, and Abdulrahim Siam (2010):**

Poststreptococcal Reactive Arthritis and the Association
With Tendonitis, Tenosynovitis, and Enthesitis.
J. Clin. Rheumatol. (16):3-6.

Sarker H. N. and Das BP (2009):

Post-streptococcal reactive arthritis. Orion.
Med. J.; 32(3): 690-691.

Sato S, Steeber DA, and Tedder TF (1995):

The CD19 signal transduction molecule is a response regulator of
B-lymphocyte differentiation.
Proc Natl Acad Sci USA ;92: 11,558–11,562.

Sato S., Steeber D. A., Jansen P. J. and Tedder T. F. (1997):

CD19 expression levels regulate B lymphocyte development:
human CD19 restores normal function in mice lacking
endogenous CD19. J. Immunol.; 158:4662-4669.

Schrager H. M., S. Alberti, C. Cywes, G. J. Dougherty and M. R Wessels (1998):

Hyaluronic acid capsule modulates M protein-mediated adherence and acts as a ligand for attachment of group A streptococcus to CD₄ on human keratinocytes J. Clin. Invest. 101: 1708-1716.

Shetty A. K., Frankel L.R., Maldonado Y., Falco D. A. and Lewis D.B.(2001):

Group A streptococcal meningitis: report of a case and review of literature since 1976 *pediatr. Emerg. Care.*; 17: 430-4.

Shikhrnan A. R. and Cunningham M. W. (1994):

Immunological mimicry between N-acetyl-beta-D-glucosamine and cytokeratin peptides. Evidence for a microbially driven anti-keratin antibody response. *J. immunol.*; 152: 4375-4387.

Shulman S. T. and Ayoub E. M. (2002):

Poststreptococcal reactive arthritis. *Curr. Opin. Rheumatol.*; 14:562-5.

Stanevicha V., Eglite J., Sochnevs A., Gardovska D., Zavadska D. and Shantere R. (2003):

HLA class II associations with rheumatic heart disease among clinically homogenous patients in children in Latvia. *Arthritis Res. Ther.*; 5: R 340- R 346.

Steer A.C., Danchin M.H. and Carapetis J.R. (2007):

Group A streptococcal infection in children, J. Ped. and child health, 43:203-213.

Stevens D.L. (2003):

Cellulitis, pyoderma, abscesses and other Skin and subcutaneous infectious. In: Cohn J, ed. Infectious Diseases. Philadelphia: Mosby; 133-43.

Still J. (1995):

Management of pediatric patients with group A beta hemolytic streptococcus pharyngitis: treatment. Pediatr. Infect. Dis. J; 14:S57-S61.

Stockbauer K. E., D. Grigsby; X. Pan; Y.X.Fu, L.M. Percea, A. Cravioto and J. Musser (1998):

Hypervariability generated by natural selection in an extracellular complement-inhibiting protein of serotype M₁ strains of group A streptococcus.

Proc. Natl. Acad. Sci. USA, 95: 3128-3133.

Swedo SE. (1994):

Sydenham's chorea. A model for childhood autoimmune neuropsychiatric disorders [clinical conference] [see comments]. JAMA 1994; 272:1788-91.

Swedo SE, Leonard HL and Garvey M. (1998):

Pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections: clinical description of the first 50 cases. Am J Psychiatry 1998; 155:264-71.

Taneja, V., N. Mehra, et al. (1989):

HLA-DR/DQ antigens and reactivity to B cell alloantigen D8/17 in Indian patients with rheumatic heart disease.

J. Circ.;80(2): 335-40.

Tedder T. F. (1998):

Response-regulators of B lymphocyte signaling thresholds provide a context for antigen receptor signal transduction semin. Immunol.; 10:259-265.

Tedder T. F., Zhou L-J. and Engel P. (1994):

The CD19/CD21 signal transduction complex of B lymphocytes. Immunol today; 15: 437-442.

Thourani V. H., Weiutraub W. S. and Gyton R.A. (2003):

Outcomes and long term survival for patients undergoing mitral valve repair versus replacement: effect of age and concomitant coronary artery by pass grafting. Circulation; 108: 298-307.

Trifiletti RR and Packard AM. (1999):

Immune mechanisms in pediatric neuropsychiatric disorders. Tourette's syndrome, OCD, and PANDAS.

Child Adolesc Psychiatr Clin N Am 1999; 8:767-75.

Unckun F. M., Burkhardt A. L. and Jarvis L. (1993):

Signal transduction through the CD19 receptor during discrete developmental stages of human B-cell ontogeny.

J. Biol. Chem.; 268:21, 172-21,184.

Van Bommel J.M., V. Delgado, E.R. Holman, C.F. Allaart, T.W.J. Huizinga, J.J. Bax, A.H.M. van der Helm-van Mil (2009):

No increased risk on valvular heart disease in adult post-streptococcal reactive arthritis. *Arthritis Rheum.*;(60):987-93.

Van der Helm J. M., V. Delgado, E. R. Holman, C. F. Allaart, T. W. J. Huizinga, J. J. Bax, and A. H. M. van der Helm-van Mil, (2010):

No Increased Risk of Valvular Heart Disease in Adult Poststreptococcal Reactive Arthritis; American College of Rheumatology. *Arthritis & Rheumatism*;Vol. 60, No. 4,pp 987–993.

Van Noesel CJM, Lankester AC, and van Lier RAW(1993):

Dual antigen recognition by B cells. *Immunol. Today* ;14:8–11.

Van Noesel C. J., Lankester A. C., Van Schijndel G.M. and Van Lier R. A. (1993):

The CR2/CD19 complex on human B cells contains the scr-family kinase lyn.

Int. Immunol.;5:699-705.

Visentainer J. E.; Pereira F.C.; Dalalio M. M.; Tsuneto L. T.; Donadio P. R. and Molitero R. A. (2002):

Association of HLA-DR7 with rheumatic fever in the Brazilian population.

J. Rheumatol; 22: 1518-1520.

Watson J. V. (2004):

Introduction to Flow Cytometry, First Paperback Edition.
Cambridge University Press.

Wessels MR. (2005):

Streptococcal and enterococcal infections: Harrison's test book
of internal Medicine, 16th ed, 121: 823-831.

White A. V.,Hoy W. E. and McCredie D. A. (2005):

Childhood poststreptococcal glomerulonephritis as a risk
factorfor chronic renal disease later in life.
Med. J. Aust. ;174:492-6.

Wikipedia (2009):

Lymphocyte. The free encyclopedia; 1:3.

Wikipedia (2010):

Flow cytometry. The free encyclopedia.

Wiley A. L. G. (2002):

Flow Cytometry: First Principles, 2nd Edition.

Wilson M. G. and Schweitzer M. (1954):

Pattern of hereditary susceptibility in rheumatic fever.
J.American Heart Association; 10:699-704.

World Health Organization (WHO) (2001):

Rheumatic Fever And Rheumatic Heart Disease.
Report of a WHO Expert Consultation.
Geneva, 29 October–1 November 2001.
WHO technical report series ; 923.

World Health Organization (WHO) (2004):

Rheumatic fever and rheumatic heart diseases: report of a WHO expert consultation Geneva.

WHO technical report series. Geneva; 122.

Yoshinaga M., Figueoa F., Wahid F., Marcus R. H., Suh E. and Zabriskie J. B. (1995):

Antigenic specificity of lymphocytes isolated from valvular specimens of rheumatic fever patients.

J Autoimmun; 8: 601-613.

Zabriskie J. B. (1973):

Mimetic relationships between group A, streptococci and mammalian tissues.

ADV immunol; 7:147-188.

Zabriskie JB (1985):

Rheumatic fever: The interplay between host, genetics, and microbe. Circulation ;71: 1077.

Zabriskie J. B. and Buskirk D, R.(1985):

Test for rheumatic fever and monoclonal antibodies useful therefore. The Rockefeller University press, Application Number of the invention: 06/724076.

Zabriskie J. B., Hsu K.C. and Seegal B.C. (1970):

Heart-reactive antibody associated with rheumatic fever: characterization and diagnostic significance

Clin. Exp Immunol; 4:147-159.

Zemel L., Diana D. and Zabriskie J. (2007):

Poststreptococcal reactive arthritis.

J. Rheumatol. 19 suppl 33:120.

Zhou L-J, Smith HM, Waldschmidt TJ, Schwarting R, Daley J, and Tedder TF (1994):

Tissue-specific expression of the human CD19 gene in transgenic mice inhibits antigenindependent B lymphocyte development. Mol Cell Biol 1994;14: 3884–3894.

Zimbelman J.; Palmer A. and Todd J. (1999):

Improved outcome of clindamycin compared with beta-lactam antibiotic treatment for pediatric. Infect. Dis. J.; 18: 1096-100.

Zipfel PA, Grove M, Blackburn K, Fujimoto M, Tedder TF, and Pendergast AM (2000):

The c-Abl tyrosine kinase is regulated downstream of the B cell antigen receptor and interacts with CD19. J Immunol 2000;165: 6872–6879.

Zwart S., Rovers M. M., de Melker A. and Hoes A. W. (2003):

Pencillin for acute sorethroat in children: randomised, double trial. BMJ; 327:1324.