

References

- Abosaif N, Tolba Y, Russel J, et al. (2005):** The outcome of acute renal failure in the intensive care unit according to RIFLE: Model application, sensitivity & predictability. American Journal of Kidney Disease, Vol 46, (6): 1038-1048.
- Abosaif NY, Tolba YA and Heap M, et al. (2005):** The outcome of acute renal failure in the intensive care unit according to RIFLE: model application, sensitivity, and predictability. *Am J Kidney Dis*; 46: 1038–1048.
- Abraham G, Gupta RK, Senthilselvan A, et al. (1989):** Cause and prognosis of acute renal failure in Kuwait: 2 years prospective study *J. Tropical Med. Hygiene*, 92: 325.
- Acker CG, Flick R, Shapiro R, et al. (2002):** Thyroid hormone in the treatment of post-transplant acute tubular necrosis (ATN). *Am J Transplant* 2: 57–61.
- Acker CG, Singh AR, Flick RP, et al. (2000):** A trial of thyroxine in acute renal failure. *Kidney Int* 57: 293–298.
- Agraharkar M, Agraharkar A, Kelly B, et al. (2006):** Renal disease and pregnancy e. medicine. Available from: www.emedicine.com/med/topic 3253. htm.
- Agrawal M and Swartz R (2000):** Acute Renal Failure. *The Journal of American Family Physicians*; 61: 2077-2088.
- Ahlstrom A, Tallgren M, Peltonen S, et al. (2005):** Survival and quality of life of patients requiring acute renal replacement therapy. *Intensive Care Med*; 1: 1222- 1228
- Akagi R, Takahashi T and Sassa S (2005):** Cytoprotective effects of heme oxygenase in acute renal failure. *Contrib Nephrol* 148: 70–85.

- Alessandria C, Ozdogan O, Guevara M, et al. (2005):** MELD score and clinical type predict prognosis in hepatorenal syndrome: Relevance to liver transplantation. *Hepatology*; 41: 1282–1289.
- Alonso A, Lau J, Jaber BL, et al. (2004):** Prevention of radio contrast nephropathy with N-acetylcysteine in patients with chronic kidney disease: a meta-analysis of randomized, controlled trials. *Am J Kidney Dis*; 43: 1–9
- Ando M, J Mori, K Ohashi, et al. (2010):** A comparative assessment of the RIFLE, AKIN and conventional criteria for acute kidney injury after hematopoietic SCT Bone Marrow Transplantation **45**, 1427-1434 doi:10.1038/bmt.2009.377
- Argalious M, Motta P, Khandwala F, et al. (2005):** “Renal dose” dopamine is associated with the risk of new-onset atrial fibrillation after cardiac surgery. *Crit Care Med*; 33: 1327–1332.
- Ashworth SL, Southgate EL, Sandoval RM, et al. (2003):** ADF/cofilin mediates actin cytoskeletal alterations in LLC-PK cells during ATP depletion. *Am J Physiol Renal Physiol* 284: F852–F862.
- Ashworth SL, Wean SE, Campos SB, et al. (2004):** Renal ischemia induces tropomyosin dissociation-destabilizing microvilli microfilaments. *Am J Physiol Renal Physiol* 286: F988–F996.
- Avasthi G, Sandhu JS and Mohindra K (2003):** Acute renal failure in medical & surgical intensive care units: a one year prospective study. *Ren Fail.* 25(1):105-13.
- Bach PH (2001):** Acute renal failure associated with occupational and environmental settings. In: Molitoris BA, Finn WF, eds.

Acute renal failure: a companion to Brenner and Rector's the kidney, 1st edn. Philadelphia: WB Saunders, 414–24.

Bagshaw SM, Berthiaume LR, Delaney A et al. (2008): Continuous versus intermittent renal replacement therapy for critically ill patients with acute kidney injury: A meta-analysis. *Crit Care Med* 36: 610–617.

Bagshaw SM, George C and Bellomo R (2008): A comparison of the RIFLE and AKIN criteria for acute kidney injury in critically ill patients, *Nephrol Dial Transplant*; 23: 1569–1574

Bagshaw SM, Laupland KB, Doig CJ, et al. (2005): Prognosis for long-term survival and renal recovery in critically ill patients with severe acute renal failure: a population-based study. *Crit Care*; 9: R700-R709.

Bagshaw SM, Uchino S, Bellomo R, et al. (2007): Septic Acute Kidney Injury in Critically Ill Patient Clinical Characteristics and Outcomes. *Clin J Am Soc Nephrol* 2: 431-439.

Bailly V, Zhang Z, Meier W, et al. (2002): Shedding of kidney injury molecule-1, a putative adhesion protein involved in renal regeneration. *J Biol Chem* 277: 39739–39748.

Baldwin I, Bellomo R, Naka T, et al. (2007): A pilot randomized controlled comparison of extended daily dialysis with filtration and continuous veno-venous hemofiltration: Fluid removal and hemodynamics. *Int J Artif Organs* 30: 1083–1089.

Barsoum RS (2004): Tropical acute renal failure. *Contrib Nephrol*; 144: 44–52.

Basile DP, Fredrich K, Alausa M, et al. (2005): Identification of persistently altered gene expression in the kidney after

- functional recovery from ischemic acute renal failure. *Am J Physiol Renal Physiol* 288: F953–F963.
- Basile DP, Fredrich K, Weihrauch D, et al. (2004):** Angiostatin and matrix metalloprotease expression following ischemic acute renal failure. *Am J Physiol Renal Physiol* 286: F893–F902.
- Behrend T and Miller SB (1999):** Acute renal failure in cardiac care unit etiologies, outcome and prognostic factors. *Kid inter.* 56, 238- 243.
- Bellomo R, Kellum JA and Ronco C (2007):** Defining and classifying acute renal failure: from advocacy to consensus and validation of the RiFLe criteria. *Intensive Care Med.* 33, 409-413.
- Bellomo R, Naka T and Baldwin I (2004):** Intravenous fluids and acid-base balance. *Contrib Nephrol*; 144: 105–18.
- Bellomo R, Ronco C, Kellum JA, et al. (2004):** Acute Dialysis Quality Initiative workgroup. Acute renal failure definition, outcome measures, animal models, fluid therapy and information technology needs: the Second International Consensus Conference of the Acute Dialysis Quality Initiative (ADQI) Group. *Crit Care*; 8(4): R204–R212.
- Blantz RC (1998):** Pathophysiology of pre-renal azotemia. *Kidney Int* 53: 512–523
- Block CA and Manning HL (2002):** Prevention of Acute Renal Failure in the Critically Ill. *Am. J. Respir. Crit. Care Med.*, Volume 165, Number 3, 320-324.
- Bolignano D, Lacquaniti A, Coppolino G et al. (2008):** Neutrophil gelatinase- associated lipocalin reflects the severity of renal impairment in subjects affected by chronic kidney disease. *Kidney Blood Press Res*; 31: 255–258.

- Bonventre JV (2003):** Dedifferentiation and proliferation of surviving epithelial cells in acute renal failure. *J Am Soc Nephrol* 14: 855–861.
- Bonventre JV and Zuk A (2004):** Ischemic acute renal failure: An inflammatory disease? *Kidney Int* 66: 480–485.
- Braden GL, O'Shea M and Mulhern JG (2005):** Tubulointerstitial Diseases. *American Journal Kidney Diseases*. Vol 46, No 3: 560-572.
- Braden GL, O'Shea MH, Mulhern JG et al. (2004):** Acute renal failure and hyperkalaemia associated with cyclooxygenase-2 inhibitors. *Nephrol Dial Transplant* 19: 1149–1153.
- Brady HR and Brenner BM (2005):** Acute renal failure. *Harrison's principles of internal medicine*, 16th ed., pp. 1644-1653.
- Brater DC (2002):** Anti-inflammatory agents and renal function. *Semin Arthritis Rheum*; 32: 33–42.
- Briguori C, Airolidi F, D'Andrea D, et al. (2007):** Renal insufficiency following contrast media administration Trial (REMEDIAL): a randomized comparison of 3 preventive strategies. *Circulation*; 115(10):1211–1217.
- Brivet FG, Kleinknecht DJ, loirat P, et al. (1996):** Acute renal failure in intensive care units: causes, outcome, and prognostic factors of hospital mortality; a prospective, multi center study. French Study Group on Acute Renal failure. *Crit Care Med*.; 24: 192-198.
- Brodsky SV, Yamamoto T, Tada T, et al. (2002):** Endothelial dysfunction in ischemic acute renal failure: Rescue by transplanted endothelial cells. *Am J Physiol Renal Physiol* 282: F1140–F1149.

- Bunn AD, Symons JM and stock A (2006):** Hepatorenal syndrome. E medicine.
- Burchill L, Velkoska E, Dean RG, et al. (2008):** Acute kidney injury in the rat causes cardiac remodeling and increases angiotensin-converting enzyme 2 expression. *Exp Physiol* 93: 622–630.
- Burne MJ and Rabb H (2002):** Pathophysiological contributions of fucosyltransferases in renal ischemia reperfusion injury. *J Immunol* 169: 2648–2652.
- Burne MJ, Rabb H:** Pathophysiological contributions of fucosyltransferases in renal ischemia reperfusion injury. *J Immunol* 169: 2648–2652, 2002.
- Burne-Taney MJ, Ascon DB, Daniels F, et al. (2003):** B cell deficiency confers protection from renal ischemia reperfusion injury. *J Immunol* 171: 3210–3215.
- Cantarovich F, Rangoonwala B, Lorenz H, et al. (2004):** High-Dose Furosemide in Acute Renal Failure Study Group: High-dose furosemide for established ARF: A prospective, randomized, double-blind, placebo-controlled, multicenter trial. *Am J Kidney Dis* 44: 402–409.
- Cantarovich, F., Rangoonwala, B., Lorenz, H.** High-dose furosemide for established ARF: a prospective, randomized, double-blind, placebo-controlled, multicenter trial. *Am. J. Kidney Dis.* 44, 402–409 (2004).
- Cao CC, Ding XQ, Ou ZL, et al. (2004):** In vivo transfection of NF-kappaB decoy oligodeoxynucleotides attenuate renal ischemia/reperfusion injury in rats. *Kidney Int* 65: 834–845.
- Carbonell N, Blasco M, Ferrerest J, et al. (2004):** Sepsis and SOFA score: related outcome for critically ill renal patients. *Clin nephrol.* 62 (3): 185-192.

- Cardenas A (2005):** Hepatorenal syndrome: A dreaded complication of end-stage liver disease. *Am J Gastroenterol* 100: 460–467.
- Carvounis CP, Nisar S, GuroRazuman S et al. (2002):** Significance of the fractional excretion of urea in the differential diagnosis of acute renal failure. *Kidney Int* 62: 2223- 2229.
- Casserly B, O’Mahony E, Timm EG, et al. (2004):** Propofol infusion syndrome: An unusual cause of renal failure. *Am J Kidney Dis* 44: e98–e101, 2004
- Castaneda MP, Swiatecka-Urban A, Mitsnefes MM, et al. (2003):** Activation of mito- chondrial apoptotic pathways in human renal allografts following ischemia-reperfusion. *Transplantation* 76: 50–54.
- Chawla L, Abell L, Mazhari R et al. (2005):** Identifying critically ill patients at high risk for developing acute renal failure. *Kid. Int.*, vol 68, 2274-2280.
- Cheng C-W, Rifai A, Ka S-M, et al. (2005):** Calcium-binding proteins annexin A2 and S100A6 are sensors of tubular injury and recovery in acute renal failure. *Kidney Int* 68: 2694–2703.
- Chertow GM, Burdick E, Honour M, et al. (2005):** Acute kidney injury, mortality, length of stay, and costs in hospitalized patients. *J Am Soc Nephrol*; 16(11):3365–70.
- Chertow GM, Soroko SH, Paganini EP, et al. (2006):** Mortality after acute renal failure: Models for prognostic stratification and risk adjustment *kid int.* 70 (6): 1120 – 1126.
- Chevalier RL (2006):** Pathogenesis of renal injury in obstructive uropathy. *Curr Opin Pediatr*; 18: 153–160
- Clermont G, Acker C, Angus DC, et al. (2002):** Renal failure in the ICU: comparison of the impact of acute renal failure and end

- stage renal disease on ICU outcomes. *Kidney Int.*; 62: 986-996.
- Coca SG, Yalavarthy R, Concato J, et al. (2008):** Biomarkers for the diagnosis and risk stratification of acute kidney injury: A systematic review. *Kidney Int* 73: 1008–1016.
- Coffman TM (2005):** Kidney failure due to therapeutic agents. *Primer on Kidney Diseases: 4th edition, section v, Acute Renal Failure*, 293-300.
- Cole L, Bellomo R, Silvester W, Reeves JH (2000):** A prospective, multicenter study of the epidemiology, management, and outcome of severe acute renal failure in “closed” ICU system. *Am J Respir Crit Care Med*; 162: 191–96.
- Cosentino F, Chaff C and Piedmonte M (1994):** Risk factors influencing survival in ICU acute renal failure. *Nephrol Dial Transplant* 1994; 9 (4): 179-182.
- Covic, A, Schiller, A, Volovat, C, et al. (2006):** Epidemiology of renal disease in Romania: a 10 year review of two regional renal biopsy databases. *Nephrol Dial Transplant*, 21: 419–24.
- Crowley S, Schein R, Dev D, et al. (2007):** Dialysis catheter complications in the VA/NIH ATN Study. *J Am Soc Nephrol* 18: 463A.
- Cruz, D. N., Ricci, Z. & Ronco, C.** Clinical review: RIFLE and AKIN—time for reappraisal. *Crit. Care* 13, 211 (2009).
- D’Intini V, Ronco C, Bonello M, et al. (2004):** Renal replacement therapy in acute renal failure. *Best Pract Res Clin Anaesthesiol*; 18: 145–57
- Dagher PC (2004):** Apoptosis in ischemic renal injury: Roles of GTP depletion and p53. *Kidney Int* 66: 506–509.

- Dagher PC, Herget-Rosenthal S, Ruehm SG, et al. (2003):** Newly developed techniques to study and diagnose acute renal failure. *JAmSoc Nephrol* 14: 2188–2198.
- Dangas G, Iakovou I, Nikolsky E, et al. (2005):** Contrast-induced nephropathy after percutaneous coronary interventions in relation to chronic kidney disease and hemodynamic variables. *Am J Cardiol*; 95: 13-9.
- Daram SR, Gogia S and Bastani B (2005):** Colistin-associated acute renal failure: Revisited. *South Med J* 98: 257–258.
- Davidman M, Olson P., Kohen J., et al. (1991):** Iatrogenic renal disease *Arch. Int. Med.* 151:18-29.
- Davidson C, Stacul F, McCullough PA, et al. (2006):** Contrast medium use. *Am J Cardiol*; 98: 42K–58K.
- Day YJ, Huang L, Ye H, et al. (2005):** Renal ischemia-reperfusion injury and adenosine 2A receptor-mediated tissue protection: Role of macrophages. *Am J Physiol Renal Physiol* 288: F722–F731.
- De Mendonca A, Vincent JL, Suter PM et al. (2000):** Acute renal failure in the ICU: Risk factors & outcome evaluated by the SOFA score. *Intensive Care Med* 26: 915-921.
- de Vries B, Kohl J, Leclercq WK, et al. (2003):** Complement factor C5a mediates renal ischemia-reperfusion injury independent from neutrophils. *J Immunol* 170: 3883–3889.
- De Vriese AS (2003):** Prevention and treatment of acute renal failure in sepsis. *J Am Soc Nephrol*; 14: 792–805.
- De Vriese AS and Bourgeois M (2003):** Pharmacologic treatment of acute renal failure in sepsis. *Curr Opin Crit Care*; 9: 474–80.
- Del Rio M, Imam A, DeLeon MG, et al. (2004):** The death domain of kidney ankyrin interacts with Fas and promotes Fas-

mediated cell death in renal epithelia. *J Am Soc Nephrol* 15: 41–51.

Deman A, Hoste E, Van Biesen W, et al. (2004): Insuffisance rénale aigue postopératoire: épidémiologie, causes, pronostic et traitement. In: Lesavre P, Drueke T, Legendre C, Niaudet P, eds. *Actualités néphrologiques Jean Hamburger*. Paris: Flammarion, 227–54.

Deng J, Hu X, Yuen PS, et al. (2004): Alpha-melanocyte-stimulating hormone inhibits lung injury after renal ischemia/reperfusion. *Am J Respir Crit Care Med* 169: 749–756.

Deng J, Kohda Y, Chiao H, et al. (2001): Interleukin-10 inhibits ischemic and cisplatin-induced acute renal injury. *Kidney Int* 60: 2118–2128.

Devarajan P (2005): Cellular and molecular derangements in acute tubular necrosis. *Curr Opin Pediatr* 17: 193–199.

Dillon JJ (2001): Nephrotoxicity from antibacterial, antifungal, and antiviral drugs. In: Molitoris BA, Finn WF, eds. *Acute renal failure: a companion to Brenner and Rector's the kidney*, 1st edn. Philadelphia: WB Saunders, 349–64.

du Cheyron D, Daubin C, Poggioli J, et al. (2003): Urinary measurement of Na⁺/H⁺ exchanger isoform 3 (NHE3) protein as new marker of tubule injury in critically ill patients with ARF. *Am J Kidney Dis* 42: 497–506.

Edelstein CL and Cronin RE (2000): *Manual of Nephrology: The patient with acute renal failure*. 9: 132-154.

Edler SG and Salant DJ (2003): An outline of essential topics in glomerular pathophysiology, Diagnosis and treatment. *Am. Journal of Kidney disease* Vol. 42 No (2) 395- 418.

- El-surer R, Sezer S, Ozdemir N, et al (2006):** Acute renal failure in intensive care unit: which factors predict future dialysis dependency. *Nephrology J*.19:634-439.
- Esson ML and Schrier RW (2002):** Diagnosis and treatment of acute tubular necrosis. *Ann Intern Med*; 5: 137(9): 744- 752.
- Evenepoel P (2004):** Acute toxic renal failure. *Best Pract Res Clin Anaesthesiol*; 18: 37–52.
- Faubel S and Edelstein CL (2005):** Caspases as drug targets in ischemic organ injury. *Curr Drug Targets Immune Endocr Metabol Disord* 5: 269–287.
- Filep JG (2000):** Role for endogenous endothelin in the regulation of plasma volume and albumin escape during endotoxin shock in conscious rats. *Br J Pharmacol*; 129: 975–83.
- Finfer S, Bellomo R, Boyce N, et al. (2004):** A comparison of albumin and saline for fluid resuscitation in the intensive care unit. *N Engl J Med*; 350: 2247–56.
- Friedewald JJ and Rabb H (2004):** Inflammatory cells in ischemic acute renal failure. *Kidney Int* 66: 486–490.
- Fry AC, Farrington K (2006):** Management of acute renal failure. *Postgrad Med J* 82: 106–116.
- Fukumoto Y, Tsutsui H, Tsuchihashi M, et al. (2003):** for the Cholesterol Embolism study (Chest) investigators: The incidence and risk factors of cholesterol embolization syndrome, a complication of cardiac catheterization: A prospective study. *J Am Coll Cardiol* 42: 211-216.
- Furuichi K, Wada T, Iwata Y, et al. (2003):** CCR2 signaling contributes to ischemia-reperfusion injury in kidney. *J Am Soc Nephrol* 14: 2503–2515.

- Gabriel DP, Caramori JT, Martim LC, et al. (2008):** High volume peritoneal dialysis vs daily hemodialysis: A randomized, controlled trial in patients with acute kidney injury. *Kidney Int Suppl*; S87–S93.
- Gaiao, S. & Cruz, D. N.** Baseline creatinine to define acute kidney injury: is there any consensus? *Nephrol. Dial. Transplant.* 25, 3812–3814 (2010).
- Gambaro G, Bertaglia G, Puma G, et al. (2002):** Diuretics and dopamine for the prevention and treatment of acute renal failure: A critical reappraisal. *J Nephrol* 15: 213–219.
- Gashti CN, Salcedo S, Robinson V and Rodby RA (2008):** Accelerated venovenous hemofiltration: Early technical and clinical experience. *Am J Kidney Dis* 51: 804–810.
- Gennari FJ (2002):** Disorders of potassium homeostasis. Hypokalemia and hyperkalemia. *Crit Care Clin*; 18: 273–88, vi
- Genzini T, Cesar F and Torricelli M (2007):** Hepatorenal syndrome: an update. *Sao Paulo Med. J.* Vol 125:1-5.
- Gibney N, Hoste E, Burdmann EA, et al. (2008):** Timing of initiation and discontinuation of renal replacement therapy in AKI: Unanswered key questions. *Clin J Am Soc Nephrol* 3: 876–880.
- Gines P, Cardenas A, Arroyo V and Rodes J (2004):** Management of cirrhosis and ascites. *N Engl J Med*; 350: 1646–1654.
- Gines P, Guevara M, Arroyo V and Rodes J (2003):** Hepatorenal syndrome. *Lancet*; 362: 1819–1827.
- Gleeson TG and Bulugahapitiya S (2004):** Contrast-induced nephropathy. *AJR Am J Roentgenol*; 183:1673– 89.

- Gohar S, Abd El Fatah M, Zaki M et al. (1998):** Hospital acquired acute renal failure A prospective study MD thesis. Library of Ain Shams University, Faculty of Medicine.
- Goligorsky MS (2005):** Whispers and shouts in the pathogenesis of acute renal ischaemia. *Nephrol Dial Transplant* 20: 261–266.
- Goligorsky MS, Allgren RL, Ohlstein EL, et al. (2001):** Therapy in Nephrology and Hypertension. Medical management of ischemic tubular necrosis; 21- 28.
- Gong H, Wang W, Kwon TH, et al. (2004):** EPO and alpha-MSH prevent ischemia/reperfusion-induced down-regulation of AQP_s and sodium transporters in rat kidney. *Kidney Int* 66: 683–695.
- Gould SE, Day M, Jones SS, et al. (2002):** BMP-7 regulates chemokine, cytokine, and hemodynamic gene expression in proximal tubule cells. *Kidney Int* 61: 51–60.
- Gruber SJ and Shapiro CJ (2003):** Nephropathy induced by contrast medium. *N Engl J Med*; 348: 2257–59.
- Gruberg L, Mehran R, Danfas G, et al. (2001):** Acute renal failure requiring dialysis after percutaneous coronary interventions. *Catheter cardiovasc interv* 52: 409-416.
- Guo RF and Ward PA (2005):** Role of C5a in inflammatory responses. *Annu Rev Immunol* 23: 821–852
- Halpenny M, Rushe C, Breen P, et al. (2002):** The effects of fenoldopam on renal function in patients undergoing elective aortic surgery. *Eur J Anesthes* 19: 32–39.
- Hamar P, Song E, Kokeny G, et al. (2004):** Small interfering RNA targeting Fas protects mice against renal ischemia-reperfusion injury. *Proc Natl Acad Sci U S A* 101: 14883–14888.

- Hammerman MR (2000):** Recapitulation of phylogeny by ontogeny in nephrology. *Kidney Int* 57: 742–755.
- Han WK, Alinani A, Wu CL, et al. (2005):** Human kidney injury molecule-1 is a tissue and urinary tumor marker of renal cell carcinoma. *J Am Soc Nephrol*; 16: 1126–1134.
- Han WK, Bailly V, Abichandani R, et al. (2002):** Kidney injury molecule-1 (KIM-1): A novel biomarker for human renal proximal tubule injury. *Kidney Int* 62: 237–244.
- Hassoun H, Grigoryev D, Lie M, et al. (2007):** Ischemic acute kidney injury induces a distant organ functional and genomic response distinguishable from bilateral nephrectomy. *Am J Physiol Renal Physiol*; 293: F30–F40.
- Heinrich MC, Haberle L, Muller V, et al. (2009):** Nephrotoxicity of iso-osmolar iodixanol compared with nonionic low-osmolar contrast media: Meta-analysis of randomized controlled trials. *Radiology* 250: 68–86.
- Herget-Rosenthal S, Marggraf G, Husing J, et al. (2004):** Early detection of acute renal failure by serum cystatin C. *Kidney Int* 66: 1115–1122.
- Herget-Rosenthal S, Poppen D, Husing J, et al. (2004):** Prognostic value of tubular proteinuria and enzymuria in nonoliguric acute tubular necrosis. *Clin Chem* 50: 552–558.
- Hewitt SM, Dear J, Star RA (2004):** Discovery of protein biomarkers for renal diseases. *J Am Soc Nephrol* 15: 1677–1689.
- Himmelfarb J (2007):** Continuous renal replacement therapy in the treatment of acute renal failure: Critical assessment is required. *Clin J Am Soc Nephrol*; 2: 385–389.
- Himmelfarb J, McMonagle E, Freedman S, et al. and the PICARD Group (2004):** Oxidative stress is increased in critically ill

- patients with acute renal failure. *J Am Soc Nephrol*, 15: 2449-2456.
- Hirschberg R, Kopple J, Lipsett P, et al. (1999):** Multicenter clinical trial of recombinant human insulin-like growth factor I in patients with acute renal failure. *Kidney Int*; 55: 2423–32.
- Hoglen NC, Chen LS, Fisher CD, et al. (2004):** Characterization of IDN-6556 (3-[2-(2-tert-butyl-phenyl-aminooxalyl)-amino]-propionylamino]-4-oxo-5-(2,3,5,6-tetrafluoro-phenoxy)-pentanoic acid): A liver-targeted caspase inhibitor. *J Pharmacol Exp Ther* 309: 634–640.
- Hoke TS, Douglas IS, Klein CL, et al. (2007):** Acute renal failure after bilateral nephrectomy is associated with cytokine-mediated pulmonary injury. *J Am Soc Nephrol* 18: 155–164.
- Holers VM and Thurman JM (2004):** The alternative pathway of complement in disease: Opportunities for therapeutic targeting. *Mol Immunol* 41: 147–152.
- Holley J (2005):** Clinical approach to the diagnosis of acute renal failure. *Primer on kidney disease*, (34): 287- 292.
- Holt BG, White JJ, Kuthiala A, et al. (2008):** Sustained low-efficiency daily dialysis with hemofiltration for acute kidney injury in the presence of sepsis. *Clin Nephrol* 69: 40–46.
- Hoste EA and Schurgers M (2008):** Epidemiology of acute kidney injury: How big is the problem? *Crit Care Med* 36: S146–S151.
- Hoste EA, Clermont G, Kersten A, et al. (2006):** RIFLE criteria for acute kidney injury are associated with hospital mortality in critically ill patients: A cohort analysis. *Crit Care* 10: R73.
- Hoste EA, Lameire NH, Vanholder RC, et al. (2003):** Acute renal failure in patients with sepsis in a surgical ICU: Predictive factors,

- incidence, comorbidity, and outcome *J Am Soc Nephrol*; 14: 1022-1030.
- Hoste EA, Lameire NH, Vanholder, et al. (2006):** RIFLE criteria for acute kidney injury are associated with hospital mortality in critically ill patients: a cohort analysis. *Crit Care*, 10(3): p. R73.
- Hoste, E.A. and J.A. Kellum (2007):** Incidence, classification, and outcomes of acute kidney injury. *Contrib Nephrol*, 156: p. 32–8.
- Hotchkiss RS and Karl IE (2003):** The pathophysiology and treatment of sepsis. *N Engl J Med*; 348: 138–50.
- Hu H, Aizenstein BD, Puchalski A, et al. (2004):** Elevation of CXCR3-binding chemokines in urine indicates acute renal allograft dysfunction. *Am J Transplant* 4: 432–437.
- Huerta C, Castellsague J, Varas-Lorenzo C, et al. (2005):** Nonsteroidal anti-inflammatory drugs and risk of ARF in the general population. *Am J Kidney Dis* 45: 531–539.
- Ikizler TA, Sezer MT, Flakoll PJ, et al. (2004):** Urea space and total body water measurements by stable isotopes in patients with acute renal failure. *Kidney Int*; 65: 725–32.
- Izzedine H, Launay-Vacher V and Deray G (2005):** Antiviral drug-induced nephrotoxicity. *Am J Kidney Dis* 45: 804–817.
- Jani A, Ljubanivic D, Faubel SG, et al. (2003):** Caspase-3 and renal tubular cell death in cold preservation injury *J Am Soc Nephrol* 14: 421A.
- Joannidis M (2004):** Drug-induced renal failure in the ICU. *Int J Artif Organs* 27: 1034–1042.

- Johnson DW, Pat B, Vesey DA, et al. (2006):** Delayed administration of darbepoetin or erythropoietin protect against ischemic acute renal injury and failure. *Kid inter.* 69: 1806-1813.
- Juurlink DN, Mamdani MM, Lee DS, et al. (2004):** Rates of hyperkalemia after publication of the Randomized Aldactone Evaluation Study. *N Engl J Med*; 351: 543–51.
- Kalambokis G, Economou M, Fotopoulos A, et al. (2005):** The effects of chronic treatment with octreotide versus octreotide plus midodrine on systemic hemodynamics and renal hemodynamics and function in nonazotemic cirrhotic patients with ascites. *Am J Gastroenterol* 100: 879-885.
- Kanagasundaram NS and Paganini EP (2001):** Continuous renal replacement therapy. In: Parrillo JE, Dellinger RP (eds). *Critical care medicine: principles of diagnosis and management*, 2nd edn. St Louis, MI: Mosby Inc.
- Kaushal GP, Basnakian AG and Shah SV (2004):** Apoptotic pathways in ischemic acute renal failure. *Kidney Int* 66: 500–505.
- Kaushal GP, Portilla D, Megyesi E, et al. (2003):** Cellular mechanisms of nephrotoxicity. In: De Broe ME, Porter GA, Bennet WM, Verpooten GA, eds. *Clinical nephrotoxins*, 2nd edn. Dordrecht: Kluwer Academic Publishers: 65–76.
- Kellum JA (2004):** What can be done about acute renal failure? *Minerva Anesthesiol*; 70: 181–88.
- Kellum JA and Decker M (2001):** Use of dopamine in acute renal failure: a meta-analysis. *Crit Care Med*; 29: 1526–31.
- Kellum JA, Levin N, Bouman C, et al. (2002):** Developing a consensus classification system for acute renal failure. *Curr Opin Crit Care*; 8: 509–514.

- Kelly AM, Dwamena B, Cronin P, et al. (2008):** Metaanalysis: Effectiveness of drugs for preventing contrast-induced nephropathy. *Ann Intern Med* 148: 284–294.
- Kelly KJ (2003):** Distant effects of experimental renal ischemia/reperfusion injury. *J Am Soc Nephrol* 14: 1549–1558.
- Kelly KJ, Sutton TA, Weathered N, et al. (2004):** Minocycline inhibits apoptosis and inflammation in a rat model of ischemic renal injury. *Am J Physiol Renal Physiol* 287: F760–F766.
- Khlar S (2000):** Obstructive nephropathy. *Internal Med*; 39: 355-361.
- Klahr S (2000):** Obstructive uropathy. In: Seldin DW, Giebisch G, eds. *The kidney: physiology and pathophysiology*, 3th edn. Philadelphia: Lippincott Williams & Wilkins, 2000: 2473–512.
- Klahr S (2001):** Urinary tract obstruction. *Semin Nephrol*; 21: 133-145.
- Klein CL, Hoke TS, Fang WF, et al. (2008):** Interleukin-6 mediates lung injury following ischemic acute kidney injury or bilateral nephrectomy. *Kidney Int* 74: 901–909.
- Klouche K, Amigues L, Deleuze S, et al. (2007):** Complications, effects on dialysis dose, and survival of tunneled femoral dialysis catheters in acute renal failure. *Am J Kidney Dis* 49: 99–108.
- Kuo MC, Patschan D, Patschan S, et al. (2008):** Ischemia-induced exocytosis of Weibel-Palade bodies mobilizes stem cells. *J Am Soc Nephrol* 19: 2321-2330.
- Kwon O, Phillips CL and Molitoris BA (2002):** Ischemia induces alterations in actin filaments in renal vascular smooth muscle cells. *Am J Physiol Renal Physiol* 282: F1012–F1019.
- Lameire N, Biesen W Van, and Vanholder R (2005):** Acute renal failure. *Lancet*; 365: 417–30.

- Lameire N, Van Biesen W and Vanholder R (2006):** The changing epidemiology of acute renal failure. *Nat Clin Pract Nephrol* 2: 364–377.
- Lameire N, Van Biesen W, Vanholder R, et al. (2004):** Intermittent hemodialysis for acute renal failure patients: an update. *Contrib Nephrol*; 144: 255–63.
- Lameire NH, De Vriese AS and Vanholder R (2003):** Prevention and nondialytic treatment of acute renal failure. *Curr Opin Crit Care*; 9: 481–90.
- Landry DW and Oliver JA (2001):** The pathogenesis of vasodilatory shock. *N Engl J Med*; 345: 588–95.
- Langenberg C, Wan L, Egi M, May CN, Bellomo R, (2006):** Renal blood flow in experimental septic acute renal failure. *Kidney Int*; 69: 1996–2002.
- Lassnigg A, Donner E, Grubhofer G, et al. (2000):** Lack of renoprotective effects of dopamine and furosemide during cardiac surgery. *J Am Soc Neph* 11: 97–104.
- Lassnigg A, Schmidlin D, Mouhieddine M, et al. (2004):** Minimal changes of serum creatinine predict prognosis in patients after cardiothoracic surgery: A prospective cohort study. *J Am Soc Nephrol* 15: 1597–1605.
- Leacche M, Rawn J, Michaljevic T, et al. (2004):** Outcomes in patients with normal serum creatinine & with artificial renal support for acute renal failure developing after coronary artery bypass grafting. *Am. J Cardiol*; 93: 353-356.
- Lee HT, Xu H, Nasr SH, et al. (2004):** A1 adenosine receptor knockout mice exhibit increased renal injury following ischemia and reperfusion. *Am J Physiol Renal Physiol* 286: F298–F306.

- Levin A, Kellum JA and Mehta RL (2008):** Acute kidney injury: toward an integrated understanding through development of a research agenda. Acute Kidney Injury Network (AKIN). Clin J Am Soc Nephrol; 3(3): 862–3.
- Levy MM, Fink MP, Marshall JC, et al. (2003):** SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. Crit Care Med.; 31:1250-1256.
- Lewis J, Salem MM, Chertow GM, et al. (2000):** Atrial natriuretic factor in oliguric acute renal failure. Anaritide Acute Renal Failure Study Group. Am J Kidney Dis 36: 767–774.
- Li L, Huang L, Sung SS, et al. (2008):** The chemokine receptors CCR2 and CX3CR1 mediate monocyte/macrophage trafficking in kidney ischemia-reperfusion injury. *Kidney Int* 74: 1525–1537.
- Liangos O, O’Bell J, Price L, et al. (2006):** Epidemiology & outcomes of acute renal failure in hospitalized patients: A national survey. Clin J Am Soc Nephrol 1:43-51.
- Liangos O, Wald R, O’Bell JW, et al. (2006):** Epidemiology and outcomes of acute renal failure in hospitalized patients: a national survey. Clin J Am Soc Nephrol 1: 43–51.
- Liangos O, Wald R, Perianayagam MC, et al. (2005):** Urinary N-acetyl(beta)-D-glucosaminidase (NAG) concentration is associated with disease severity and outcomes in acute renal failure (ARF) [Abstract]. *J Am Soc Nephrol* 16: 317A.
- Liano F, Junco E, Pascual J, et al. (1996):** Acute Renal Failure study Group acute renal failure in the intensive care unit in other settings, *Kidney Int*; 566: 516.
- Lim JK and Groszmann RJ (2008):** Vasoconstrictor therapy for the hepatorenal syndrome. *Gastroenterology* 134: 1608–1611.
-

- Lindsay J, Canos DA, Apple S, et al. (2004):** Causes of acute renal dysfunction after percutaneous coronary intervention and comparison of late mortality rates with postprocedure rise of creatine kinase-MB versus rise of serum creatinine. *Am J Cardiol*; 94: 786-9.
- Lins RL, Elserveirs MM, Daelemans R, et al. (2004):** Re- evaluation and modification of stuivenberg Hospital acute renal failure scoring system for prognosis. *Nephrology dialysis transplantation*, 19 (9): 2282-2288.
- Liu KD (2009):** Impact of acute kidney injury on lung injury. *Am J Physiol Lung Cell Mol Physiol* 296: L1–L2.
- Liu M, Liang Y, Chigurupati S, et al. (2008):** Acute kidney injury leads to inflammation and functional changes in the brain. *J Am Soc Nephrol*; 19: 1360–1370.
- Lombardi R, Ferreira A and Servetto C (2003):** Renal function after cardiac surgery: Adverse effect of furosemide. *Ren Fail* 25:775–786.
- Lopes J A, Jorge S, Resina C:** Acute kidney injury in patients with sepsis: a contemporary analysis. *International Journal of Infectious Diseases* (2009) 13, 176—181.
- Mahajan S, Tiwari S, Bharani R et al., (2005):** Spectrum of acute renal failure and factors predicting its outcome in an intensive care unit in India. *Ren fail.* 28(2): 119- 224.
- Malyszko J, Bachorzewska-Gajewska H, Sitniewska E et al. (2008):** Serum neutrophil gelatinase-associated lipocalin as amarker of renal function in non-diabetic patients with stage 2–4 chronic kidney disease. *Renal Failure*; 30: 1–4.
- Mangano CM, Diamondstone LS, Ramsay JG, et al. (2002):** Renal dysfunction after myocardial revascularization: Risk factors,

- adverse outcomes, and hospital resource utilization. *Ann Intern Med* 128: 194–203.
- Manns B, Doig CJ, Lee H, et al. (2003):** Cost of acute renal failure requiring dialysis in the intensive care unit: clinical and resource implications of renal recovery. *Crit Care Med*; 31: 449-455.
- Marenzi G, Assanelli E, Marana I, et al. (2006):** N-acetylcysteine and contrast-induced nephropathy in primary angioplasty. *N Engl J Med*. Jun 29; 354(26):2773–2782.
- Marshall MR, Golper TA, Shaver MJ, et al. (2001):** Sustained low-efficiency dialysis for critically ill patients requiring renal replacement therapy. *Kidney Int*; 60: 777–85.
- Martín-Llahí M, Pe'pin MN, Guevara M, et al. (2008):** TAHRS Investigators: Terlipressin and albumin vs albumin in patients with cirrhosis and hepatorenal syndrome: A randomized study. *Gastroenterology* 134: 1352–1359.
- Mashiach E, Sela S, Weinstein T et al. (2001):** Mesna: a novel renoprotective antioxidant in ischaemic acute renal failure. *Nephrol Dial Transplant* 16: 542-551.
- McCullough PA, Adam A, Becker CR, et al. (2006):** Risk prediction of contrast-induced nephropathy. *Am J Cardiol*; 98: 27K–36K.
- McCullough PA, Soman SS (2005):** Contrast-induced nephropathy. *Crit Care Clin*; 21: 261– 80.
- Mehta RL (2009):** Fluid balance and acute kidney injury: The missing link for predicting adverse outcomes? *Nat Clin Pract Nephrol* 5: 10–11.
- Mehta RL (2009):** Fluid balance and acute kidney injury: The missing link for predicting adverse outcomes? *Nat Clin Pract Nephrol* 5: 10–11.

- Mehta RL and Chertow GM (2003):** Diuretics in critically ill patients with acute renal failure. *JAMA*; 289: 1379–81.
- Mehta RL, Kellum JA, Shah SV et al. (2007):** Acute kidney injury network: report of an initiative to improve outcomes in acute kidney injury. *Crit Care*; 11: R31.
- Mehta RL, Pascual MT, Gruta CG, et al. (2002):** Refining Predictive models in critically ill patients with acute renal failure. *J Am Soc Nephrol*; 13: 1350- 1357.
- Melnikov VY, Ecder T, Fantuzzi G, et al. (2001):** Impaired IL-18 processing protects caspase-1-deficient mice from ischemic acute renal failure. *J Clin Invest* 107: 1145–1152.
- Mendell JA, Chertow GM (1997):** A practical approach to acute renal failure. *Med Clin North Am*, 81:731–748.
- Mishra J, Dent C, Tarabishi R, et al. (2005):** Neutrophil gelatinase-associated lipocalin (NGAL) as a biomarker for acute renal injury after cardiac surgery. *Lancet* 365: 1231–1238.
- Mishra J, Mori K, Ma Q, et al. (2004):** Amelioration of ischemic acute renal injury by neutrophil gelatinase-associated lipocalin. *J Am Soc Nephrol* 15: 3073–3082.
- Mitch WE (2005):** Acute renal failure, Cecil text book of medicine Vol.1 (116) 703- 708.
- Molina A, Ubeda M, Escibese MM, et al. (2005):** Renal ischemia/reperfusion injury: Functional tissue preservation by anti-activated beta1 integrin therapy. *J Am Soc Nephrol* 16: 374–382.
- Molitoris BA and Sutton TA (2004):** Endothelial injury and dysfunction: Role in the extension phase of acute renal failure. *Kidney Int* 66: 496–499.

- Moller-Kristensen M, Wang W, Ruseva M, et al. (2005):** Mannan-binding lectin recognizes structures on ischaemic reperfused mouse kidneys and is implicated in tissue injury. *Scand J Immunol* 61: 426–434.
- Mueller C, Buerkle G, Buettner HJ, et al. (2002):** Prevention of contrast media-associated nephropathy: randomized comparison of 2 hydration regimens in 1620 patients undergoing coronary angioplasty. *Arch Intern Med*; 162: 329–36.
- Murali NS and Nath KA (2005):** Myoglobinuric & hemoglobinuric acute renal failure. *Primer on Kidney Diseases*, 4th Edition: section V; Acute Renal Failure 308-314.
- Murray PT and Palevsky PM (2006):** Acute kidney injury and critical care nephrology. *NephSAP* 5: 98–100.
- Murray PT and Palevsky PM (2007):** Acute kidney injury and critical care nephrology. *NephSAP* 6: 290–294.
- Murray PT and Palevsky PM (2007):** Acute kidney injury and critical care nephrology. *NephSAP* 6: 318–321.
- Murray PT and Palevsky PM (2009):** Acute kidney injury and critical care nephrology. *NephSAP* 8: 173–227.
- Murray PT, Devarajan P, Levey AS, et al. (2008):** A framework and key research questions in AKI diagnosis and staging in different environments. *Clin J Am Soc Nephrol* 3: 864–868.
- Nally J (2002):** Acute renal failure in hospitalized patients. *Cleveland clinic journal of medicine*. Vol 69, no 7.
- Nash K, Hafeez A and Hou S (2002):** Hospital-acquired renal insufficiency. *Am J Kidney Dis*; 39: 930–36.
- Needham E (2005):** Management of Acute renal failure. *American family physician*, Vol. 72 No. 9. 238 -241

- Nickolas TL, Barasch J and Devarajan P (2008):** Biomarkers in acute and chronic kidney disease. *Curr Opin Nephrol Hypertens* 17(12): 127–132.
- Nigel SK and Emil PP (2005):** Acute renal failure on the intensive care unit. *Clin Med*; 5:435–40
- Norbert Lameire, Wim Van Biesen and Raymond Vanholder (2005):** Acute renal failure, *Lancet*; 365: 417–30.
- Ortiz A, Justo P, Sanz A, et al. (2003):** Targeting apoptosis in acute tubular injury. *Biochem Pharmacol* 66: 1589–1594.
- Palevsky PM (2004):** Acute renal failure. *NephSAP* 3: 245–284.
- Palevsky PM (2004):** Acute renal failure. *NephSAP* 3: 263–266.
- Palevsky PM and Murray PT (2006):** Acute kidney injury and critical care nephrology. *NephSAP*; 5: 91–94.
- Palevsky PM and Murray PT (2006):** Acute kidney injury and critical care nephrology. *NephSAP*; 5: 72–120.
- Pannu N, Klarenbach S, Wiebe N, et al. (2008):** Renal replacement therapy in patients with acute renal failure: A systematic review. *JAMA* 299: 793–805.
- Parienti JJ, Thirion M, Megarbane B, et al. (2008):** Femoral vs jugular venous catheterization and risk of nosocomial events in adults requiring acute renal replacement therapy: A randomized controlled trial. *JAMA*; 299: 2413–2422.
- Park P, Haas M, Cunningham PN, et al. (2002):** Injury in renal ischemia-reperfusion is independent from immunoglobulins and T lymphocytes. *Am J Physiol Renal Physiol* 282: F352–F357.
- Pascual J, Orofino L, Liano F, et al. (1990):** Incidence and prognosis of ARF in older patients, *J Am Geriatr Soc*, 38: 25-30.

- Patel NS, Chatterjee PK, Di Paola R, et al. (2005):** Endogenous interleukin-6 enhances the renal injury, dysfunction, and inflammation caused by ischemia/reperfusion. *J Pharmacol Exp Ther* 312: 1170–1178.
- Payen D, de Pont AC, Sakr Y, et al. (2008):** A positive fluid balance is associated with a worse outcome in patients with acute renal failure. *Crit Care* 12: R74.
- Perico N, Cattaneo D, Sayegh MH, et al. (2004):** Delayed graft function in kidney transplantation. *Lancet* 364: 1814–1827.
- Phu NH, Hien TT, Mai NT, et al. (2002):** Hemofiltration and peritoneal dialysis in infection-associated acute renal failure in Vietnam. *N Engl J Med*; 347: 895–902.
- Piper SN, Kumle B, Maleck WH, et al. (2003):** Diltiazem may preserve renal tubular integrity after cardiac surgery. *Can J Anaesth*; 50: 285–92.
- Pisitkun T, Shen RF and Knepper MA (2004):** Identification and proteomic profiling of exosomes in human urine. *Proc Natl Acad Sci USA*; 101: 13368–13373.
- Prasad D (2006):** Update on Mechanisms of Ischemic Acute Kidney Injury. *J Am Soc Nephrol* 17: 1503–1520.
- Praught ML and Shlipak MG (2005):** Are small changes in serum creatinine and important risk factor? *Curr Opin Nephrol Hypertens*; 14:265–70.
- Punukollu RC and Gopalswamy N (1990):** The hepatorenal syndrome. *Med Clin North Am* Jul; 74(4):933-43.
- Quadri SM, Segall L, de PerrotM, et al. (2005):** Caspase inhibition improves ischemia-reperfusion injury after lung transplantation. *Am J Transplant* 5: 292–299.

- Rabb H, Wang Z, Nemoto T, et al. (2003):** Acute renal failure leads to dysregulation of lung salt and water channels. *Kidney Int*; 63: 600–606.
- Racusen LC (2001):** The morphologic basis of acute renal failure. In: Acute Renal Failure, edited by Molitoris BA, Finn WF, Philadelphia, W.B. Saunders, pp. 1–12.
- Ragaller MJ, Theilen H, Koch T (2001):** Volume replacement in critically ill patients with acute renal failure. *J Am Soc Nephrol*; 12: S33–39.
- Ramesh G and Reeves WB (2004):** Inflammatory cytokines in acute renal failure. *Kidney Int Suppl* 91: S56–S61.
- Reinhart K, Bayer O, Brunkhorst F and Meisner M (2002):** Markers of endothelial damage in organ dysfunction and sepsis. *Crit Care Med*; 30: S302–12.
- Ribeiro RC and Pui CH (2003):** Recombinant urate oxidase for prevention of hyperuricemia and tumor lysis syndrome in lymphoid malignancies. *Clin Lymphoma*; 3: 225–32.
- Ricci Z and Ronco C, et al. (2007):** Kidney diseases beyond Nephrology – intensive care. *Nephrol Dialysis transplant*. 10. 832-835.
- Ricci, Z. & Ronco, C.** Year in review 2007: critical care nephrology. *Crit. Care* 12, 230 (2008).
- Ricci, Z. Cruz, D. N., Ricci, Z.** Classification and staging of acute kidney injury: beyond the RIFLE and AKIN criteria *Nat. Rev. Nephrol.* 7, 201–208 (2011);
- Ricci, Z., D. Cruz, and C. Ronco, (2008):** The RIFLE criteria and mortality in acute kidney injury: a systematic review. *Kidney Int*, 73(5): p. 538–46.

- Roderick PJ, Atkins RJ, Smeeth L, et al. (2008):** Detecting chronic kidney disease in older people: what are the implications? *Age Ageing*; 37: 179–186.
- Roelofs JJ, Rouschop KM, Leemans JC, et al. (2006):** Tissue-type plasminogen activator modulates inflammatory responses and renal function in ischemia reperfusion injury. *J Am Soc Nephrol* 17: 131–140.
- Ronco C and Bellomo R (2003):** Prevention of acute renal failure in the critically ill. *Nephron*; 93:13-20.
- Ronco C, Bellomo R, Homel P, et al. (2000):** Effects of different doses in continuous veno-venous haemofiltration on outcomes of acute renal failure: a prospective randomised trial. *Lancet*; 356: 26–30.
- Ronco C, Haapio M, House AA, et al. (2008):** Cardiorenal syndrome. *J Am Coll Cardiol* 52: 1527–1539.
- Rosen S and Heyman SN (2001):** Difficulties in understanding human “acute tubular necrosis”: limited data and flawed animal models. *Kidney Int* 60:1220–1224.
- Ruiz-del-Arbol L, Monescillo A, Arocena C, et al. (2005):** Circulatory function and hepatorenal syndrome in cirrhosis. *Hepatology* 42: 439–447.
- Sabbatini M, Pisani A, Uccello F, et al. (2004):** Atorvastatin improves the course of ischemic acute renal failure in aging rats. *J Am Soc Nephrol* 15: 901–909.
- Safirstein RL (2005):** Pathophysiology of acute renal failure. *Primer on kidney disease*, (33): 280-286.
- Salerno F, Gerbes A, Gines P, et al. (2007):** Diagnosis, prevention and treatment of hepatorenal syndrome with cirrhosis. *Gut*; 56: 1310–1318.

- Santos WJ, Zanetta DM, Pires AC, et al. (2006):** Patients with ischemic, mixed and nephrotoxic acute tubular necrosis in intensive care unit crit care (10) 2: 68-76.
- Sanyal AJ, Boyer T, Garcia-Tsao G, et al. (2008):** Terlipressin Study Group A randomized, prospective, double-blind, placebo controlled trial of terlipressin for type 1 hepatorenal syndrome. *Gastroenterology*; 134: 1360–1368.
- Saudan P, Niederberger M, De Seigneux S, et al. (2006):** Adding a dialysis dose to continuous hemofiltration increases survival in patients with acute renal failure. *Kidney Int* 70: 1312–1317.
- Schaefer TJ and Wolford RW (2005):** Disorders of potassium. *Emerg Med Clin North Am*; 23: 723–7ix
- Schetz M and Van Den BG (2004):** Glucose control in the critically ill. *Contrib Nephrol*; 144: 119–31.
- Schiffl H, Lang SM and Fischer R (2002):** Daily hemodialysis and the outcome of acute renal failure. *N Engl J Med*; 346: 305–10.
- Schnermann J (2003):** Homer W. Smith Award lecture. The juxtaglomerular apparatus: From anatomical peculiarity to physiological relevance. *J Am Soc Nephrol* 14: 1681–1694.
- Schrier RW (2010):** Early intervention in acute kidney injury. *Nat. Rev. Nephrol.* 6, 56–59.
- Schrier RW and Wang W, (2004):** Acute renal failure and sepsis. *N Engl J Med*; 351: 159–69.
- Schrier RW, Wang W, poole B, et al. (2004):** Acute renal failure: definitions, diagnosis, pathogenesis and therapy *J. Clin. Invest.* 114: 5-14.

- Seabra VF, Balk EM, Liangos O, et al. (2008):** Timing of renal replacement therapy initiation in acute renal failure: A meta-analysis. *Am J Kidney Dis* 52: 272–284.
- Sear JW (2005):** Kidney dysfunction in postoperative period. *British Journal of anaesthesia (BJA)* 95, (1): 20- 32.
- Sedlacek M, Schoolwerth AC and Remillard BD (2006):** Electrolyte disturbances in the intensive care unit. *Semin Dial*; 19: 496–501.
- Seerapani Gopaluni, Simon Lines, Andrew J.P. Lewington (2010):** Acute kidney injury in the critically ill patient: Current Anaesthesia & Critical Care 21: 60–64.
- Sever MS, Ereke E, Vanholder R, et al. (2004):** Lessons learned from the catastrophic Marmara earthquake: factors influencing the final outcome of renal victims. *Clin Nephrol*; **61**: 413–21.
- Sharples EJ, Patel N, Brown P, et al. (2004):** Erythropoietin protects the kidney against the injury and dysfunction caused by ischemia reperfusion. *J Am Soc Nephrol*; 15: 2115–24.
- Shilliday IR and Sherif M (2004):** Calcium channel blockers for preventing acute tubular necrosis in kidney transplant recipients. *Cochrane Database Syst Rev* 1: CD003421.
- Shlipak MG, Sarnak MJ, Katz R, et al. (2005):** Cystatin C and the risk of death and cardiovascular events among elderly persons. *N Engl J Med* 352: 2049–2060.
- Simmons EM, Himmelfarb J, Sezer MT, et al., PICARD Study Group (2004):** Plasmacytokine levels predict mortality in patients with acute renal failure. *Kidney Int* 65: 1357–1365.
- Singbartl K and Ley K (2004):** Leukocyte recruitment and acute renal failure. *J Mol Med* 82: 91–101.

- Singbartl K, Forlow SB and Ley K (2001):** Platelet, but not endothelial, P-selectin is critical for neutrophil-mediated acute post-ischemic renal failure. *FASEB J* 15: 2337–2344.
- Singri N, Ahya, SN, Levin ML, et al. (2003):** Acute renal failure. *JAMA* 289: 747-751.
- Stevens LA and Levey AS (2005).** Measurement of kidney function. *Med Clin North Am.*;89: 457–473.
- Sugiyama M, Ohashi M, Takase H, et al. (2005):** Effects of atorvastatin on inflammation and oxidative stress. *Heart Vessels* 20: 133–136.
- Supavekin S, Zhang W, Kucherlapati R, et al. (2003):** Differential gene expression following early renal ischemia/reperfusion. *Kidney Int* 63: 1714–1724.
- Sutton TA, Mang HE, Campos SB, et al. (2003):** Injury of the renal microvascular endothelium alters barrier function after ischemia. *Am J Physiol Renal Physiol* 285: F191–F198.
- Sward K, Valsson F, Odencrants P, et al. (2004):** Recombinant human atrial natriuretic peptide in ischemic acute renal failure. A randomized placebo controlled trial. *Crit Care Med*; 32: 1310–1315.
- Tang I and Murray PT (2004):** Prevention of perioperative ARF: What works? *Best Pract Res Clin Anaesthesiol*; 18: 91–111.
- Tarabishi R, Zahedi K, Mishra J, et al. (2005):** Induction of Zf9 in the kidney following early ischemia/reperfusion. *Kidney Int* 68: 1511–1519.
- Teehan GS, Liangos O and Jaber BL (2003):** Update on dialytic management of acute renal failure. *J Intensive Care Med*; 18: 130–38.

- Terada Y, Tanaka H and Sasaki S (2005):** Wnt-4 and Ets-1 signaling pathways for regeneration after acute renal failure. *Kidney Int* 68: 1969.
- Thakar CV, Arrigain S, Worley S, et al. (2005):** A clinical score to predict acute renal failure after cardiac surgery. *J Am Soc Nephrol*; 16: 163–169.
- Thakar CV, Zahedi K, Revelo MP, et al. (2005):** Identification of thrombospondin 1 (TSP-1) as a novel mediator of cell injury in kidney ischemia. *J Clin Invest* 115: 3451–3459.
- Tokuyama H, Kelly DJ, Zhang Y, et al. (2007):** Macrophage infiltration and cellular proliferation in the non-ischemic kidney and heart following prolonged unilateral renal ischemia. *Nephron Physiol* 106: 54–62.
- Tolwani AJ, Campbell RC, Stofan BS, et al. (2008):** Standard versus high-dose CVVHDF for ICU-related acute renal failure. *J Am Soc Nephrol*; 19: 1233–1238.
- Tonelli M, Manns B and Feller-Kopman D (2002):** Acute renal failure in the intensive care unit: a systematic review of the impact of dialytic modality on mortality and renal recovery. *Am J Kidney Dis*; 40: 875–85.
- Tumlin J, Stacul F, Adam A, et al. (2006):** Pathophysiology of contrast induced nephropathy. *Am J Cardiol*; 98: 14K–20K.
- Turney JH (2001):** Acute renal failure associated with recreational drug use. In: Molitoris BA, Finn WF, eds. *Acute renal failure: a companion to Brenner and Rector's the kidney*, 1st edn. Philadelphia: WB Saunders: 397–405.
- Tuttle KR, Worrall NK, Dahlstrom LR, et al. (2003):** Predictors of ARF after cardiac surgical procedures. *AmJ Kidney Dis*; 41: 76-83.

- Uchino S, Doig GS, Bellomo R, et al. (2004):** Diuretics and mortality in acute renal failure. *Crit Care Med*; 32: 1669–77.
- Uchino S, Kellum J, Bellomj R, et al. (2005):** Acute Renal Failure in critically ill Patients A multinational, multi-center study. *JAMA*; 294: 813-818.
- Uchino, S., Bellomo, R., Bagshaw, S. M.** Transient azotaemia is associated with a high risk of death in hospitalized patients. *Nephrol. Dial. Transplant.* 25, 1833–1839 (2010).
- Uchino, S., Verho, M., Esnault, V. L.** for the Beginning and Ending Supportive Therapy for the Kidney (B. E. S. T. Kidney) Investigators. Diuretics and mortality in acute renal failure. *Crit. Care Med.* 32, 1669–1677 (2004).
- Vaidya VS, Ramirez V, Ichimura T, et al. (2006):** Urinary kidney injury molecule-1: A sensitive quantitative biomarker for early detection of kidney tubular injury. *Am J Physiol Renal Physiol* 290: F517–F529.
- Vallet B (2003):** Bench-to-bedside review: Endothelial cell dysfunction in severe sepsis: A role in organ dysfunction? *Crit Care* 7: 130–138.
- Van den Berghe G, Wouters P, Weekers F, et al. (2001):** Intensive insulin therapy in the critically ill patients. *N Engl J Med*; 345: 1359–67.
- Van den Berghe G, Wouters PJ, Bouillon R, et al. (2003):** Outcome benefit of intensive insulin therapy in the critically ill: insulin dose versus glycemic control. *Crit Care Med*; 31: 359–66.
- Visweswaran P, Massin EK and (1997):** Dubose TD: Mannitol-induced acute renal failure. *J Am Soc Nephrol* 8: 1028–1033.

- Waikar SS, Curhan GC, Wald R, et al. (2006):** Declining mortality in patients with acute renal failure, 1988 to 2002. *J Am Soc Nephrol* 17: 1143–1150.
- Wangsiripaisan A, Gengaro PE, Edelstein CL, et al. (2001):** Role of polymeric Tamm-Horsfall protein in cast formation: Oligosaccharide and tubular fluid ions. *Kidney Int* 59:932–940.
- Warren JD, Blumbergs PC and Thompson PD (2002):** Rhabdomyolysis: A review. *Muscle Nerve* 25:332-347.
- Westhuyzen J, Endre Z, Recce G, et al. (2003):** Measurement of tubular enzymuria facilitate early detection of acute renal impairment in intensive care unit. *Nephrology Dial Transplant*.18: 543-551.
- Witzke O, Baumann M, Patschan D, et al. (2004):** Which patients benefit from hemodialysis therapy in hepatorenal syndrome? *J Gastroenterol Hepatol* 19: 1369–1373.
- Woroniecki R, Ferdinand JR, Morrow JS, et al. (2003):** Dissociation of the spectrin-ankyrin complex as a basis for loss of Na,K-ATPase polarity after ischemia. *Am J Physiol Renal Physiol* 284: F358–F364.
- Xue JL, Dariles F, Star RA, et al. (2006):** Incidence and Mortality of acute renal failure in Medicare Beneficiaries, 1992 to 2001. *J Am Soc Nephrol* 17: 1135- 1142.
- Yagenaga I, Hoste E, Van Biesen W, et al (2004):** Clinical characteristics of patients developing ARF due to sepsis/systemic inflammatory response syndrome: results of a prospective study. *Am J Kidney Dis*; 43: 817-824.

- Yamada K, Miwa T, Liu J, et al. (2004):** Critical protection from renal ischemia reperfusion injury by CD55 and CD59. *J Immunol* 172: 3869–3875.
- Yamamoto T, Tada T, Brodsky SV, et al. (2002):** Intravital videomicroscopy of peritubular capillaries in renal ischemia. *Am J Physiol Renal Physiol* 282: F1150–F1155.
- Yang J, Goetz D, Li JY, et al. (2002):** An iron delivery pathway mediated by a lipocalin. *Mol Cell* 10: 1045–1056.
- Yaqini K, Bouderkha MA, Bensaid A, et al. (2001):** Acute renal failure in intensive care unit: risk and prognostic factors. *Tunis Med*; 82 (3): 1276- 1281.
- Yaqini K, Bouderkha MA, Bensaid A, et al. (2001):** Acute renal failure in intensive care unit: risk and prognostic factors. *Tunis Med*; 82 (3): 1276- 1281.
- Yildirim A, Gumus M, Dalga S, et al. (2003):** Dehydroepiandrosterone improves hepatic antioxidant systems after renal ischemia-reperfusion injury in rabbits. *Ann Clin Lab Sci*; 33: 459-464.
- Yokota N, Burne-Taney M, Racusen L, et al. (2003):** Contrasting roles for STAT4 and STAT6 signal transduction pathways in murine renal ischemia-reperfusion injury. *Am J Physiol Renal Physiol* 285: F319–F325.
- Yoshino J, Monkawa T, Tsuji M, Hayashi M, Saruta T:** Leukemia inhibitory factor is involved in tubular regeneration after experimental acute renal failure. *J Am Soc Nephrol* 14: 3090–3101, 2003.
- Ysebaert DK, De Greef KE, De Beuf A, et al. (2004):** T cells as mediators in renal ischemia/reperfusion injury. *Kidney Int* 66: 491–496.