

References

- Abdel-Latif A, Bolli R, Tleyjeh IM, (2007):** Adult bone marrow-derived cells for cardiac repair: A systematic review and meta-analysis. Arch Intern Med; 167:989–97. [PubMed: 17533201]
- Alison MR, Poulsom R, Forbes S, (2002):** An introduction to stem cells. Path; 134(19): 419–423.
- Alison MR, Vig P, Russo F, (2004):** Hepatic stem cells: From inside and outside the liver?. Cell; 37(11): 1–21.
- Amit M and Itskovitz-Eldor J, (2002):** Derivation and spontaneous differentiation of human embryonic stem cells. Gut; 15(3):225–
- Amit M, Shariki C, Margulets V, (2004):** Feeder layer- and serum free culture of human embryonic stem cells. Biol Reprod 70: 837–845232.
- Anderson DJ, Gage FH and Weissman IL, (2001):** Can stem cells cross lineage boundaries? Nature; 7(78): 393–395.
- Andreoli SP, (2002):** Acute renal failure. Curr Opin Pediatr; 14:183.
- Andreoli SP, (2004):** Clinical evaluation and management of Acute Renal Failure. In: Pediatric Nephrology,
- Appel D, Kershaw D, Smeets B, Yuan G, Fuss A, Frye B, Elger M, Kriz W, Floege J, Moeller M, J, (2009):** Recruitment of podocytes from glomerular parietal epithelial cells. J Am Soc Nephrol 20:

333–343

Asakura A, Rudnicki MA, (2002): Side population cells from diverse adult tissues are capable of in vitro hematopoietic differentiation. *Exp Hematol* 30:1339–1345

Baker LRI, (2005): Chronic renal failure, renal disease. Kumar & Clark: Clinical medicine, 6th edition .Edited by Parven Kumar and Michael Clark., 665-681.

Barberi T, Klivenyi P, Calingasan NY, (2003): Neural subtype specification of fertilization and nuclear transfer embryonic stem cells and application in parkinsonian mice. *Nat Biotechnol*; 21(10):1200 –1207.

Barisoni L, Schnaper HW, Kopp JB, (2009): Advances in the biology and genetics of the podocytopathies: Implications for diagnosis and therapy. *Arch Pathol Lab Med* 133: 201– 216

Bartholomew A, Sturgeon C, Siatskas M, Ferrer K, McIntosh K, Patil S, Hardy W, Devine S, Ucker D, Deans R, Moseley A, Hoffman R, (2002): Mesenchymal stem cells suppress lymphocyte proliferation in vitro and prolong skin graft survival in vivo. *Exp Hematol* 30:42–48

Bates CM, Lin F, (2005) Future strategies in the treatment of acute renal failure: growth factors, stem cells, and other novel therapies. *Curr Opin Pediatr* 17:215–220

Baylis C, (2006): Nitric oxide deficiency in chronic renal disease. *Eur J Clin Pharmacol*; 62(Suppl 1): 123–30. [PubMed: 16408225]

Beachy PA, Karhadkar SS, Berman DM, (2004): Tissue repair and stem

cell renewal in carcinogenesis. *Nature* 432: 324–331

Bellomo R, Ronco C, Kellum JA, (2004): Acute renal failure - definition, outcome measures, animal models, fluid therapy and information technology needs: the Second International Consensus Conference of the Acute Dialysis Quality Initiative (ADQI) Group. *Crit Care*; 8:R204.

Bethesda N, (2007): Stem cell up-to-date. *Hepatology*; 39(6):1477– 1487.

Bianco P and Riminucci M, (1998): The bone marrow stroma in vivo: Ontogeny, structure, cellular composition and changes in disease. In *Marrow Stromal Cell Culture. Handbooks in Practical Animal Cell Biology*, ed. J.N. Beresford and M.E. Owen, p. 1025. Cambridge, UK: Cambridge University Press. p. 244-289.

Blanpain C, Lowry WE, Geohegan A, (2004): Self renewal, multipotency, and the existence of two cell populations within an epithelial stem cell niche. *Cell* 118: 530–532.

Bonventre JV, (2003): Dedifferentiation and proliferation of surviving epithelial cells in acute renal failure. *J Am Soc Nephrol* 14[Suppl 1]: S55–S61

Bottai D, Fiocco R, Gelain F, (2003): Neural stem cells in the adult nervous system. *Stem Cell*; 12: 655–670.

Brenner B: Brenner and Rector's The Kidney, 8th Ed., Philadelphia, Elsevier Science/Saunders, (2008) 69:2115–2123

- Brodie JC, Humes HD, (2005):** Stem cell approaches for the treatment of renal failure. *Pharmacol Rev* 57:299–313
- Bussolati B, Bruno S, Grange C, Buttiglieri S, Deregibus MC, Cantino D, Camussi G, (2005):** Isolation of Renal Progenitor Cells from Adult Human Kidney. *Am J Pathol* 166:545–555
- Bussolati B, Hauser PV, Carvalhosa R, Camussi G, (2009):** Contribution of stem cells to kidney repair. *Curr Stem Cell Res Ther* 4:28
- Chambers SM, Shaw CA, Gatz C, Fisk CJ, Donehower LA, Goodell MA, (2007):** Aging hematopoietic stem cells decline in function and exhibit epigenetic dysregulation. *PLoS Biol* 5: e201
- Challen GA, Bertoncello I, Deane JA, Ricardo SD, Little MH, (2006):** Kidney side population reveals multilineage potential and renal functional capacity but also cellular heterogeneity. *J Am Soc Nephrol* 17:1896– 1912
- Cochrane AL, Kett MM, Samuel CS, Campanale NV, Anderson WP, Hume DA, Little MH, Bertram JF, Ricardo SD, (2005):** Renal structural and functional repair in a mouse model of reversal of ureteral obstruction. *J Am Soc Nephrol* 16: 3623–3630
- Cooke KR, Yanik G (2004):** Acute lung injury after allogeneic stem cell transplantation: is the lung a target of acute graft-versushost disease? *Bone Marrow Transplant* ;34:753-65
- Cornacchia F, Fornoni A, Plati AR, (2001):** Glomerulosclerosis is transmitted by bone marrow-derived mesangial cell progenitors. *J Clin Invest*; 108:1649–56. [PubMed: 11733560]
- Cowan CA, Klimanskaya I, McMahon JP, (2004):** Derivation of embryonic stem-cell lines from human blastocysts. *N Engl J*

Med 350:1353–1356.

Cutler C and Antin JH, (2001): Peripheral blood stem cells for allogeneic transplantation: a review. *Stem Cells*; 19(2):108-117.

Davies JA, Perera AD, Walker CL, (1999): Mechanisms of epithelial development and neoplasia in the metanephric kidney. *Int J Dev Biol* 43: 473–478

De Groot K, Hermann BF, Sowa J, (2004): Uremia causes endothelial progenitor cell deficiency. *Kidney Int*; 66:641–6. [PubMed: 15253717]

Dekel B, Burakova T, Arditti FD, Reich-Zeliger S, Milstein O, Aviel-Ronen S, Rechavi G, Friedman N, Kaminski N, Passwell JH, Reisner Y, (2003): Human and porcine early kidney precursors as a new source for transplantation. *Nat Med* 9:53–60,

Di Nicola M, Carlo-Stella C, Magni M, Milanesi M, Longoni PD, Matteucci P, Grisanti S, Gianni AM, (2002): Human bone marrow stromal cells suppress T-lymphocyte proliferation induced by cellular or nonspecific mitogenic stimuli. *Blood* 99:3838–3843

Douglas-Denton R, Moritz KM, Bertram JF, Wintour EM, (2002): Compensatory renal growth after unilateral nephrectomy in the ovine fetus. *J Am Soc Nephrol* 13: 406–410

Donovan PJ and de Miguel MP (2003): Turning germ cells into stem cells. *Nature*; 13: 463–471.

- Duan Y, Catana A, Meng Y, (2007):** Differentiation and enrichment of hepatocyte-like cells from human embryonic stem cells in vitro and in vivo. *Stem Cells* 25:3058–3068
- Duffield JS, Bonventre JV, (2005):** Kidney tubular epithelium is restored without replacement with bone marrow-derived cells during repair after ischemic injury. *Kidney Int* 68:1956–1961
- Ehnert S, Nussler AK, Lehmann A, (2008):** Blood monocytederived neohepatocytes as in vitro test system for drug metabolism. *Drug Metab Dispos* 36:1922–1929
- Ehnert S., Glanemann M, Schmitt A, Vogt S, Shanny N, Nussler N, Stöckle U, Nussler A, (2009):** The possible use of stem cells in regenerative medicine: dream or reality? *Arch Surg* 394:985–997
- Eiges R, Schuldiner M, Drukker M, (2001):** Establishment of human embryonic stem cell-transduced clones carrying a marker of undifferentiated cells. *Curr. Biol.*; 11: 514-518.
- Elger M, Hentschel H, Litteral J, Wellner M, Kirsch T, Luft FC, Haller H, (2003):** Nephrogenesis is induced by partial nephrectomy in the elasmobranch *Leucoraja erinacea*. *J Am Soc Nephrol* 14: 1506–15185.
- Fang TC, Alison MR, Cook HT, Jeffery R, Wright NA, Poulsom R, (2005):** Proliferation of bone marrow derived cells contributes to regeneration after folic acid-induced acute tubular injury. *J Am Soc Nephrol*; 16:1723–32. [PubMed: 15814835]
- Fang TC, Otto WR, Rao J, Jeffery R, Hunt T, Alison MR, Cook HT,**

- Wright NA, Poulson R, (2008):** Haematopoietic lineage-committed bone marrow cells, but not cloned cultured mesenchymal stem cells, contribute to regeneration of renal tubular epithelium after HgCl₂ –induced acute tubular injury. *Cell Prolif* 41:575–591.
- Filip S, English D, Mokry J, (2004):** Issues in stem cell plasticity. *J. Cell. Mol. Med.* 8, 572-577.
- Fogo AB, (2007):** Mechanisms of progression of chronic kidney disease. *Pediatr Nephrol* 22: 2011–2022
- Fujigaki Y, Goto T, Sakakima M, Fukasawa H, Miyaji T, Yamamoto T, Hishida A, (2006):** Kinetics and characterization of initially regenerating proximal tubules in s3 segment in response to various degrees of acute tubular injury. *Nephrol Dial Transplant*; 21: 41– 50.
- Gagliardini E, Corna D, Zoja C, Sangalli F, Carrara F, Rossi M, Conti S, Rottoli D, Longaretti L, Remuzzi A, Remuzzi G, Benigni A, (2009):** Unlike each drug alone, lisinopril if combined with avosentan promotes regression of renal lesions in experimental diabetes. *Am J Physiol Renal Physiol* 297: F1448– F1456
- Gallagher KA, Liu ZJ, Xiao M, (2007):** diabetic impairments in NO-mediated endothelial progenitor cell mobilization and homing are reversed by hyperoxia and SDF-1 alpha. *J Clin Invest*; 117:1249–59. [PubMed: 17476357]
- Glanemann M, Gaebelein G, Nussler N, (2009):** Transplantation of monocyte-derived hepatocyte-like cells (NeoHeps) mimproves

survival in a model of acute liver failure. *Ann Surg* 249:149–154.

Goodell MA, (2003): Stem-cell „plasticity“: befuddled by the muddle. *Curr. Opin. Hematol.*; 10: 208-213.

Grove JE, Bruscia E, Krause DS, (2004): Plasticity of bone marrow-derived stem cells. *Stem Cells*; 22: 487–500

Gupta S, Verfaillie C, Chmielewski D, Kren S, Eidman K, Connaire J, Heremans Y, Lund T, Blackstad M, Jiang Y, Luttun A, Rosenberg ME, (2006): Isolation and characterization of kidney-derived stem cells. *J Am Soc Nephrol* 17:3028–3040

Gupta S, Rosenberg ME, (2008): Renal stem cells. In: Low WC, Verfaillie C (eds). *Stem Cells and Regenerative Medicine*. Singapore: World Scientific: 419–445

Hawkins EP, Berry PL, Silva FG, (1989): Acute tubulointerstitial nephritis in children: clinical, morphologic, and lectin studies. A report of the Southwest Pediatric Nephrology Study Group. *Am J Kidney Dis*; 14:466.

Hawley R G and Sobieski D A, (2002): Somatic stem cell plasticity: to be or not to be. *Stem Cells*; 44: 195-197.

Herrera MB, Bussolati B, Bruno S, Fonsato V, Romanazzi GM, Camussi G, (2004): Mesenchymal stem cells contribute to the renal repair of acute tubular epithelial injury. *Int J Mol Med* 14:1035–1041

Herzenberg LA and De Rosa SC, (2000): Monoclonal antibodies and the

FACS: complementary tools for immunobiology and medicine. *Immunol. Today*; 21, 383- 390.

Herzlinger D, Koseki C, Mikawa T, al-Awqati Q, (1992): Metanephric mesenchyme contains multipotent stem cells whose fate is restricted after induction. *Development* 114: 565–572,

Hiraoka M, Hori C, Tsuchida S, (1996): Ultrasonographic findings of acute tubulointerstitial nephritis. *Am J Nephrol*; 16:154

Hishikawa K, Marumo T, Miura S, Nakanishi A, Matsuzaki Y, Shibata K, Ichiyanagi T, Kohike H, Komori T, Takahashi I, Takase O, Imai N, Yoshikawa M, Inowa T, Hayashi M, Nakaki T, Nakauchi H, Okano H, Fujita T,(2005): Musculin/MyoR is expressed in kidney side population cells and can regulate their function. *J Cell Biol* 169: 921–928

Hogan WJ, Maris M, Storer B (2004): Hepatic injury after nonmyeloablative conditioning followed by allogeneic hematopoietic cell transplantation: a study of 193 patients. *Blood*; 103:78-84.

Humphreys BD, Bonventre JV, (2008): Mesenchymal stem cells in acute kidney injury. *Annu Rev Med*; 59: 311–325.

Humphreys BD, Valerius MT, Kobayashi A, Mugford JW, Soeung S, Duffield JS, McMahon AP, Bonventre JV, (2008): Intrinsic epithelial cells repair the kidney after injury. *Cell Stem Cell* 2:284–291

Imai N, Hishikawa K, Marumo T, Hirahashi J, Inowa T, Matsuzaki Y, Okano H, Kitamura T, Salant D, Fujita T, (2007): Inhibition of histone deacetylase activates side population cells in kidney

and partially reverses chronic renal injury. *Stem Cells* 25:2469–2475

Imasawa T, Utsunomiya Y, Kawamura T, Zhong Y, Nagasawa R, Okabe M, Maruyama N, Hosoya T, Ohno T, (2001): The potential of bone marrow-derived cells to differentiate to glomerular mesangial cells. *J Am Soc Nephrol* 12: 1401–1409

Inowa T, Hishikawa K, Takeuchi T, Kitamura T, Fujita T, (2008): Isolation and potential existence of side population cells in adult human kidney. *Int J Urol* 15:272–274

Ito T, Suzuki A, Imai E, Okabe M, Hori M, (2001): Bone marrow is a reservoir of repopulating mesangial cells during glomerular remodeling *J Am Soc Nephrol* 12: 2625–2635

Iwasaki, T (2004): Recent advances in the treatment of graft-versus-host disease. *Clin Med Res.*; 2(4):243-252.

Iwasaki M, Adachi Y, Minamino K, Suzuki Y, Zhang Y, Okigaki M, Nakano K, Koike Y, Wang J, Mukaide H, Taketani S, Mori Y, Takahashi H, Iwasaka T, Ikehara S, (2005): Mobilization of bone marrow cells by G-CSF rescues mice from cisplatin-induced renal failure, and M-CSF enhances the effects of G-CSF. *J Am Soc Nephrol* 16:658–666,

Iwatani H, Ito T, Imai E, Matsuzaki Y, Suzuki A, Yamato M, Okabe M, Hori M, (2004): Hematopoietic and nonhematopoietic potentials of Hoechst (low)/side population cells isolated from adult rat kidney. *Kidney Int* 65:1604–1614

Jackson K, Majka SM, Wang H, (2001): Regeneration of ischemic

cardiac muscle and vascular endothelium by adult stem cells. *J. Clin. Invest*; 107: 1-8.

Jafar T, Stark P, Schmid C, (2003): Progression of chronic kidney Disease: The role of blood pressure control, proteinuria and meta- analysis. *Ann Intern Med* 139: 244-252,

Jensen J, Hyllner J, Bjorquist P (2009): Human embryonic stem cell technologies and drug discovery. *J Cell Physiol* 219:513– 519

Jiang Y, Jahagirdar BN, Reinhardt RL, (2002): Pluripotency of mesenchymal stem cells derived from adult bone marrow. *Nature*; 418: 41 49.

Kale S, Karihaloo A, Clark PR, Kashgarian M, Krause DS, CantleyLG, (2003): Bone marrow stem cells contribute to repair of the ischemically injured renal tubule. *J Clin Invest* 112:42–49

Kallianpur AR, Hall LD, Yadav M (2005): The hemochromatosis C282Y allele: a risk factor for hepatic veno-occlusive disease after hematopoietic stem cell transplantation. *Bone Marrow Transplant*; 35:1155-64.

Kiessling AA and Anderson SC (2003): Human embryonic stem cells. Boston: Jones and Bartlett. *Stem Cells*; 20 (2):146– 154.

Kim D. Dressler GR, (2005): Nephrogenic factors promote differentiation of mouse embryonic stem cells into renal epithelia. *J Am Soc Nephrol*; 16:3527–3534.

Kondo M, Weiss ML, Wagers AJ, (2003): Biology of hematopoietic stem cells and progenitors: Implications for clinical application. *Annu Rev Immunol* 21:759–806.

- Kriz W, LeHir M, (2005):** Pathways to nephron loss starting from glomerular diseases-insights from animal models. *Kidney Int* 67: 404–419
- Kunter U, Rong S, Djuric Z, Boor P, Muller- Newen G, Yu D, Floege J, (2006):** Transplanted mesenchymal stem cells accelerate glomerular healing in experimental glomerulonephritis. *J Am Soc Nephrol*; 17: 2202–2212.
- Kunter U, Rong S, Boor P, Eitner F, Muller-Newen G, Djuric Z, van Roeyen CR, Konieczny A, Ostendorf T, Villa L, Milovanceva-Popovska M, Kerjaschki D, Floege J, (2007):** Mesenchymal stem cells prevent progressive experimental renal failure but maldifferentiate into glomerular adipocytes. *J Am Soc Nephrol* 18:1754–1764
- Lagaaij E, Cramer-Knijnenburg G, van Kemenade F, van Es L, Bruijn J, van Krieken J, (2001):** Endothelial cell chimerism after renal transplantation and vascular rejection. *Lancet* 357: 33–37
- Lanza RP, Chung HY, Yoo JJ, Wettstein PJ, Blackwell C, Borson N, Hofmeister E, Schuch G, Soker S, Moraes CT, West MD, Atala A, (2002):** Generation of histocompatible tissues using nuclear transplantation. *Nat Biotechnol* 20:689–696
- Lazarus HM, Koc ON, Devine SM, (2005):** Cotransplantation of HLA-identical sibling culture-expanded mesenchymal stem cells and hematopoietic stem cells in hematologic malignancy patients. *Biol Blood Marrow Transplant* 11:389–398
- Li B, Morioka T, Uchiyama M, Oite T, (2006):** Bone marrow cell infusion ameliorates progressive glomerulosclerosis in an experimental

rat model. *Kidney Int*; 69: 323–330.

Linehan WM, Vasselli J, Srinivasan R, Walther MM, Merino M, Choyke P, Vocke C, Schmidt L, Isaacs JS, Glenn G, Toro J, Zbar B, Bottaro D, Neckers L, (2004): Genetic basis of cancer of the kidney: disease-specific approaches to therapy. *Clin Cancer Res*10(suppl): 6282S-6289S

Linehan WM, Zbar B, (2004): Focus on kidney cancer. *Cancer Cell* 6: 223–228

Lin F, Cordes K, Li L, (2003): Hematopoietic stem cells contribute to the regeneration of renal tubules after renal ischemia-reperfusion injury in mice. *J Am Soc Nephrol*; 14:1188–99. [PubMed: 12707389]

Lin F, Cordes K, Li L, Hood L, Couser WG, Shankland SJ, Igarashi , P, (2003): Hematopoietic cells contribute to the regeneration of renal tubules after ischemia-reperfusion injury in mice. *J Am Soc Nephrol* 14:1188– 1199

Lin F, (2006): Stem cells in kidney regeneration following acute renal injury. *Pediatr Res* 59:74R–78R

Madaio MP, (1990): Renal biopsy. *Kidney Int*; 38:529

Maeshima A, Yamashita S, Nojima Y, (2003): Identification of renal progenitor- like tubular cells that participate in the regeneration processes of the kidney. *J Am Soc Nephrol* 14:3138–3146

Maeshima A, Sakurai H, Nigam SK, (2006): Adult kidney tubular cell population showing phenotypic plasticity, tubulogenic capacity, and integration capability into developing kidney. *J Am Soc*

Nephrol 17:188 198

Marra KG, Defail AJ, Clavijo-Alvarez JA, (2008): FGF-2 enhances vascularization for adipose tissue engineering. *Plast Reconstr Surg* 121:1153–1164

Marshall Dilworth MR, Clancy M, Bravery CA, Ashton N, (2007): Increasing renal mass improves survival in anephric rats following metanephros transplantation. *Exp Physiol* 92:263–271

Masuya M, Drake CJ, Fleming PA, Reilly CM, Zeng H, Hill WD, Martin-Studdard A, Hess DC, Ogawa M, (2003): Hematopoietic origin of glomerular mesangial cells. *Blood* 101:2215–2218

Mehta RL, Kellum JA, Shah SV, (2007): Acute Kidney Injury Network: report of an initiative to improve outcomes in acute kidney injury. *Crit Care*; 11:R31.

Meyers JD, Flournoy N, Thomas ED(1982): Nonbacterial pneumonia after allogeneic marrow transplantation: a review of ten years' experience. *Rev Infect Dis*;4: 1119-32.

Mitchell KE, Weiss ML, Mitchell BM, (2003): Matrix cells from Wharton's jelly form neurons and glia. *Stem Cells*; 21: 50–60.

Moghal NE, Brocklebank JT, Meadow SR, (1998): A review of acute renal failure in children: incidence, etiology and outcome. *Clin Nephrol*; 49:91.

Morigi M, Imberti B, Zoja C, Corna D, Tomasoni S, Abbate M, Rottoli D, Angioletti S, Benigni A, Perico N, Alison M, Remuzzi G, (2004): Mesenchymal stem cells are renotropic, helping to

repair the kidney and improve function in acute renal failure. *J Am Soc Nephrol* 15:1794–180421.

Morigi M, Introna M, Imberti B, Corna D, Abbate M, Rota C Rottoli D, Benigni A, Perico N, Zoja C, Rambaldi A, Remuzzi A, Remuzzi G, (2008): Human bone marrow mesenchymal stem cells accelerate recovery of acute renal injury and prolong survival in mice. *Stem Cells* 26:2075–2082

Nagaike M, Hirao S, Tajima H, Noji S, Taniguchi S, Matsumoto K, Nakamura T, (1991): Renotropic functions of hepatocyte growth factor in renal regeneration after unilateral nephrectomy. *J Biol Chem* 266: 22781–22784

National Centre for Classification in Health (2002): The International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (**ICD-10-AM**) (Ed 3). Sydney, National Centre for Classification in Health,

Ninichuk V, Gross O, Segerer S, Hoffmann R, Radomska E, Buchstaller A, Huss R, Akis N, Schlondorff D, Anders HJ, (2006): Multipotent mesenchymal stem cells reduce interstitial fibrosis but do not delay progression of chronic kidney disease in COL4A3-deficient mice. *Kidney Int*; 70: 121–129.

Oliver JA, Maarouf O, Cheema FH et al, (2004): The renal papilla is a niche for adult kidney stem cells. *J Clin Invest* 114:795–804

Ott HC, Matthiesen TS, Goh SK, Black LD, Kren SM, Netoff TI, Taylor DA, (2008): Perfusion-decellularized matrix, using nature's

platform to engineer a bioartificial heart. *Nat Med* 14:213–221

Pardal R, Clarke MF, Morrison SJ, (2003): Applying the principles of stem cell biology to cancer. *Nat Rev Cancer* 3: 895–902

Patschan D, Krupincza K, Patschan S, Zhang Z, Hamby C, Goligorsky MS, (2006): Dynamics of mobilization and homing of endothelial progenitor cells after acute renal ischemia: Modulation by ischemic preconditioning. *Am J Physiol Renal Physiol*; 291:F176–85. [PubMed: 16478972]

Penvy L and Rao S (2003): The stem cell menagerie. *Trends Neurosci*; 26: 351–359.

Pera MF and Trounson AO, (2004): Human embryonic stem cells: Prospects for development. *Science*; 131: 5515–5525.

Pera MF, Reubinoff B and Trounson A, (2000): Human embryonic stem cells. *J Cell Sci*; 113 (Pt 1): 5–10.

Perin L, Giuliani S, Jin D, Sedrakyan S, Carraro G, Habibian R ,(2007): Renal differentiation of amniotic fluid stem cells. *Cell Prolif*; 40:936–948

Petit I, Szyper-Kravitz M, Nagler A, (2002): G-CSF induces stem cell mobilization by decreasing bone marrow SDF-1 and up-regulating CXCR4. *Nat Immunol* 3:687–694

Potter SJ, Thierstein ST, (1943): Glomerular development in the kidney as an index of fetal maturity. *J Pediatr* 22: 695–706

Poulsom R, Forbes SJ, Hodivala-Dilke K, Ryan E, Wyles S, Navaratnarasah S, Jeffery R, Hunt T, Alison M, Cook T,

- Pusey C, Wright NA, (2001):** Bone marrow contributes to renal parenchymal turnover and regeneration. *J Pathol*; 195: 229–235.
- Prodromidi EI, Poulson R, Jeffery R, Roufosse CA, Pollard PJ, Pusey CD, Cook H, (2006):** Bone marrow-derived cells contribute to podocyte regeneration and amelioration of renal disease in a mouse model of Alport syndrome. *Stem Cells*; 24: 2448–2455.
- Rauscher FM, Goldschmidt-Clermont PJ, Davis BH, (2003):** Aging, progenitor cell exhaustion, and atherosclerosis. *Circulation*; 108:457–63. [PubMed: 12860902]
- Reubinoff BE, Pera MF, Fong CY, (2000):** Embryonic stem cell lines from human blastocysts: Somatic differentiation in vitro. *Nat Biotechnol*; 18: 399–404.
- Rogers SA, Hammerman MR, (2001):** Transplantation of rat metanephroi into mice. *Am J Physiol* 280:R1865–1869
- Rogers SA, Liapis H, Hammerman MR, (2001):** Transplantation of metanephroi across the major histocompatibility complex in rats. *Am J Physiol* 280:R132–136
- Rogers I and Casper RF (2004):** Umbilical cord blood stem cells. In *Best Practice& Research Clinical Obstetrics&Gynaecology*, eds: N. Fisk & J. Itskovitz, London: Elsevier Ltd., 21: 383- 390.
- Romagnani P, (2009):** Toward the identification of a “renopoietic system”? *Stem Cells* 27: 2247– 2253
- Ronconi E, Sagrinati C, Angelotti ML, Lazzeri E, Mazzinghi B, Ballerini L, Parente E, Becherucci F, Gacci M, Carini M, Maggi E,**

- Serio M, Vannelli GB, Lasagni L, Romagnani S, Romagnani P, (2009):** Regeneration of glomerular podocytes by human renal progenitors. *J Am Soc Nephrol* 20: 322–332
- Ross EA, Williams MJ, Hamazaki T, Jorgensen M, Clapp WL, Ellison GW, Terada N, Batich CD, (2007):** Tissue Engineering: differentiation of Murine Pluripotential Embryonic Stem Cells Seeded in Whole Organ Decellularized Rat Kidney Scaffolds. *J Am Soc Nephrol* 18:603A
- Sagrinati C, Netti GS, Mazzinghi B, Lazzeri E, Liotta F, Frosali F, Ronconi E, Meini C, Gacci M, Squecco R, Carini M, Gesualdo L, Francini F, Maggi E, Annunziato F, Lasagni L, Serio M, Romagnani S, Romagnani P, (2006):** Isolation and characterization of multipotent progenitor cells from the Bowman's capsule of adult human kidneys. *J Am Soc Nephrol* 17:2443–2456
- Sagrinati C, Ronconi E, Lazzeri E, Lasagni L, Romagnani P, (2008):** Stem-cell approaches for kidney repair: Choosing the right cells. *Trends Mol Med* 14: 277–285
- Sambuceti G, Morbelli S, Vanella L, (2008):** Diabetes impairs the vascular recruitment of normal stem cells by oxidant damage; reversed by increases in pAMPK, heme oxygenase-1 and adiponectin. *Stem Cells*; ePub ahead of print
- Sandhu JS, Petkov PM, Dabevas MD, (2001):** Stem cell properties and repopulation of the rat liver by fetal liver epithelial progenitor cells. *Am J Pathol*; 159:1323–1334.
- Salice CJ, Rokous JS, Kane AS, Reimschuessel R, (2001):** New nephron

development in goldfish (*Carassius auratus*) kidneys following repeated gentamicin-induced nephrotoxicosis. *Comp Med* 51: 56–59

Sartipy P, Bjorquist P, Strehl R, (2007): The application of human embryonic stem cell technologies to drug discovery. *Drug Discov Today* 12:688–699

Saxen L, (1987): *Organogenesis of the Kidney*, Cambridge, Cambridge University Press.

Schrier RW, Wang W, (2004): Acute renal failure and sepsis. *N Engl J Med* 351:159–169,

Semenza GL, (2006): Therapeutic angiogenesis: Another passing phase? *Circ Res*; 98:1115–16. [PubMed: 16690890]

Short B, Brouard N, Occhiodoro-Scott T, (2003): Mesenchymal stem cells. *Arch Med Res.*; 34: 565–571.

Sinclair R, (1972): Origin of endothelium in human renal allografts. *Br Med J* 4: 15–16,

Smith AG, (2001): Embryo-derived stem cells: Of mice and men. *Annu Rev Cell Dev Biol.*; 17: 435–462.

Socie G, (2005): Current issues in allogeneic stem cell transplantation. *Hematology*; 10 Suppl: 1:63.

Sprengers RW, Lips DJ, Moll FL, Verhaar MC, (2008): Progenitor cell therapy in patients with critical limb ischemia without surgical options. *Ann Surg*; 247:411–20. [PubMed: 18376183]

- Srivastava A, Poonkuzhali B, Shaji RV(2004):** Glutathione S-transferase M1 polymorphism: a risk factor for hepatic venoocclusive disease in bone marrow transplantation. *Blood*;104:1574-7.
- Stagg J, (2008):** Mesenchymal stem cells in cancer. *Stem Cell Rev* 4:119–124
- Steenhard BM, Isom KS, Cazcarro P, Dunmore JH, Godwin AR. St John PL, (2005):** Integration of embryonic stem cells in metanephric kidney organ culture. *J Am Soc Nephrol*; 16:1623–1631.
- Strutz F, Mu¨ller G, (2000):** Transdifferentiation comes of age. *Nephrol Dial Transplant* 15: 1729–1731
- Strutz F, Okada H, Lo CW, Danoff T, Carone RL, Tomaszewski JE, Neilson EG, (1995):** Identification and characterization of a fibroblast marker: FSP1. *J Cell Biol* 130: 393–405
- Sugimoto H, Mundel TM, Sund M, Xie L, Cosgrove D, Kalluri R, (2006):** Bone-marrow-derived stem cells repair basement membrane collagen defects and reverse genetic kidney disease. *Proc Natl Acad Sci USA*; 103: 7321–7326.
- Sullivan KM, Deeg HJ, Sanders J, (2000):** Hyperacute graft-v-host disease in patients not given immunosuppression after allogeneic marrow transplantation. *Blood* ;67:1172-5.
- Sun D, Fujigaki Y, Fujimoto T, Yonemura T, Hishida A, (2000):** Possible involvement of myofibroblasts in cellular recovery of uranyl acetate-induced acute renal failure in rats. *Am J Pathol* 157:1321–1335

- Suzuki A, Iwatani H, Ito T, Imai E, Okabe M, Nakamura H, Isaka Y, Yamato M, Hori M, (2004):** Platelet-derived growth factor plays a critical role to convert bone marrow cells into glomerular mesangial-like cells. *Kidney Int*; 65: 15–24.
- Swetha G, Chandra V, Phadnis S, Bhonde R, (2009):** Glomerular parietal epithelial cells of adult murine kidney undergo EMT to generate cells with traits of renal progenitors. *J Cell Mol Med*, in press
- Temple S, (2001):** The development of neural stem cells. *Nature*; 414: 112–117.
- Terada N, Hamazaki T, Oka M, Hoki M, Mastalerz DM, Nakano Y, Meyer EM, Morel L, Petersen BE, Scott EW, (2002):** Bone marrow cells adopt the phenotype of other cells by spontaneous cell fusion. *Nature* 416: 542–545,
- Togel F, Isaac J, Westenfelder C, (2004):** Hematopoietic stem cell mobilization-associated granulocytosis severely worsens acute renal failure. *J Am Soc Nephrol*; 15:1261–7. [PubMed: 15100366]
- Togel F, Isaac J, Westenfelder C, (2004):** Hematopoietic stem cell mobilization- associated granulocytosis severely worsens acute renal failure. *J Am Soc Nephrol* 15:1261–1267
- Togel F, Hu Z, Weiss K, Isaac J, Lange C, Westenfelder C, (2005):** Administered mesenchymal stem cells protect against ischemic acute renal failure through differentiation-independent

mechanisms. *Am J Physiol Renal Physiol* 289:F31–42

Thomson JA, Itskovitz-Eldor J, Shapiro SS, (1998): Embryonic stem cell lines derived from human blastocysts. *Science* 282:1145–1147

Thored P, Aridsson A, Cacci E, Ahlenius H, Kallur T, Darsalia V, Ekdahl CT, Kokaia Z, Lindvall O, (2006): Persistent production of neurons from adult brain stem cells during recovery after stroke. *Stem Cells* 24: 739747

Tumlin J, Wali R, Williams W, Murray P, Tolwani AJ, Vinnikova AK, Szerlip HM, Ye J, Paganini EP, Dworkin L, Finkel KW, Kraus MA, Humes HD, (2008): Efficacy and safety of renal tubule cell therapy for acute renal failure. *J Am Soc Nephrol* 19:1034–1040

U.S. Renal Data System, USRDS, (2008) Annual Data Report: Atlas of Chronic Kidney Disease and End-Stage Renal Disease in the United States. Bethesda, MD: National Institutes of Health, National Institut of Diabetes and Digestive and Kidney Diseases,

van Oostrom O, Fledderus JO, de Kleijn DP, Pasterkamp G, Verhaar MC, (2009): Smooth muscle progenitor cells: Friend or foe in vascular disease? *Curr Stem Cell Res Ther.* In press

Verfaillie CM, (2004): Adult stem cells: Tissue specific or not. *Handbook of Stem Cells*, Vol. 2, ed. R. Lanza. p. 13–20.

Vigneau C, Polgar K, Striker G, Elliott J, Hyink D, Weber O, (2007): Mouse embryonic stem cell-derived embryoid bodies generate progenitors that integrate long term into renal proximal tubules

in vivo. *J Am Soc Nephrol*; 18:1709–1720

Vogetseder A, Palan T, Bacic D, Kaissling B, Le Hir M, (2008): Proximal tubular epithelial cells are generated by division of differentiated cells in the healthy kidney. *Am J Physiol Cell Physiol* 2007; 292:C807–C813.

Wagers AJ, Sherwood RI, Christensen JL., (2002): Little evidence for developmental plasticity of adult hematopoietic stem cells. *Science*; 297(50):256– 259.

Weissman IL, (2000): Stem cells: units of development, units of regeneration, and units in evolution. *Cell*; 100(1):157– 168.

Westerweel PE, Hoefler IE, Blankestijn PJ, (2007): End-Stage Renal Disease causes an Imbalance between Endothelial and Smooth Muscle Progenitor Cells. *Am J Physiol Renal Physiol*; 292:F1132–40. [PubMed: 17200161]

Wharram BL, Goyal M, Wiggins JE, Sanden SK, Hussain S, Filipiak WE, Saunders TL, Dysko RC, Kohno K, Hozman LB, Wiggins RC, (2005): Podocyte depletion causes glomerulosclerosis: Diphtheria toxin-induced podocyte depletion in rats expressing human diphtheria toxin receptor transgene. *J Am Soc Nephrol* 16: 2941–2952

White S L, Cass A, Atkins R C, Chadban S. J, (2005): by the National Kidney Foundation, Inc.

Wiggins RC, (2007): The spectrum of podocytopathiesA unifying views of glomerular diseases. *Kidney Int* 71: 1205–1214

Witzgall R, Brown D, Schwarz C, Bonventre JV, (1994): Localization of

proliferating cell nuclear antigen, vimentin, c-Fos, and clusterin in the postischemic kidney. Evidence for a heterogenous genetic response among nephron segments, and a large pool of mitotically active and dedifferentiated cells. *J Clin Invest* 93: 2175–2188

Wognum AW, Eaves AC and Thomas TE, (2003): Identification and isolation of hematopoietic stem cells. *Nature*; 34(6):461–475.

Wright NA (2000): Epithelial stem cell repertoire: Clues to the origin of cell lineages, proliferative units and cancer. *Int J Exp Pathol.*, 81: 117–143.

Yamamoto K, Cui L, Johkura K, Asanuma K, Okouchi Y, Ogiwara N, (2006): Branching ducts similar to mesonephric ducts or ureteric buds in teratomas originating from mouse embryonic stem cells. *Am J Physiol Renal Physiol*; 290:F52–60.

Yang J, Liu Y, (2001): Dissection of key events in tubular epithelial to myofibroblast transition and its implications in renal interstitial fibrosis. *Am J Pathol* 159: 1465–1475

Yokoo T, Fukui A, Ohashi T, Miyazaki Y, Utsunomiya Y, Kawamura T, Hosoya T, Okabe M, Kobayashi E, (2006): Xenobiotic kidney organogenesis from human mesenchymal stem cells using a growing rodent embryo. *J Am Soc Nephrol* 17:1026–1034

Yokoo T, Fukui A, Matsumoto K, Ohashi T, Sado Y, Suzuki H, Kawamura T, Okabe M, Hosoya T, Kobayashi E, (2008): Generation of a transplantable erythropoietin-producer derived from human mesenchymal stem cells. *Transplantation*

85:1654–1658

Zheng F, Cornacchia F, Schulman I, Banerjee A, Cheng QL, Potier M, Plati AR, Berho M, Elliot SJ, Li J, Fornoni A, Zang YJ, Zisman A, Striker LJ, Striker GE, (2004): Development of albuminuria and glomerular lesions in normoglycemic B6 recipients of db/db mice bone marrow: The role of mesangial cell progenitors. *Diabetes*; 53: 2420–2427.

Zulewski H, Abraham EJ, Gerlach MJ, (2001): Multipotential nestin positive stem cells isolated from adult pancreatic islets differentiate *ex vivo* into pancreatic endocrine, exocrine and hepatic phenotypes. *Diabetes*; 50: 521–525.