

References

1. Wild S, Roglic G, Green A, (2004): Global prevalence of diabetes: estimates for the ear 2000 and projections for 2030. *Diabetes Care*; 27:1047–1053.
2. Gregg EW, Sorlie P, Paulose–Ram R. (2004): Prevalence of lower–extremity disease in the US adult population >40 years of age with and without diabetes: 1999–2000 national health and nutrition examination survey. *Diabetes Care*; 27:1591–1597.
3. Healthcare Cost and Utilization Project (HCUP), Nationwide Inpatient Sample, 2001, 2002. Available at: <http://www.hcup-us.ahrq.gov>.
4. Apelqvist J, Ragnarson–Tennvall G, Persson U, Larson J. (2007) Diabetic foot ulcers in a multidisciplinary setting: an economic analysis of primary healing and healing with amputation. *J Intern Med*; 235:463–471.
5. Ramsey SD, Newton K, Blough D. (2009) Incidence, outcomes, and cost of foot ulcers in patients with diabetes. *Diabetes Care*; 22:382–387.
6. Sommerlad BC, McGrouther DA. (1999): Resurfacing the sole: long–term follow–up and comparison of techniques. *Br J Plast Surg* 31:107–116.
7. Levin LS, Serafin D. (2010): Plantar skin coverage. *Prob Plast Reconstr Surg*; 1:156–184.
8. Attinger C. (1999): Soft–tissue coverage for lower–extremity trauma. *Orthop Clin North Am*; 26:295–334.
9. Gillies H, Millard DR Jr. In: Gillies HD, Millard DR Jr. eds. (2006): *The principles and art of plastic surgery*. Boston: Little, Brown, 5.

10. Zgonis T, Stapleton JJ, Roukis TS. (2007): Advanced plastic surgery techniques for soft tissue coverage of the diabetic foot. *Clin Podiatr Med Surg*; 24:547–568.
11. Jolly GP, Zgonis T, Blume P. (2003): Soft tissue reconstruction of the diabetic foot. *Gun Podiatr Med Surg*; 20:757–787
12. Gupta SK, Veith FJ, Ascer E, et al. (2009): Cost factors in limb-threatening ischaemia due to infrainguinal arteriosclerosis. *Eur J Vasc Surg*; 2:151–154.
13. Colen LB. (2004): Limb salvage in the patient with severe peripheral vascular disease: the role of microsurgical free-tissue transfer. *Plast Reconstr Surg*; 79:389–395.
14. Richard S. Snell, (2008): *Clinical Anatomy by Regions*, 8th ed., 553–629
15. *Gray's Anatomy*, (2011): arterial supply of foot, 40th ed.,
16. Wild S, Roglic G, Green A, Sicree R, King H. (2004): Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care* 27:1047–1053
17. Singh N, Armstrong DG, Lipsky BA (2005): Preventing foot ulcers in patients with diabetes. *JAMA* 293:217–228.
18. Reiber GE, Vileikyte L, Boyko EJ, del Aguila M, Smith DG, Lavery LA, Boulton AJ. (1999): Causal pathways for incident lower extremity ulcers in patients with diabetes from two settings. *Diabetes Care* 22:157–162.
19. Lavery LA, Armstrong DG, Vela SA, Quebedeaux TL, Fleischli JG. (1998): Practical criteria for screening patients at high risk for diabetic foot ulceration. *Arch Intern Med* 158:157–162.

20. Armstrong DG, Lavery LA. (1998): Diabetic foot ulcers: prevention, diagnosis and classification. *Am Fam Phys* 57:1325–1332, 1337–1338,
21. Kelkar P: Diabetic neuropathy. *Semin Neurol* (2006): 25:168–173,
22. Bowering CK. (2001): Diabetic foot ulcers: pathophysiology, assessment, and therapy. *Can Fam Phys* 47:1007–1016,
23. Dyck PJ, Davies JL, Wilson DM, Service FJ, Melton LJ III, O'Brien PC. (1999): Risk factors for severity of diabetic polyneuropathy. *Diabetes Care* 22:1479–1486.
24. Zochodne DW. (2008): Diabetic polyneuropathy: an update. *Curr Opin Neurol* 21:527–533.
25. Feldman EL, Russell JW, Sullivan KA, Golovoy D. (1999): New insights into the pathogenesis of diabetic neuropathy. *Curr Opin Neurol* 5:553–563.
26. Simmons Z, Feldman E. (2002): Update on diabetic neuropathy. *Curr Opin Neurol* 15:595–603.
27. Dyck PJ, Davies JL, Wilson DM, Service FJ, Melton LJ III, O'Brien PC (1999). Risk factors for severity of diabetic polyneuropathy. *Diabetes Care*; 22:1479–86.
28. Younger DS, Rosoklija G, Hays AP. (1998): Diabetic peripheral neuropathy. *Semin Neurol*; 18:95–104.
29. Cameron NE, Cotter MA. Metabolic and vascular factors in the pathogenesis of diabetic neuropathy. *Diabetes* 1997; 46(Suppl 2):S31–7.
30. Borssen B, Bergenheim T, Lithner F (1990): The epidemiology of foot lesions in diabetic patients aged 15–50 years. *Diabet Med*; 7:438–44.

31. Katz MA, McCuskey P, Beggs JL, Johnson PC, Gaines JA. (1989): Relationships between microvascular function and capillary structure in diabetic and nondiabetic human skin. *Diabetes*; 38:1245–50.
32. Huijberts MS, Schaper NC, Schalkwijk CG. (2008): Advanced glycation end products and diabetic foot disease. *Diabetes Metab Res Rev* 24 (Suppl. 1):S19–S24.
33. Boulton AJ, Armstrong DG, Albert SF, Frykberg RG, Hellman R, Kirkman MS, Lavery LA, LeMaster JW, Mills JL Sr, Mueller MJ, Sheehan P, Wukich DK (2008): Comprehensive foot examination and risk assessment. *Diabetes Care* 31:1679–1685.
34. Paraskevas KI, Baker DM, Pompella A, Mikhailidis DP (2008): Does diabetes mellitus play a role in restenosis and patency rates following lower extremity peripheral arterial revascularization? A critical overview. *Ann Vasc Surg* 22:481–491.
35. Frykberg RG, Armstrong DG, Giurini J, Edwards A, Kravette M, Kravitz S, Ross C, Stavosky J, Stuck R, Vanore J (2000): Diabetic foot disorders: a clinical practice guideline. *J Foot Ankle Surg* 39:S1–S60.
36. American Diabetes Association (1999): Consensus development conference on diabetic foot wound care: 7–8 April 1999, Boston, Massachusetts. *Diabetes Care* 22:1354–1360.
37. Wagner FW Jr (1987): The diabetic foot. *Orthopedics* 10:163–172.
38. Frykberg RG (2002): Diabetic foot ulcers: pathogenesis and management. *Am Fam Phys* 66:1655–1662.
39. Oyibo SO, Jude EB, Tarawneh I, Nguyen HC, Harkless LB, Boulton AJ (2001): A comparison of two diabetic foot ulcer classification systems: the Wagner and the University of Texas wound classification systems. *Diabetes Care* 24:84–88.

40. Lipsky BA (2004): Medical treatment of diabetic foot infections. *Clin Infect Dis* 39:S104–S114.
41. Lipsky BA, Pecoraro RE, Wheat LJ (1990): The diabetic foot: soft tissue and bone infection. *Infect Dis Clin North Am*; 4:409–32.
42. Grayson ML (1995): Diabetic foot infections: antimicrobial therapy. *Infect Dis Clin North Am*; 9:143–61.
43. Joseph WS, Axler DA (1990): Microbiology and antimicrobial therapy of diabetic foot infections. *Clin Podiatr Med Surg*; 7:467–81.
44. Goldstein EJ, Citron DM, Nesbit CA (1996): Diabetic foot infections: bacteriology and activity of 10 oral antimicrobial agents against bacteria isolated from consecutive cases. *Diabetes Care*; 19:638–41.
45. El-Tahawy AT (2000): Bacteriology of diabetic foot. *Saudi Med J*; 21:344–7.
46. Urbancic-Rovan V, Gubina M (2000): Bacteria in superficial diabetic foot ulcers. *Diabet Med*; 17:814–835.
47. Sims D, Keating SE, DeVincentis AF (1984): Bacteriology of diabetic foot ulcers. *J Foot Surg*; 23:149–51.
48. Jones EW, Edwards R, Finch R, Jeffcoate WJ. (1985): A microbiological study of diabetic foot lesions. *Diabet Med*; 2:213–5.
49. Gerding DN. (1995): Foot infections in diabetic patients: the role of anaerobes. *Clin Infect Dis*; 20(Suppl 2):S283–8.
50. Pathare NA, Bal A, Talvalkar GV, Antani DU. (1998): Diabetic foot infections: a study of microorganisms associated with the different Wagner grades. *Indian J Pathol Microbiol*; 41:437–41.
51. Sapico FL, Witte JL, Canawati HN, Montgomerie JZ, Bessman AN. (1984): The infected foot of the diabetic patient: quantitative

- microbiology and analysis of clinical features. *Rev Infect Dis*; 6(Suppl 1): S171–6.
52. Wheat LJ, Allen SD, Henry M. (1986): Diabetic foot infections: bacteriologic analysis. *Arch Intern Med*; 146:1935–40.
53. Hunt JA (1992): Foot infections in diabetes are rarely due to a single microorganism. *Diabet Med*; 9:749–52.
54. Hartemann-Heurtier A, Robert J, Jacqueminet S. (2004): Diabetic foot ulcer and multidrug-resistant organisms: risk factors and impact. *Diabet Med*; 21:710–5.
55. Eady EA, Cove JH (2003): Staphylococcal resistance revisited: community acquired methicillin-resistant *Staphylococcus aureus*—an emerging problem for the management of skin and soft tissue infections. *Curr Opin Infect Dis*; 16:103–24.
56. Wagner A, Reike H, Angelkort B (2001): Highly resistant pathogens in patients with diabetic foot syndrome with special reference to methicillin-resistant *Staphylococcus aureus* infections [in German]. *Dtsch Med Wochenschr*; 126:1353–6.
57. Dang C, Prasad Y, Bouton A, Jude EB (2003): Methicillin-resistant *Staphylococcus aureus* in the diabetic foot clinic: a worsening problem. *Diabet Med*; 20:159–61.
58. Tentolouris N, Jude EB, Smirnof I, Knowles EA, Boulton AJ (1999): Methicillin-resistant *Staphylococcus aureus*: an increasing problem in a diabetic foot clinic. *Diabet Med*; 16:767–71.
59. Centers for Disease Control and Prevention (2002): Vancomycin-resistant *Staphylococcus aureus*—Pennsylvania. *MMWR Morb Mortal Wkly Rep*; 51:902.

60. Bessman AN, Geiger PJ, Canawati H (1992): Prevalence of Corynebacteria in diabetic foot infections. *Diabetes Care*; 15:1531–1533.
61. Ge Y, MacDonald D, Hait H, Lipsky B, Zasloff M, Holroyd K. (2002): Microbiological profile of infected diabetic foot ulcers. *Diabet Med* ; 19:1032–4.
62. Armstrong DG, Liswood PJ, Todd WF. (1995): Prevalence of mixed infections in the diabetic pedal wound: a retrospective review of 112 infections. 1995 William J. Stickel bronze award. *J Am Podiatr Med Assoc*; 85:533–7.
63. Sapico FL, Canawati HN, Witte JL, Montgomerie JZ, Wagner FW Jr., Bessman AN. (1999): Quantitative aerobic and anaerobic bacteriology of infected diabetic feet. *J Clin Microbiol*; 12:413–20.
64. Axler DA. (1997): Microbiology of diabetic foot infections. *J Foot Surg*; 26:S3–6.
65. Bowler PG, Duerden BI, Armstrong DG. (2001): Wound microbiology and associated approaches to wound management. *Clin Microbiol Rev*; 14:244–69.
66. Sharp CS, Bessmen AN, Wagner FW Jr., Garland D, Reece E. (1979): Microbiology of superficial and deep tissues in infected diabetic gangrene. *Surg Gynecol Obstet*; 149:217–9.
67. Bessman AN, Sapico FL, Tabatabai M, Montgomerie JZ. (1986): Persistence of polymicrobial abscesses in the poorly controlled diabetic host. *Diabetes*; 35:448–53.
68. Borrero E, Rossini M Jr. (1992): Bacteriology of 100 consecutive diabetic foot infections and in vitro susceptibility to ampicillin/sulbactam versus cefoxitin. *Angiology*; 43:357–61.

69. Viswanathan V, Jasmine JJ, Snehalatha C, Ramachandran A. (2002): Prevalence of pathogens in diabetic foot infection in South Indian type 2 diabetic patients. *J Assoc Physicians India*; 50:1013–6.
70. Brussels: International Diabetes Foundation, (2003): International Working Group on the Diabetic Foot. International consensus on the diabetic foot.
71. Calhoun JH, Cantrell J, Cobos J, (1988): Treatment of diabetic foot infections: Wagner classification, therapy, and outcome. *Foot Ankle*; 9:101–6.
72. Wagner FW Jr. (1987): The diabetic foot. *Orthopedics*; 10:163–72.
73. Oyibo SO, Jude EB, Tarawneh I, Nguyen HC, Harkless LB, Boulton AJ. (2001): A comparison of two diabetic foot ulcer classification systems: the Wagner and the University of Texas wound classification systems. *Diabetes Care*; 24:84–8.
74. Pecoraro RE. (1991): Diabetic skin ulcer classification for clinical investigations. *Clinical Materials*; 8:257–62.
75. Pecoraro RE, Reiber GE. (1990): Classification of wounds in diabetic amputees. *Wounds*; 2:65–73.
76. Lavery LA, Armstrong DG, Harkless LB. (1996): Classification of diabetic foot wounds. *J Foot Ankle Surg*; 35:528–31.
77. Levin ME. (1998): Classification of diabetic foot wounds [editorial]. *Diabetes Care*; 21:681.
78. Apelqvist J, Castenfors J, Larsson J, Stenstrom A, Agardh CD. (1989): Wound classification is more important than site of ulceration in the outcome of diabetic foot ulcers. *Diabet Med*; 6:526–30.
79. Jeffcoate WJ, Macfarlane RM, Fletcher EM. (1993): The description and classification of diabetic foot lesions. *Diabet Med*; 10:676–9.

80. Macfarlane R, Jeffcoate W. (1999): Classification of diabetic foot ulcers: the SAD system. *The Diabetic Foot*; 2:123–31.
81. Armstrong DG, Lavery LA, Harkless LB. (1998): Validation of a diabetic wound classification system: the contribution of depth, infection, and ischemia to risk of amputation. *Diabetes Care*; 21:855–9.
82. Foster A, Edmonds ME. (2000): Simple staging system: a tool for diagnosis and management. *The Diabetic Foot*; 3:56–62.
83. American Diabetes Association Consensus Statement. (2006): Standards of medical care in diabetes. *Diabetes Care*; 29:S4–42.
84. Garber AJ, Moghissi ES, Bransome ED Jr, (2004): American College of Endocrinology position statement on inpatient diabetes and metabolic control. *Endocr Pract*; 10:77–82.
85. The Diabetes Control and Complications Trial Research Group. (1993): The effect of intensive therapy of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus. *N Eng J Med*; 392:977–986.
86. Rassias AJ, Marrin CA, Arruda J, (1999): Insulin infusion improves neutrophil function in diabetic cardiac surgery patients. *Anesth Ana*; 88: 1011–1016.
87. Golden SH, Peart-Vigilance C, Kao WH, (1999): Perioperative glycemic control and the risk of infectious complications in a cohort of adults with diabetes. *Diabetes Care*; 22:1408–1414.
88. Fnrnary AP, Zerr KJ, Grunkemeier GL, (1999). Continuous intravenous insulin infusion reduces the incidence of deep sternal wound infection in diabetic patients after cardiac surgical procedures. *Ann Thorac Surg*; 67: 352–362.

89. Pomposelli JJ, Baxter JK III, Babineau TJ, (1998): Early postoperative glucose control predicts nosocomial infection rate in diabetic patients. *JPEN J Parenter Enteral Nutr*; 22:77–81.
90. Bagdade JD, Stewart M, Walters E. (1978): Impaired granulocyte adherence: a reversible defect in host defense in patients with poorly controlled diabetes. *Diabetes*; 27:677–681.
91. Shaw JE, Boulton AJ. (1997): The pathogenesis of diabetic foot problems: an overview. *Diabetes*; 46 (Suppl 2):S58–61.
92. Doxey DL, Ng MC, Dill RE, (1995): Platelet-derived growth factor levels in wounds of diabetic rats. *Life Sci*; 57:1111–1123.
93. Lerman OZ, Galiano RD, Armour M, (2003): Cellular dysfunction in the diabetic fibroblast: impairment in migration, vascular endothelial growth factor production, and response to hypoxia. *Am J Pathol*; 162:303–312.
94. Werner S, Breiden M, Hubner G, (1994): Induction of keratinocyte growth factor expression is reduced and delayed during wound healing in the genetically diabetic mouse. *J Invest Dermatol*; 103:469–473.
95. Mansbridge JN, Liu K, Pinney RE, (1999): Growth factors secreted by fibroblasts: role in healing diabetic foot ulcers. *Diabetes Obes Metab*; 1:265–279.
96. Takehara K. *J Dermatol Sci*, (2000): Growth regulation of skin fibroblasts. 24 (Suppl 1):570–77.
97. Kosinski EJ, Pippin JJ, Kozak GP. (1984): Preoperative evaluation of the diabetic patient. In: Kozak GP, ed. *Management of diabetic foot problems*. Philadelphia: Saunders: 133–143.

98. Mahar U, Steen PA, Tinker JH, (1978): Perioperative myocardial infarction in patients with coronary artery disease with and without aorta–coronary bypass grafts. *J Thorac Cardiovasc Surg*; 76:533.
99. Tinker JH. *Semin Anesth*; (1982): Perioperative myocardial infarction.3:253.
100. Tarhan S, Moffitt EA, Taylor WF. (1992): Myocardial infarction after general anesthesia. *JAMA*; 220:1451.
101. Goldman L, Caldera DL, Nossbaum SR, (1977): Multifactorial index of cardiac risk in noncardiac surgical procedures. *N Engl J Med*; 297:845.
102. Hood DB, Weaver FA, Papnicolaou G, (1996): Cardiac evaluation of the diabetic patient prior to peripheral vascular surgery. *Ann Vasc Surg*; 10:330–335.
103. Rumelin A, Nietgen M, Pirlich PT, (1999): Postoperative pattern of various hormonal and metabolic variables. *Curr Med Res Opin*; 67:353–360.
104. Joslin Diabetes Center and Joslin Clinic (2006): Clinical Guidelines for Adults with Diabetes, American Diabetes Association.
105. Ansell J, Hirsh H, Poller L. (2007): Standards of medical care in diabetes–2007. *Diabetes Care*; 30:S5–S41.
106. The pharmacology and management of the vitamin K antagonists: The Seventh ACCP Conference on Antithrombotic and Thrombotic Therapy. *Chest* 2004; 126:204S–233S.
107. Greif R, Ake O, Horn HP. (2000): Supplemental perioperative oxygen to reduce the incidence of surgical–wound infection. *N Engl J Med*; 342:161–167.
108. Poldermans D, Boersma E, Bax JJ, (1999): The effect of bisoprolol on perioperative mortality and MI in high–risk patients undergoing

- vascular surgery. Dutch echocardiographic cardiac risk evaluation applying stress echocardiography study group. *N Engl J Med*; 341:1789–1794.
109. Mangano DT, Layug EL, Wallace A, Tateo I. (1996): Effect of atenolol on mortality and cardiovascular morbidity after noncardiac surgery. *N Engl J Med*; 335: 1713–1 720.
110. Ratner D. (1998): Skin grafting: from here to there. *Dermatol Clin*; 16:75–90.
111. Converse JM, Smahel J, Ballantyne DL Jr. (1975): Inosculation of vessels of skin graft and host bed: a fortuitous encounter. *Br J Plast Surg*; 28:274–282.
112. Converse JM, Uhlschmid GK, Ballantyne DL Jr (1969): Plasmatic circulation in skin grafts. *Plast Reconstr Surg*; 43:495–499.
113. Clemmesen T, Ronhovde DA. (1968): Restoration of the blood–supply to human skin autografts. *Scand J Plast Reconstr Surg*; 2:44–46.
114. Smahel J. (1977): The healing of skin grafts. *Clin Plast Surg*; 4:409–424.
115. Levin LS. (1993): The reconstructive ladder: an orthoclastic approach. *Orthop Clin North Am*; 24:393–409.
116. Frykberg RG, Zgonis T, Armstrong DG. (2006): Diabetic foot disorders: a clinical practice guideline. *J Foot Ankle Surg*; 45:S1–S66.
117. Baumeister S, Dragu A, Jester A, (2004): The role of plastic and reconstructive surgery within an interdisciplinary treatment concept for diabetic foot ulcers of the foot. *Dtsch Med Wochenschr*; 129:676–680.
118. Zgonis T, Roukis TS. (2005): A systematic approach to diabetic foot infections. *Adv Ther*; 22:244–262.

119. Roukis TS, Stapleton JJ, Zgonis T. (2007): Addressing psychosocial aspects of care for patients with diabetes undergoing limb salvage surgery. *Clin Podiatr Med Surg North Am*; 601–610.
120. Armstrong DG, Wunderlich RP, Lavery LA. (1998): Reaching closure with skin stretching. Applications in the diabetic foot. *Gun Podiatr Med Surg*; 15:109–116.
121. Cohen BK, Zabel DD, Newton ED, (1999): Soft-tissue reconstruction for recalcitrant diabetic foot wounds. *J Foot Ankle Surg*; 38:388–393.
122. Roukis TS. (2000): The Doppler probe for planning septofasciocutaneous advancement flaps on the plantar aspect of the foot: anatomical study and clinical applications. *J Foot Ankle Surg*; 39:270–290.
123. Gottlieb U, Krieger LM. (1994): From the reconstructive ladder to the reconstructive elevator. *Plast Reconstr Surg*; 93:1503–1504.
124. Levin LS. Personality of soft-tissue injury. *Tech Orthop* 1995; 10:65–72.
125. Roukis TS. (2004): Radical solutions: bold debridement techniques can work for both chronic and acute wounds. *OrthoKinetic Rev*; 4:20–23.
126. Zgonis T, Jolly GP, Buren BJ, (2003): Diabetic foot infections and antibiotic therapy. *Clin Podiatr Med Surg*; 20:655–669.
127. Kosinski MA, Joseph WS. (2007): Update on the treatment of diabetic foot infections. *Clin Podiatr Med Surg*; 24:383–396.
128. Saap U, Falanga V. (2002): Debridement performance index and its correlation with complete closure of diabetic foot ulcers. *Wound Repair Regen*; 10: 354–359.

129. Armstrong DG, Lavery LA, Vazquez JR, (2002): How and why to surgically debride neuropathic diabetic foot wounds. *J Am Podiatr Med Assoc*; 92: 402–404.
130. Levin LS. (1995): Debridement. *Tech Orthop*; 10:104–108.
131. Attinger CE, Bulan E, Blume PA. (2000): Surgical debridement: the key to successful wound healing and reconstruction. *Clin Podiatr Med Surg*; 17:599–630.
132. Attinger CE, Bulan EJ. Debridement (2001): the key initial first step in wound healing. *Foot Ankle Clin*; 6:627–660.
133. Bahrs C, Schnabel M, Frank T, (2003): Lavage of contaminated surfaces: an in vitro evaluation of the effectiveness of different systems. *J Surg Res*; 112: 26–30.
134. Wheeler CB, Rodeheaver GT, Thacker JG, (1976): Side-effects of high pressure irrigation. *Surg Gynecol Obstet*; 143:775–778.
135. Sobel JW, Goldberg VM. (1985): Pulsatile irrigation in orthopedics. *Orthopedics*; 8:1019–1022.
136. Tobias AM, Chang B. (2002): Pulsed irrigation of extremity wounds: a simple technique for splashback reduction. *Ann Plast Surg*; 48:443–444.
137. Mosti G, Iabichella ML, Picerni P, (2005): The debridement of hard to heal leg ulcers by means of a new device based on Fluidjet technology. *Int Wound J*; 2:307–314.
138. Boykin JV. (2007): Debridement of decubitus ulcers. In: Granick MS, Gamelli RL, eds. *Surgical wound healing and management*. New York: Informa Healthcare USA Inc.; 103–116.
139. Attinger CE, Janis JE, Steinberg J, (2006): Clinical approach to wounds: debridement and wound bed preparation including the use

- of dressings and wound– healing adjuvants. *Plast Reconstr Surg*; 117:S72–S109.
140. Donato MC, Novicki DC, Blume PA. (2000): Skin grafting: historic and practical approaches. *Clin Podiatr Med Surg*; 17:561–598.
141. Pearl RM, Johnson D. (1983): The vascular supply to the skin: an anatomical and physiological reappraisal. Part 1. *Ann Plast Surg*; 11:99–105.
142. Roukis TS, Zgonis T, Tiernan B. (2006): PRP in wound and bone graft healing: a review of the literature and commercially available products. *Adv Ther*; 23:2
143. Zgonis T, Stapleton JJ, Roukis TS. (2007): Advanced plastic surgery techniques for soft tissue coverage of the diabetic foot. *Clin Podiatr Med Surg North Am*; 24:547–568.
144. Roukis TS, Zgonis T. (2005): Skin grafting techniques for soft– tissue coverage of diabetic foot and ankle wounds. *J Wound Care*; 14:173–176.
145. Ablove R, Howell RM. (1997).The physiology and technique of skin grafting. *Hand Clin*; 13:163–173.
146. Schneider AM, Morykwas MJ, Argenta LC. (1998): A new and reliable method of securing skin grafts to the difficult recipient bed. *Plast Reconstr Surg*; 102:1 195–1198.
147. Choudhary S, Lam DG. (1999): Simple tie–over: the herniotomy approach. *Plast Reconstr Surg*; 104:1573–1574.
148. Fullerton JK, Smith CE, Milner SM. (2000): The “stegosaurus” dressing: a simple and effective method of securing skin grafts in the burn patient. *Ann Plast Surg*; 45:462–464.
149. Eroglu L, Akba4 H, Guneren E, (2001): Securing skin grafts using a surgical glove. *Plast Reconstr Surg*; 108:1459–1460.

150. Kaplan HY. (1989): A quick stapler tie-over fixation for skin grafts. *Ann Plast Surg*; 22:173–178
151. Stone F, Prigozen J, Hofeldt M, (2004): Bolster versus negative pressure wound therapy for securing split-thickness skin grafts in trauma patients. *Wounds*.
152. Moisisdis E, Heath T, Boorer C, (2004): A prospective, blinded, randomized, controlled clinical trial of topical negative pressure use in skin grafting. *Plast Reconstr Surg*; 114:917–922.
153. Attinger C. (1995): Use of skin grafting in the foot. *J Am Podiatr Med Assoc*; 85:49–56.
154. Wheeland RC. (1987): The technique and current status of pinch grafting. *J Dermatol Surg Oncol*; 13:873–880.
155. Roukis TS. (2003): Use of the medial arch as a donor site for split-thickness skin grafts. *J Foot Ankle Surg*; 42:312–314.
156. Ahnslide I, Bjellerup M. (1997): Efficacy of pinch grafting in leg ulcers of different etiologies. *Acta Derm Venereol*; 77:144–145.
157. Simman R. (2004): Medial plantar arch pinch grafts are an effective technique to resurface palmar and plantar wounds. *Ann Plast Surg*; 53:256–260.
158. Saponara GC, Warren AM. (1988): Pinch grafts: applications in podiatric wound closure. *J Foot Surg*; 27:111–115.
159. White N, Hettiaratchy S, Papini RP. (2003): The choice of split-thickness skin graft donor site: patients' and surgeons' preferences. *Plast Reconstr Surg*; 112: 933–934.
160. Perry VP. (1966): A review of skin preservation. *Cryobiology*; 3:109–130.
161. Stedman's medical dictionary, 26th ed. Baltimore: Lippincott Williams & Wilkins, 1995:660.

162. Attinger C. (1995): Soft-tissue coverage for lower-extremity trauma. *Orthop Clin North Am*; 26(2):295–334.
163. Attinger CE. (1994): Use of soft tissue techniques for salvage of the diabetic foot. In: Kominsky S, ed. *Medical and surgical management of the diabetic foot*. St. Louis: Mosby: 323–366.
164. Attinger c, cooper p, Blume P. (1996): Vascular anatomy of the foot and ankle. In: Jurkiewicz MJ, Culhertson JH, eds. *Operative techniques in plastic and reconstructive surgery* Los Angeles: General Publishing Group, 183–198.
165. Becker H. (1999): The rhomboid-to-W technique for excision of some skin lesions and closure. *Plast Reconstr Surg*; 64:444–447.
166. Borges Ar. (1998): Choosing the correct Limberg Flap. *Plast Reconstr Surg*; 62:542–545.
167. Borges AF. (1981): The rhombic flap. *Plast Reconstr Surg*; 67:458–466.
168. Borges AF. (1999): The W-plastic versus the Z-plastic scar revision. *Plast Reconstr Surg* 44:58–62.
169. Bouché RT, Christensen JC, Hale DS. (1995): Unilobed and bibbed skin flaps. Detailed surgical technique for plantar lesions. *J Am Podiatr Med Assoc*; 85:41–48.
170. Bray DA. (1983): Clinical applications of the rhomboid flap. *Arch Otolaryngol*; 109:37–42.
171. Brobyn TJ, Cramer LM, Hulnick SJ. (1976): Facial resurfacing with the Limberg Flap. *Clin Plast Surg*; 3:481–490.
172. Callegari PR, Taylor GI, Caddy CM, (1992): An anatomic review of the delay phenomenon: I. Experimental studies. *Plast Reconstr Surg*; 89: 397–407.

173. Chang TJ, Stanifer EG, Jimenez AL. (1993): Plastic repair techniques: skin plasties and local flaps. In: Tucker GA, ed. *Reconstructive surgery of the foot and leg* 93. Tucker, GA: Podiatry Institute Publishing:52–65.
174. Colen LB, Replogle SL, Mathes SJ. (1988): The V–v planter flap for reconstruction of the forefoot. *Plast Reconstr Surg*; 81:220–228.
175. Crawford ME, Dockery GL. (1995): Use of Z–skin plasty in scar revisions and skin contractures of the lower extremity. *J Am Podiatr Med Assoc*; 85:28–35.
176. Cuono CB. (1983): Double Z–plasty repair of large and small rhombic defects: the double–Z rhomboid. *Plast Reconstr Surg*; 71:658–667.
177. Cuono CB. (1994): Double Z–rhombic repair of both large and small defects of the upper extremity. *J Hand Surg*; 9: 197–202.
178. Daniel RK, Kerrigan CL. Principles and physiology of skin flap surgery. In: *Plastic surgery*. McCarthy JG, ed. Philadelphia: Saunders, 1990:275–328.
179. Dayton PD, Griffiths T. (1996): Biwinged excision for round pedal lesions. *J Foot Ankle Surg*; 35:244–249.
180. Dockery GL, Christensen JC. (1986): Principles and descriptions of design of skin flaps for use on the lower extremity. *Clin Podiatr Med Surg*; 3:563–577.
181. Dockery GL. (1995): Single–lobe rotation flaps. *J Am Podiatr Med Assoc*; 85: 36–40.
182. Elliot RA. (1999): Rotation flaps of the nose. *Plast Reconstr Surg*; 44:147–149.

183. Esser JFS. (1918): Gestielte lokale Nasenplastik mit Zweizipfligem lappen Deckung des Sekundaren Detektes vom ersten Zipfel durch den Zweiten. *Dtsch Z Chirurgie*; 143:385.
184. Fleetwood FR, Barret SL, Day SV. (1987): The burrow advancement flap for closure of plantar defects. *J Am Podiatr Med Assoc*; 77:246–249.
185. Gidumal R, Carl A. Evanski P. (1986): Functional evaluation of nonsensate free flap to the sole of the foot. *Foot Ankle*; 7:118–123.
186. Golomb FM. (1984): Closure of the circular defect with double rotation flaps and Z plastics. *Plast Reconstr Surg*; 76:813–816.
187. Hale DS, Dockery GL. (1993): Giant keratoacanthoma of the planter foot: a report of two cases. *J Foot Ankle Surg*; 32:75–84.
188. Heinz TR. (1996): Local flaps for hindfoot reconstruction. In: Jurkiewicz MJ, Culbertson JH, eds. *Operative techniques in plastic and reconstructive surgery*. Los Angeles: General Publishing Group; 157–164.
189. Heniford BW, Bilin PL, Marsico RE Jr. (1998): Field guide to local flaps. *Dermatol Clin*; 16:65–74.
190. Hidalgo DA, (1986): Shaw WW. Anatomic basis of plantar flap design. *Plast Reconstr Surg*; 78:627–636.
191. Hirshowitz F, Kaufman T, Amir I. (1980): Biwinged excision for closure of rounded defect *Ann Plastic Surg*; 5:372–380.
192. Hirshowitz B, Mahler D. (1966): T-plasty technique for excisions in the face. *Plast Reconstr Surg*; 37:453–458.
193. Hirshowitz B, Karev A, Levy Y. (1977): A 5-flap procedure for axillary webs leaving the apex intact. *Br J Plast Surg*; 30:48–51.

194. Iida N, Ohsumi N, Sakai M. (1997): A trilobed flap for reconstruction of nasal skin defects. *Plast Reconstr Surg*; 100:991–995.
195. Jackson IT. (1985): Local flaps in head and neck reconstruction. New York: Mosby: 6–3.
196. Katoh H, Nakajima T, Yoshimura Y. (1984): The double-Z rhomboid plasty: an improvement in design. *Plast Reconstr Surg*; 74:817–824.
197. Kerrign CL. (1992): discussion of “An anatomic review of the delay phenomenon. Experimental studies” by Callegari and “Ass anatomic review of the delay phenomenon: I clinical application” by Taylor. *Plast Reconstr Surg*; 89: 417–418.
198. Keser A, Sensoz O, Mengi AS. (1998): Double opposing semicircular flap: a modification of opposing Z-plasty for closing circular defects. *Plast Reconstr Surg*; 436–467
199. Kinsella JB, Rassekh CH, Wassmuth 2D, (1999): Smoking increases facial skin flap complications. *Ann Otol Rhinol Laryugol*; 108:139–142.
200. Larrabee WF Jr. (1990): Design of local skin flaps. *Otol Clin North Am*; 23: 899–923.
201. Larrabee WF. (1992): Bibbed flap reconstruction of the temporal forehead. *Arch Otolaryngol Head Neck Surg*; 117: 983–984.
202. Lawrence ‘NT. (1992): The nasolabial rhomboid flap. *Ann Plast Surg*; 29: 269–273.
203. Lesavoy MA. (1990): Local incisions and flap coverage. In: McCarthy JG, ed. *Plastic surgery*. Philadelphia: Saunders: 4441–4458.

204. Lister GD, Gibson T. (1989): Closure of rhomboid skin defects: the flaps of Limberg and Dufourmentel. *Br j Plast Surg*; 25:300–314.
205. Lombardo M, Aquino JM. (1982): Local flaps for resurfacing foot defects: a vascular perspective, *J Foot Surg*; 21:302–304.
206. Archer LA, Lembo T, Haber JA. (2007): Protein s deficiency and lower-extremity arterial thrombosis: complicating a common presentation. *J AM Podiatr Med Assoc*; 97:151–155.
207. Sumpio BE, Paszkowiak JJ, Blume PA. (2006): Vascular ulcers. In: Creager j, Olin j, eds. *Vascular medicine*. St. Louis: Mosby:880–893.
208. Frykberg RG, Zgonis T, Armstrong DG, (2006): Diabetic foot disorders: a clinical practical guideline. *J Foot Ankle Surg*; 45: S1–S66.
209. Sumpio BE, Schroeder SM, Blume PA. (2005): Etiology and management of foot ulcerations. In: Lee BY. *The wound management manual*. New York: McGraw–Hill: 126–133.
210. Price NM. (1999): Closure of surgical wound using contiguous island flaps (double V to Y procedure). *Ann Plast Surg*; 3:321–325.
211. Blume PA, Moore JC, Novicki DC. (2005): Digital mucoid cyst excision by using the bibbed flap technique and arthroplastic resection. *J Foot Ankle Surg*; 44:44–48.
212. Hanft JR, Blume PA, Dardik P (April 2005): A pilot clinical study for the treatment of diabetic foot ulcers with an injectable bioactive co-polymer (abstract). Presented at: Symposium on Advanced Wound Care and the 15th Annual Medical Research Forum on Wound Repair; San Diego, CA.
213. Attinger C, Bolan EJ, Blume PA. (2006): Pharmacological and mechanical management of wounds. In: Mathes SJ. *Plastic surgery*. St. Louis: Elsevier: 863–899.

214. Nishimura K, Blume P, Ohgi S, Sumpio BE. (2006): The effect of different regimen stretch on human dermal fibroblasts. *J Surg Res*; 130:331–332.
215. Sumpio BE, Paszkowiak J, Aruny J, Blume PA. (2006): Lower extremity ulceration. To: Creager MA, Dzau VJ, Loscalzo J, eds. *Vascular medicine, a companion to Braunwald's heart disease*. Philadelphia: Saunders; 880–893.
216. Attinger CE, Bulan EJ (2001): Debridement: the key initial first step in wound healing *Foot Ankle Clin*; 6:627–660.
217. Attinger CE, Cooper PS, Blume PA, Bulan B. (2001): The safest surgical incisions and applying the angiosome principles and using the Doppler to assess the arterial: arterial connections of the foot and ankle. *Foot Ankle Clinics Soft Tissue Cover*; 6:745–799.
218. Sumpio BE, Blume PA. (2002): Contemporary management of foot ulcers. In: Pierce WH, Matsumura JS, Yao JST, eds. *Trends in vascular surgery*. Chicago: Precept Press, 277–290.
219. Alnaeb ME, Boutin A, Grabbtree VP, (2007): Assessment of lower extremity peripheral arterial disease using a novel automated optical device. *Vase Endovascular Surg*; 41:522–527.
220. Bosch E, Kreitner RE, Peirano MF, (2008): Safety and efficacy of gadofosveset-enhanced MR angiography for evaluation of pedal arterial disease: multicenter comparative phase 3 study. *AJR Am J Roentgenol*; 190: 179–186.
221. Taylor GI, Palmer JH, Mc Manamny D. (1990): The vascular territories of the body (angiosomes) and their clinical applications. In: McCarthy M, ed. *Plastic surgery*. Philadelphia: Saunders, 329–378.

222. Tan O, Atik B, Ergen D. (2006): A new method in the treatment of postburn scar contractures: double opposing V-Y-Z plasty. *Burns*; 32:499–503.
223. Manson PN, Anthenelli RM, Im MJ, (1983): The role of oxygen-free radicals in ischemic tissue injury in island skin flaps. *Ann Surg*; 198:87–90.
224. Marcinko DE. (1998): Plastic surgery in podiatry (simplified illustrated techniques). *J Foot Surg*; 27:103–109.1
225. Maruyama Y, Iwahira Y, Ebihara H. (1990): V-Y advancement flaps in the reconstruction of skin defects of the posterior heel and ankle. *Plast Reconstr Surg*; 85:759–764.
226. McCarthy JG. (1990): Introduction of plastic surgery. In: McCarthy M, ed. *Plastic surgery*. Philadelphia: Saunders: 55–68.
227. McGregor JC, Soutar DS (1981): A critical assessment of the bibbed flap. *Br J Plast Surg*; 34:197–205.
228. Milton SH (2001): Pedicled skin-flaps: the fallacy of the length: width ratio. *Br J Surg*; 57:502–508.
229. Morain Wd Delon AL, MacKinnon SE, (1987): Current concepts in plastic surgery for the diabetic. *Adv Plast Reconstr Surg*; 4:1–36.
230. Morgan BL, Samii MR. (1973): Advantages of the bibbed flap for closure of small defects of the face. *Plast Reconstr Surg*; 52:35–37.
231. Morris SF, Taylor GI. (1993): Predicting the survival of experimental skin flaps with knowledge of the vascular architecture. *Plast Reconstr Sm*; 92: 1243–1251.
232. Ono I, Gunji H, Sato M, (1993): Use of the oblique island flap in excision of small facial tumors. *Plast Reconstr Surg*; 91:1245–1251.

233. Palmer B, Jurell G, Norberg KA. (1972): The blood flow in experimental skin flaps in rats studied by means of the ¹³³ xenon clearance method. *Scand J Plast Reconstr Surg*; 6:6–12.
234. Park S, Eguchi T, Tokioka K, (1996): Reconstruction of incomplete syndactyly of the toes using both dorsal and plantar flaps. *Plast Reconstr Surg*; 98: 534–537.
235. Parker JA, Searles JM. (1996): Local flaps for forefoot and midfoot reconstruction. In: Jurkiewicz MJ, Culbertson JH, eds. *Operative techniques in plastic and reconstructive surgery*. Los Angeles: General Publishing Group, 148–156.
236. Pribaz JJ, Chester CH, Barrall DT. (1992): The extended V–Y flap. *Plast Reconstr Surg*; 90:275–280.
237. Pyka RA, Coventry MB. (2007): Avascular necrosis of the skin after operations on the foot. *J Bone Joint Surg*; 43:955–960.
238. Rand–Luby L, Pommier RF, Williams ST, (1996): Improved outcome of surgical flaps treated with topical dimethyl sulfoxide. *Ann Surg*; 224: 583–590.
239. Rooks MD. (1989): Coverage problems of the foot and ankle. *Orthop Clin North Am*; 20:723–736.
240. Sanchez–Conejo–Mir J, Bueno Montes J, Moreno Gimenez JC, (1985): The bibbed flap in sole surgery. *J Dermatol Surg Oncol*; 11:913–917.
241. Sarrafian SIC (1993): *Anatomy of the foot and ankle*, 2nd ed. Philadelphia: JB Lippincott, 329.
242. Satterfield VK, Jolly GP. (1994): A new method of excision of painful planter forefoot lesions using a rotation advancement flap. *J Foot Ankle Surg*; 33:129–134

243. Schredde J, Petrovici V. (1981): The use of slide–swing plasty in closing skin defects: a clinical study based on 1,308 cases. *Plast Reconstr Surg*; 67:467–481.
244. Seyhan A. (1998): Mini Z in Z to relieve the tension on the transverse closure after Z Plasty transposition. *Plast Reconstr Surg*; 101:1635–1637.
245. Shaw WW Hidalgo DA. (1986): Anatomic basis of plantar flap design: clinical applications. *Plast Reconstr Surg*; 78:637–649.
246. Sherif MM. (1998): V–Y Dorsal metacarpal flap: a new technique for the correction of syndactyly without skin graft. *Plast Reconstr Surg*; 101:1862–1866.
247. Sutton AE, Quatela VC. (1992): Bibbed flap reconstruction of the temporal forehead. *Arch Otolaryngol Head Neck Surg*; 118:978–982.
248. Taylor GI, Corlett RJ, Caddy CM, (1992): An anatomic review of the delay phenomenon. II. Clinical applications. *Plast Reconstr Surg*; 89:408–416.
249. Attinger CE, Evans KR, Bulan E, (2006): Angiosomes of the foot and ankle and clinical implications for limb salvage: reconstruction, incisions, and revascularization, *Plast Reconstr Surg*; 117:2615–2935.
250. Imanishi N, Kish K, Chang H, (2007): Anatomical study of cutaneous venous flow of the sole. *Plast Reconstr Surg*; 120:1906–1910.
251. Blume PA. (2003): A closer look at plastic surgery techniques: Q/A. *Podiatry Today*; 16:24–28, HMP communications.

252. Barret if Herndon DN, McCauley RL. (2002): Use of previously burned skin as random cutaneous local flaps in pediatric burn reconstruction. *Burns*; 28:500–502.
253. Huang SR, Li XY, Wang H, (2005): The use of local flap in repairing deeply burned wound of extremities. [article in Chinese]*Zhonghua Wai Ke Za Zhi*; 43:182–184.
254. Ashbell TS. (1982): The rhomboid excision and Limberg flap reconstruction in difficult tense skin areas. *Plast Reconstr Surg*; 724.
255. Blume PA, Paragas LK, Sumpio BE, Attinger CE. (2002): Single-stage surgical treatment of noninfected diabetic foot ulcers. *Plast Recons Surg*; 109: 601–609.
256. Zgonis T, Jolly GP, Blume PA. (2003): A guide to closure techniques for open wounds. *Podiatry Today*; 40–48, HMP communications.
257. Sumpio BE, Blume PA (2001): Treatment of foot ulcers. *N Engl J Med*; 344 correspondence.
258. Aranmolate S Attah AA. (1987): Bibbed flap in the release of postburn mentosternal contracture. *Plast Reconstr Surg*; 83:356–361.
259. Lu F, Mizano H, Uysal CA, (2008): Improved viability of random pattern skin flaps through the use of adipose-derived stem cells. *Plast Reconstr Surg*; 121: 50–58.
260. <http://ejournals.ebsco.com/direct.asp?ArticleID =4B07898BA5C10BA00897>
261. Armstrong DG. Lavery LA, Boulton AJ. (2007): Negative pressure wound therapy via vacuum-assisted closure following partial foot amputation: what is the role of wound chronicity? *Int Wound J*; 4:79–86.

262. Illume PA, Walters J, Payne W, (2008): Comparison of negative pressure wound therapy utilizing vacuum-assisted closure to advanced moist wound therapy in the treatment of diabetic foot ulcers: a multicenter randomized controlled trial. *Diabetes Care*; 31:631–636.
263. Kouba DJ, Miller SJ. (2006): “Running pleated” suture technique opposes wound edges of unequal lengths. *Dermatol Surg*; 32:411–414.
264. Asken S. (2009): A modified M-plasty. *J Dermatol Surg Oncol*; 12:369–373
265. Dockery G, Crawford M. (2006): Lower extremity soft tissue and cutaneous plastic surgery. Philadelphia: Saunders, 76–133.
266. Atasoy E, Ioakimidis E, Kasdan ML, (1970): Reconstruction of the amputated finger tip with a triangular volar flap. *J Bone Joint Surg Am*; 52-A: 921–926.
267. Aoki R, Pennington DG, Hyakusoku H. (2006): Flap-in-flap method for enhancing the advancement of a V-Y flap. *J Plast Reconstr Aesthet Surg*; 59: 653–657.
268. Li JH, Xing X, Li P, Xu J. (2007): Transposition movement of V-Y flaps for facial reconstruction. *J Plast Reconstr Aesthet Surg*; 60: 1244–1247.
269. Askar I. (2003): Double reverse V-Y-plasty in postburn scar contractures: a new modification of V-Y-plasty. *Burns*; 29:721–725.
270. Sheridan AT, Humzah D. (2000): V-Y-S-plasty closure of circular defects. *Aust J Dermatol*; 41:260–261.
271. D’Arpa S, Cordova A, Moschella F. (2006): Further application of the bibbed flap: the split bibbed flap for reconstruction of composite

- posterior auricular and mastoid defects. *J Plast Reconstr Aesthet Surg*; 59: 1330–1335.
272. Thordarson DB. (2001): Congenital crossover fifth toe correction with soft tissue re lease and cutaneous Z-plasty. *Foot Ankle Int*; 22:511–512.
273. <http://www.emedicine.com/orthoped/TOPIC563.HTM>
274. Walike JW, Larrabee WF. (1985): The “note flap.” *Arch Otolaryngol*; 111: 430–433.
275. Zgonis T, Stapleton JJ, Rodriguez RH, (2008): Plastic surgery reconstruction of the diabetic foot. *Aorn J*; 87:951–966; quiz 967–970.
276. Zgonis T, Orphanos J, Roukis TS, (2008): Use of a muscle flap and a split-thickness skin graft for a calcaneal osteomyelitis after an open reduction and internal fixation. *J Am Podiatr Med Assoc*; 98:139–142.
277. Zgonis T, Roukis TS, Lamm BM. (2007): Charcot foot and ankle reconstruction: current thinking and surgical approaches. *Gun Podiatr Med Surg*; 24: 505–517.
278. Zgonis T, Stapleton B Jeffries LC, (2008): Surgical treatment of Charcot neuropathy *Aorn J*; 87:971–986; quiz 987–990.
279. Zgonis T, Roukis TS, Frykberg RG, (2006): Unstable acute and chronic Charcot’s deformity: staged skeletal and soft-tissue reconstruction. *J Wound Care*; 15:276–280.
280. Zgonis T, Stapleton Girard-Powell VA, (2008): Surgical management of diabetic foot infections and amputations. *Aorn J*; 87:935–946; quiz 947–950.
281. Zgonis T, Roukis TS. (2005): A systematic approach to diabetic foot infections. *Adv Ther*; 22:244–262.

282. Roukis TS, Stapleton JJ, Zgonis T. (2007): Addressing psychosocial aspects of care for patients with diabetes undergoing limb salvage surgery. *Gun Podiatr Med Surg*; 24:601–610.
283. Frykberg RG, Wittmayer B, Zgonis T. (2007): Surgical management of diabetic foot infections and osteomyelitis. *Gun Podiatr Med Surg*; 24:469–482.