

Infections Surveillance System. *Am J Med* 1991; 91:152S- 157S.

(59) Van Oss CJ, Absolam DR, Moore LL, Park BH, Humbert JR. Effect of temperature on the chemotaxis, phagocytic engulfment, digestion and O₂ consumption of human polymorphonuclear leukocytes. *J Reticuloendothel Soc* 1980;27:561–565. [PubMed: 7392012]

(60) Cruse PJ. Surgical wound infection. In: Wonsiewicz MJ, ed. *Infectious Diseases*. Philadelphia: W.B. Saunders Co; 1992. p. 758-64.

(61) Altemeier WA, Culbertson WR. Surgical infection. In: Moyer CA, Rhoads JE, Allen JG, Harkins HN, eds. *Surgery, principles and practice*. 3rd ed. Philadelphia: JB Lippincott; 1965. p. 51-77.

(62) Fry, DE. Surgical Site Infection: Pathogenesis and Prevention. *Clin Infect Dis*. 2003; 36:592 8. 24.

(63) Gaynes RP, Culver DH, Horan TC, Edwards JR, Richards C, Tolson JS. Surgical site infection (SSI) rates in the United States, 1992–1998: the National Nosocomial Infections Surveillance System basic SSI risk index. *Clin Infect Dis*. 2001; 33(2):S69–S77.

(64) Bremmelgaard A, Raahave D, Beir-Holgersen R, Pedersen JV, Andersen S, Sorensen AI. Computeraided surveillance of surgical infections and identification of risk factors. *J Hosp Infect* 1989;13:1– 18. [PubMed: 2564012]

(65) Coles B, van Heerden JA, Keys TF, Haldorson AI. Incidence of wound infection for common general surgical procedures. *Surg Gynecol Obstet* 1982;154:557–560.

(66) Benhaim P, Hunt TK. Natural resistance to infection: Leukocyte functions. *J Burn Care Rehabil* 1992;13:287–292. [PubMed: 1577841]

(67) Sessler DI. Non-pharmacologic prevention of surgical wound infection. *Anesthesiol Clin*. 2006; 24(2):279-97.

(68) Dunn DL: Autochthonous microflora of the gastrointestinal tract. *Perspect Colon Rectal Surg* 2:105, 1990.

- (69) Zoutman D, Pearce P, McKenzie M, Taylor G. Surgical wound infections occurring in day surgery patients. *Am J Infect Control* 1990;18: 277-82.
- (70) Ron Daniels , Tim Nutbeam,et al. Presentations in Surgical Patients. ABC of Sepsis, Blackwell Publishing , 2010 ; 11:57-61.
- (71) Miles AA, Miles EM, Burke J. The value and duration of defence reactions of the skin to the primary lodgement of bacteria. *Br J Exp Pathol* Feb 1957;38(1):79–96.
- (72) Classen DC, Evans RS, Pestotnik R, Horn SD, Menlove RL, Burke JP. The timing of prophylactic administration of antibiotics and the risk of surgical wound infection. *N Engl J Med* 1992;326:281– 286. [PubMed: 1728731]
- (73) E. Patchen Dellinger, N. Joel Ehrenkranz, William R. Jarvis, et al. Surgical Site Infections. Bennett & Brachman's Hospital Infections, Lippincott Williams & Wilkins, 5th Edition 2007; 35:583-598.
- (74) Anonymous. New classification of physical status. *Anesthesiology* 1963;24:-111.
- (75) Culver DH. The financial incentive for hospitals to prevent nosocomial infections. *Am J Med.* 1991; 91:S152-S157.
- (76) Joan Blanchard. Opportunities from the Center for Perioperative Education. *AORN Journal*: November 2004; 80 (5): 929.
- (77) Nichols RL. Preventing surgical site infections: a surgeon's perspective. *Emerg Infect Dis* 2001;7:220–224.
- (78) L'Ecuyer PB, Murphy D, Little JR, et al. The epidemiology of chest and leg wound infections following cardiothoracic surgery. *Clin Infect Dis* 1996;22:424–9.
- (79) Itani KM, Wilson SE, Awad SS, et al. Ertapenem versus cefotetan prophylaxis in elective colorectal surgery. *N Engl J Med* 2006;355:2640–51.
- (80) Garcia Prado ME, Matia EC, Ciuro FP, et al. Surgical site infection in liver transplant recipients: impact of the type of perioperative prophylaxis. *Transplantation* 2008;85:1849–54.
- (81) Jernigan JA. Is the burden of *Staphylococcus aureus* among patients with

surgical-site infections growing? *Infect Control Hosp Epidemiol* 2004;25:457–60.

(82) Anderson DJ, Sexton DJ, Kanafani ZA, et al. Severe surgical site infection in community hospitals: epidemiology, key procedures, and the changing prevalence of methicillin-resistant *Staphylococcus aureus*. *Infect Control Hosp Epidemiol* 2007;28:1047–53.

(83) Naylor AR, Hayes PD, Darke S. A prospective audit of complex wound and graft infections in Great Britain and Ireland: the emergence of MRSA. *Eur J Vasc Endovasc Surg* 2001;21:289–94.

(84) Sharma M, Berriel-Cass D, Baran J Jr. Sternal surgical-site infection following coronary artery bypass graft: prevalence, microbiology, and complications during a 42-month period. *Infect Control Hosp Epidemiol* 2004;25:468–71.

(85) Kourbatova EV, Halvosa JS, King MD, et al. Emergence of community-associated methicillin-resistant *Staphylococcus aureus* USA 300 clone as a cause of health care-associated infections among patients with prosthetic joint infections. *Am J Infect Control* 2005;33:385–91.

(86) Merrer J, Girou E, Lortat-Jacob A, et al. Surgical site infection after surgery to repair femoral neck fracture: a French multicenter retrospective study. *Infect Control Hosp Epidemiol* 2007;28:1169–74.

(87) Zoumalan RA, Rosenberg DB. Methicillin-resistant *Staphylococcus aureus*-positive surgical site infections in face-lift surgery. *Arch Facial Plast Surg* 2008;10:116–23.

(88) Davis SA, Rybak MJ, Muhammad A, et al. Characteristics of patients with healthcare-associated infection due to SCCmec Type IV methicillin-resistant *Staphylococcus aureus*. *Infect Control Hosp Epidemiol* 2006;27:1025–31.

(89) Popovich KJ, Weinstein RA, Hota B. Are community-associated methicillin-resistant *Staphylococcus aureus* (MRSA) strains replacing traditional nosocomial MRSA strains? *Clin Infect Dis* 2008;46:787–94.

- (90) Manian FA, Griesnauer S. Community-associated methicillin-resistant *Staphylococcus aureus* (MRSA) is replacing traditional health care-associated MRSA strains in surgical-site infections among inpatients. *Clin Infect Dis* 2008;47: 434–5.
- (91) Gaynes R, Edwards JR, National Nosocomial Infections Surveillance System. Overview of nosocomial infections caused by gram-negative bacilli. *Clin Infect Dis* 2005;41:848–54.
- (92) Kusachi S, Sumiyama Y, Arima Y, et al. Isolated bacteria and drug susceptibility associated with the course of surgical site infections. *J Infect Chemother* 2007; 13:166–71.
- (93) Anonymous. National Nosocomial Infections Surveillance (NNIS) report, data summary from January 1992 through June 2004, issued October 2004. A report from the NNIS System. *Am J Infect Control* 2004;32:470–85.
- (94) Nichols FL, Florman S. Clinical presentations of soft-tissue infections and surgical site infections. *Clin Infect Dis* 2001;33(Suppl 2):S84–93.
- (95) Krizek TJ, Robson MC. Evolution of quantitative bacteriology in wound management. *Am J Surg*. Nov 1975;130(5):579-84.
- (96) Krizek TJ, Robson MC. Biology of surgical infection. *Surg Clin North Am* 1975;55:1261-1267.
- (97) Henderson B, Poole S, Wilson M. Microbial/host interactions in health and disease: who controls the cytokine network? [Review]. *Immunopharmacology* 1996;35(1):1-21.
- (98) Henderson B, Poole S, Wilson M. Bacterial modulins: a novel class of virulence factors which cause host tissue pathology by inducing cytokine synthesis [Review]. *Microbiol Rev* 1996;60(2):316-341.
- (99) Bowersox J. Experimental staph vaccine broadly protective in animal studies. 1999. Available at: <http://www3.niaid.nih.gov/news/newsreleases/1999/staph.htm>. Accessed October 20, 2008.

- (100) Chambers HF. The changing epidemiology of *Staphylococcus aureus*? *Emerg Infect Dis* 2001;7(2):178–82.
- (101) Klein E, Smith DL, Laxminarayan R. Hospitalizations and deaths caused by methicillin-resistant *Staphylococcus aureus*, United States, 1999–2005. *Emerg Infect Dis* 2007;13(12):1840–6.
- (102) Klevens RM, Morrison MA, Nadle J, et al. Invasive methicillin-resistant *Staphylococcus aureus* infections in the United States. *JAMA* 2007;298(15):1763–71.
- (103) Siegel JD, Rhinehart E, Jackson M, et al. The Healthcare Infection Control Practices Advisory Committee. Management of multidrug-resistant organisms in healthcare settings 2006. Available at: <http://www.cdc.gov/ncidod/dhqp/pdf/ar/mdroguideline2006.pdf>. Accessed October 20, 2008.
- (104) Cruse PJ, Foord R. The epidemiology of wound infection. A 10-year prospective study of 62,939 wounds. *Surg Clin North Am*. Feb 1980;60(1):27-40.
- (105) English MP, Smith RJ, Harman RR. The fungal flora of ulcerated legs. *Br J Dermatol* 1971; 84(6): 567-81.
- (106) Bowler P, Duerden B, Armstrong D. Wound microbiology and associated approaches to wound management. *Clin Microbiol Rev* 2001; 14(2): 244-69.
- (107) Nichols RL. Postoperative infections in the age of drug-resistant gram-positive bacteria. *Am J Med*. 1998; 104:11S-16S.
- (108) Bennett SN, McNeil MM, Bland LA, Arduino MJ, Villarino ME, Perrotta DM. Postoperative infections traced to contamination of an intravenous anesthetic, propofol. *N Engl J Med*. 1995; 333:147- 54.
- (109) Platt R, Zaleznik DF, Hopkins CC, et al. Perioperative antibiotic prophylaxis for herniorrhaphy and breast surgery. *N Engl J Med* Jan 18;1990 322(3):153–160.
- (110) Bolyard EA, Tablan OC, Williams WW, Pearson ML, Shapiro CN, Deitchman SD, et al. Guideline for infection control in healthcare personnel, 1998. Hospital

Infection Control Practices Advisory Committee. Am J Infect Control 1998;26:289-354.

(111) Garner JS. CDC guideline for prevention of surgical wound infections, 1985. Supersedes guideline for prevention of surgical wound infections published in 1982. (Originally published in November 1985). Infect Control 1986;7:193–200.

(112) Haley RW, Culver DH, Morgan WM, et al. Identifying patients at high risk of surgical wound infection. A simple multivariate index of patient susceptibility and wound contamination. Am J Epidemiol 1985;121:206–215.

(113) Neumayer L, Hosokawa P, Itani K, et al. Multivariable predictors of postoperative surgical site infection after general and vascular surgery: results from the patient safety in surgery study. *Journal of the American College of Surgeons* 2007;204:1178–87.

(114) Ridderstolpe L, Gill H, Granfeldt H, et al. Superficial and deep sternal wound complications: Incidence, risk factors and mortality. *European Journal of Cardio-Thoracic Surgery* 2001;20:1168–75.

(115) Edwards JR, Peterson KD, Andrus ML, et al. National Healthcare Safety Network (NHSN) Report, data summary for 2006 through 2007, issued November 2008. Am J Infect Control 2008;36:609–26.

(116) Anderson DJ, Kaye KS, Classen D, et al. Strategies to prevent surgical site infections in acute care hospitals. Infect Control Hosp Epidemiol 2008; 29(Suppl 1):S51–61.

(117) Mark Collier, David Evans, Mark Farrington, et al. Definitions, surveillance and risk factors, Surgical site infection Clinical Guideline, National Collaborating Centre for Women's and Children's Health 2008 ; 3: 15-20.

(118) Kaye KS, Schmit K, Pieper C. The effect of increasing age on the risk of surgical site infection. *Journal of Infectious Diseases*. 2005; 191:1056-1062.

(119) Perls TT, Wilmoth J, Levenson R. Life-long sustained mortality advantage of

siblings of centenarians. *Proc Natl Acad Sci USA*. 2002; 99:8442–7.

(120) Ridgeway S, Wilson J, Charlet A, *et al*. Infection of the surgical site after arthroplasty of the hip. *Journal of Bone and Joint Surgery – British Volume* 2005;87:844–50.

(121) Scott JD, Forrest A, Feurstein S, *et al*. Factors associated with postoperative infection. *Infection Control and Hospital Epidemiology* 2001;22:347–51.

(122) Cruse PJ, Foord R. A five-year prospective study of 23,649 surgical wounds. *Archives of Surgery* 1973;107:206–210.

(123) Friedman ND, Sexton DJ, Connelly SM, *et al*. Risk factors for surgical site infection complicating laminectomy. *Infection Control and Hospital Epidemiology* 2007;28:1060–5.

(124) Ridderstolpe L, Gill H, Granfeldt H, *et al*. Superficial and deep sternal wound complications: Incidence, risk factors and mortality. *European Journal of Cardio-Thoracic Surgery* 2001;20:1168–75.

(125) Latham R, Lancaster AD, Covington JF, *et al*. The association of diabetes and glucose control with surgical-site infections among cardiothoracic surgery patients. *Infection Control and Hospital Epidemiology* 2001;22:607–12.

(126) Russo PL, Spelman DW. A new surgical-site infection risk index using risk factors identified by multivariate analysis for patients undergoing coronary artery bypass graft surgery. *Infection Control and Hospital Epidemiology* 2002;23:372–6.

(127) Abboud CS, Wey SB, Baltar VT. Risk factors for mediastinitis after cardiac surgery. *Annals of Thoracic Surgery* 2004;77:676–83.

(128) Olsen MA, Mayfield J, Lauryssen C, *et al*. Risk factors for surgical site infection in spinal surgery. *Journal of Neurosurgery* 2003;98:149–55.

(129) Olsen MA, Butler AM, Willers DM, *et al*. Risk factors for surgical site infection after low transverse cesarean section. *Infection Control and Hospital Epidemiology* 2008;29:477–84.

- (130) Lindström D, Sadr Azodi O, Waldis A, Tønnesen H, Nasell H, Ponzer S, Adami J. Effects of a perioperative smoking cessation intervention on postoperative complication – a randomised trial. E-pub . *Annals of surgery*, 30 July, 2008.
- (131) Gravante G, Araco A, Sorge R, *et al.* Postoperative wound infections after breast reductions: The role of smoking and the amount of tissue removed. *Aesthetic Plastic Surgery* 2008;32:25–31.
- (132) Castella A, Argentero PA, Farina EC, Anselmo E, Djioimo A and Zotti CM. Surgical Site Infections Surveillance in Northern Italy, *Chicago Journals*. 2009; 37: 70–74.
- (133) Falagas ME, Kasiakou SK. Mesh related infection after hernia surgery. *Clin Microbiol Infect*. 2005; 11:3–8.
- (134) Bratzler DW, Hunt DR. The surgical infection prevention and surgical care improvement projects: national initiatives to improve outcomes for patients having surgery. *Clin Infect Dis* 2006;43:322–30.
- (135) Khuri SF. Safety, quality, and the National Surgical Quality Improvement Program. *Am Surg* 2006;72:994–8.
- (136) Pessaux P, Msika S, Atalla D, *et al.* Risk factors for postoperative infectious complications in noncolorectal abdominal surgery: a multivariate analysis based on a prospective multicenter study of 4718 patients. *Arch Surg* 2003;138: 314–324.
- (137) Raymond DP, Pelletier SJ, Crabtree TD, Schulman AM, Pruett TL, Sawyer RG. Surgical infection and the aging population. *Am Surg* 2001; 67:827- 832; discussion 832-833
- (138) Dronge AS, Perkal MF, Kancir S, Concato J, Aslan M, Rosenthal RA. Long-term glycemic control and postoperative infectious complications. *Arch Surg* 2006; 141:375-380; discussion 380.
- (139) Forse RA, Karam B, MacLean LD, *et al.* Antibiotic prophylaxis for surgery in morbidly obese patients. *Surgery* 1989;106:750–7.

- (140) Bratzler DW, Houck PM. Surgical Infection Prevention Guidelines Writers Workgroup. Antimicrobial prophylaxis for surgery: an advisory statement from the National Surgical Infection Prevention Project. *Clin Infect Dis* 2004;38: 1706–15.
- (141) Food and Drug Administration. Topical antimicrobial drug products for over-the-counter human use: tentative final monograph for health-care antiseptic drug products—proposed rule (21 CFR Parts 333 and 369). *Federal Register* 1994;59:31441-52.
- (142) Niel-Weise BS, Wille JC. Hair removal policies in clean surgery: systematic review of randomized, controlled trials. *Infect Control Hosp Epidemiol.* 2005; 26(12): 923-8
- (143) Ko W, Lazenby WD, Zelano JA, Isom OW, Krieger KH. Effects of shaving methods and intraoperative irrigation on suppurative mediastinitis after bypass operations. *Ann Thorac Surg* Feb 1992;53(2):301–305.
- (144) Kjønneksen I, Andersen BM, Søndena VG, et al. Preoperative hair removal— a systematic literature review. *AORN J* 2002;75:928–38, 940.
- (145) Kirton OC, O'Neill PA, Kestner M. Perioperative antibiotic use in high-risk penetrating hollow viscus injury: a prospective randomized, double-blind, placebo-control trial of 24 hours versus 5 days. *J Trauma.* 2000; 49(5):822.
- (146) Webster, J. and S. Osborne. Preoperative bathing or showering with skin antiseptics to prevent surgical site infection. *Cochrane Database Syst.* 2006; (2): CD004985.
- (147) Stone HH, Bourneuf AA, Stinson LD: Reliability of criteria for predicting persistent or recurrent sepsis. *Arch Surg* 120:17, 1985. [PMID: 3966872]
- (148) Garibaldi RA. Prevention of intraoperative wound contamination with chlorhexidine shower and scrub. *J Hosp Infect* 1988;11(Suppl B):5-9.
- (149) Fanning C, Johnston BL, MacDonald S, LeFort-Jost S, Dockerty E. Postdischarge surgical site infection surveillance. *Can J Infect Control*

1995;10(3):75-9.

(150) Whitby M, McLaws ML, Collopy B, et al. Post-discharge surveillance: can patients reliably diagnose surgical wound infections? *Journal of Hospital Infection* 2002;52:155–60.

(152) Zerr KJ, Furnary AP, Grunkemeier GL, Bookin S, Kanhere V, Starr A. Glucose control lowers the risk of wound infection in diabetics after open heart operations. *Ann Thorac Surg* 1997;63(2):356 – 361. [PubMed: 9033300]

(153) Pomposelli JJ, Baxter JK 3rd, Babineau TJ, et al. Early postoperative glucose control predicts nosocomial infection rate in diabetic patients. *JPEN J Parenter Enteral Nutr* Mar–Apr;1998 22(2): 77–81. [PubMed: 9527963]

(154) Dellinger EP. Preventing surgical-site infections: the importance of timing and glucose control. *Infect Control Hosp Epidemiol* 2001;22(10):604–606.

(155) Furnary AP, Zerr KJ, Grunkemeier GL, Starr A. Continuous intravenous insulin infusion reduces the incidence of deep sternal wound infection in diabetic patients after cardiac surgical procedures [see comments]. *Ann Thorac Surg* 1999;67(2):352–362. [PubMed: 10197653]discussion 360–352.

(156) van den Berghe G, Wouters P, Weekers F, et al. Intensive insulin therapy in the surgical intensive care unit. *N Engl J Med* 2001;345(19):1359–1367.

(157) Turnidge J: Impact of antibiotic resistance on the treatment of sepsis. *Scand J Infect Dis* 35:677, 2003. [PMID: 14620154]

(158) Mark Collier, David Evans, Mark Farrington, et al. Postoperative phase, Surgical site infection Clinical Guideline, National Collaborating Centre for Women's and Children's Health 2008 ; 7: 91-99.

(159) Nicholas Namias, Jonathan P. Meizoso, David H. Surgical Infections. The SOSICK Investigators Group. 2008; 9(5): 509-514.

(160) Jensen JA, Goodson WH, Hopf HW, Hunt TK. Cigarette smoking decreases tissue oxygen. *Arch Surg* 1991;126:1131–1134. [PubMed: 1929845]

- (161) Greif R, Akça O, Horn E-P, Kurz A, Sessler DI. Outcomes Research™ Group. Supplemental perioperative oxygen to reduce the incidence of surgical wound infection. *N Engl J Med* 2000;342:161–167. [PubMed: 10639541]
- (162) Belda FJ, Aguilera L, Garcia de la Asuncion J, et al. Supplemental perioperative oxygen and the risk of surgical wound infection: a randomized controlled trial. *JAMA* Oct 26;2005 294(16):2035–2042. [PubMed: 16249417]
- (163) Lidwell OM. Clean air at operation and subsequent sepsis in the joint. *Clin Orthop* 1986;211:91-102.
- (164) Kurz A, Sessler DI, Lenhardt RA. Study of wound infections and temperature group. Perioperative normothermia to reduce the incidence of surgical-wound infection and shorten hospitalization. *N Engl J Med* 1996;334:1209–1215. [PubMed: 8606715]
- (165) Margenthaler JA, Longo WE, Virgo KS, et al: Risk factors for adverse outcomes after the surgical treatment of appendicitis in adults. *Ann Surg* 238:59, 2003. [PMID: 12832966]
- (166) Platt R. Guidelines for perioperative antibiotic prophylaxis. In: Abrutyn E, Goldmann DA, Scheckler WE, eds. *Saunders Infection Control Reference Service*. Philadelphia: W.B. Saunders Co; 1997. p. 229-34.
- (167) Dunn DL: The biological rationale, in Schein M, Marshall JC (eds): *Source Control: A Guide to the Management of Surgical Infections*. New York: Springer-Verlag; 2003, p 9.
- (168) Weimann A, Braga M, Harsanyi L, et al. ESPEN guidelines on enteral nutrition: surgery including organ transplantation. *Clin Nutr* 2006;25:224–44.
- (169) Klein S, Kinney J, Jeejeebhoy K, et al. Nutrition support in clinical practice: review of published data and recommendations for future research directions. National Institutes of Health, American Society for Parenteral and Enteral Nutrition, and American Society for Clinical Nutrition. *JPEN J Parenter Enteral Nutr*

1997;21:133–56.

(170) Anonymous. Perioperative total parenteral nutrition in surgical patients. The Veterans Affairs Total Parenteral Nutrition Cooperative Study Group. *N Engl J Med* 1991;325:525–32.

(171) Marion K, Freney J, James G, Bergeron E, Renaud FNR, Costerton JW. Using an efficient biofilm detaching agent: An essential step for the improvement of endoscope reprocessing protocols. *J.Hosp. Infect.*2006; In press.

(172) D Fogg. "OR attire; endoscopic equipment; artificial nails and chewing gum in the OR; monitoring patients," *AORN Journal*. 1991; 54: 335-339.

(173) Larson EL. APIC guideline for handwashing and hand antisepsis in health care settings. *Am J Infect Control*. 1995; 23: 251-269.

(174) Rozycki GS, Tremblay L, Feliciano DV, et al: Three hundred consecutive emergent celiotomies in general surgery patients: Influence of advanced diagnostic imaging techniques and procedures on diagnosis. *Ann Surg* 235:681, 2002.

(175) Denver C. Association of Operating Room Nurses. Recommended Practices and Guidelines, CO: AORN, Inc. 2007; 303:755-6300.

(176) Brandt C, Hott U, Sohr D, et al. Operating room ventilation with laminar airflow shows no protective effect on the surgical site infection rate in orthopedic and abdominal surgery. *Ann Surg* 2008;248:695–700.

(177) Babior BM. Oxygen-dependent microbial killing by phagocytes. *N Engl J Med* 1978;298:659–668. [PubMed: 24176]

(178) Morain WD, Colen LB. Wound healing in diabetes mellitus. *Clin Plast Surg* 1990;17:493-501.

(179) Kravitz M. Outpatient wound care. *Crit Care Nurs Clin North Am* 1996;8(2):217-33.

(180) Prockop DJ, Kivirikko KI, Tuderman L, Guzman NA. The biosynthesis of collagen and its disorders: Part one. *N Engl J Med* 1979;301:13–23.

- (181) Page CP, Bohnen JM, Fletcher JR, McManus AT, Solomkin JS, Wittmann DH. Antimicrobial prophylaxis for surgical wounds. Guidelines for clinical care. *Arch Surg* 1993;128(1):79-88.
- (182) Anonymous. Antimicrobial prophylaxis in surgery. *Med Lett Drugs Ther* 1997;39(1012):97-102.
- (183) Lee JT. Surgical wound infections: surveillance for quality improvement. In: Fry DE, ed. *Surgical Infections*. Boston: Little, Brown and Co; 1995. p. 145-59.
- (184) Vamvakas EC, Carven JH. Transfusion of white-cell-containing allogeneic blood components and postoperative wound infection: effect of confounding factors. *Transfus Med* 1998;8:29-36.
- (185) Jönsson K, Jensen JA, Goodson WH, et al. Tissue oxygenation, anemia, and perfusion in relation to wound healing in surgical patients. *Ann Surg* 1991;214:605–613. [PubMed: 1953114]
- (186) Gordillo GM, Sen CK. Revisiting the essential role of oxygen in wound healing. *Am J Surg Sep* 2003;186(3):259–263.
- (187) Wenger PN, Brown JM, McNeil MM, Jarvis WR. *Nocardia farcinica* sternotomy site infections in patients following open heart surgery. *J Infect Dis* 1998;178:1539-43.
- (188) Knighton DR, Hunt TK, Scheuenstuhl H, Halliday BJ, Werb Z, Banda MJ. Oxygen regulates the expression of angiogenesis factor by macrophages. *Science* 1983;221:1283–1285. [PubMed: 6612342]
- (189) Weigelt JA, Dryer D, Haley RW. The necessity and efficiency of wound surveillance after discharge. *Arch Surg* 1992;127:77-82.
- (190) Sen CK, Khanna S, Babior BM, Hunt TK, Ellison EC, Roy S. Oxidant-induced vascular endothelial growth factor expression in human keratinocytes and cutaneous wound healing. *J Biol Chem Sep 6;2002* 277(36):33284–33290.
- (191) Cho M, Hunt TK, Hussain MZ. Hydrogen peroxide stimulates macrophage

vascular endothelial growth factor release. *Am J Physiol Heart Circ Physiol* May 2001;280(5):H2357–2363.

(192) Sheffield CW, Sessler DI, Hopf HW, et al. Centrally and locally mediated thermoregulatory responses alter subcutaneous oxygen tension. *Wound Rep Reg* 1997;4:339–345.

(193) Jensen JA, Goodson WH, Hopf HW, Hunt TK. Cigarette smoking decreases tissue oxygen. *Arch Surg* 1991;126:1131–1134. [PubMed: 1929845]

(194) Gosain A, Rabin J, Reymond JP, Jenson JA, Hunt TK, Upton RA. Tissue oxygen tension and other indicators of blood loss or organ perfusion during graded hemorrhage. *Surgery*. 1991:523–532.

(195) Akça O, Melischek M, Scheck T, et al. Postoperative pain and subcutaneous oxygen tension. *Lancet* 1999;354:41–42. [PubMed: 10406365]

(196) Sanderson PJ. Antimicrobial prophylaxis in surgery: microbiological factors. *J Antimicrob Chemother* 1993;31(Suppl B):1-9.

(197) Mastro TD, Farley TA, Elliott JA, Facklam RR, Perks JR, Hadler JL, et al. An outbreak of surgical-wound infections due to group A streptococcus carried on the scalp. *N Engl J Med* 1990;323:968-72.

(198) Hopf HW, Hunt TK, West JM, et al. Wound tissue oxygen tension predicts the risk of wound infection in surgical patients. *Arch Surg Sep;1997 132(9):997–1004*. [PubMed: 9301613]discussion 1005.

(199) Keeling NJ, Morgan MW. Inpatient and post-discharge wound infections in general surgery. *Ann R Coll Surg Engl* 1995;77:245-7.

(200) Pryor KO, Fahey TJ 3rd, Lien CA, Goldstein PA. Surgical site infection and the routine use of perioperative hyperoxia in a general surgical population: a randomized controlled trial. *JAMA Jan 7;2004 291(1):79–87*. [PubMed: 14709579]

(201) Favero MS, Manian FA. Is eliminating flash sterilization practical? *Infect Control Hosp Epidemiol* 1993;14(8):479-80.

- (202) Ayliffe GA. Role of the environment of the operating suite in surgical wound infection. *Rev Infect Dis* 1991;13(Suppl 10):S800-4.
- (203) Myles PS, Leslie K, silbert B, Paech M, Peyton P. Evaluation of nitrous oxide in the gas mixture for anesthesia: A randomized controlled trial (the ENIGMA trial). *Anesthesiology* 2005;103:A681.
- (204) Lindberg P, Gunnarsson L, Tokics L, et al. Atelectasis and lung function in the postoperative period. *Acta Anaesthesiol Scand* 1992;36(6):546–553.
- (205) Joyce CJ, Baker AB. Effects of inspired gas composition during anaesthesia for abdominal hysterectomy on postoperative lung volumes. *Br J Anaesth* 1995;75(4):417–421. [PubMed: 7488480]
- (206) Schwieger I, Gamulin Z, Suter PM. Lung function during anesthesia and respiratory insufficiency in the postoperative period: physiological and clinical implications. *Acta Anaesthesiol Scand* 1989;33 (7):527–534. [PubMed: 2683540]
- (207) Kraye S, Rehder K, Vettermann J, Didier EP, Ritman EL. Position and motion of the human diaphragm during anesthesia-paralysis. *Anesthesiology* Jun 1989;70(6):891–898.
- (208) Rothen HU, Sporre B, Engberg G, Wegenius G, Hedenstierna G. Reexpansion of atelectasis during general anaesthesia may have a prolonged effect. *Acta Anaesthesiol Scand* 1995;39(1):118–125. [PubMed: 7725873]
- (209) Edmark L, Kostova-Aherdan K, Enlund M, Hedenstierna G. Optimal oxygen concentration during induction of general anesthesia. *Anesthesiology* Jan 2003;98(1):28–33.
- (210) Lodato RF, Jubran A. Response time, autonomic mediation, and reversibility of hyperoxic bradycardia in conscious dogs. *J Appl Physiol* 1993;74(2):634–642. [PubMed: 8096206]
- (211) Haque WA, Boehmer J, Clemson BS, Leuenberger UA, Silber DH, Sinoway LI. Hemodynamic effects of supplemental oxygen administration in congestive heart

failure. *J Am Coll Cardiol* Feb 1996;27 (2):353–357.

(212) Rosenberg J, Rasmussen V, von Jessen F, Ullstad T, Kehlet H. Late postoperative episodic and constant hypoxaemia and associated ECG abnormalities. *Br J Anaesth* Nov 1990;65(5):684–691.

(213) Stausholm K, Kehlet H, Rosenberg J. Oxygen therapy reduces postoperative tachycardia. *Anaesthesia* Aug 1995;50(8):737–739.

(214) Kotani N, Hashimoto H, Sawamura D, Sessler DI, Muraoka M, Matsuki A. Expression of genes for pro-inflammatory cytokines in alveolar macrophages during propofol and isoflurane anesthesia. *Anesth Analg* 1999;89:1250–1256.

(215) Kotani N, Hashimoto H, Sessler DI, et al. Intraoperative modulation of alveolar macrophage function during isoflurane and propofol anesthesia. *Anesthesiology* 1998;89:1125–1132. [PubMed: 9822000]

(216) Kotani N, Hashimoto H, Sessler DI, et al. Cardiopulmonary bypass produces greater pulmonary than systemic proinflammatory cytokines. *Anesth Analg* 2000;90(5):1039–1045. [PubMed: 10781450]

(217) Kotani N, Hashimoto H, Sessler DI, et al. Supplemental intraoperative oxygen augments antimicrobial and proinflammatory responses of alveolar macrophages. *Anesthesiology* 2000;93(1):15–25. [PubMed: 10861141]

(218) Reyes RJ, Smith AA, Mascaro JR, Windle BH. Supplemental oxygen: ensuring its safe delivery during facial surgery. *Plast Reconstr Surg* Apr 1995;95(5):924–928.

(219) Weightman NC, Banfield KR. Protective over-shoes are unnecessary in a day surgery unit. *J Hosp Infect* 1994;28:1-3.

(220) Chura JC, Byond A, Argenta PA. Surgical site infections and supplemental perioperative oxygen in colorectal surgery patients: a systematic review. *Surg Infect (Larchmt)* 2007;8:455–61.

(221) Lewis JA, Brown PL. Breaking the comfort barrier in impervious gowns. *Surgical Services Management* 1998;4(2):29-38.

- (222) Barie PS. Are we draining the life from our patients? *Surg Infect (Larchmt)* 2002; 3:159–60.
- (223) Brasel KJ, Borgstrom DC, Weigelt JA. Cost-utility analysis of contaminated appendectomy wounds. *J Am Coll Surg* 1997;184:23–30.
- (224) Cohn SM, Giannotti G, Ong AW, et al. Prospective randomized trial of two wound management strategies for dirty abdominal wounds. *Ann Surg* 2001;233: 409–13.
- (225) Bennett J, Boddy A, Rhodes M. Choice of approach for appendicectomy: a meta-analysis of open versus laparoscopic appendicectomy. *Surg Laparosc Endosc Percutan Tech* 2007;17:245–55.
- (226) Melling AC, Ali B, Scott EM, Leaper DJ. Effects of preoperative warming on the incidence of wound infection after clean surgery: a randomised controlled trial. *Lancet* Sep 15;2001 358(9285):876–880. [PubMed: 11567703]
- (227) Leaper D. Effects of local and systemic warming on postoperative infections. *Surg Infect (Larchmt)*. 2006; 7 (2): S101-3.
- (228) Xiong J, Kurz A, Sessler DI, et al. Isoflurane produces marked and non-linear decreases in the vasoconstriction and shivering thresholds. *Anesthesiology* 1996;85:240–245. [PubMed: 8712437]
- (229) Ozaki M, Kurz A, Sessler DI, et al. Thermoregulatory thresholds during spinal and epidural anesthesia. *Anesthesiology* 1994;81:282–288. [PubMed: 8053576]
- (230) Matsukawa T, Sessler DI, Christensen R, Ozaki M, Schroeder M. Heat flow and distribution during epidural anesthesia. *Anesthesiology* 1995;83:961–967. [PubMed: 7486181]
- (231) Matsukawa T, Sessler DI, Sessler AM, et al. Heat flow and distribution during induction of general anesthesia. *Anesthesiology* 1995;82:662–673. [PubMed: 7879935]
- (232) Winkler M, Akça O, Birkenberg B, et al. Aggressive warming reduces blood

- loss during hip arthroplasty. *Anesth Analg* 2000;91(4):978–984. [PubMed: 11004060]
- (233) Schmied H, Kurz A, Sessler DI, Kozek S, Reiter A. Mild intraoperative hypothermia increases blood loss and allogeneic transfusion requirements during total hip arthroplasty. *Lancet* 1996;347:289–292. [PubMed: 8569362]
- (234) Frank SM, Fleisher LA, Breslow MJ, et al. Perioperative maintenance of normothermia reduces the incidence of morbid cardiac events: A randomized clinical trial. *JAMA* 1997;277:1127–1134. [PubMed: 9087467]
- (235) Lenhardt R, Marker E, Goll V, et al. Mild intraoperative hypothermia prolongs postoperative recovery. *Anesthesiology* 1997;87:1318–1323. [PubMed: 9416715]
- (236) Carli F, Emery PW, Freemantle CAJ. Effect of peroperative normothermia on postoperative protein metabolism in elderly patients undergoing hip arthroplasty. *Br J Anaesth* 1989;63:276–282. [PubMed: 2803885]
- (237) Alfonsi P, Adam F, Passard A, Guignard B, Sessler DI, Chauvin M. Nefopam, a non-sedative benzoxazocine analgesic, selectively reduces the shivering threshold. *Anesthesiology* 2004;100:37–43. [PubMed: 14695722]
- (238) Alfonsi P, Hongnat JM, Lebrault C, Chauvin M. The effects of pethidine, fentanyl and lignocaine on postanesthetic shivering. *Anaesthesia* 1995;50:214–217.
- (239) Alfonsi P, Nourredine KE, Adam F, Chauvin M, Sessler DI. Effect of postoperative skin-surface warming on oxygen consumption and the shivering threshold. *Anaesthesia* Dec 2003;58(12):1228–1234.
- (240) Kurz A, Sessler DI, Narzt E, Bakar A, Lenhardt R, Huemer G. Postoperative hemodynamic and thermoregulatory consequences of intraoperative core hypothermia. *J Clin Anesth* 1995;7:359–366. [PubMed: 7576669]
- (241) Sessler DI, Olofsson CI, Rubinstein EH. The thermoregulatory threshold in humans during nitrous oxide-fentanyl anesthesia. *Anesthesiology* 1988;69:357–364.
- (242) Sessler DI, Olofsson CI, Rubinstein EH, Beebe JJ. The thermoregulatory threshold in humans during halothane anesthesia. *Anesthesiology* 1988;68:836–842.

- (243) Sessler DI, Rubinstein EH, Moayeri A. Physiological responses to mild perianesthetic hypothermia in humans. *Anesthesiology* 1991;75:594–610.
- (244) Farkas LG, Bannantyne RM, James JS, Umamaheswaran B. Effect of two different climates on severely burned rats infected with *pseudomonas aeruginosa*. *Eur Surg Res* 1974;6:295–300. [PubMed: 4217280]
- (245) Saririan K, Nickerson DA. Enhancement of murine in vitro antibody formation by hyperthermia. *Cell Immunol* 1982;74:306–312. [PubMed: 6762252]
- (246) Babb JR, Lynam P, Ayliffe GA. Risk of airborne transmission in an operating theatre containing four ultraclean air units. *J Hosp Infect* 1995;31(3):159-68.
- (247) Nichols RL. The operating room. In: Bennett JV, Brachman PS, eds. *Hospital Infections*. 3rd ed. Boston: Little, Brown and Co; 1992. p. 461-73.
- (248) Frohlich D, Wittmann S, Rothe G, Sessler DI, Vogel P, Taeger K. Mild hyperthermia down-regulates receptor-dependent neutrophil function. *Anesth Analg* Jul 2004;99(1):284–292.
- (249) Hohn DC, MacKay RD, Halliday B, Hunt TK. The effect of oxygen tension on the microbicidal function of leukocytes in wound and in vitro. *Surg Forum* 1976;27:18–20. [PubMed: 1019847]
- (250) Mader JT. Phagocytic killing and hyperbaric oxygen: Antibacterial mechanisms. *HBO Reviews* 1982;2:37–49.
- (251) Larson E. Guideline for use of topical antimicrobial agents. *Am J Infect Control* 1988;16:253-66.
- (252) Sheffield CW, Sessler DI, Hunt TK. Mild hypothermia during isoflurane anesthesia decreases resistance to *E. Coli* dermal infection in guinea pigs. *Acta Anaesthesiol Scand* 1994;38:201–205. [PubMed: 8023657]
- (253) Sheffield CW, Sessler DI, Hunt TK, Scheuenstuhl H. Mild hypothermia during halothane anesthesia decreases resistance to *S. Aureus* dermal infection in guinea pigs. *Wound Rep Reg* 1994;2:48–56.

- (254) Aly R, Maibach HI. Comparative antibacterial efficacy of a 2-minute surgical scrub with chlorhexidine gluconate, povidone-iodine, and chloroxylenol sponge-brushes. *Am J Infect Control* 1988;16:173-7.
- (255) Mayhall CG. Surgical infections including burns. In: Wenzel RP, ed. *Prevention and Control of Nosocomial Infections*. 2nd ed. Baltimore: Williams & Wilkins; 1993. p. 614-64.
- (256) Jurkovich GJ, Greiser WB, Luterman A, Curreri PW. Hypothermia in trauma victims: An ominous predictor of survival. *J Trauma* 1987;27:1019–1024.
- (257) Sessler DI, Akca O. Nonpharmacological prevention of surgical wound infections. *Clin Infect Dis* 2002;35:1397–404.
- (258) Association of Operating Room Nurses. Recommended practices for skin preparation of patients. *AORN J* 1996;64(5):813-6.
- (259) Weiss CA 3rd, Statz CL, Dahms RA, et al: Six years of surgical wound infection surveillance at a tertiary care center: Review of the microbiologic and epidemiological aspects of 20,007 wounds. *Arch Surg* 134:1041, 1999. [PMID: 10522843]
- (260) Barbara Kabon, Ozan Akça, Akiko Taguchi, Angelika Nagele, Ratnaraj Jebadurai, Cem F. Arkilic, Neeru Sharma, Arundhathi Ahluwalia, Susan Galandiuk, James Fleshman, Daniel I. Sessler, and Andrea Kurz. Supplemental Intravenous Crystalloid Administration Does Not Reduce the Risk of Surgical Wound Infection. *Anesth Analg*. 2005; 101(5):1546-53.
- (261) Castle M, Ajemian E. *Hospital Infection Control: Principles and Practice*. New York: John Wiley & Sons; 1987. p. 114-6.
- (262) Pittet D, Hugonnet S, Harbarth S, Mouroug P, Sauvan V, Touveneau S. Effectiveness of a hospital-wide programme to improve compliance with hand hygiene. *Lancet* 2000; 356:1307–12.
- (263) Canadian Task Force on the Periodic Health Examination. The periodic health

examination. *Can Med Assoc J* 1979; 121:1193-1254.

(264) Zelenitsky SA, Ariano RE, Harding GK. Antibiotic pharmacodynamics in surgical prophylaxis: an association between intraoperative antibiotic concentrations and efficacy. *Antimicrob Agents Chemother*. 2002; 46(9): 3026-3030.

(265) Jonsson K, Jensen JA, Goodson WH 3rd, West JM, Hunt TK. Assessment of perfusion in postoperative patients using tissue oxygen measurements. *Br J Surg* Apr 1987;74(4):263–267.

(266) Hartmann M, Jonsson K, Zederfeldt B. Effect of tissue perfusion and oxygenation on accumulation of collagen in healing wounds. Randomized study in patients after major abdominal operations. *Eur J Surg* 1992;158(10):521–526.

(267) Pollock AV. The treatment of infected wounds. [Review]. *Acta Chir Scand* 1990;156:505-513.

(268) Gan TJ, Soppitt A, Maroof M, et al. Goal-directed intraoperative fluid administration reduces length of hospital stay after major surgery. *Anesthesiology* Oct 2002;97(4):820–826.

(269) Lewis RT. Oral versus systemic antibiotic prophylaxis in elective colon surgery: a randomized study and meta-analysis send a message from the 1990s. *Can J Surg* 2002;45:173-180.

(270) Guenaga KF, Matos D, Castro AA, et al. Mechanical bowel preparation for elective colorectal surgery. *Cochrane Database of Syst Rev* 2003;2:CD001544.

(271) Halter JB, Pflug AE, Porte D. Mechanism of plasma catecholamine increases during surgical stress in man. *J clin Endocrin and Metab* 1977;45:936–944.

(272) Rooth G, Hedstrand U, Tyden H, Ogen C. The validity of transcutaneous oxygen tension method in adults. *Crit Care Med* 1976;4:162–165. [PubMed: 939109]

(273) Tremper K, Shoemaker W. Transcutaneous oxygen monitoring of critically ill adults with, and without low flow shock. *Crit Care Med* 1981;9:706–709.

(274) Tremper K, Waxman K, Shoemaker W. Effects of hypoxia and shock on

transcutaneous PO₂ values in dogs. *Crit Care Med* 1979;7:526–531.

(275) Laffey JG, Kavanagh BP. Carbon dioxide and the critically ill--too little of a good thing? *Lancet* 1999;354(9186):1283–1286. [PubMed: 10520649]

(276) Barker S, Hyatt J, Clarke C, Tremper K. Hyperventilation reduces transcutaneous oxygen tension and skin blood flow. *Anesthesiology* 1991;75:619–624. [PubMed: 1928771]

(277) Domino K, Lu Y, Einstein B, Hlastala M. Hypocapnia worsens arterial blood oxygenation and increases VA/Q heterogeneity in canine pulmonary edema. *Anesthesiology* 1993;78(1):91–99. [PubMed: 8424577]

(278) Gustaffson U, Sjöberg F, Lewis D, Thorborg P. The effect of hypocapnia on skeletal muscle microcirculatory blood flow, oxygenation, and pH. *Int J Microcirc Clin Exp* 1993;12(2):131–141. [PubMed: 8500973]

(279) Mas A, Saura P, Joseph D, et al. Effects of acute moderate changes in PaCO₂ on global hemodynamics and gastric perfusion. *Crit Care Med* 2000;28(2):360–365.

(280) Hickling K, Joyce C. Permissive hypercapnia in ARDS and its effects on tissue oxygenation. *Acta Anaesthesiol Scand* 1995;107:201–208.

(281) Akça O, Doufas AG, Morioka N, Iscoe S, Fisher J, Sessler DI. Hypercapnia improves tissue oxygenation. *Anesthesiology* Oct 2002;97(4):801–806.

(282) Akça O, Liem E, Suleman MI, Doufas AG, Galandiuk S, Sessler DI. Effect of intra-operative endtidal carbon dioxide partial pressure on tissue oxygenation. *Anaesthesia* Jun 2003;58(6):536–542.

(283) Anonymous. ASHP Therapeutic guidelines on antimicrobial prophylaxis in surgery. *Am J Health Syst Pharm* 1999;56:1839–88.

(284) Bucher P, Mermillod B, Morel P, et al. Does mechanical bowel preparation have a role in preventing postoperative complications in elective colorectal surgery? *Swiss Med Wkly* 2004; 134:69-74.

(285) Nichols RL, Condon RE, Barie PS. Antibiotic prophylaxis in surgery—2005 and

beyond. *Surg Infect* (Larchmt) 2005;6:349–61.

(286) Springer R. The Surgical care improvement project-focusing on infection control. *Plast Surg Nurs* 2007;27:163–7.

(287) Weimann A, Braga M, Harsanyi L, et al. ESPEN guidelines on enteral nutrition: surgery including organ transplantation. *Clin Nutr* 2006;25:224–44.

(289) Milsom JW, Smith DL, Corman ML, et al. Double-blind comparison of singledose alatrofloxacin and cefotetan as prophylaxis of infection following elective colorectal surgery. *Am J Surg* 1998;176(Suppl 6A):46S–52S.

(290) Martin C. Antimicrobial prophylaxis in surgery: general concepts and clinical guidelines. French Study Group on Antimicrobial Prophylaxis in Surgery, French Society of Anesthesia and Intensive Care. *Infect Control Hosp Epidemiol*. 1994; 15: 463-71.

(291) Scher K. Studies on the duration of antibiotic administration for surgical prophylaxis. *Am Surg* 1997;63:59–62.

(292) Swoboda SM, Merz C, Kostuik J, et al. Does intraoperative blood loss affect antibiotic serum and tissue concentrations? *Arch Surg* 1996;131:1165–72.

(293) Rim JY, Bacon AE 3rd. Prevalence of community-acquired methicillin-resistant *Staphylococcus aureus* colonization in a random sample of healthy individuals. *Infect Control Hosp Epidemiol* 2007;28:1044–6.

(294) Zanetti G, Giardina R, Platt R. Intraoperative redosing of cefazolin and risk for surgical site infection in cardiac surgery. *Emerg Infect Dis*. 2001; 7(5):828.

(295) DiPiro JT, Cheung RP, Bowden TA Jr, et al. Single dose systemic antibiotic prophylaxis of surgical wound infections. *Am J Surg* 1986;152:552–9.

(296) McDonald M, Grabsch E, Marshall C, et al. Single- versus multiple-dose antimicrobial prophylaxis for major surgery: a systematic review. *Aust N Z J Surg* 1998; 68:388–96.

(297) Antimicrobial prophylaxis for surgery. *Med Lett Drugs Ther* 2004;(20):27-32.

- (298) Nichols RL, Condon RE. Antibiotic preparation of the colon: failure of commonly used regimens. *Surg Clin North Am* 1971;51:223-231.
- (299) Nichols RL, Smith JW, Garcia, RY, Waterman RS, Holmes JW. Current practices of preoperative bowel preparation among North American colorectal surgeons. *Clin Infect Dis* 1997;24:609-619.
- (300) Zmora O, Wexner SD, Hajjar L, Park T, Efron JE, Nogueras JJ, Weiss EG. Trends in preparation for colorectal surgery: survey of the members of the American Society of Colon and Rectal Surgeons. *Am Surg* 2003;69:150-154.
- (301) Nichols RL, Condon RE, Gorbach SL, Nyhus LM. Efficacy of preoperative antimicrobial preparation of the bowel. *Ann Surg* 1972;176:227-232.
- (302) Browder W, Smith JW, Vivoda LM, Nichols RL. Nonperforative appendicitis: a continuing surgical dilemma. *J Infect Dis* 1989;159:1088-1094.
- (303) Nichols RL, Smith JW, Klein DB, Trunkey DD, Cooper RH, Adinolfi MF, Mills J. Risk of infection after penetrating abdominal trauma. *N Engl J Med* 1984;311:1065-1070.
- (304) Nichols RL, Smith JW, Robertson GD, Muzik AC, Pearce P, Ozmen V, McSwain NE Jr, Flint LM. Prospective alterations in therapy for penetrating abdominal trauma. *Arch Surg* 1993;128:55-63; discussion 63-64.
- (305) Cant PJ, Smyth S, Smart DO. Antibiotic prophylaxis is indicated for chest stab wound requiring closed tube thoracostomy. *Br J Surg* 1993;80:464-466.
- (306) Nichols RL, Smith JW, Muzik AC, Love EJ, McSwain NE, Timberlake G, Flint LM. Preventive antibiotic usage in traumatic thoracic injuries requiring closed tube thoracostomy. *Chest* 1994;106:1493-1498.
- (307) University of California at San Francisco-Stanford University Evidence-based Practice Center for: Agency for Healthcare Research and Quality. Evidence report/technology assessment, No. 43: Making health care safer: A critical analysis of patient safety practices. 2001 Jul 21 [cited 2006 Feb 13]. Available from Internet:

<http://www.ahrq.gov/clinic/ptsafety/pdf/ptsafety.pdf>.)

- (308) Emmerson AM, Enstone JE, Griffin M, Kelsey MC, Smyth ET. The Second National Prevalence Survey of infection in hospitals – overview of the results. *J Hosp Infect.* 1996; 32: 175-90.
- (309) Coello R, Glenister H, Fereres J, Bartlett C, Leigh D, Sedgwick J. The cost of infection in surgical patients: a case control study. *J Hosp Infect.* 1993; 25: 239-50.
- (310) Goossens H, Ferench M, Vander Stichele R, Elsevers M. Outpatient antibiotic use in Europe and association with resistance: a cross-national database study. *Lancet* 2005; 365(9459): 579-87.
- (311) Ballou CH, Schentag JJ. Trends in antibiotic utilisation and bacterial resistance. Report of the National Nosocomial Resistance Surveillance Group. *Diagn Microbiol Infect Dis.* 1992; 15: 37S-42S.
- (312) Van Dijk-van Dam MS, Moll FL, de Letter JA, Langemeijer JJ, Kuks PF. The myth of the second prophylactic antibiotic dose in aortoiliac reconstructions. *Eur J Vasc Endovasc Surg.* 1996; 12: 428-30.
- (313) Wollinsky KH, Buchele M, Oethinger M, Kluger P, Mehrkens HH, Marre R. Influence of hemodilution on cefuroxime levels and bacterial contamination of intra- and postoperative processed wound blood during hip replacement. *Beitr Infusionsther Transfusionsmed.* 1996; 33: 191-5.
- (314) Manian FA, Meyer PL, Setzer J. Surgical site infections associated with methicillin-resistant *Staphylococcus aureus*: do postoperative factors play a role? *Clin Infect Dis.* 2003; 36(7):863.
- (315) Fritz SA, Garbutt J, Elward A, et al. Prevalence of and risk factors for community-acquired methicillin-resistant and methicillin-sensitive *Staphylococcus aureus* colonization in children seen in a practice-based research network. *Pediatrics* 2008;121:1090–8.
- (316) Gorwitz RJ, Kruszon-Moran D, McAllister SK, et al. Changes in the prevalence of nasal colonization with *Staphylococcus aureus* in the United States,

2001–2004. *J Infect Dis* 2008;197:1226–34.

(317) Doebbeling BN, Breneman DL, Neu HC, et al. Elimination of *Staphylococcus aureus* nasal carriage in health care workers: analysis of six clinical trials with calcium mupirocin ointment. *Clin Infect Dis* 1993;17:466–74.

(318) Passaro DJ, Waring L, Armstrong R, Bolding F, Bouvier B, Rosenberg J, et al. Postoperative *Serratia marcescens* wound infections traced to an out-of-hospital source. *J Infect Dis* 1997;175(4):992–5.

(319) Perl TM, Cullen JJ, Wenzel RP, et al. Intranasal mupirocin to prevent postoperative *Staphylococcus aureus* infections. *N Engl J Med* 2002;346:1871–7.

(320) Konvalinka A, Errett L, Fong IW. Impact of treating *Staphylococcus aureus* nasal carriers on wound infections in cardiac surgery. *J Hosp Infect* 2006;64:162–8.

(321) Kluytmans JA, Mouton JW, VandenBergh MF, et al. Reduction of surgical-site infections in cardiothoracic surgery by elimination of nasal carriage of *Staphylococcus aureus*. *Infect Control Hosp Epidemiol* 1996;17:780–5.

(322) Gernaat-van der Sluis AJ, Hoogenboom-Verdegaal AM, Edixhoven PJ, et al. Prophylactic mupirocin could reduce orthopedic wound infections: 1,044 patients treated with mupirocin compared with 1,260 historical controls. *Acta Orthop Scand* 1998;69:412–4.

(323) Yano M, Doki Y, Inoue M, et al. Preoperative intranasal mupirocin ointment significantly reduces postoperative infection with *Staphylococcus aureus* in patients undergoing upper gastrointestinal surgery. *Surg Today* 2000;30:16–21.

(324) Cimochofski GE, Harostock MD, Brown R, et al. Intranasal mupirocin reduces sternal wound infection after open heart surgery in diabetics and nondiabetics. *Ann Thorac Surg* 2001;71:1572–8.

(325) Rao N, Cannella B, Crossett LS, et al. A preoperative decolonization protocol for *Staphylococcus aureus* prevents orthopaedic infections. *Clin Orthop Relat Res* 2008;466:1343–8.

- (326) Hacek DM, Robb WJ, Paule SM, et al. Staphylococcus aureus nasal decolonization in joint replacement surgery reduces infection. Clin Orthop Relat Res 2008; 466:1349–55.
- (327) Suzuki Y, Kamigaki T, Fujino Y, et al. Randomized clinical trial of preoperative intranasal mupirocin to reduce surgical-site infection after digestive surgery. Br J Surg 2003;90:1072–5.
- (328) Kallen AJ, Wilson CT, Larson RJ. Perioperative intranasal mupirocin for the prevention of surgical site infections: a systematic review of the literature and meta-analysis. Infect Control Hosp Epidemiol 2005;26:916–22.
- (329) Van Rijen MM, Bonten M, Wenzel RP, et al. Intranasal mupirocin for reduction of Staphylococcus aureus infections in surgical patients with nasal carriage: a systematic review. J Antimicrob Chemother 2008;61:254–61.
- (330) Laupland KB, Conly JM. Treatment of Staphylococcus aureus colonization and prophylaxis for infection with topical intranasal mupirocin: an evidence-based review. Clin Infect Dis 2003;37:933–8.
- (331) Bolon MK, Morlote M, Weber SG, et al. Glycopeptides are no more effective than b-lactam agents for prevention of surgical site infection after cardiac surgery: a meta-analysis. Clin Infect Dis 2004;38:1357–63.
- (332) Finkelstein R, Rabino G, Mashiah T, et al. Vancomycin versus cefazolin prophylaxis for cardiac surgery in the setting of a high prevalence of methicillin-resistant staphylococcal infections. J Thorac Cardiovasc Surg 2002;123:326–32.
- (333) Sivagnanam S, Deleu D. Red man syndrome. Crit Care 2003;7:119–21.
- (334) Martin C, Alaya M, Mallet MN, et al. Penetration of vancomycin into mediastinal and cardiac tissues in humans. Antimicrobial Agents Chemother 1994;38:396–9.
- (335) Dereskinski S. Counterpoint: vancomycin and Staphylococcus aureus—an antibiotic enters obsolescence. Clin Infect Dis 2007;44:1543–8.

- (336) U.S. Department of Labor, Occupational Safety and Health Administration. Occupational exposure to bloodborne pathogens; final rule (29 CFR Part 1910.1030). *Federal Register* 1991;56:64004-182.
- (337) Haley RW, Culver DH, White JW, Morgan WM, Emori TG, Munn VP. The efficacy of infection surveillance and control programs in preventing nosocomial infections in US hospitals. *Am J Epidemiol* 1985;121:182-205.
- (338) SHEA, APIC, CDC, SIS. Consensus paper on the surveillance of surgical wound infections. *Infect Control Hosp Epidemiol* 1992;13(10): 599-605.
- (339) B'erard F, Gandon J. Postoperative wound infections: the influence of ultraviolet irradiation of the operating room and of various other factors. *Ann Surg* 1964;160(Suppl 1):1-192.
- (340) Bernard H, Cole W. The prophylaxis of surgical infection: The effect of prophylactic antimicrobial drugs on the incidence of infection following potentially contaminated operations. *Surgery* 1964;56:151-57.
- (341) Seaman M, Lammers R. Inability of patients to self-diagnose wound infections. *J Emerg Med* 1991;9:215-9.
- (342) Burke JP. Infection control—a problem for patient safety. *N Engl J Med* 2003; 348:651-656.
- (343) Manian FA, Meyer L. Comparison of patient telephone survey with traditional surveillance and monthly physician questionnaires in monitoring surgical wound infections. *Infect Control Hosp Epidemiol* 1993;14:216-8.
- (344) Weigelt JA, Haley RW, Seibert B. Factors which influence the risk of wound infection in trauma patients. *J Trauma* 1987;27(7):774-781.
- (345) Owens WD. ASA physical status classification: a study on consistency of ratings. *Anesthesiology* 1978;49:239-43.
- (346) Bohnen JM. Duration of antibiotic treatment in surgical infections of the abdomen: Postoperative peritonitis. *Eur J Surg* 576:50, 1996. [PMID: 8908472]

- (347) Cardo DM, Falk PS, Mayhall CG. Validation of surgical wound surveillance. *Infect Control Hosp Epidemiol* 1993;14:211-215.
- (348) Grubbs BC, Statz CL, Johnson EM, et al: Salvage therapy of open, infected surgical wounds: A retrospective review using Techni-Care. *Surg Infect* 1:109, 2000.
- (349) Richet HM, Chidiac C, Prat A, Pol A, David M, Maccario M, et al. Analysis of risk factors for surgical wound infections following vascular surgery. *Am J Med* 1991;91(Suppl 3B):170S-172S.
- (350) Goulbourne IA, Ruckley CV. Operations for hernia and varicose veins in a day-bed unit. *Br Med J* 1979;2:712-4.
- (351) Solomkin JS, Meakins JL Jr., Allo MD, et al: Antibiotic trials in intra-abdominal infections: A critical evaluation of study design and outcome reporting. *Ann Surg* 200:29, 1984. [PMID: 6375597]
- (352) Lee TB. Surveillance in acute care and nonacute care settings: current issues and concepts. *Am J Infect Control* 1997;25(2):121-4.
- (353) Collier M. Wound-bed management: key principles for practice. *Prof Nurse* 2002; 18(4): 221-25.
- (354) Gottrup F, Melling A, Hollander A. An overview of surgical site infections: aetiology, incidence and risk factors, *EWMA Journal* 2005;5(2):11-5.
- (355) Fry DE. Noninvasive imaging tests in the diagnosis and treatment of intra-abdominal abscesses in the postoperative patient. *Surg Clin North Am* 1994;74:693-709.
- (356) Thomas S. Alginate dressings in surgery and wound management: Part 3. *J Wound Care* 2000;9:163-166.
- (357) Alina Petrica, Cristina Brinzeu, Antoniu Brinzeu2, et al. ACCURACY OF SURGICAL WOUND INFECTION DEFINITIONS - THE FIRST STEP TOWARDS SURVEILLANCE OF SURGICAL SITE INFECTIONS. *TMJ* 2009, Vol. 59, No. 3 - 4:362-65