

References

References

1- Lazcano-Ponce EC, Miquel JF, Munoz A.,(2001):

Epidemiology and molecular pathology of gallbladder cancer. CA Cancer J Clin .,51:349–364.

2- Groen PC, Gores GJ, LaRusso NF., (2006):

Biliary tract cancers. N Engl J Med., 341: 1368-1378.

3 - Argani P, Shaikat A, Kaushal M, Wilentz R.E, Su GH, Sohn T.A, Yeo C.J, Cameron J.L, Kern S.E and Hruban R.H.,(2001):

Differing rates of loss of DPC4 expression and of p53 overexpression among carcinomas of the proximal and distal bile ducts. Lancet Oncology.,91:1332-41.

4- Khan SA, Davidson BR, Goldin R., (2006):

Guidelines for the Diagnosis and Treatment of Cholangiocarcinoma: Consensus document. Gut, 51: 7-9

5 - Van Gulik TM, Dinant S, Busch OR, Rauws EA and Obertop H.,(2007):

Department of Surgery, Academic Medical Center, Amsterdam, The Netherlands, Aliment Pharmacol Ther. Dec;26 Suppl 2:127-32.

6 - Clavien.P, Baillie.J, Morse.M and Selzner.M., (2006):

Anatomy, pathophysiology, epidemiology of the biliary system. In Diseases of these gallbladder and bile ducts diagnosis and treatment. 2nd edition. Blackwell; P 6-10.

7- Martin.R. Biliary anatomy and embryology. Vakili.K and Pomfret.E (2008):

In Surgical Clinics of North America. Elsevier Saunders.P 1160-63.

8 - Larsen W., (1997):

Development of the gastrointestinal tract. In: Larsen W, editor. Human Embryology. Hong Kong (China): Churchill Livingstone; p. 237-38.

9 - Skandalakis.L , Skanalakis.J and Skanalakis.P., (2009):

Anatomy of Extrahepatic Biliary System in Skanalakis ' Surgical Anatomy and Technique, 3rd edition, New York, Springer; P 533-36.

10 - Jones AL, Schmucker DL, Renston RH and Murakami T., (1980):

The architecture of bile secretions. A morphological perspective of physiology. Dig Dis Sci;25:609–29.

11 - Suchy FJ, Feldman M, Sleisenger MH and Scharschmidt BE.,(1998):

gastrointestinal and liver disease: pathophysiology, diagnosis, management. 6th ed. Philadelphia: W.B. Saunders; 905–29.

12 - Bismuth H., (1982):

Surgical anatomy and anatomical surgery of the liver. World J Surg 1982;6:3–9.

13 - Hribernik M., (2003):

Variations of Intrahepatic and Proximal Extrahepatic Bile ducts. Hepato-gastroenterology; 50:342–8.

14 - Hofmann AF and Hofmann N., (1994):

Measurement of bile acid kinetics by isotope dilution in man. Gastroenterology;67: 314–23

15 -Blumgart L.H and Hann L.E., (2001):

Surgical and radiological anatomy of the liver and biliary tract in Surgery of the Liver and Biliary tract, 3rd edition, W.B.Saunders company; P 3-33.

16 - Skandalakis.L , Skanalakis.J and Skanalakis.P., (2009):

Anatomy of extrahepatic biliary system in Skanalakis ' Surgical anatomy and technique, 3rd edition, New York, Springer ;P 533.

17 - Ellis.H., (2006):

Clinical anatomy, Applied anatomy for students and junior doctors, Gastrointestinal adnexae, 11th edition, Blackwell; P 98.

References

18 - Gray.h., (2000):

Anatomy of the Human Body, 20th edition. Philadilphia: p 56-58.

19 - Toouli.J and Bhandari.M (2006):

Anatomy and Physiology of the Biliary Tree & Gallbladder in, Diseases of the Gallbladder & Bile ducts Diagnosis and Treatment. 2nd edition. Blackwell; P 9-11.

20 - Clavien.P, Baillie.J, Morse.M and Selzner.M., (2006):

Anatomy, Pathophysiology, Epidimiology of the bBiliary System. In Diseases of the Gallbladder and Bile Ducts Diagnosis and Teatment. 2nd edition. Blackwell ; P 11-13.

21 - Feldman M, Sleisenger MH and Scharschmidt BE.,(1998):

Meds. Sleisenger and Fordtran's gastrointestinal and liver disease: pathophysiology, diagnosis, management. 6th ed. Philadelphia: W.B. Saunders;905-29.

22 - Padbury RTA, Toouli J., (1994):

Minimizing the risk of bile duct injury at laparoscopic cholecystectomy. World J Surg;18(3):422-7.

23 -Despopulus.A and Selbemagl.S., (2003):

Chapter 10 Nutrition & digestion in, Color atlas of physiology 5th edition, New York, Thieme Stuttgart ;P 248.

24 - Malt R., (1993):

Resection of liver metastasis. Sem interval Rad; 10:161.

25 -Josef E. and Kibry I., (2007):

Part VII, section D, Liver and biliary tract, in Mastery of surgery, 5th edition, Lippincott Williams & Wilkins ; P 1004.

26- McMinn RM., (1994):

Lastes Anatomy Regional and Applied. 9th edition, Blackwell; P 342-351.

27 - William C., Rocco R. and Ravis., (2008):

chapter 98, Anatomy and Development of the liver, in Sabiston Text Book of Surgery, 18th edition, W.B. Saunders; P 1005-7.

28 - Graelle G., (2006) :

Hepatic Segmental Anatomy and its Relevance to the Management of Patients with Hepatic Malignancies, Surgical Clinics of North America, 10:162-168.

29 - Clavin P., Sarr M. and Fong Y., (2007):

Section 3, Liver, in Atlas of Upper Gastrointestinal and Hepato-pancreaticobiliary surgery, Springer, Berlin; P 314-317.

30 - Albaret P, Chevalier JM and Cronier P., (1981):

A proper des canaux hepriques directement abouches dans la voie biliaire accessoire. Ann Chir; 35:88-92.

31 - Svanvik J, Allen B and Pellegrini C., (1994):

Variation in concentrating function of the gallbladder in the conscious monkey. Gastroenterology;86:919-25.

32 - Hofmann AF., (1998):

Bile Secreton and the Enterohepatic Circulation of Bile Acid in: Gastrointestinal Liver disease; Pathophysiology, Diagnosis, Management, 6th ed. Philadelphia: W.B. Saunders ;937-48.

33 - Boyden EA., (1998):

An analysis of the reaction of the Human gallbladder to Food. Anat Rec ;40:147-92.

43 - Worthley CS, Baker RA and Iannos J., (1999):

Human fasting and postprandial sphincter of Oddi motility. Br J Surg ; 76: 709–14.

44 - Nakata K, Ashida K and Nakazawa K.,(1991):

Effects of indomethacin on prostaglandin synthesis and on contractile response of the guinea pig gallbladder. Pharmacology ;23:95–101.

45 - Donna E Hansel, Alan K Meeker, Jessica Hicks, Angelo M De Marzo, Keith D Lillemoe, Richard Schulick, Ralph H Hruban, Anirban Maitra and Pedram Argani, (2006):

Modern Pathology 19, 772–779.doi:10.1038/modpathol.3800591; published online 24 March 2006.

46- Jemal A, Siegel, R, Ward E., (2009):

Cancer statistics, CA Cancer J Clin; 59:225-27.

47- Govindan.R., (2008):

Hepatobiliary and Pancreatic Cancer in The Washington Manual of Oncology. Philadelphia, 2nd edition, Lippincott Williams & Wilkins; P199-201.

48- National Cancer Institute, (2008):

Cancer Statistics. SEER Surveillance, Epidemiology, and End Results. Available at <http://seer.cancer.gov/>. Accessed 2008.

49- Bartlett DL, Ramanathan RK, Ben-Josef E. Cancer of the Biliary Tree. In: DeVita VT, Lawrence TS, Rosenberg SA., (2008):

Cancer Principles and Practice of Oncology. 8th ed. Philadelphia, Pa: Lippincott Williams & Wilkins; 1156-86.

50- Zinner.m. and Ashely.S., (2007):

Cancer of the Gallbladder and the Bile Duct in: Mangot's Abdominal Operations, 11th edition, New York, The McGraw-Hill medical publishing division ; P922-26.

References

51- Wistuba II, Miquel JF, Gazdar AF, Albores-Saavedra J., (1999):
Gallbladder adenomas have molecular abnormalities different from those present in gallbladder carcinomas. Hum Pathol ;30:21–25.

52- Eduardo C, Lazcano-Ponce, Nubia Muñoz, , Rolando Herrero, Patricia Alonso de Ruiz, Gerardo Aristi Urista and Flavio Nervi, (2010):

CA Cancer J Clin 30 April 2010; 51:349.

53- National Cancer Institute, (2008):

Cancer Statistics. SEER Surveillance, Epidemiology, and End Results. Available at <http://seer.cancer.gov/>. Accessed 2008.

53- F. Charles Brunnicardi, Dana K. Anderson, Timothy R. Billar, David L. Dunn, John G. Hunter, Raphael E., (2010):

Chapter 31. Gallbladder and the Extrahepatic Biliary System in Schwartz's principles of surgery, 9th edition, New York, The McGraw-Hill medical publishing division; p 545.

54- Clavien P. and Baillie J., (2006):

Chapter (2) Pathology of extrahepatic & intrahepatic bile ducts and gallbladder, in Diseases of gallbladder and bile ducts diagnosis and treatment, 2nd edition, Blackwell publishing ; P 52.

55- Cameron. J., (2008):

Gallbladder cancer in Current Surgical Therapy, 9th edition, Philadelphia, Mosby-Elsevier ; P449.

56- Govindan.R., (2008):

Chapter 18 Hepatobiliary and pancreatic cancer in The Washington Manual of Oncology.Philadelphia, 2nd edition, Lippincott Williams & Wilkins ; P201.

57- Townsend.C, Beauchamp.R, Evers.B and Mattox.K., (2007):

Chapter 54 in : Biliary system in Sabiston Textbook of Surgery, The biological basis of modern surgical practice, 18th edition, Saunders an imprint of Elsevier ;p542

58- American Cancer Society, (2006):

Cancer Facts and Figures 04/17/2006. Atlanta, GA: 2006.

59- Isomoto H, Kobayashi S, Werneburg NW, Bronk SF, Guicciardi ME, Frank DA., (2005):

Interleukin 6 upregulates myeloid cell leukemia-1 expression through a STAT3 pathway in cholangiocarcinoma cells. Hepatology ;42:1329–1338.

60- Yamagiwa Y, Meng F and Patel T., (2006):

Interleukin-6 decreases senescence and increases telomerase activity in malignant human cholangiocytes. Life Sci ;78:2494–2502.

61- Giles RH, van Es JH and Clevers H., (2003):

Caught up in a Wnt storm: Wnt signaling in cancer. Biochim Biophys Acta ;1653:1–24.

62- Klump B, Hsieh CJ, Dette S, Holzmann K, Kiebetalich R and Jung M., (2003):

Promoter Methylation of INK4a/ARF As Detected in Bile-Significance for the Differential Diagnosis in Biliary Disease. Clin Cancer Res. ;9:1773–1778.

- 63- Zen Y, Sasaki M, Fujii T, Chen TC, Chen MF and Yeh TS., (2006):**
Different expression patterns of mucin core proteins and cytokeratins during intrahepatic cholangiocarcinogenesis from biliary intraepithelial neoplasia and intraductal papillary neoplasm of the bile duct--an immunohistochemical study of 110 cases of hepatolithiasis. *J Hepatol* ;44:350–358.
- 64- Yuan SF, Li KZ, Wang L, Dou KF, Yan Z and Han W., (2005):**
Expression of MUC1 and its significance in hepatocellular and cholangiocarcinoma tissue. *World J Gastroenterol* ;11:4661–4666
- 65- Werneburg NW, Yoon JH, Higuchi H and Gores GJ., (2003):**
Bile acids activate EGF receptor via a TGF- α -dependent mechanism in human cholangiocyte cell lines. *Am J Physiol Gastrointest Liver Physiol* ;285:G31–36.
- 66- De Groen PC, Gores GJ and LaRusso NF., (1999):**
Biliary tract cancers. *N Engl J Med*. Oct 28 ;341(18):1368-78.
- 67- Schottenfeld D and Fraumeni J., (2006):**
Biliary Tract Cancer , *Epidemiology and Prevention*. 3rd Edition. Oxford University Press; 787-800.
- 68- Albores-Saavedra J, Schwartz AM, Batich K and Henson DE., (2009):**
Cancers of the ampulla of vater: demographics, morphology, and survival based on 5,625 cases from the SEER program. *J Surg Oncol* ;100(7):598-605.
- 69-<http://emedicine.medscape.com/article/282920-overview>, (2010):**
eMedicine Specialties > Oncology > Ampullary carcinoma, Aug 17, 2010.
- 70-<http://emedicine.medscape.com/article/282920-overview>, (2009):**
eMedicine Specialties > Oncology > Carcinomas of the Gastrointestinal Tract, Dec 16, 2009.

71- Carter JT, Grenert JP, Rubenstein L, Stewart L and Way LW., (2008):

Tumors of the ampulla of vater: histopathologic classification and predictors of survival. *J Am Coll Surg.* Aug 2008;207(2):210-8.

72- Albores-Saavedra J, Schwartz AM, Batich K and Henson DE., (2009):

Cancers of the ampulla of vater: demographics, morphology, and survival based on 5,625 cases from the SEER program. *J Surg Oncol* ; 100(7):598-605.

73- Clavien P. and Baillie J., (2006):

Chapter (2) Pathology of extrahepatic & intrahepatic bile ducts and gallbladder, in Diseases of gallbladder and bile ducts diagnosis and treatment, 2nd edition, Blackwell publishing ; P 52.

74- Yamaguchi K and Enjoji M., (2000):

Carcinoma of the ampulla of Vater. A clinicopathologic study and pathologic staging of 109 cases of carcinoma and 5 cases of adenoma. *Cancer* ; 9: 506–515.

75- Japanese Society of Biliary Surgery, (2004):

Classification of biliary tract carcinoma. Second English edition. Tokyo: Kanehara.

76- Albores-Saavedra J, Schwartz AM, Batich K and Henson DE., (2009):

Cancers of the ampulla of vater: demographics, morphology, and survival based on 5,625 cases from the SEER program. *J Surg Oncol* ; 100(7):598-605.

77- Mohandas KM, Swaroop VS, Gullar SU, Dave UR, Jagannath P and DeSouzaLJ., (1994):

Diagnosis of malignant obstructive jaundice by bile cytology: results improved by dilating the bile duct strictures. *Gastrointest Endosc.* Mar-Apr 1994; 40(2 Pt 1):150-4.

78- National Cancer Institute, (2008):

Cancer Statistics. SEER Surveillance, Epidemiology, and End Results. Available at <http://seer.cancer.gov/>. Accessed 2008.

79- American Joint Committee on Cancer, (2008):

StagingResources,AJCCStaging,Resources. Available,at(<http://www.cancerstaging.org/staging/index.html>. Accessed 2008).

80- Jensen EH, Abraham A, Jarosek S, Habermann EB, Al Refaie WB and Vickers SA., (2009):

Lymph node evaluation is associated with improved survival after surgery for early stage gallbladder cancer. Surgery. Oct 2009;146(4):706-11; discussion 711-3.

81- Greenlee RT, Murray T, Bolden S and Wingo PA., (2000):

Cancer statistics 2000. CA Cancer J Clin 2000; 50:7-33.

82- Colli A, Cocciolo M, Mumoli N, Cesarini L, Prisco A, Gaffuri I and Martinez L., (1998):

Peripheral intrahepatic cholangio-carcinoma: ultrasound findings and differential diagnosis from hepatocellular carcinoma. European Journal of Ultrasound (1998); 7:93-99.

83- Lowenfels AB, Maisonneuve P, Boyle P and Zatonski WA., (1999):

Epidemiology of gallbladder cancer. Hepatogastro-enterology ;46(27):1529-32.

84- Matsukura N, Yokomuro S, Yamada S, Tajiri T, Sundo T and Hadama T.,(2002):

Association between Helicobacter bilis in bile and biliary tract malignancies: H. bilis in bile from Japanese and Thai patients with benign and malignant diseases in the biliary tract. Jpn J Cancer Res ;93(7):842-7.

85- Slattery JM and Sahani DV., (2006):

What Is the Current State of the Art Imaging for Detection and Staging cholangiocarcinoma?, *Oncologist*;11; 913-922.

86- Mohandas KM, Swaroop VS, Gullar SU, Dave UR, Jagannath P and DeSouza LJ., (1994):

Diagnosis of malignant obstructive jaundice by bile cytology: results improved by dilating the bile duct strictures. *Gastrointest Endosc* ;40(2 Pt 1):150-4.

87-Bartlett DL, Ramanathan RK and Ben-Josef E., (2008):

Cancer of the Biliary Tree. In: DeVita VT, Lawrence TS, Rosenberg SA, eds. *Cancer Principles and Practice of Oncology*. 8th ed. Philadelphia, Pa: Lippincott Williams & Wilkins; 1156-86.

88- Lee HY, Kim SH, Lee JM, Kim SW, Jang JY, Han JK and Choi BI., (2006):

Preoperative assessment of respectability of hepatic hilar cholangiocarcinoma: combined CT and cholangiography with revised criteria. *Radiology* ; 239:113–121.

89- Malik IA, Aziz Z, Zaidi SH, Sethuraman G., (2003):

Gemcitabine and Cisplatin is a highly effective combination chemotherapy in patients with advanced cancer of the gallbladder. *Am J Clin Oncol* ;26(2):174-7.

90- Hawkins WG, DeMatteo RP, Jarnagin WR, Ben-Porat L, Blumgart LH and Fong Y., (2004):

Jaundice predicts advanced disease and early mortality in patients with gallbladder cancer. *Ann Surg Oncol* ;11(3):310-5.

91- Blumgart LH., (2007):

umors of the gallbladder. In;. *Surgery of the Liver, Biliary Tract, and Pancreas*. 4th ed. Philadelphia, Pa: Saunders Elsevier; 764-81.

99- Hann LE, Fong Y, Shriver CD, Botet JF, Brown KT and Klimstra DS.,(1996):

Malignant hepatic hilar tumors: can ultrasonography be used as an alternative to angiography with CT arterial portography for determination of resectability? J, Ultrasound; 15:37–45.

100- Slattery JM and Sahani DV., (2006):

What Is the Current State-of-the-Art Imaging for Detection and Staging of cholangiocarcinoma? *Oncologist*;11; 913-922.

101- Fritscher-Ravens A, Broering DC, Knoefel WT Rogiers x, Swain P,

Thonke F, Bobrowiski C, Topalidis T and shoehendra N., (2004):

EUS-guided fine-needle aspiration of suspected hilar cholangiocarcinoma in potentially operable patients with negative brush cytology. *Am J Gastroentero* 99(1):45–51.

102- . Krishna NB, Saripalli S, Safdar R and Agarwal B., (2007):

IntraductalUS in evaluation of biliary strictures without a mass lesion on CTscan or magnetic resonance imaging: significance of focal wall thickening and extrinsic compression at the stricture site. *Gastrointestinal endoscopy*; 66:90-96.

103- Menzel J and Domschke W., (1999):

Intraductal ultrasonography (IDUS) of the pancreato-biliary duct system :Personal experience and review of literature. *European Journal of Ultrasound*; 10: 105–115.

104- Smelka R C., (2005):

Radiologic clinics of North America: hepatic imaging. Oxford: WB Saunders.

105- Han JK, Choi BI, Kim AY, An SK, Lee JW, Kim TK and Kim SW., (2002):

Cholangiocarcinoma: pictorial essay of CT and cholangiographic findings. *Radiographics*; 22:173-187.

106- Kim TK, Choi BI, Han JK, Jang HJ, Cho SG and Han MC., (1997):

Peripheral cholangiocarcinoma of the liver: two-phase spiral CT findings. *Radiology*; 204:539-543.

107- Lim JH., (2003) :

Cholangiocarcinoma: morphologic classification according to growth pattern and imaging findings. *AJR Am J Roentgenol* 181(3):819-827.

108- Ballantyne SA, Stewart IS and Baxter GM., (2003):

imaging the pancreaticobiliary system with magnetic resonance cholangiopancreatography. *J R Coll Physicians Edinb*; 33:21-27.

109- Vitellas KM, El-Dieb A and Vaswani KK., (2002):

MR cholangiopancreatography in patient with primary sclerosing cholangitis: interobserver variability and comparison with endoscopic retrograde cholangiopancreatography. *AJR Am J Roentgenol*; 179:399-407.

110- Manfredi R, Barbaro B and Masselli G., (2004):

Magnetic resonance imaging of cholangiocarcinoma. *Semin Liver Dis* ; 24:155-164.

111- . Murakami T, Nakamura H, Tsuda K, Ishida T, Tomoda K, Hori S, Monden M, Kanai T, Wakasa K and Sakurai M., (1995):

Contrast-enhanced MR imaging of intrahepatic cholangiocarcinoma: pathologic correlation study. *J. Magn. Reson. Imaging*; 5:165-170.

References

119- Gazzaniga GM, Faggioni A and Bondanza G., (1990):

Percutaneous transhepatic biliary drainage twelve years' experience.

Hepatogastroenterology 37(5):517–523.

120- Dachman AH., (1994):

Radiology of the liver, biliary tract and pancreas. Mosby, Philadelphia; 611-632.

121- Jarnagin W and Winston C., (2005):

Hilar cholangiocarcinoma : diagnosis and staging. *HPB*; 7: 244–251.

122- Jarnagin WR, Gonen M, Burke EC and Bodniewicz BJ., (2001):

Staging, resectability, and outcome in 225 patients with hilar cholangiocarcinoma.

Ann Surg; 234:507–17.

123- Colli A, Cocciolo M, Mumoli N, Cesarini L, Prisco A, Gaffuri I and

Martinez L., (1998):

Peripheral intrahepatic cholangiocarcinoma: ultrasound findings and differential diagnosis from hepatocellular carcinoma. *European Journal of Ultrasound*; 7:93–99.

124- Gupta K and Freeman LF., (2007):

Selective MRCP and CT-Guided Drainage of Malignant Hilar Biliary Obstruction.

Tech Gastrointest Endosc 9:148-160.

125- Choi BI, Han JK, Kim YI, Kim HC, Park JH, Kim CW and Han MC., (1994):

Combined hepatocellular and cholangiocarcinoma of the liver, Sonography, CT,

angiography and iodized-oil CT with pathologic correlation. *Abdo imaging* ; 19:43-46.

132- Di Giorgio A, Alfieri S and Rotondi F., (2005):

Pancreatoduodenectomy for tumors of Vater's ampulla: report on 94 consecutive patients. World J Surg ;29(4):513-8.

133- Albores-Saavedra J, Schwartz AM, Batich K and Henson DE., (2006):
Survival based on 5,625 cases from the SEER program. J Surg Oncol; 100: 598.

134- Husain S, Ahmed L and Al-Sawwaf M., (2006):

Venous air embolism from intravenous CT contrast administration. J Am Coll Surg ;202(1):197.

135- Chen WX, Xie QG, Zhang WF, Zhang X, Xu P and Gu ZY., (2008):

Multiple imaging techniques in the diagnosis of ampullary carcinoma. Hepatobiliary Pancreat Dis Int ; 7: 649-653.

136- Tsukada K, Takada T, Miyazaki M, Miyakawa S, Nagino M, Kondo S, Furuse J, Saito H, Tsuyuguchi T, Kimura F, Yoshitomi H, Nozawa S, Yoshida M, Wada K, Amano H and Miura F., (2008):

Diagnosis of biliary tract and ampullary carcinomas. J Hepatobiliary Pancreat Surg ; 15: 31-40.

137- Overman MJ, Varadhachary GR, Kopetz S, Adinin R, Lin E and Morris JS., (2009):

Phase II study of capecitabine and oxaliplatin for advanced adenocarcinoma of the small bowel and ampulla of Vater. J Clin Oncol ;27(16):2598-603.

138- Carter JT, Grenert JP, Rubenstein L, Stewart L and Way LW., (2008):

Tumors of the ampulla of vater: histopathologic classification and predictors of survival. J Am Coll Surg ;207(2):210-8.

139- Di Giorgio A, Alfieri S and Rotondi F., (2005):

Pancreatoduodenectomy for tumors of Vater's ampulla: report on 94 consecutive patients. World J Surg ;29(4):513-8.

140- F. Charles Brunnicardi, Dana K. Anderson, Timothy R. Billar, David L. Dunn, John G. Hunter, Raphael E., (2010):

Gallbladder and the Extrahepatic Biliary System in Schwartz's principles of surgery, 9th edition, New York, The McGraw-Hill medical publishing division ; p560-67.

141- Jhon T., Christopher H. and Nicholas J., (2006):

Benign and Malignant Tumor of Gallbladder, In: Diseases of the Gallbladder and Bile Ducts Diagnosis and Treatment. 2nd edition, Blackwell ; P 252-54.

142- Barry W., David H. and George M., (2007):

Hepatobiliary cancers, in The M.D. Anderson Surgical Oncology Handbook, 4th edition, Lippincott Williams & Wilkins, New York (2007), P 356-359.

143- Ogura Y, Mizumoto R and Isaji S., (1991):

Radical operations for carcinoma of the gallbladder: present status in Japan. World J Surg ;15:337-43.

144- Ouchi K, Suzuki M and Saijo S., (1993):

Do recent advances in diagnosis and operative management improve the outcome of gallbladder carcinoma? Surgery ;113:324-9.

145- Chijiwa K, Nakano K and Ueda J., (2001):

Surgical treatment of patients with T2 gallbladder carcinoma invading the subserosal layer. J Am Coll Surg ;192:600-7.

146- Kondo S, Nimura Y and Hayakawa N., (2002):

Extensive surgery for carcinoma of the gallbladder. Br J Surg ;89:179-84.

147- Shimizu Y, Ohtsuka M and Ito H., (2004):

Should the extrahepatic bile duct be resected for locally advanced gallbladder cancer? Surgery ;136:1012-17; discussion 1018.

148- Bartlett DL, Fong Y and Fortner JG., (1996):

148- Bartlett DL, Fong Y and Fortner JG., (1996):

Long-term results after resection for gallbladder cancer. Implications for staging and management. *Ann Surg* ;224:639–46.

149- Ito H, Matros E and Brooks DC., (2004):

Treatment outcomes associated with surgery for gallbladder cancer: a 20-year experience. *J Gastrointest Surg* ;8:183–90.

150- Kaushik SP., (2001):

Current perspectives in gallbladder carcinoma. *J Gastroenterol Hepatol* ;16:848-854.

151- Jarnagin WR, Burke E and Powers C., (1998):

Intrahepatic biliary enteric bypass provides effective palliation in selected patients with malignant obstruction at the hepatic duct confluence. *Am J Surg* ;175:453–60.

152- Kaw M, Singh S and Gagneja H., (2003):

Clinical outcome of simultaneous self-expandable metal stents for palliation of malignant biliary and duodenal obstruction. *Surg Endosc* ;17:457–61.

153- American Cancer Society, (2010):

Cancer Facts & Figures 2010. Atlanta, Ga: American Cancer Society; 2010.

154- American Joint Committee on Cancer, (2010):

Gallbladder. In: *AJCC Cancer Staging Manual*. 7th ed. New York: Springer; 211–214.

155- National Cancer Institute, (2009):

Physician Data Query (PDQ). Gallbladder Cancer: Treatment. Availabl, at: www.cancer.gov/cancertopics/pdq/treatment/gallbladder/HealthProfessional. Accessed October 8, 2009.

156- Bartlett DL, Ramanathan RK and Ben-Josef E., (2008):

Cancer of the biliary tree. In: DeVita VT, Lawrence TS, Rosenberg SA, eds. DeVita, Hellman, and Rosenberg's *Cancer: Principles and Practice of Oncology*. 8th ed. Philadelphia, Pa: Lippincott Williams & Wilkins;1156–1186.

157- Fong Y, Wagman L and Gonen M., (2006):

Evidence-based gallbladder cancer staging: changing cancer staging by analysis of data from the National Cancer Database. *Ann Surg* ;243:767–771.

158- National Comprehensive Cancer Network (NCCN), (2009):

Clinical Practice Guidelines in Oncology: Hepatobiliary Cancers. V.2.2009. Available at: www.nccn.org. Accessed October 5, 2009.

159- Wistuba II and Gazdar AF., (2004):

Gallbladder cancer: lessons from a rare tumor. *Nature Reviews Cancer*; 4:695–706.

160- Dixon E, Vollmer CM and Sahajpal A., (2005):

An aggressive surgical approach leads to improved survival in patients with gallbladder cancer. *Ann Surgery* ;241:385–394.

161- Misra S, Chaturvedi A and Misra NC., (2003):

Carcinoma of the gallbladder. *Lancet Oncology* ;4:167–176.

162- Van Heek NT, De Castro SM and van Eijck CH., (2003):

The need for a prophylactic gastrojejunostomy for unresectable periampullary cancer: a prospective randomized multicenter trial with special focus on assessment of quality of life. *Ann Surg* ;238(6):894-902; discussion 902-5.

163- Weber S, Jarnagin W, Duffy A, O'Reilly EM, Abou-Alfa GK and Blumgart L., (2008):

Liver and bile duct cancer. In: *Clinical Oncology*. 4th ed. Philadelphia, Pa: Elsevier; 1569–1594.

164- Todoroki T, Koike N and Morishita Y., (2003):

Patterns and predictors of failure after curative resections of carcinoma of the ampulla of Vater. *Ann Surg Oncol* ;10(10):1176-83.

165- Frena A, La Guardia G and Martin F., (2004):

Outcome of radical surgery for carcinoma of the gallbladder according to the Tumor Node Metastasis and Japanese Society of Biliary Surgery stages. J Gastrointest Surg ; 8:580-590.

166- Waghlikar GD, Behari A, Krishnani N, Kumar A, Sikora SS, Saxena R and Kapoor VK., (2002):

Early gallbladder cancer. J Am Coll Surg ; 194:137-141.

167-Miyazaki M, Itoh H, Ambiru S, Shimizu H, Togawa A, Gohchi E, Nakajima N and Suwa T., (1996):

Radical surgery for advanced gallbladder carcinoma. Br J Surg ; 83:478-481.

168- American Joint Committee on Cancer (AJCC), (1997):

Cancer Staging Manual. Philadelphia: Lippincott-Raven.

169- Nimura Y, Kamiya J and Kondo S., (2000):

Aggressive preoperative management and extended surgery for hilar cholangiocarcinoma: Nagoya experience. J Hepatobiliary Pancreat Surg ;7: 155-62.

170- Thompson JN, Cohen J and Moore RH., (1998):

Endotoxemia in obstructive jaundice: observations on cause and clinical significance. Am J Surg ; 155:314-321.

171- Weber SM, Dematteo RP, Fong Y, Blumgart LH and Jarnagin WR., (2002):

Staging laparoscopy in patients with extrahepatic biliary carcinoma. Analysis of 100 patients. Ann Surg ; 235: 392-399.

172-Reding R, Buard JL and Lebeau G., (1991):

Surgical management of 552 carcinomas of the extrahepatic bile ducts (gallbladder and periampullary tumors excluded): results of the French Surgical Association survey. Ann Surg ;213(3):236-41.

173- Eloubeidi MA, Chen VK and Jhala NC., (2004):

Endoscopic ultrasound-guided fine needle aspiration biopsy of suspected cholangiocarcinoma. Clin Gastroenterol Hepatol ;2:209–13.

174- Roland F., (2006):

Surgical clinics of north America, Saunders, Elsevier, P 1419-1421.

175- Neuhaus P, Jonas S and Settmacher U., (2003):

Surgical management of proximal bile duct cancer: extended right lobe resection increases resectability and radicality. Langenbecks Arch Surg ;388(3):194–200.

176- Hemming AW, Kim RD and Mekeel KL., (2006):

Portal vein resection for hilar cholangiocarcinoma. Am Surg ;72(7):599–604.

177- Miyazaki M, Kato A and Ito H., (2007):

Combined vascular resection in operative resection for hilar cholangiocarcinoma: does it work or not? Surgery ; 141(5):581–8.

178- Pitt HA, Nakeeb A and Abrams RA., (1995):

Perihilar cholangiocarcinoma: postoperative radiotherapy does not improve survival. Ann Surg ;221:788–97.

179- Todoroki T., (2000):

Chemotherapy for bile duct carcinoma in the light of adjuvant chemotherapy to surgery. Hepatogastroenterology ;47:644–9.

180- Falkson G, MacIntyre JM and Moertel CG., (1994):

Eastern Cooperative Oncology Group experience with chemotherapy for inoperable gallbladder and bile duct cancer. Cancer ;54:965–9.

181- Magistrelli P, Masetti R and Coppola R., (1993):

Changing attitudes in the palliation of proximal malignant biliary obstruction. J Surg Oncol Suppl ;3:151–3.

182- Pappas P, Leonardou P and Kurkuni A., (2003):

Percutaneous insertion of metallic endoprotheses in the biliary tree in 66 patients: relief of the obstruction. Abdom Imaging ;28(5):678–83.

192- Balcom JH, Rattner DW and Warshaw AL.,(2001):

Ten-year experience with 733 pancreatic resections: changing indications, older patients, and decreasing length of hospitalization. *Arch Surg* ;136:391–8.

193-Kazanjan KK, Hines OJ, Eibl G.,(2005):

Management of pancreatic fistulas after pancreaticoduodenectomy: results in 437 consecutive patients.

Arch Surg ;140:849–55.

194- Cheng Q, Luo X and Zhang B.,(2007):

Distal bile duct carcinoma: prognostic factors after curative surgery. A series of 112 cases. *Ann Surg Oncol* ;14(3):1212–9.

195- Tompkins RK, Thomas D and Wile A.,(1991):

Prognostic factors in bile duct carcinoma. Analysis of 96 cases. *Ann Surg*;19(4):447–57.

196- Wade TP, Prasad CN and Virgo KS.,(1997):

Experience with distal bile duct cancers in U.S. veterans affairs hospitals, *J Surg Oncol* ;64:242–5.

197- Michael J and Stanley W.,(2007);

Cancer of Gallbladder & bile ducts in: Maingot's Abdominal operations, 11th edition, Chapter (35), Pp: Edited by Pa: Mc Graw-Hills medical

198-Cameron JL and John K.,(2003):

One thousand consecutive pancreaticoduodenectomies and beyond: a personal series. *Am J Surg* ;194:S11-S15.

199- Husain S, Ahmed L and Al-Sawwaf M.,(2006);

Venous air embolism from intravenous CT contrast administration. *J Am Coll Surg* ;202(1):197.