

References

- ***Abdelrazeq, Ayman S. (2008):***
Short-Term and Long-Term Outcomes of the Cleft Lift Procedure in the Management of Non-acute Pilonidal Disorders. *Journal of Diseases of the Colon & Rectum*, vol.88(3)

- ***Abu Galala KH ., salam IM ., Abu Samman KR YL ., Chandaran VP. and Sabastian, M (1999):***
Treatment of pilonidal sinus by primary closure with transposed rhomboid flap compared with deep suturing : a prospective randomized clinical trial. *Eur. J.* 165 (5):468-71.

- ***AKINCI OF., COSKUN. and UZUNKOY A. (2000):***
Simple and effective surgical treatment of pilonidal sinus: Asymmetric excision and primary closure using suction drain and subcuticular skin closure. *Dis.colon rectum.*;43:701-6.

- ***Al homoud SJ , Habib ZS, Abdul Jabbar AS (2001):***
Management of sacrococcygeal pilonidal disease. *Saudi Med J*; 22:762-764.

- ***AL-JABERI TM. (2001):***
Excision and primary closure of chronic pilonidal sinus, *Euro.J.Surg.*:(16792):133-5.

- ***AL-Mulmim AS , Sultan,, MA, Ahmed HH (2000):***
Pilonidal sinus in male: to preserve, or to obliterate the natal cleft. *Saudi med j* ; 23-875-876.

- ***ALLNE- MERSH TG. (1990):***
Pilonidal sinus : Finding the right track for treatment. *Br.J Surg.*; 77: 123—32

- ***Anderson AW. (1847):***
Hair extracted from an ulcer .*Boston. med Surg .J.*;36: 74-7 (Quated from *Goligher,1984*).

- ***Anyanwu AC., Hossain S., William A. and Montgomery AC.(1998):***
Karydakis operation for sacrococcygeal pilonidal sinus disease : Experience

in a district general hospital. Ann.R. coll. Surg.Engl.; 80 :197-9.

- **Ayded H, Erhan Y, Sakarya A (2001):**
Comparison of three methods in surgical treatment of pilonidal disease . Aust nzj Surg: 71:362-364.
- **Bascom JU. (1980):**
pilonidal disease, origin from follicles of hair and results follicle removal as primary treatment .Surgery;87:567-71.
- **Bascom .JU (1983):**
pilonidal disease, long term results of follicle removal .Dis colon &rectum ; 36: 800-7.
- **Bascom JU. (1993):**
procedures for pilonidal disease in Rob and Smith's operative surgery, 6th. Ed: Butterwortht Company ,London ;Chapt .16:896-906.
- **Bissett JP and Jsbuster WH. (1987):**
The management of patient with pilonidal disease a comparative study .Aust .N.Z.J Surg.; 57: 939-42.
- **Bose B, candy T (1970):**
Radical cure of pilonidal sinus by z- plasty .Am J Surg; 120: 783-785.
- **Borges VF., Keking JT., Nassar IA, cooley TP., Greenberg HL., Dezube BJ. (2001):**
clinicopathological characterization of squamous cell carcinoma arising from pilonidal disease in association with condylonma acuminatum in HIV-infected patients : report of 2 cases . Dis Colon Rectum.; 44(12): 1873-77.
- **Brearily R. (1995):**
Pilonidal sinus : A new theory of origin Br.J. Surg ;43: 62-8 (Quoted from Bascom, 1993).
- **Brook I. (1989)**
Microbiology of infected pilonidal sinus J.Cli.Pathol.; 42 :1140-42.
- **Buie LA (1937):**

pilonidal sinus in proctology.1st ed., edited by Buie L.A.W.B.Saunders company ,Philadelphia Chap. 12:512-20(Quoted from **Zuide**

- **Burnstein M (1993):**
Managing anorectal emergencies. *Can Fam Physician*. Vol.39, pp:1782-5.
- **Can, Mehmet Fatih (2009):**
Comparison of Karydakias flap reconstruction versus primary midline closure in sacrococcygeal pilonidal disease: Results of 200 military service members. *Surgery Today*, vol. 39(7)
- **Carriquiry, Luis A. (2009):**
Outcome of the Rhomboid Flap for Recurrent Pilonidal Disease. *World Journal of Surgery*, vol.62(2)
- **Chedozi LC, AL rayyes FA, Salem MM (2002):**
Management of pilonidal sinus Saudi Med. j ; 23:786-788.
- **Cihan, Alper (2006):**
Superiority of Asymmetric Modified Limberg Flap for Surgical treatment of pilonidal disease. *Journal of Diseases of the Colon & Rectum*, vol.49(2).
- **Clothier RR. and Haywood IR.(1984):**
The history of the postanal (pilonidal) sinus. *Ann.R.Coll.Surg.Engl.*; 66: 201-3.
- **Corman ML.(1993):**
Pilonidal sinus in colonic and rectal Surgery 3rd. ed, edited by Corman ML.JB.Lippincott Company,Philadelphia :384-92.
- **Da Silva .JH (2000):**
Pilonidal cyst : cause and treatment. *Dis Colon Rectum*; 43: 1146-1156.
- **Dilekon and Bekerecioglu M. (1998):**
Role of simple v-y advancement flap in the treatment of complicated pilonidal sinus. *Eur. J .Surg .*, 164 :961-4
- **Douglas AK.(1996):**

- Surgery for pilonidal disease and hydradenitis suppurativa. In complications of Colon and Rectal surgery, 1st ed., edited by Hicks D., Beck M., Opelka S. and Timmek R. Williams and Wilkins Company London ;Cap. 15 :203-21.
- **Edward MH. (1977): pilonidal sinus :**
A 5-years appraisal of the Millar-Lord. treatment Br.J. Surg.; 64 867-8.
 - **Eftaiha M. and Abcarian H (1977):**
The dilemma of pilonidal disease surgical treatment. Br. J. Surg.; 64-867-8.
 - **EI-kilany MS., Kosbv, Abdel-Razik I., Abdli-Raheem A, and Sheble H. (1998):**
Surgical rmanagement of sacrococcygeal pilonidal disease .Bulletin. Alexandria, Faculty of Medicine 911-20.
 - **Erdem F., Sungurtekin v. and nessar M. (1998):**
Are post-operative drains necessary with the limberg flap for treatment of pilonidal sinus. Dis. Colon Rectum; 41(11) :1427-31.
 - **Ersoy, E. (2009):**
Comparison of the short-term results after Limberg and Karydakis procedures for pilonidal disease: randomized prospective analysis of 100 patients. *International Journal of Colorectal Disease*, vol. 11(7)
 - **Fazeli, Mohammad Sadegh (2006):**
Comparison of Outcomes in Z-Plasty and Delayed Healing by Secondary Intention of the Wound After Excision of the Sacral Pilonidal Sinus: Results of a Randomized, Clinical Trial. *Journal of Diseases of the Colon & Rectum*, vol.33(3)
 - **Franckoowiak JJ. And Jockman RJ. (1962):**
The etiology of pilonidal Sinus. Dis .Colon Rectum ; (5): 28-36(Quoted From Karulf & Perry, 1998).
 - **Gage T and Dutta P. (1977):**
Cryosurgery for pilonidal disease .Am .J.Surg.; 133 : 249-54
 - **Golihgler JC (1984):**

Pilonidal sinus In : surgery of the anus, Rectum and Colon , 5th ed ., edited by Goligher JC .Baillere Tindall, London. Chapter 8: 221-36.

- **Cooodall P (1961):**
The etiology and treatment of pilonidal sinus Br j Surg; 49: 212-2 18.
- **GoIz A ., Argov S. and Brazilali A . (1980):**
Pilonidal sinus disease :Comparison among various methods of treatment and surgery of 160 patients .Curr .Surg.; 37: 77-85.
- **Gupta, Pravin Jaiprakash (2008):**
Tubercular infection in the sacrococcygeal pilonidal sinus - a case report.
International Wound Journal, vol.29(4).
- **Gurer, Ahmet (2005):**
Is Routine Cavity Drainage Necessary in Karydakis Flap Operation? A Prospective, Randomized Trial. *Journal of Diseases of the Colon & Rectum*, vol. 48(9).
- **Gwynn BR .(1986):**
Use of the rhomboid flap in pilonidal sinus. Ann .R.Coll. Surg. Engl.;86 :40-I
- **Hanley PH. (1980):**
Acute pilonidal abscess Surg. Cyneol .Obestet.; 150: 9-11.
- **Helmy A. and Khalil A.(1989):** A lateral approach of pilonidal disease. Egyptian Society of surgeons, the Egyptian Medical Association; 7:1-9
- **Hodges RM. (1880):**
Pilonidal sinus .Boston Med .Surg. J; 103. 485-6 . (Quoted from Goligher 1984).
- **Hobm J. and Hulton L. (1970):**
Simple primary closure for pilonidal disease .Acta . Chair .Scand .; 136 537-40 .(Quoted from Allen-Mersh, 1990).
- **Ibister WH. and Prasad J. (1995):**

Pilonidal disease. Aust. N.Z.J. Surg.; 65 561-3

- **Jensen SL. and Harling H. (1989):**
Prognosis after simple incision and drainage for a first-episode acute pilonidal abscess .Br.J.Surg .; 75: 60-1.
- **Jones DH. (1992):**
pilonidal sinus :ABC of colorectal disease .B.M.J.; 305 (8) :410-12.
- **Karluf RE. and Perry WB.(1998):**
Pilonidal disease in fundamentals of anorectal surgery 2nd ed ., edited by Beck. DE and Wexner SD .WB .Saunders Company Philadelphia , USA;Chap.. 15:225-32.
- **Karydakis , GE .(1992):**
Easy and successful treatment of pilonidal sinus after explanation of its causative process .Aust. N.Z.J. Surg .; 62 :385-9.
- **Karydakis, GE. (1973):**
New approach to the problem of pilonidal sinus .Lancet ; ii: 1414-15.
- **khaira HS. Brown .JH (1995):**
Excision and primary closure of pilonidal sinus. Ann R.coll Surg Engl.; 77(4) 242-4.
- **khatri VB ., Espinosa MH. and Amin AK(1994):**
Management of recurrent pilonidal sinus by simple v-y fasciocutaneous flap Dis .Colon Rectum ; 37: 1232-35
- **Khawaja HT.Bryan S (1992):**
Treatment of natal cleft sinus prospective clinical and economic evaluation.Br Med J 304:1282-1283 .
- **kighley MRB. And Williams NS (1999):**
Pilonidal sinus. In: surgery of the anus, Rectum and Colon Vol 1. 2nd ed ., edited by Kighley MRB and Williams NS .WB. Saunders Company, Philadelphia , USA.Chap. 17 : 539-63.
- **Kitchen, P. R. B. (1996):**

Pilonidal sinus: Experience with the Karydakis flap. *British Journal of Surgery*, vol. 83(10)

- **Kooistra (1942):**
pilonidal sinus :Review of the literature and report of 350 cases AW .J. Surg.; 55 : 4-17 .(Quoted from *kighley & Williams 1999*).
- **Kitchen PR .(1996):**
Pilonidal sinus : Experience with Karydakis flap Br. I Surg.; 83: 1452- 55.
- **Kronborg O (1985):**
Chronic pilonidal disease. A randomized trial with a complete 3 years follow up Br. J. Surg; 72; 303-304.
- **Lahooti, Majid (2008):**
Sacroccygeal Pilonidal Sinus treated by a New Fascio-Cutaneous Flap. *Journal of Diseases of the Colon & Rectum*, vol.69(4)
- **Lee, P. J. (2008):**
Sacroccygeal pilonidal disease. *International journal of Colorectal Disease*, vol.110(2)
- **Lord PH and Millar DM. (1965):**
Pilonidal sinus A simple treatment .Br .1 . Sum .; 52: 292-300.
- **Manssory A. and Dickson D.(1982):**
Z plasty for treatment of pilonidal sinus disease .Surg. Gynec . Obstet: 155 409-11.
- **Markes J., Harding KG., Hughes LE. and Ribeiro CD. (1985):**
Pilonidal sinus excision healing by open granulation Br .J. Surg 72 (8) : 637-40.
- **Mclaren LA (1984):**
Partial closure and other techniques in pilonidal surgery: An assessment of 157 cases Br. .J Surg .;71:561-2.

- **Mehrgan AH. and Coskey RJ (1986):**
Perforating Folliculiti's Arch Dermatol .; 97 :394-99 (Quoted from Bascom, 1983).
- **Mentes, Oner (2007)**
Limberg flap procedure for pilonidal sinus disease: results of 353 patients. *Langenbeck's Archives of Surgery*, vol.50(1)
- **Millar DM (1970):**
Etiology of post anal pilonidal disease .Proct. R. Soc .Med .;63 :19-20.
- **Millar DM. (1993):**
Procedures for pilonidal disease In :Rob and Smith Operative Surgery Vol 3 4th ed ., edited by Todd IP and Fielding LP . Btitterworths Company ,London : 542-50.
- **Muzi, M. G. (2009):**
A modification of primary closure for the treatment of pilonidal disease in day-care setting. *International journal of Colorectal Disease*, vol. 11(1)
- **Notaras MJ.(1970):**
A review of three popular methods of treatment of post-anal (pilonida!) sinus disease . Br .J Surg .; 57 886-90g.
- **Oliver J. and Middleditch A . (1991):**
Anatomy of the lumbar spine . In Functional anatomy of the spine . 1st ed ., edited by Oliver J. and Middleditch A .Butterworths-Heinemann company . London. Chap. I : 18—19.
- **Orman ML . (1993):**
Pilonidal sinus. In colon and Rectal Surgery, 3rd ed ., edited by Corman ML. JB .Lippincott Company Philadelphia: 384—92.
- **Ortiz H., Matri J., De Miguel M., Cormona A. and C'abanas JP. (1987):**
Hair containing lesions within the anal canal. Int. J. Colorect .dis. 2 :153-4.

- ***Patey DH and Scarff RW. (1946):***
Pathology of post-anal pilonidal sinus. Its bearing on treatment . Lancet 2 : 484-6 (Quoted from ,Allen—Mersh, 1990)
- ***Perez-Gurri JA . Tempie WJ. and Ketchan AS (1984):***
Gluteus maximus myocutaneous flap for the treatment of recalcitrant pilonidal disease . Dis .Colon Rectum ; 27 : 262-64.
- ***Phillips RKS. (1998):***
Pilonidal sinus. In Colorectal surgery 2ed., edited by Phillips RKS .WB. Saunders company Philadelphia 302-6.
- ***Pilpshen RKS. Gayf G. and Goldsmith HE .(1981):***
Carcinoma arising in a pilonidal sinus. Ann. Sing.; 13 :560-62.
- ***Price ML.and Griffiths WAD (1985):***
Normal body hair: a review. Clinic Exp. Dermatology ; 10 : 87-97.
- ***Quinodoz PD., Chillcolt M., Crolleau JL ., Chavoin JP., and Costagliola M.(1999):***
Surgical treatment of sacrococcygeal pilonidal sinus disease by excision and skin flaps the Toulouse experience. Eur .J .Surg .; 165(11):1061-65.
- ***Rainsbury RM. and Southam JA . (1982):***
Radical surgery for pilonidal sinus .Ann R.Coil .Surg. Engl .; 64: 339-41.
- ***Rao, Milind M. (2009):***
A prospective randomised study comparing two treatment modalities for chronic pilonidal sinus with a 5-year follow-up. International Journal of Colorectal Disease, vol.211(1)
- ***Rintoul RF. Bartolo DCC. and Jonstone JMS. (1995):***
Operation on the rectum and anal canal In: Farquharson Textbook of operative Surgery .8thed ., edited by Rintoul RF . Churchill Living stone , London Chapt . 23 499-522.
- ***Schneider IHF., Thaler K., and Kockarling F.,(1994):***
Treatment of pilonidal sinus by phenol injections. Int. J. Colorectal Dis.; 9 : 200-2.

- ***Schoeller, T. (1997):***
Pilonidal sinus: Experience with the Karydakias flap. *British Journal of Surgery*, vol.84(6)

- ***Senapati A.; Cripps N.P.J.; Thompson M.R. (2000):***
Bascom's operation in the day-surgical management of symptomatic pilonidal sinus, *British Journal of Surgery*, Vol. 87(8).

- ***Senapati A., Cripps NPJ. and Thompson MR. (2000):***
Bascom operation in the day-surgical management of symptomatic pilonidal sinus. *Br .J Surg .;* 87:(8) 1067-70.

- ***Serour F , Somekh(2002):***
Excision with primary closure and suction drainage for pilonidal sinus in adolescent patients .*Ped Surg Int.*;18 , 159—161.

- ***Sondenaa K. and pollard ML. (1992):***
Histology of chronic pilonidal sinus *APMIS .;* 103: 267-72.

- ***Sondenna K.,Nesvik I., Anderson F., Natas O., Sareide JA (1995):***
Bacteriology and complications of chronic pilonidal sinus treated with excision and primary suture . *Int. J.Colorcet . Dis .;* 10:161-66.

- ***Sood SC,Green JR., and paul R. (1975 :***
Results of various operations for sacrococcygeal pilonidal disease *Plast .Reconst .Surg .;* 56 : 559-66

- ***Spivak H. Bivok VL., Nussabam M., Friedmam I., (1996):***
Treatment of chronic pilonidal disease *Dis .Colon & Rectum.;* 39:1136-49.

- ***Spyridakis, Michail (2009):***
The Role of the Platelet-Rich Plasma in Accelerating the Wound-Healing Process and Recovery in Patients Being Operated for Pilonidal Sinus

Disease: Preliminary Results. *World Journal of Surgery*, vol.91(2)

- **Stoddard CJ.and Smith JAR (1985):**
Pilonidal sinus . In complications of minor surgery , 2nd ed ., edited by Stoddard CJ and smith JAR Baillierere Tindall. London Chap .7; 113—20.
- **Stone HB. (J931):**
The origin of pilonidal sinus. *Ann Surg.*; 994 :317-20.
- **Surrel JA. (1994):**
Pilonidal disease In *Surg . Clin. of north Am.* Vol 74 (6):1309-15.
- **Taylor BA. and Hughes LE. (1984):**
Circumferential perianal pilonidal sinus report of case *Dis Colon Rectum.* 27(2):120-22.
- **T.Schoeller, G.Wechselberger, A.Otto, C.Papp (2009):**
Definite surgical treatment of complicated recurrent pilonidal disease with a modified fasciocutaneous V-Y advancement flap, *the international journal of Surgery*, Vol.121(3)
- **Tezel, E. (2007):**
A new classification according to navicular area concept for sacrococcygeal pilonidal disease. *International journal of Colorectal Disease*, vol.9(6)
- **Topg A (2009):**
Surgical treatment of sacrococcygeal pilonidal sinus with rhomboid flap. *Journal of the European Academy of Dermatology and Venereology*, vol.44(1)
- **Turan, Aydn (2007):**
A New Flap for Reconstruction of Pilonidal Sinus.*Annals of Plastic Surgery*, vol. 58(4)
- **Unalp, Haluk R. (2007):**

Lower Recurrence Rate for Limberg vs. V-Y Flap for Pilonidal Sinus.
Journal of Diseases of the Colon & Rectum, vol.51(4)

- ***Vallance S. (1982):***
Pilonidal fistulas mimicking fistulas in-ano. Br . J. Surg 69 : 161-2 .
- ***Walsh TH. and Mann CV. (1983):***
Pilonidal sinus of the anal canal Br. J. surg .70 :23-4.
- ***Wechselberger, Gottfried (1997):***
Gluteal Fasciocutaneous V-Y Advancement Flap. *Plastic & Reconstructive Surgery*, vol. 100(7)
- ***Weston SD, Schalachter IS (1963):***
Pilonidal cyst of the anal canal Br .Surg : 70 :23-24
- ***Wexener. SD and Binderow SR. (1996):***
Pilonidal disease presacral cysts and tumors, and pelvic and perianal pain in Shackelford surgery of the alimentary tract . Vol .4 , 4th ed .edited by Zuidema GD.WB .Saunders Company, Philadelphia Chap .34 :432—49.
- ***Williams N (2000):***
The anus and the anal canal In Bailey and Love Short practice of surgery Vol 2 23rd ed ., edited by Russel RCG ., Williams NS: and Bulstrode CJK. Arnold , London Chap 62: 1121-23.
- ***Wilson E , Failes DG (1971):***
Pilonidal sinus of the anal canal Dis colon Rectum ; 14-468-470.
- ***Wood RAD. Hughes LE .(1975):***
Silicon foam sponge for pilonidal sinus :A new technique for dressing open granulating wound . Br. Med . 143 :131-3.
- ***Ziminerman CE .(1984):***
Outpatient excision and primary closure of pilonidal cysts and Sinuses. Long term follow-up .Am J, Surg. 148 :659-61.

- ***Zollinger JA. And Robert M. (1983):***
Excision of pilonidal sinus. In atlas of surgical operation , 6th ed., edited by Zolliger JR. and Robert M. Butterworths Company, London: