

REFERENCES

- Abalovich M, Gutierrez S, Alcaraz G, Maccallini G.** Overt and hypothyroidism complicating pregnancy, *Thyroid* 2002; 112:163-55.
- Abramson J, Green AS.** Thyroid antibodies and fetal loss: An evolving story. *Thyroid* 2001; 11:57-67.
- Acien P, Acien M, Sanchez-Ferrer M.** Complex malformations of the genital tract. New types and revision of classification. *Hum Reprod* 2004; 19:23-77.
- ACOG practice bulletin.** Management of recurrent pregnancy loss. Number 24, February 2001. (Replaces Technical Bulletin Number 212, September 1995). American College of Obstetricians and Gynecologists. *Int J Gynaecol Obstet* 2002; 78:179-15.
- Agrawal S, Pandey MK, Pandey A .** Prevalence of MLR blocking antibodies before and after immunotherapy. *J Hematother Stem Cell Res* 2000 ; 9:257–262.
- Aitken RJ, Krausz C.** Oxidative stress, DNA damage and the Y-chromosome. *Reproduction* 2001; 122: 497–506.
- Alborzi S, Dehbashi S, Parsanezhad ME.** Differential diagnosis of septate and bicornuate uterus by sonohysterography eliminates the need for laparoscopy. *Fertil Steril* 2002;78:176–8.
- Aldrich CL, Karrison T , Oedem RR,** et al : Unexplained recurrent pregnancy loss. *Mol. Human Reprod.* 2001 ; 1167:1172-7.
- Alijotas-Reig J, Casellas-Caro M, Ferrer-Oliveras R,** et al. Are antibeta-glycoprotein- I antibodies markers for recurrent pregnancy loss in lupus anticoagulant/ anticardiolipin seronegative women? *Am J Reprod Immunol* 2008; 60:229–237.
- Althuisius SM, Dekker GA, Van Geijn HP,** et al. Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): study design and preliminary results. *Am J Obstet Gynecol* 2003; 183:823-9.

- American College of Obstetricians and Gynecologists** . Management of recurrent early pregnancy loss. Practice bulletin No. 24, February 2001.
- American College of Obstetricians and Gynecologists**. Prenatal diagnosis of fetal chromosomal abnormalities. Practice bulletin No 27, May 2001.
- American College of Obstetricians-** for Obstetrician-Gynecologist. Practice bulletin No. 24. Washington, D.C: ACOG; February 2006.
- American College of Obstetricians and Gynecologists**. ACOG Technology assessment in obstetrics and gynecology Practice bulletin No. 5: Sonohysterography. Obstet Gynecol. 2008; 112 (6): 1467-1469.
- Amit A, Thaler I, Paz Y, Itzkovitz-Eldor J**. The effect of nitric oxide donor on Doppler flow velocity waveforms in the uterine artery during the first trimester of pregnancy. Ultrasound Obstet Gynecol 1998;11:94-8.
- Andersen HF, Nugent CE, Wanty SD**, et al. Prediction of risk for preterm delivery by ultrasonographic measurement of cervical length. Am J Obstet Gynecol 1990; 163:859-67.
- Anderson DG , Stenzel C**. Internet patient care applications in ambulatory care. J Ambulatory Care Manage 2001; 24:115-54.
- Ansari AH, Kirkpatrick B**. Recurrent pregnancy loss: an update. J Reprod Med 1998; 43:806-17.
- Anselmo J, Cao D, Karrison T**, et al. Fetal loss associated with excess thyroid hormone exposure. JAMA 2004; 292:691-76 .
- Aplin JD, Kimber SJ**. Trophoblast-uterine interactions at implantation. Reprod Biol Endocrinol 2005; 2-48.
- Arredondo F , Noble LS**. Endocrinology of recurrent pregnancy loss. Semin Reprod Med 2006; 24: 33–39.

- Aschkenazi S, Straszewski S, Verwer KMA**, et al. Differential regulation and function of the Fas/Fas ligand system in human trophoblast cells. *Biol Reprod* 2002; 66: 1853–1861.
- (ASRM) American Society for Reproductive Medicine**, Patient's fact sheet Recurrent Pregnancy Loss Revised 8/2008,b.
- (ASRM) American Society for Reproductive Medicine**, Definitions of infertility and recurrent pregnancy loss. *Fertil Steril* .2010 ; 90: S60.
- (ASRM) American Society for Reproductive Medicine**, , Definitions of infertility and recurrent pregnancy loss. *Fertil Steril* .2007; 45: S12.
- Baart EB, van den Berg I, Martini E**, et al. FISH analysis of 15 chromosomes in human day 4 and 5 preimplantation embryos: the added value of extended aneuploidy detection. *Prenat Diagn* 2007;27:55–63.
- Babcock DF**. Development: smelling the roses? *Science* 2003;299:1993–4.
- Badawy AM, Khiary M, Sherif LS**, et al. Low-molecular weight heparin in patients with recurrent early miscarriages of unknown aetiology. *J Obstet Gynaecol* 2008; 28: 280–4.
- Bahat A, Tur-Kaspa I, Gakamsky A**, et al. Thermotaxis of mammalian sperm cells: a potential navigation mechanism in the female genital tract. *Nat Med* 2003;9:149–50.
- Baier A, Alsheimer M, Volff JN, Benavente R**. Synaptonemal complex protein SYCP3 of the rat: evolutionarily conserved domains and the assembly of higher order structures. *Sex Dev.* 2007 ; 1: 161–168.
- Barnea ER, Simon J, Levine SP**, et al. Progress in characterization of pre-implantation factor in embryo cultures and in vivo. *Am J Reprod Immunol* 1999; 42:95-9.
- Bellver J, Rossal LP, Bosch E**,: Obesity and the risk of spontaneous abortion after oocyte donation. *Fertil Steril* 2003; 79:1136-19.

- Bellver J, Soares SR, Alvare, C**, et al. The role of thrombophilia and thyroid autoimmunity in unexplained infertility, implantation failure and recurrent spontaneous abortion. *Hum Reprod* 2008; 23:278- 83 .
- Benito CW, Vostrovsky ET, Day-Salvatore DL**, et al. Anticardiolipin antibodies in first- and second-trimester pregnancy loss. *Obstet Gynecol* 2001 ; 97:132-117.
- Bentin-Ley U**. Relevance of endometrial pinopodes for human blastocyst implantation, *Hum Reprod* 2000 ; 15 :67-6.
- Berghella V , Odibo OA, To MS** , et al . Cervix on ultrasonography : meta-analysis of trials using individual patient – level data . *Obstet Gynecol* 2006; 106 : 181-9 .
- Bernardini LM, Costa M, Bottazzi C**, et al. Sperm aneuploidy and recurrent pregnancy loss. *Reprod Biomed Online* 2004;9:312–20.
- Berns KI, Bohenzky RA** .Adeno-associated viruses: an Update. *Adv Virus Res* 1987; 32:243–24 .
- Bhattacharya SM**. Association of various sperm parameters with unexplained repeated early pregnancy loss- which is important? *Int Urol Nephrol* 2008; 40: 391–39.
- Biljan MM, Buckett WM, Taylor CT et al**. Effect of abnormal hypo-osmotic swelling test on fertilization rate and pregnancy outcome in IVF cycles. *Fertil Steril* 1996; 66: 412–416.
- Bohnet, HG, Kato, K, and Trapp, M**,. Different hormonal patterns in human menopausal gonadotropin-treated, clomiphene citrate-treated, and untreated conception cycles. *Fertil Steril* 1986; 45:469-11.
- Boivin, JF**. Risk of spontaneous abortion in women occupationally exposed to anaesthetic gases: a meta-analysis. *Occup Environ Med* 1997; 54:541-23.
- Bolor H, Mori T, Nishiyama S**, et al. Mutations of the SYCP3 gene in women with recurrent pregnancy loss. *Am J Hum Genet* 2009; 84:14–20.

- Bombell S, McGuire W.** Cytokine polymorphisms in women with recurrent pregnancy loss: Meta-analysis. *Aust N Z J Obstet Gynaecol* 2008; 48:147-23
- Bonney RC, Franks S.** The endocrinology of implantation and early pregnancy. *Baillieres Clin Endocrinol Metab* .1998; 4:207-11.
- Borini A, Tarozzi N, Bizzaro D,** et al. Sperm DNA fragmentation:Paternal effect on early postimplantation embryo development in ART. *Hum Reprod* 2006; 21: 2876–2881.
- Borisov I , Dimitrova V, Mazneikova V ,** et al . Therapeutic regimens for treating bacteria vaginosis in pregnant women . *Akush Ginekol* . 1999 ; 38: 14-16 .
- Bose P, Black M, Weissenborn U** et al: Heparin and aspirin attenuate placental apoptosis in vitro: implications for early pregnancy failure. *Am. J. Obstet. Gynecol* 2005 ; 192(1):23-30.
- Bose P, Black S, Kadyrov M ,** et al .Adverse effects of lupus anticoagulant positive blood sera on placental viability can be prevented by heparin in vitro. *Am. J. Obstet. Gynecol* 2004 ; 191(6): 2125-31.
- Branch DW.** Obstetric complications associated with the lupus anticoagulant. *N Engl J Med* 1992 ; 313: 1322-1326.
- Branch DW.**Antiphospholipid syndrome; obstetric diagnosis,management and controversies. *Obstet Gynecol* 2003; 101:1333- 55 .
- Branch DW, Peaceman AM, Druzin M** et al. A multicenter, placebo-controlled pilot study of intravenous immune globulin treatment of antiphospholipid syndrome during pregnancy. The pregnancy loss study group. *Am J Obstet Gynecol* 2000; 182: 122–127.
- Branch DW , Scott JR.** Clinical implications of antiphospholipid antibodies. The Utah experience. In:Harris N, Exner T, Hughes GRV (eds.); *Phospholipid Binding es] Antibodies*. Boca Raton, FL: CRC Press 1991; 335:355-9.
- Brenner B.** Thrombophilia and pregnancy loss in first intended pregnancy. *J. Thromb. Haemost.* 2005 ; 3: 2176–217.

- Bretelle F, Sabatier F, Desprez D**, et al. Circulating microparticles: a marker of procoagulant state in normal pregnancy and pregnancy complicated by preeclampsia or intrauterine growth restriction. *Thromb. Haemost.* 2003 ; 89 :486–492.
- Bricker L, Farquharson RG**. Types of pregnancy loss in recurrent miscarriage: implications for research and clinical practice. *Hum Reprod.* 2002; 17: 1345-50.
- Brigham SA, Conlon C, Farquharson RG**. Longitudinal study of pregnancy outcome following idiopathic recurrent miscarriage. *Hum Reprod* 1999; 4:2868–2871.
- Bubanovic I**. 1 α ,25-dihydroxy-vitamin-D3 as new immunotherapy in treatment of recurrent spontaneous abortion. *Med Hypotheses* 2004 ; 63:250–253.
- Buckett WM, Luckas MJM, Aird IA**. Farquharson *Gastroenterol Hepatol* 1996; 8:63-12.
- Burrows TD, King A, Loke YW**. Trophoblast migration during human placental implantation, *Hum Reprod Update* 1996 ; 2:307
- Bussen S, Steck T**. Thyroid autoantibodies in euthyroid non-pregnant women with recurrent spontaneous abortions. *Hum Reprod* 1995; 10:2938-64 .
- Bustos D, Moret A, Tambutti M**, et al. Autoantibodies in Argentine women with recurrent pregnancy loss. *Am J Reprod Immunol* 2006; 55:201-9.
- Buttram VC Jr, Gibbons WE**. Müllerian anomalies: a proposed classification. (An analysis of 144 cases). *Fertil Steril* 1979; 32:40-23.
- Cabrero A, Cubero M, Llaverias G**, et al. Leptin down-regulates peroxisome proliferator-activated receptor gamma (PPAR-gamma) mRNA levels in primary human monocyte-derived macrophages. *Mol. Cell. Biochem.* 2005;275: 173–179.

- Cameo M, Fontana V, Cameo P**, et al. Similar embryotoxic effects of sera from infertile patients and exogenous interferon-gamma on long-term in-vitro development of mouse embryos. *Hum Reprod*. 1999; 14:959-963.
- Carmeliet P, Ferreira V, Breier G**, et al. Abnormal blood vessel development and lethality in embryos lacking a single VEGF allele. *Nature* 1996; 380:435–439.
- Carp H, Feldman B, Oelsner G, Schiff E**. Parental karyotype and subsequent live births in recurrent miscarriage. *Fertil Steril* 2004; 81:1296-13.
- Carp H, Tonolo G, Esposito F**. Embryonic karyotype in recurrent miscarriage with parental karyotypic aberrations. *Fertil Steril* 2006; 85:446-19.
- Carrington B, Sacks G, Regan L**. Recurrent miscarriage: pathophysiology and outcome. *Curr Opin Obstet Gynecol* 2007;17:591- 597.
- Casey BM, Dashe JS, Wells CE**, et al . Subclinical hypothyroidism and pregnancy outcomes . *Obstet Gynecol* 2005 ; 105 : 239-45 .
- Casini ML , Rossi F , Agostini R , et al** . Effects of the position of fibroids on fertility . *Gynecol Endocrinol* 2006 ; 22 :106-9 .
- Castaneda R, Lechuga D, Ramose RI**, et al .Endemic goiter in pregnant women. *BJOG* . 2002;109:1366.
- Cebesoy FB, Aydos K, Unlu C**. Effect of sperm chromatin damage on fertilization ratio and embryo quality post-ICSI. *Arch Androl* 2006;52:397–402.
- Cemeli E, Schmid TE, Anderson D**. Modulation by flavonoids of DNA damage induced by estrogen-like compounds. *Environ Mol Mutagen* 2004;44:420–6.
- Chamley LW**. Antiphospholipid antibodies: biological basis and prospects for treatment. *J Reprod Immunol* 2005; 57: 185-202.
- Chong PJ , Matzner WL**. Characterization of Antiphospholipid Antibodies in women with Resultant Fetal Miscarriage. *J Reprod Med* 1994; 39 : 127-1.

- Chong PJ, Matzner WL and Ching TW.** Immunology of Recurrent Spontaneous Abortion. J Reprod Med 1995; 20 :46-3.
- Chou D, Ma Y, Zhang J,**et al. Cytomegalovirus infection of trophoblast cells elicits an inflammatory response:a possible mechanism of placental dysfunction. Am J Obstet Gynecol2006;194:535-539 .
- Christiansen OB.** Evidence-based investigation and treatments of recurrent pregnancy loss. Curr Opin Obstet Gynecol. 2006 Jun; 18 :304-12.
- Christiansen OB, Andersen AMN, Bosch E** et al. Evidence-based investigations and treatments of recurrent pregnancy loss. Fertil Steril 2008; 83: 821–839.
- Christiansen OB, Nielsen HS, Lund M,** et al. Mannose-binding lectin-2 genotypes and recurrent late pregnancy losses. Hum Reprod 2009; 24:291-52
- Christiansen OB, Nielsen, HS, Pedersen B** . Is Immunization effective in unexplained recurrent pregnancy loss. Journal of Repord. Immunol. 2004 ; 41:52-62.
- Christiansen OB, Nybo, Anderson AM, Bosch E.** et al : Evidence based investigations and treatment of recurrent pregnancy loss. Fertil. Steril . 2005 ; 821:39-7.
- Christiansen OB, Pedersen B, Rosgaard A, Husth M.** A randomized, double-blind, placebo-controlled trial of intravenous immunoglobulin in the prevention of recurrent miscarriage: evidence for a therapeutic effect in women with secondary recurrent miscarriage. Hum. Reprod 2002 ; 17: 809–816.
- Christiansen OB, Steffensen R, Nielsen HS, Varming K** .Multifactorial etiology of recurrent miscarriage and its scientific and clinical implications. Gynecol. Obstet. Invest. 2008 ; 66: 257–267.
- Ciacchi C, Cirillo M, Auriemma G,** et al. Celiac disease and pregnancy outcome Am J Gastroenterol 1996; 91:718-9.

- Ciccone DN, Su H, Hevi S**, et al . KDM1B is a histone H3K4 demethylase required to establish maternal genomic imprints. *Nature* 2009 ; 461:415– 418.
- Cirio MC, Ratnam S, Ding F**, et al . Preimplantation expression of the somatic form of Dnmt1 suggests a role in the inheritance of genomic imprints. *BMC Dev Biol* 2008 ; 8:9-13.
- Clarke HJ, Bustin M, Oblin C** . Chromatin modifications during oogenesis in the mouse: removal of somatic subtypes of histone H1 from oocyte chromatin occurs post-natally through a post-transcriptional mechanism. *J Cell Sci* 1997 ; 110:477– 487.
- Cleary-Goldman J**, et al. Maternal thyroid hypofunction and pregnancy outcome. *Gynecol* 2008; 112:85-9.
- Clifford K, Rai R, Regan L**. Future pregnancy outcome in unexplained recurrent first trimester miscarriage. *Hum. Reprod.* 2008 ; 12:387–389. *Fertil. Steril.* 89, 505–522.
- Cohen J, Wells D, Munne S**. Removal of 2 cells from cleavage stage embryos is likely to reduce the efficacy of chromosomal tests that are used to enhance implantation rates. *Fertil Steril* 2007; 87:496–503.
- Collins JA**. Preimplantation genetic screening in older mothers. *N Engl J Med* 2007;357:361–3.
- Conn CM, Cozzi J, Harper JC**, et al . Preimplantation genetic diagnosis for couples at high risk of Down syndrome pregnancy owing to parental translocation or mosaicism. *J Med Genet* . 1999; 6 : 123-130.
- Coomarasamy A, Thangaratinam S, Gee H** et al. Progesterone for the prevention of preterm birth: a critical evaluation of evidence. *Eur J Obstet Gynecol Reprod Biol* 2006; 129: 111–118.
- Coppens M, Kaandorp SP, Middeldorp S**. Inherited thrombophilias. *Obstet Gynecol Clin North Am.* 2006; 33:357-74.

- Coulam CB, Jeyendran RS.** Vascular endothelial growth factor gene polymorphisms and recurrent pregnancy loss. *Am J Reprod Immunol* 2008; 59:301–305.
- Cowchock FS, Reece EA, Balaban D .** Repeated fetal losses associated with antiphospholipid antibodies: A collaborative randomized trial comparing prednisone with low-dose heparin treatment. *Am J Obstet Gynecol* 1992; 166: 1318-1323.
- Craig LB, Ke RW, Kutteh WH.** Increased prevalence of insulin resistance in women with a history of recurrent pregnancy loss. *Fertil Steril* 2002; 78:487-75.
- Creagh MD, Malia RG, Copper SM, et al.** Screening for lupus anticoagulant and anticardiolipin antibodies in women with fetal loss. *J Clin Pathol* 1991; 44:45-7.
- Criscuoli L, Rizzo R, Fuzzi B, et al.** Lack of histocompatibility leukocyte antigen-G expression in early embryos is not related to germinal defects or impairment of interleukin-10 production by embryos. *Gynecol Endocrinol* 2005; 20:264-9.
- Croxatto HC.** Physiology of gamete and embryo transport through the fallopian tube. *RBM Online* 2002;4:160–9.
- Csapo AI, Pilkkinen MO & Wiest WG.** Effects of lutectomy and progesterone replacement in early pregnant patients. *Am J Obstet Gynecol* 1973; 115: 759–764.
- Curry CJ, Bhullar S, Holmes J, et al .** Risk factors for perinatal arterial stroke: a study of 60 mother-child pairs. *Pediatr Neurol* Aug 2007;37(2):99–107.
- Damsky CH, Librach C, Lim K-H, Fitzgerald ML.** Integrin switching regulates normal trophoblast invasion, *Development* 1994 ; 120:3657-113.

- Daris G, Berghella V, Talucci M**, et al . Patients with a prior failed transvaginal cerclage; a comparison of obstetric outcomes with either transabdominal or transvaginal cerclage. *Am J Obstet Gynecol* 2000; 143: 836-839.
- Darm-Kaehler P, Loefmann C, Fujii R**, et al . An intravital microscopy method permitting continuous long-term observations of ovulation in vivo in the rabbit. *Hum Reprod* 2006;21:624–31
- Daya S**. Efficacy of progesterone support for pregnancy in women with recurrent miscarriage. A meta-analysis of controlled trials. *Br J Obstet Gynaecol* 1989; 96: 257–260
- De Swiet M, Chamberlin G , Benette P** : Embryology In Basic Science in Obstetrics and Gynecology.2002 ; 21:46-3.
- Delhanty JDA, Harper JC**. Pre-implantation genetic diagnosis. *Best Pract Res Clin Obstet Gynaecol* 2001 ;14(4):691–708.
- Deugarte CM, Li M, Surrey M**, et al. Accuracy of FISH analysis in predicting chromosomal status in patients undergoing preimplantation genetic diagnosis. *Fertil Steril* 2008; 232-244.
- Devi Wold AS, Pham N , Arici A**. Anatomic factors in recurrent pregnancy loss . *Semin Reprod Med* 2006; 24:25-32 .
- Dewan S, Puschek EE, Coulam CB**, et al. Y-chromosome microdeletions and recurrent pregnancy loss. *Fertil Steril* 2006; 85:441–445
- Diamond MS, Springer TA**, The dynamic regulation of integrin adhesiveness, *Curr Biol* 1994 ; 4:506-9.
- DiRenzo GC, Mattei A, Gojnic M** et al. Progesterone and pregnancy. *Curr Opin Obstet Gynecol* 2005; 17: 589–600.
- DiSimone. N, Caliendo D, Castellani R, Ferrazzani S, De Carolis S and Caruso A**. Low molecular weight heparin restores in-vitro trophoblast invasiveness

and differentiation in presence of immunoglobulin G fractions obtained from patients with antiphospholipid syndrome. Hum Reprod 2000; 14:489- 500.

Divakar H . Genetics of Recurrent Pregnancy Loss, In medical disorders in pregnancy – An update.2006; 28:29-8.

Dizon-Townson DS, Meline M, Nelson M, Varner M,et al. Fetal carriers of the factor V Leiden mutation are prone to miscarriage and placental infarction. Am J Obstet Gynecol 1997 ; 177: 402–405

Dobrzinski I, Ignotz GG, Thomas PGA, Ball PA. Role of carbohydrates in the attachment of equine spermatozoa attached to oviductal epithelial cells in vitro. Am J Vet Res 1996;57:1635–9.

Dobrzynska MM, Baumgartner A, Anderson D. Antioxidants modulate thyroid hormone- and noradrenaline-induced DNA damage in human sperm. Mutagenesis 2004;19:325–30.

Dolitzky M, Inbal A, Segal Y, Weiss A, Brenner B, Carp H. A randomized study of thromboprophylaxis in women with unexplained consecutive recurrent miscarriages. Fertil Steril 2006; 86: 362–6.

Donders GG, Van Bulck B, Caudron J, Londers L, Relationship of bacterial and mycoplasmas to the risk of spontaneous abortion, Am J Obstet Gynecol 183:431, 2000

Dong YL, Fang L, Gangula PRR,et al. Regulation of inducible nitric oxide synthase messenger ribonucleic acid expression in pregnant rat uterus. Biol Reprod 1998; 59: 933–940

Donoso P, Verpoest W, Papanikolaou EG, et al. Single embryo transfer in preimplantation genetic diagnosis cycles for women <36 years does not reduce delivery rate. Hum Reprod. 2007;22:1021–5.

Dossenbach-Glaninger A, van Trotsenburg M, Dossenbach M, et al. Plasminogen activator inhibitor 1 4G/5G polymorphism and coagulation factor XIII Val34

Leu polymorphism: impaired fibrinolysis and early pregnancy loss. Clin Chem 2003; 49:1081–13

Dutta DC . recurrent miscarriage in Text Book of Obstetrics. Edit. Hiralal Ronar. Pub New Central Book agency. Calanta, India 2006;168:173-9.

Ebisch IM, Thomas CM, Peters WH, Braat DD,et al. The importance of folate, zinc and antioxidants in the pathogenesis and prevention of subfertility. Hum Reprod Update 2007;13:163–74.

Edlow AG, Srinivas SK, Elovitz MA. Second trimester loss and subsequent pregnancy outcomes: What is the real risk? Am J Obstet Gynecol. 2007 ; 197:581-6.

Eisenbach M. Mammalian sperm chemotaxis and its association with capacitation. Dev Gen 1999;25:87–94.

Eisenbach M, Giojalas LC. Chemotaxis of capacitated rabbit spermatozoa to follicular fluid revealed by a novel directionality based assay. Biol Reprod 2002;67:1565–71.

El-Zibdeh MY. Dydrogesterone in the reduction of recurrent spontaneous abortion. J Steroid Biochem Mol Biol 2008; 97: 431–434.

Erhardt S, Su IH, Schneider R, et al. Consequences of the depletion of zygotic and embryonic enhancer of zeste 2 during preimplantation mouse development. Development 2003 ; 130:4235–4248.

Ernst P, Bacigalupo A, Ringden O,et al . A phase 3, randomized, placebo-controlled trial of filgrastim in Patients with haematological malignancies undergoing matched-related allogeneic bone marrow transplantation. Arch. Drug Inf. 2008 ; 1: 89–96.

Fabro G, Rovasio RA, Civalero S,et al . Chemotaxis of capacitated rabbit spermatozoa to follicular fluid revealed by a novel directionality based assay. Biol Reprod 2002;67:1565–71.

- Faridi RM, Das V, Tripathi G**, et al .Influence of activating and inhibitory killer immunoglobulin-like receptors on predisposition to recurrent miscarriages. Hum. Reprod. 2009 ; 24:1758–1764
- Farquharson R, Quenby S, Greaves M**. Antiphospholipid syndrome in pregnancy: a randomized, controlled trial of treatment(1). Obstet Gynecol 2002; 100:408–29.
- Fazeli A, Duncan AE, Watson PF, Holt WV**. Sperm-oviduct interaction: induction of capacitation and preferential binding of uncapacitated spermatozoa to oviductal epithelial cells in porcine species. Biol Reprod 1999;60:879–86.
- Ferrara N, Carver-Moore K, Chen H**, et al. Heterozygous embryonic lethality induced by targeted inactivation of the VEGF gene. Nature 1996; 380:439–442.
- Ferro J, Martinez MC, Lara C**, et al Improved accuracy of hysteroembryoscopic biopsies for karyotyping early missed abortions. Fertile. Steril 2003; 80:1260–4.
- Fertl KI, Bergner A, Beyer R**, et al .Levels and effects of different forms of anxiety during pregnancy after a prior miscarriage. Eur. J. Obstet. Gynecol. Reprod. Biol. 2009 ; 142:23–29.
- Fournier T, Tsatsaris V, Handschuh K, Evain-Brion D**. PPARs and the placenta. Placenta 2007 ; 28: 65–76.
- Fournil C, Hidden J, Lajoux P**. Evaluation du caliber de l'isthme uterin en debut de grossesse. Interet dans l'indication du cerclage du col. Nouv Press Med 1977; 6:523–4
- Fox NS, Laughon SK, Bender SD**, et al. Anti-factor Xa plasma levels in pregnant women receiving low molecular weight heparin thromboprophylaxis. Obstet Gynecol 2008;112:884–9.
- Fragouli E**. Preimplantation genetic diagnosis: present and future. J Assist Reprod Genet 2007;24:201–7.

- Franklin RD, Kutteh WH.** Effects of unfractionated and low molecular weight heparin on antiphospholipid antibody binding in vitro. *Obstet Gynecol.* 2003 ; 101 :455-62.
- Franssen MT, Korevaar JC, aLeschot NJ.** Selective chromosome analysis in couples with two or more miscarriages: case-control study. *BMJ* 2005; 331:137-7.
- Galazios G, Papazoglou D, Tsikouras P,** et al. Vascular endothelial growth factor gene polymorphisms and pregnancy. *J Matern Fetal Neonatal Med* 2009; 22:37-13.
- Galli M.** Should we include ant-prothrombin antibodies in the screening for the Antiphospholipid syndrome? *J Autoimmun* 2000; 15:101-9.
- Gardner DK, Vella P, Lane M,**et al . Culture and transfer of human blastocysts increases implantation rates and reduces the need for multiple embryo trnasfer. *Fertil Steril* 1998; 89:84-2.
- Ghares-Fard B, Zolghadri J, Kamali-Sarvestani E.** Effect of leukocyte therapy on tumor necrosis factor-alpha and interferon-gammaproduction in patients with recurrent spontaneous abortion. *Am. J. Reprod. Immunol.* 2008 ; 59: 242–250.
- Ghosh K, Shetty S, Vora S, Salvi V.** Successful pregnancy outcome in women with bad obstetric history and recurrent fetal loss due to thrombophilia: effect of unfractionated heparin and low-molecularweight heparin. *Clin. Appl. Thromb. Hemost.* 2008 ; 14:174–179.
- Gil-Villa AM, Cardona-Maya W, Agarwal A,** et al. Role of male factor in early recurrent embryo loss: do antioxidants have any effect? *Fertil Steril* 2009; 92:565–571.

- Giradi G, Berman J, Redecha P**, et al. Complement C5a receptors and neutrophils mediate fetal injury in the antiphospholipid syndrome. *J Clin Invest* 2007; 112: 1644–1654
- Gleeson LM, Chakraborty C, McKinnon T, Lala PK**, Insulin-like growth factor-binding protein 1 stimulates human trophoblast migration by signaling through $\alpha 5 \beta 1$ integrin via mitogen-activated protein kinase pathway, *J Clin Endocrinol Metab* 2001 ; 86:248- 4.
- Glueck CJ, Phillips H, Cameron D**, et al. Continuing metformin throughout pregnancy in women with polycystic ovary syndrome appears to safely reduce first-trimester spontaneous abortion: a pilot study. *Fertil Steril* 2001;75:46-5.
- Glueck CJ, Wang P, Goldenberg N, Sieve-Smith L**. Pregnancy outcomes among women with polycystic ovary syndrome treated with metformin. *Hum Reprod* 2002; 17:28-58.
- Goddijn M, Leschot NJ**. Genetic aspects of miscarriage. *Baillieres Best Pract Res Clin Obstet Gynaecol* 2000; 14:855-65.
- Goddijn M, Joosten JH, Knecht AC**, et al. Clinical relevance of diagnosing structural chromosome abnormalities in couples with repeated miscarriage. *Hum Reprod* 2004; 19:101-3.
- Golan A, Langer R, Bukovsky I, Caspi E**. Congenital anomalies of the mullerian system. *Fertil Steril* 1989; 51:747-6.
- Goldberg JM, Falcone T, Attaran M**. Sonohysterographic evaluation of uterine abnormalities noted on hysterosalpingography. *Hum Reprod* 2006; 12:215-1.
- Goldstein P, Berrier J, *8. Manyonda IT**. The immunology of recurrent spontaneous miscarriage. In: *The Immunology of Human Reproduction*. 1st edn. London: Taylor & Francis, 2006; 59:77-9.

- Goldstein P, Berrier J, Rosen S**, et al. A meta-analysis of randomized control trials of progestational agents in pregnancy. *Br J Obstet Gynaecol* 1989; 96: 265–274.
- Gonzalez-Quintero VH, Smarkusky LP, Jimenez JJ**, et al. Elevated plasma endothelial microparticles: preeclampsia versus gestational hypertension. *Am. J. Obstet. Gynecol.* 2004 ; 191: 1418–1424
- Gopel W, Kim D, Gortner L.** Prothrombotic mutations as a risk factor for preterm birth. *Lancet* 1999; 353: 1411–1412.
- Gordts S, Campo R, Rombauts L, Brosens I.** Endoscopic visualization of the process of fimbrial ovum retrieval in the human. *Hum Reprod* 1998;13:1425–8.
- Goudas VT, Hammitt DG, Damario MA**, et al. Blood on the embryo transfer catheter is associated with decreased rates of embryo implantation and clinical pregnancy with the use of in vitro fertilization-embryo transfer. *Fertil Steril* 1998; 70: 878-882.
- Govindaiah V, Naushad SM, Prabhakara K**, et al. Association of parental hyperhomocysteinemia and C677T Methylene tetrahydrofolate reductase (MTHFR) polymorphism with recurrent pregnancy loss. *Clin Biochem* 2009; 42:380-386.
- Graphou O, Chioti A, Pantazi A**, et al. Effect of intravenous immunoglobulin treatment on the Th1/Th2 balance in women with recurrent spontaneous abortions. *Am J Reprod Immunol* 2003; 49:21–29
- Greco E, Iacobelli M, Rienzi L, Ubaldi F**, et al. Reduction of the incidence of sperm DNA fragmentation by oral antioxidant treatment. *J Androl* 2005;26:349–53.
- Greco E, Romano S, Iacobelli M**, et al. ICSI in cases of sperm DNA damage:beneficial effect of oral antioxidant treatment. *Hum Reprod* 2005; 20:2590– 2594

- Greco L, Veneziano A, Di Donato L**, et al. Undiagnosed coeliac disease does not appear to be associated with unfavourable outcome of pregnancy. *Gut* 2004; 53:149-9.
- Green LK, Harris RE**. Uterine anomalies. Frequency of diagnosis and associated obstetric complications. *Obstet Gynecol* 1976; 47:427-61.
- Greene MF** . Spontaneous abortions and major malformations in women with diabetes mellitus; *Semin Repro Endocrinol* 1999 ;17:127-7.
- Greene MF, Hare JW, Cloherty JP**, et al. First trimester Hemoglobin A1 and risk for major malformation and spontaneous abortion in diabetic pregnancy. *Teratology* 1989; 39:225-23.
- Gris JC, Mercier E , Quere J** , et al . Low molecular weight heparin versus low dose aspirin in women with one fetal loss and a constitutional thrombophilic disorder . *blood* 2008 ; 103 ; 3695-23
- Groom KM, Bennett PR, Golara M** , et al . Elective cervical cerclage versus serial ultrasound surveillance of cervical length in a population at high risk for preterm delivery . *Eur J Obstet Gynecol Reprod Biol* 2004 ; 112:158-61 .
- Guidobaldi HA, Teves ME, Unates DR, Anastasia A**, et al . Progesterone from the cumulus cells is the sperm chemoattractant secreted by the rabbit oocyte cumulus complex. *PLoS One* 2008;8(e3040):1–9.
- Gupta S, Agarwal A, Banerjee J, Alvarez JG**. The role of oxidative stress in spontaneous abortion and recurrent pregnancy loss: A systematic review. *Obstet Gynecol Surv* 2007; 62: 335–347
- Halbersztadt A, Pajak J, Nowicki P, Jalocho I**, et al . Implantation and antigenicity of human endometrium. *Postepy Hig Med Dosw* 2006; 60:71-7.
- Hamilton GS, Lysiak JJ, Han VKM, Lala PK**. Autocrine-paracrine regulation of human trophoblast invasiveness by insulin-like growth factor (IGF)-II and IGF-binding protein (IGFBP)-1, *Exp Cell Res* 1998 ; 244:147-67.

- Handyside AH, Kontogianni EH, Hardy K, Winston RML.** Pregnancies from biopsied human preimplantation embryos sexed by Y-specific DNA amplification. *Nature* 1990;344(6268):768–70.
- Harger JH .** Cerclage and cervical insufficiency: an evidence based analysis. *Obstet Gynecol* 2002 ; 100:1313-1327.
- Harger JH, Archer DF, Marchese SG, et al.** Etiology of recurrent pregnancy losses and outcome of subsequent pregnancies. *Obstet Gynecol* 1983; 62:574-65.
- Harper JC, de Die-Smulders C, Goossens V, et al.** ESHRE PGD consortium data collection VII: cycles from January to December 2004 with pregnancy follow-up to October 2005. *Hum Reprod* 2008;23:741–55.
- Harper Reprod JC , Boelaert K , Geraedts J , et al .** ESHRE PGD Consortium Data Collection V : cycles from January to December 2002 with pregnancy follow – up to October 2004. *Hum* 2008; 21: 3-21 .
- Heinonen PK .** complete septate uterus with longitudinal vaginal septum . fertile sterile 2007 ; 85:700-5 .
- Heinonen PK, Saarikoski S, Pystynen P.** Reproductive performance of women with uterine anomalies. *Acta Obstet Gynecol Scand* 1982; 61:157-9.
- Henkel R, Hajimohammad M, Stalf T, et al.** Influence of deoxyribonucleic acid damage on fertilization and pregnancy. *Fertil Steril* 2004; 81: 965–972.
- Henson MC, Swan KF, O'neil JS.** Expression of placental leptin and leptin receptor transcripts in early pregnancy and at term. *Obstet. Gynecol.* 1998 ; 92: 1020–1028.
- Hermonat PL, Kechelava S, Lowery CL, Korourian S .** Trophoblasts are the preferential target for human papilloma virus infection in spontaneously aborted products of conception. *Hum Pathol* 1998 ; 29:170–1

- Herrler A.** Embryo-maternal signalling: how the embryo start talking to its mother to accomplish implantation. *RBM Online* 2002;6:244–56 .
- Hiby SE, Regan L, Lo W, et al.** Association of maternal killer-cell immunoglobulin- like receptors and parental HLA-C genotypes with recurrent miscarriage. *Hum Reprod* 2008; 23:972–976.
- Hickok LR.** Hysteroscopic treatment of the uterine septum: a clinician's experience. *Am J Obstet Gynecol* 2000;182:1414–20.
- Hill JA.** Recurrent pregnancy loss. In: Creasy RK, Resnick R, Bralow L, eds. *Maternal fetal medicine*. Philadelphia: WB Saunders, 1999; 420: 423–9
- Hill JA, Choi BC.** Maternal immunological aspects of pregnancy success and failure. *J Reprod Fertil Suppl* 2000;_34 : 234- 23. **Hill, JA.** Recurrent pregnancy loss. In: Ryan, KJ, Berkowitz, RS, Barbieri, RL, Dunaif, A (Eds), *Kistner's Gynecology and Women's Health*, seventh edition. Mosby, St Louis, 2001; p. 396
- Hogge, WA, Prosen, TL, Lanasa, MC, et al.** Recurrent spontaneous abortion and skewed X-inactivation: is there an association?. *Am J Obstet Gynecol* 2007; 196:384
- Hohlagschwandtner, M, Unfried, G, and Heinze, G:** Combined thrombophilic polymorphisms in women with idiopathic recurrent miscarriage. *Fertil Steril* 2003; 79:1141.
- Homburg R.** Polycystic ovary syndrome. *Best Pract. Res. Clin. Obstet. Gynaecol.* 2008; 22 : 261–274, Epub 2007 Sep 5. Review
- Homer HA, Li TC, Cooke LD.** The septate uterus: A review of management and reproductive outcome. *Fertil Steril* 2000; 73:111-6.
- Hopper E.** Psychological consequences of early pregnancy loss. In: Grudzinskas JG, O'Brien PMS, editors. *Problems in Early Pregnancy: Advances in Diagnosis and Management*. London: RCOG Press. 1997;296:308-98.

- Hosssein M, Anahita Mohseni , Shabnam Zeri** : A cytogenetic study of couples with recurrent spontaneous abortions and infertile patients with recurrent IVF/ICSI failure. Indian Journal of human genetics 2008 ; 14 : 1-6.
- Howie PW.** Abortion and ectopic pregnancy; Charles R. Whitfield in: Dewhurst's Text book of Obstetrics & Gynecology for postgraduates .1995 ; 14 :50-9.
- Huang, KE.** The primary treatment of luteal phase inadequacy: progesterone versus clomiphene citrate. Am J Obstet Gynecol 1986; 155:824-34.
- Irving JA, Lala PV,** Functional role of cell surface integrins on human trophoblast cell migration: regulation by TGF- β , IGF-II and IGFBP-1, Exp Cell Res. 1995 ; 217:419-98.
- IWatani Y, Amino N , Tachi J .** Changes of lymphocyte subsets in normal pregnant and postpartum women: postpartum increase in NK/K (Leu 7) cells. Am J Reprod Immunol Microbiol 1988; 18:87-9.
- Jablonka E, Lamb MJ.** The changing concept of epigenetics. AnnN Y Acad Sci 2002 ; 981:82–96.
- Jablonowska B, Palfi M, Ernerudh J, Kjellberg S,** et al . Blocking antibodies in blood from patients with recurrent spontaneous abortion in relation to pregnancy outcome and intravenous immunoglobulin treatment. Am J Reprod Immunol 2001 ;45:226–2
- Jacobs MH, Balash J, Gonzalez-Merlo JM .**Endometrial cytosolic and nuclear progesterone receptors in the luteal phase defect. J Clin Endocrinol Metab. 1987 ; 64:472–8.
- Jakubowicz DJ, Iuorno MJ, Jakubowicz S .** Effects of metformin on early pregnancy loss in the polycystic ovary syndrome. J Clin Endocrinol Metab 2003; 87:524-9.

James JD, Goldenberg RL, Meis PJ ,et al. the length of the cervix and the risk of spontaneous preterm delivery. N. Eng J Med 1996; 334:567-572.

Jaslow CR, Carney JL, Kutteh WH. Diagnostic factors identified in 1020 women with two versus three or more recurrent pregnancy losses. Fertility and Sterility. 2009 ; 93:1234-1243.

Jauniaux E, Burton GJ.Pathophysiology of histological changes in early pregnancy loss.Placenta; 2005 ;26: 114-123.

Jauniaux E, Johnson MR, Jurkovic D ,et al. The role of relaxin in the development of the uteroplacental circulation in early pregnancy. Obstet. Gynecol. 1994 ; 84:338-9.

Jauniaux E, Farquharson RG , Christiansen OB, Exalton N . On behalf of ESHRE Special Interest Group for Early Pregnancy (SIGEP) . Evidence based guidelines for the investigation and medical treatment of recurrent miscarriage .Hum Reprod 2008 ; 24 : 2216-22 .

Jerzak M, Rechberger T, Baranowski W, Semczuk M .Immunotherapy as an effective treatment of recurrent spontaneousabortion own experience. Genekol Pol . 2008 ; 1107:1111-98.

Jeschke U, Stahn R, Goletz C, et al .hCG in trophoblast tumour cells of the cell line Jeg3 and hCG isolated from amniotic fluid and serum of pregnant women carry oligosaccharides of the sialyl Lewis X and sialyl Lewis a type. Anticancer Res. 2003 b ; 23: 1087–1092.

Jivraj S, Anstie B, Cheong YC: Obstetric and neonatal outcome in women with a history of recurrent miscarriage: a cohort study. Hum Reprod 2006; 16:102-6

John JB, Cron SG, Kung GC, Mott AR. Intracardiac thrombi in pediatric patients: presentation profiles and clinical outcomes. Pediatr Cardiol May-Jun 2007;28(3):213–20

- Jonson MR** . The T1/T2 response to trophoblast membrane vesicle extracts infusion. *Immunol Today* 1988;18:263-266
- Jurkovic D, Geipel A, Gruboeck K** et al. Three-dimensional ultrasound for the assessment of uterine anatomy and detection of congenital anomalies: a comparison with hysterosalpingography and twodimensional sonography. *Ultrasound Obstet Gynecol* 1995; 5: 233–237.
- Kaare M, Painter JN, Ulander VM**, et al. Sex chromosome characteristics and recurrent miscarriage. *Fertil Steril* 2009; 90:2328–2333
- Kahraman S, Bahce M, Samli H**,et al. Healthy births and ongoing pregnancies obtained by preimplantation genetic diagnosis in patients with advanced maternal age. *Hum Reprod* 2000; 15:2003–2007
- Kaider JY, Barini R, Gilman-Sachs A**, et al. Immunodiagnostic evaluation in women with reproductive failure. *Am J Reprod Immunol* 1999; 42:335-46.
- Kallen CB, Arica A**. immune testing in fertility practice. Truth or deception? *Curr opin Obstet Gynecol*. 2003; 15:225-231.
- Katherine SS, Sean K , David ES** : Cervical Insufficiency in *Progress in Obstetrics and Gynecology* 2008 ; 18 : 175-184.
- Katz MG, Trounson AO, Cram DS**. DNA fingerprinting of sister blastomeres from human IVF embryos. *Hum Reprod* 2002;17:752–9.
- Kemal Duru N, Morshedi M, Oehninger S**. Effects of hydrogen peroxide on DNA and plasma membrane integrity of human spermatozoa. *Fertil Steril* 2000;74:1200–7.
- Kingdom J**. Treatment of pregnant women with recurrent miscarriage associated with phospholipid antibodies. No cytogenetic data were reported. *BMJ*. 1997;34:98-8

- Kishore J, Agarwal J, Agarwal S.** Seroanalysis of *Chlamydia trachomatis* and S-TORCH agents in women with recurrent spontaneous abortions. Indian J Pathol Microbiol .2003;46:684–7 .
- Kodithuwakku SP, Miyamoto A, Wijayagunawardane PB.** Spermatozoastimulate prostaglandin synthesis and secretion in bovine oviductal epithelial cells. Reproduction 2007;133:1087–94.
- Kokawa K, Shikone T, Nakano R .** Apoptosis in human chorionic villi and deciduas during normal embryonic development and spontaneous abortion in first trimester. Placenta 1998 ; 19:21–26
- Kolankaya A, Arici A , .** Myomas and assisted reproductive technologies : when and how to act ? Obstet Gynecol Clin North Am . 2008 ; 33: 145 52 .
- Kolho, KL, Tiitinen, A, Tulppala, M, et al.** Screening for coeliac disease in women with a history of recurrent miscarriage or infertility. Br J Obstet Gynaecol 1999; 106
- Kolle S, Dubielzig S, Reese S, Wehrend A, Ko"nig P, Kummer W.** Ciliary transport, gamete interaction and effects of the early embryo in the oviduct: ex vivo analyses using a new digital videomicroscopic system in the cow. Biol Reprod 2009;81:267–74.
- Korneyi JL, Lei ZM and Rao C.V:** Human myometrial smooth muscle cells are novel targets of direct regulation by human chorionic gonadotropins. Biol Reprod 1993; 49:1149-57.
- Kotze, LM.** Gynecologic and obstetric findings related to nutritional status and adherence to a gluten-free diet in Brazilian patients with celiac disease. J Clin Gastroenterol 2004; 38:567
- Koyama M, Saji F and Takahashi S.** Probabilistic assessment of the HLA sharing of recurrent spontaneous abortion couples in the Japanese population. Tissue Antigens 1991; 37, 211.

- Kumar N, Hinduja I, Nagvenkar P**, et al. Derivation and characterization of two genetically unique human embryonic stem cell lines on in-house-derived human feeders. *Stem Cells Dev* 2009; 18:435–445.
- Kurihara Y, Kawamura Y, Uchijima Y**, et al. Maintenance of genomic methylation patterns during preimplantation development requires the somatic form of DNA methyltransferase 1. *Dev Biol* 2008; 313:335–346.
- Kutteh WH** . Antiphospholipid antibody-associated recurrent pregnancy loss: treatment with heparin and lowdose aspirin is superior to low-dose aspirin alone. *Am J Obstet Gynecol* 1996 ; 174:1584–1589
- Kuznetsov S, Pellegrini M, Shuda K**, et al . RAD51C deficiency in mice results in early prophase I arrest in males and sister chromatid separation at metaphase II in females. *J. Cell Biol.* 2007 ; 176:581–592
- Kwak-Kim J, Park JC, Ahn HK, Kim JW**. Immunological modes of pregnancy loss. *Am J Reprod Immunol* .2010 ; 76:89-9.
- Lakasing I** .Obstetric complications due to auto antibodies. *Best Pract Res Clin Endocrinol Metab* 2005 ; 19:149-13.
- Lam X, Gieseke C, Knoll M, Talbot P**. Assay and importance of adhesive interaction between hamster (*Mesocricetus auratus*) oocyte-cumulus complexes and the oviductal epithelium. *Biol Reprod* 2000;62:579–88.
- Lappas M, Permezel M, Rice GE**. Leptin and adiponectin stimulate the release of proinflammatory cytokines and prostaglandins from human placenta and maternal adipose tissue via nuclear factor- κ B, peroxisomal proliferator-activated receptor- γ and extracellularly regulated kinase 1/2. *Endocrinology* . 2005 ;146: 3334–3342.
- Larson KL, De Yonge CJ, Barnes AM, Jost LK**, et al . Sperm chromatin structure assay parameters as predictors of failed pregnancy following assisted reproductive techniques. *Hum Reprod* 2000; 15: 1717 -1722.

- Laskin CA, Spitzer KA, Clark CA**, et al. Low molecular Weight heparin and aspirin for recurrent pregnancy loss: results from the randomized, controlled HepASA trial. *J. Rheumatol.* 2009 ; 36 :279–287.
- Lau KK, Stoffman JM, Williams S**, et al. Neonatal renal vein thrombosis: review of the English-language literature between 1992 and 2006. *Pediatrics* Nov 2007;120:1278–84.
- Laude I, Rongier-Bertrand C, Boyer-Neumann C**. Circulating procoagulant microparticles in women with unexplained pregnancy loss: a new insight. *Thromb Haemost* 2001; 85:118-9.
- Laurino MY, Bennett RL, Saraiya DS**, et al. Genetic evaluation and counseling of couples with recurrent miscarriage: recommendations of the National Society of Genetic Counselors. *J. Genet. Couns.* 2007 ; 14: 165–181.
- Lebedev IN, Ostroverkhova NV, Nikitina TV**, et al. features of chromosomal abnormalities in spontaneous abortion cell culture failures detected by interphase FISH analysis. *Eur J Hum Genet* 2004; 12:513-20.
- Lee HH, Hong SH, Shin SJ**, et al. Association study of vascular endothelial growth factor polymorphisms with the risk of recurrent spontaneous abortion. *Fertil Steril* 2009 ; 56: 87-66
- Lee JT, Lu N**. Targeted mutagenesis of Tsix leads to nonrandom X inactivation. *Cell* 1999 ; 99:47–57.
- Lee JT**. Regulation of X-chromosome counting by Tsix and Xite sequences. *Science* 2005 ; 309:768–771.
- Leese HJ, Tay JL, Reischl J, Downing SJ**. Formation of fallopian tube fluid: role of a neglected epithelium. *Reproduction* 2001; 121:339–46.
- Lefebvre R, Suarez SS**. Effect of capacitation on bull sperm binding to homologous oviductal epithelium. *Biol Reprod* 1996;54:575–82.

- Legro RS, Barnhart HX, Schlaff WD, Carr BR**, et al. Cooperative Multicenter Reproductive Medicine Network. Clomiphene, metformin, or both for infertility in the polycystic ovary syndrome. *N Engl J Med* 2007;356:551.
- Leong H, Stachnik J, Bonk ME, Matuszewski KA**. Unlabeled uses of intravenous immune globulin. *Am. J. Health Syst. Pharm.* 2008 ; 65:1815–1824.
- Lewis A, Mitsuya K, Umlauf D**, et al. Imprinting on distal chromosome 7 in the placenta involves repressive histone methylation independent of DNA methylation. *Nat Genet* 2004 ; 36:1291–1295.
- Li X, Lonard DM, O'Malley BW**. A contemporary understanding of progesterone receptor function. *Mech Ageing Dev*; 2004 ; 125:669–678
- Li DK, Liu L, Odouli R**. Exposure to non-steroidal anti-inflammatory drugs during pregnancy and risk of miscarriage: population based cohort study. *BMJ* 2003; 327:368-98.
- Li TC, Tuckerman EM, Laird SM**. Endometrial factors in recurrent miscarriage. *Hum Reprod Update* 2002; 8:43-9
- Lima F, Khamashta MA, Buchanan NM**, et al. A study of sixty pregnancies in patients with the antiphospholipid syndrome. *Clin Exp Rheumatol* 1996; 14: 131–136
- Lin PC**. Reproductive outcomes in women with uterine anomalies. *J Women Reprod Health* 2008; 13: 33–39.
- Loke YW , King A**. Immunology of human placental implantation: clinical implications of our current understanding. *Mol Med Today* 1997; 3: 153- 159.
- Lucisano A , Morandotti G, Marana R** , et al . Chlamydia genital infections and laparoscopic finding in infertile women . *Eur J Epidemiol* 1992;8:645-9 .
- Ludvigsson JF, Montgomery SM, Ekbom A**. Celiac disease and risk of adverse fetal outcome: a population-based cohort study. *Gastroenterology* 2005 ; 129, 454–463

- Lyons RA, Saridogan E, Djahanbakheh O.** The reproductive significance of human fallopian tube cilia. *Hum Reprod Update* 2006;12:363–72.
- MacDonald PC** : Placental steroidogenesis. In Wynn RM (Ed). *Fetal Homeostasis*. Vol. 1. New York; New York Academy of Sciences 1965 ; 265.
- Malhotra N, Sood M.** Role of hysteroscopy in infertile women. *J Indian Med Assoc* 1997; 95:499-67.
- Manyonda IT.** The immunology of recurrent spontaneous miscarriage. In: *The Immunology of Human Reproduction*. 1st edn. London: Taylor & Francis, 2006; 59:77-9.
- Marqusee E, Hill JA, Mandel SJ.** Thyroiditis after pregnancy loss. *J Clin Endocrinol Metab* 1997; 82:245-5.
- Marten K, Vosshenrich R, Funke M,** et al. MRI in the evaluation of mullerian duct anomalies. *Clin Imaging* 2003; 27: 346-50.
- Martin DH, Koutsky L, Eschenbach DA,**et al. Prematurity and perinatal mortality in pregnancies complicated by maternal Chlamydia trachomatis infections.1982; *JAMA* 247:343-98.
- Martinelli E, Taioli I, Cetin I, Marinoni A,**et al. Mutations in coagulation factors in women with unexplained late fetal loss. *N Engl J Med* 2000 ; 343:1015–101
- Maruyama K, Zhang JZ, Kojima Y, Iwatsuki K,** et al .In vitro effects of antipsoriatic agents on cytokine secretion and cell proliferation of normal human keratinocytes (NHK) and dermal fibroblasts (HDF). *Jpn J Dermatol* 1995 : 105:699–706
- Masayuki M, Takashi N, Akiko N, Yoshimichi I,**et al .Regulatory effects of 1alpha, 25-dihydroxyvitamin D3 on inflammatory responses in psoriasis. *Eur J Dermatol* 1998 ; 81:16–20

- Mastenbroek S, Twisk M, van Echten-Arends J**, et al. In vitro fertilization with preimplantation genetic screening. *N Engl J Med* 2007;357:9–17.
- Matalon ST, Blank M, Ornoy A, Shoenfeld Y**. The association between antithyroid antibodies and pregnancy loss. *Am J Reprod Immunol* 2001; 45:72-9.
- Matovina M, Husnjak K, Milutin N, Ciglar S**, et al .Possible role of bacterial and viral infections in miscarriages.*Fertil Steril* 2004; 81:662–669.
- Matsubayashi H, Maruyama T, Ozawa N**, et al .Anti-paternal antibodies by flow cytometry in the management of alloimmunization on recurrent miscarriages. *Am J Reprod Immunol* 2000; 44:284–288.
- McComb P, Langley L, Villalon L, Verdugo P**. The oviductal cilia and Kartagener's syndrome. *Fertil Steril* 1986;46:412–6.
- McCracken SA, Grant KE, MacKenzie IZ, Redman CW**, et al.Gestational regulation of granulocyte-colony stimulating factor receptor expression in the human placenta. *Biol Reprod* 1999; 60:790–796.
- McDonald HM, Chambers HM**. Intrauterine infection and spontaneous midgestation abortion: is the spectrum of microorganisms similar to that in preterm labor? *Infect Dis Obstet Gynecol* 2000 ; 8:220–22
- McDonald PC, Grant NF, Lebel P**, et al. William's obstetrics (20th edn). Stanford Appleton and lange. 1997 ; 112:125-8.
- Meirhaeghe A, Fajas, L, Helbecque, N**. A genetic polymorphism of the peroxisome proliferator-activated receptor gamma gene influences plasma leptin levels in obese humans. *Hum. Mol. Genet.*1998 ; 7:435–440.
- Meisel C, Schefold JC, Pschowski R**, et al . GM-CSF to reverse sepsis-associated immunosuppression: a double-blind randomized placebo-controlled multicenter trial. *Am. J. Respir. Crit. Care Med.* 2009 ; 180 : 585–586.
- Menezo Y, Gue´rin P**. The mammalian oviduct: biochemistry and physiology. *Eur J Obstet Gynecol Reprod Biol* 1997;73: 99–104.

- Menezo YJ, Hazout A, Panteix G**, et al. Antioxidants to reduce sperm DNA fragmentation: an unexpected adverse effect. *Reprod Biomed Online* 2007;14:418–21.
- Mercer B, Milluzzi B, Collin M**. Periviable birth at 20-26 weeks of gestation: proximate causes, previous obstetric history and recurrence risk. *Am J Obstet Gynecol* 2007;193:1175-80.
- Michimata T, Sakai M, Miyazaki S**, et al. Decrease of T-helper 2 and T-cytotoxic 2 cells at implantation sites occurs in unexplained recurrent spontaneous abortion with normal chromosomal content. *Hum Reprod* 2006; 18:1523–1528
- Migeon BR TS, Ku M, Jaffe DB**, et al. Genome-wide maps of chromatin state in pluripotent and lineage-committed cells. *Nature* 2007 ; 448:553–560.
- Migeon BR, Chowdhury AK, Dunston JA, McIntosh I**. Identification of TSIX, encoding an RNA antisense to human XIST, reveals differences from its murine counterpart: implications for X inactivation. *Am J Hum Genet* 2001 ; 69:951–960.
- Miller, E, Hare, JW, Cloherty, JP**, et al. Elevated maternal hemoglobin A1C in early pregnancy and major congenital anomalies in infants of diabetic mothers. *N Engl J Med* 1981; 304:1331-98.
- Mills JL, Simpson JL, Driscoll SG**, et al : incidence of spontaneous abortion among normal women and insulin-dependent diabetic women whose pregnancies were identified within 21 days of conception. *N. Eng J Med* 1988; 319:1618-98.
- Milunsky JM, Milunsky A**. Genetic counselling in perinatal medicine. *Obstet Gynecol Clin N Am*.1997 ; 24:1-17.
- Milwidsky A, Finci-Yeheskel Z, Yagel S, Mayer M**. Gonadotropin-mediated inhibition of proteolytic enzymes produced by human trophoblast in culture, *J Clin Endocrinol Metab* 1993 ; 76:110-1.

- Mitsuya K, Meguro M, Lee MP**, et al. LIT1, an imprinted antisense RNA in the human KvLQT1 locus identified by screening for differentially expressed transcripts using monochromosomal hybrids. *Hum Mol Genet* 1999 ; 8:1209–1217.
- Miyakis S, Lockshin MD, Atsumi T**, et al. International consensus statement on an update of the classification criteria for definite antiphospholipid syndrome (APS). *J Thromb Haemost* 2006;4(2):295–306
- Miyamoto T, Hasuike S, Yogev L**, et al. Azoospermia in patients heterozygous for a mutation in SYCP3. *Lancet* 2003; 362:1714–1719
- Moffetta , Loke YW**. The immunological paradox of pregnancy: a reappraisal. *Placenta* 2004; 25:1-8.
- Moldon A, Malapeira J, Gabrielli N**, et al . Promoter-driven splicing regulation in fission yeast. 2008 ; *Nature* 455 :997–1000.
- Moon SY, Park YB, Kim DS**, et al. Generation, culture, and differentiation of human embryonic stem cells for therapeutic applications. *Mol Ther* 2006 ; 13:5–14.
- Munne S, Chen S, Fischer J**, et al. Preimplantation genetic diagnosis reduces pregnancy loss in women aged 35 years and older with a history of recurrent miscarriages. *Fertil Steril* 2005;84:331-2
- Munne S, Fischer J, Warner A**, et al. Preimplantation genetic diagnosis significantly reduces pregnancy loss in infertile couples: a multicenter study. *Fertil Steril* 2006;85:326–32.
- Munne S, Fung J, Cassel MJ**, et al. Preimplantation genetic analysis of translocations: case-specific probes for interphase cell analysis. *Hum Genet* 1998;102:663–74.
- Munne S, Wells D**. Preimplantation genetic diagnosis. *Curr Opin Obstet Gynecol* 2002;14:239–44.

- Munne S.** Chromosome abnormalities and their relationship to morphology and development of human embryos. *Reprod Biomed Online* 2006;12:234–53.
- Muy-Rivera M, Ning Y, Frederic IO, et al .** Leptin, soluble leptin receptor and leptin gene polymorphism in relation to preeclampsia risk. *Physiol. Res.* 2005 ; 54: 167–174
- Nahum GG :** Uterine anomalies. How common are they and what is their distribution? *J Reprod Med* 1998 ; 43:877-87.
- National Institute for Health and Clinical Excellence NICE,** Management of recurrent early pregnancy loss *Fertil Steril* 2010; 43:84.
- Navot D, Scott RT, Droesch K, et al .** The window of embryo transfer and the efficiency of human conception in vitro, *Fertil Steril* 1991; 55:114-9.
- Negro R, Mangieri T, Coppola L.** Levothyroxine treatment in thyroid peroxidase antibody-positive women undergoing assisted reproduction technologies: a prospective study. *Hum Reprod* 2005; 20:1529-34.
- Neuwirth RS , Levin B , Keltz MD .** Pregnancy rates after hysteroscopic polypectomy and myomectomy in infertile women . *Obstet Gynecol* 1999 ; 94 : 168-71 .
- Nielsen HS, Christiansen OB.** Prognostic impact of anticardiolipin lupus anticoagulant. *Hum Reprod* 2005; 20:171:239-46.
- Nielsen PV, Pedersen H , Kampmann E .** Absence of human placental lactogen in an otherwise uneventful pregnancy. *Am J Osbtet Gynecol* 1979; 135:322-7.
- Noble LS, Kutteh WH, Lashey N .** Antiphospholipid antibodies associated with recurrent pregnancy loss: Prospective, multicenter, controlled pilot study comparing treatment with low-molecular-weight heparin versus unfractionated heparin. *Fertil Steril* 2005; 83:684-87.

- Nonaka T, Takakuwa K, Ooki I**, et al .Results of immunotherapy for patients with unexplained primary recurrent abortions—prospective non-randomized cohort study. *Am. J. Reprod. Immunol.* 2007 ;58: 530–536
- Nothias JY, Majumder S, Kaneko KJ, DePamphilis M**. Regulation of gene expression at the beginning of mammalian development. *J Biol Chem* 1998; 270:22077–22080.
- Nybo Andersen AM, Wohlfahrt J, Christens P**, et al. Maternal age and fetal loss: population based register linkage study. *BMJ* 2000; 320:1708-43.
- Oates-Whitehead RM, Haas DM , Carrier JAK**. Progestogen for preventing miscarriage. *Cochrane Database Syst Rev* 2003; 4: CD003511.
- Odibo A, Tom B, Berghella C**, et al. Shirodkar versus McDonald cerclage for the prevention of preterm birth in women with short cervical length. *Am J Perinatal.* 2006;76: 314-19.
- Offit K, Kohut K, Clagett B**, et al. Cancer genetic testing and assisted reproduction. *J Clin Oncol* 2006;24(29):4775–82.
- Ogasawara M, Kyoko N, Tamao N**, et al .Complement as a predictor of further miscarriage in couples with recurrent miscarriages. 2007 ; 81: 367-76.
- Okon MA, Laird SM, Tuckerman EM, Li TC**. Serum androgen levels in women who have recurrent miscarriages and their correlation with markers of endometrial function. *Fertil Steril* 1998; 69:682-98.
- Oliveira RG, Tomasi L, Rovasio RA, Giojalas LC**. Increased velocity and induction of chemotactic response in mouse spermatozoa by follicular and oviductal fluids. *J Reprod Fertil* 1999;115:23–7.
- Omar MH, Mashita MK, Lim PS**, et al. Dydrogesterone in threatened abortion: pregnancy outcome. *J Steroid Biochem Mol Biol* 2005; 97: 421–425.
- ONiell C**. The role of PAF in embryo physiology. *Hum Reprod Update* 2005; 11:215-28.

- Orgad S, Loewenthal R, Gazit E, et al.** The prognostic value of anti-paternal antibodies and leukocyte immunizations on the proportion of live births in couples with consecutive recurrent miscarriages. *Hum Reprod* 1999; 14:2974–2979
- Ornoy A.** The effect of sera from women with systemic lupus erythematosus and / or antiphospholipid syndrome on rat embryos in culture. *Reprod. Toxicol* . 1998;43:76-8.
- Out HJ, Bruinse Hw, Christiaens GCML, et al** .A prospective controlled multicenter study on the obstetric risks of pregnant women with antiphospholipid antibodies. *Am J Obstet. Gynecol* 1992; 26,167. outcome of pregnancy. *Obstet. Gynecol.* 1995; 86:99-7.
- Pabuccu R, Atay V, Orhon E** .Hysteroscopic treatment of intrauterine adhesions is safe and effective in the restoration of normal menstruation and fertility. *Fertil Steril* 1997; 68:1141-98.
- Page EW.** Incompetent internal os of the cervix causing late abortion and premature labor. Technique for surgical repair. *Obstet Gynecol* 1958; 12:509-15
- Palomba S, Orio F Jr, Falbo A, et al.** Clomiphene citrate versus metformin as first-line approach for the treatment of anovulation in infertile patients with polycystic ovary syndrome. *J Clin Endocrinol Metab* 2007; 92:3498-87.
- Pandey MK, Agrawal S** . Induction of MLR-Bf and protection of fetal loss: a current double blind randomized trial of paternal lymphocyte immunization for women with recurrent spontaneous abortion. *Int Immunopharmacol* 2008 ; 4:289–298
- Pandey MK, Agrawal S** . Prevalence of anti-idiotypic antibodies in pregnancy v/s recurrent spontaneous (RSA) women. *Obstet Gynaec Today* 2003m;7:574–578
- Pandey MK, Thakur S, Agrawal S** . Lymphocyte immunotherapy and its probable mechanism in the maintenance of pregnancy in women with recurrent spontaneous abortion. *Arch Gynecol Obstet* 2007 ; 269:161–172

- Papazoglou D, Galazios G, Papatheodorou K**, et al. Vascular endothelial growth factor gene polymorphisms and idiopathic recurrent pregnancy loss. *Fertil Steril* 2005; 83:959–963.
- Pattison NS, Chamley LW, Birdsall M**, et al. Does aspirin have a role in improving pregnancy outcome for women with the antiphospholipid syndrome? A randomized controlled trial. *Am J Obstet Gynecol* 2006;183: 1008–1012.
- Pattison NS, Charnley LW, McKay EJ**, et al . Antiphospholipid antibodies in pregnancy; prevalence and clinical association. *Br J Obstet Gynecol* 1991; 100: 909-54.
- Paukku M, Tulppala M, Puolakkainen M** . Lack of association between serum antibodies to Chlamydia trachomatis and a history of recurrent pregnancy loss. *Fertil Steril* 1999 ; 72:427-76.
- Pearlman SA, Meek RS, Cowchock FS**, et al. Neonatal alloimmune thrombocytopenia after maternal immunization with paternal mononuclear cells: successful treatment with intravenous gamma globulin. *Am J Perinatal* 1992 ; 9:448–451
- Perez-Medina T, Bajo-Arenas J, Salazar F**, et al. Endometrial polyps and their implication in the pregnancy rates of patients undergoing uterine insemination: a prospective, randomized study. *Hum Reprod* 2007 ; 20: 1632-5.
- Peters AJ, Lloyd RP, Coulam CB**. Prevalence of out-of-phase endometrial biopsy specimens. *Am J Obstet Gynecol* 1992; 166:1738-45.
- Peterson CL, Laniel MA**. Histones and histone modifications. *Curr Biol* 2004;14:546–551.
- Philipp T, Feichtinger W, Van Allen M**, et al. Abnormal embryonic developmental diagnosed embryoscopically in early intrauterine deaths after in vitro fertilization (IVF): a preliminary report of 23 cases. *Fertil Steril* 2004; 82:1337-42.

- Philipp T, Kalousek DK.** Transcervical embryoscopy in missed abortion. *J Assist Reprod Genet* 2001; 18:285-90.
- Philipp T.** Atlas der Embryologie. Embryoskopische Aufnahmen der normalen and abnormen Embryonalentwicklung. Vienna: Facultas Verlag, 2004;43:87-9.
- Phipps MG, Hogan JW, Peipert JF.** Progesterone, inhibin, and hCG multiple marker strategy to differentiate viable from nonviable pregnancies. *Obstet Gynecol* 2000; 95:227-32.
- Piccinni M, Scaletti C, Malvilia C, et al** Production of 1L-4 and leukemia inhibitory factor by T cells of the cumulus oophorus: a favourable microenvironment for pre-implantation embryo development. *Eur Immunol* 2001; 24:31-7.
- Pichler J, Gerstmayr M, Szepefalusi Z, et al.** 1 alpha,25 (OH)2D3 inhibits not only Th1 but also Th2 differentiation in human cord blood T cells. *Pediatr Res* 2002;52:12–18.
- Pietrowski D, Bettendorf H, Riener EK, et al.** Recurrent pregnancy failures is associated with polymorphism in the P53 tumour suppressor gene. *Hum Reprod* 2006 ; 17:98-67.
- Piette JC.** Antiphospholipid syndrome. A better definit treatment. *Press Med*, 1997 ;23:41-139.
- Pihusch R, Buchholz T, Lohses P.** Thrombophilic gene mutations and recurrent spontaneous abortion: prothrombin mutation increases the risk in the first trimester. *Am J Reprod Immunol* 2001 ; 46:124–131.
- Pinkas H, Fisch B, Tadir Y, et al.** Immunosuppressive activity in culture media containing oocytes fertilized in vitro. *Arch Androl* 1992; 28:53-59.
- Polifka JE, Friedman JM.** Environmental toxins and recurrent pregnancy loss. *Infertil Reprod Med Clin North Am* :175–213 *Fertil Steril* 1991 ; 4:987–991

- Porcu G Cravello L, D'ercole C**, et al .Hysteroscopic metroplasty for septate uterus and repetitive abortions: reproductive outcome. 2000; Eur. J. Obstet. Gynecol. Reprod. Biol. 88, 81–8419.
- Potdar N, Konje JC**. The endocrinological basis of recurrent miscarriage. Curr Opin Obstet Gynecol 2008;17:424–8.
- Proctor JA, Haney AF**. Recurrent first trimester pregnancy loss is associated with uterine septum but not with bicornuate uterus. Fertil Steril 2003; 80:1212-97.
- Pui MH**. Imaging diagnosis of congenital uterine malformation. Comput Med Imaging Graph 2004; 28:425-33.
- Quenby S, Nik H, Innes B**, et al. Uterine natural killer cells and angiogenesis in recurrent reproductive failure. Hum Reprod 2009; 24:45–54.
- Quenby SM, Farquharson RG**. Predicting recurring miscarriage: what is important?. Obstet Gynecol 1993; 82:132-98.
- Quinn PA, Shewchuck AB, Shuber J**, et al: Serologic evidence of ureaplasma urealyticum infection in women with spontaneous pregnancy loss. Am J Obstet. Gynecol 1983 ; 145:245-9.
- Qu X, Yang M, Zhang W**, et al. Osteopontin expression in human decidua is associated with decidual natural killer cells recruitment and regulated by progesterone. In Vivo 2008; 22:55–61.
- Rai R, Backos M, Baxter N**, et al. Recurrent miscarriage – an aspirin a day? Hum Reprod 2000; 15: 2220–2223.
- Rai R, Backos, M, Rushworth, F, Regan, L**. Polycystic ovaries and recurrent miscarriage--a reappraisal. Hum Reprod 2000; 15:612-98.
- Rai R, Cohen H, Dave M , Regan L**. Randomised controlled trial of aspirin and aspirin plus heparin in pregnant women with recurrent miscarriage associated with phospholipid antibodies (or anti phospholipid antibodies). Br MedJ.1997; 314:253-7.

- Rai R, Regan L.** Recurrent miscarriage. *Lancet* 2006; 368: 601–11.
- Rai R, Tuddenham, E, Backos M,** et al .Thromboelastography, whole-blood haemostasis and recurrent miscarriage. *Hum. Reprod.* 2003 ; 18: 2540–2543.
- Ramsay B, De Belder A, Campbell S,** et al .A nitric oxide donor improves uterine artery diastolic blood flow in normal early pregnancy and in women at high risk of preeclampsia. *Eur J Clin Invest* 1994;24:76-8.
- Rand JH,Wu XX, Quinn AS,** et al. Human monoclonal antiphospholipid antibodies disrupt the annexin A5 anticoagulant crystal shield on phospholipid bilayers: evidence from atomic force microscopy and functional assay. *Am J Pathol* 2007; 163: 1193–1200.
- Ray JG, O'Brien TE, Chan WS.** Preconception care and the risk of congenital anomalies in the offspring of women with diabetes mellitus: a meta-analysis. *QJM*2001; 9:435–44.
- Reddy UM .** Recurrent pregnancy loss: non genetic causes. *Contemp Ob/Gyn* 2007;52:63-12.
- Reindollar RH.** Contemporary issues for spontaneous abortion. Does recurrent abortion exist?. *Obstet Gynecol Clin North Am* 2009; 27:541-54.
- Remohi J, Gallardo E, Levy M.** Oocyte donation in women with recurrent pregnancy loss. *Hum Reprod* 1996; 11:20-48.
- Resnik R, Killam AP, Battanglia FC ,**et al . The stimulation of blood flow by various estrogens. *Endocrinology*1974; 94:119-2.
- Rey E, Kahn SR, David M, Shrier I.** Thrombophilic disorders and fetal loss: a meta-analysis. *Lancet* 2003;361:901– 8.
- Rodger MA, Paidas M, McIntock C,** et al .Inherited thrombophilia and pregnancy complications revisited. *Obstet. Gynecol.* 2008 ;112: 320–324.
- Romero R, Espinoza J , Hassan S .**The role of cervical cerclage in obstetric practice. *Am J Obstet Gynecol*2006; 194:1-9.

Rosario GX, Modi ND, Sachdeva G, et al. Morphological events in the primate endometrium in the presence of a preimplantation embryo, detected by the serum preimplantation assay. Hum Reprod 2005; 20:61-71.

Royal College of Obstetricians and Gynaecologists(RCOG).Guideline 17: the Management of Recurrent Miscarriage. RCOG Press, London,. 1998.

Royal College of Obstetricians and Gynaecologists, (RCOG) Guideline No 17. The Investigation and Treatment of Couples with Recurrent Miscarriage. RCOG Press, London, .2003.

Rubio C, Simon C, Vidal F,et al. Chromosomal abnormalities and embryo development in recurrent miscarriage couples. Hum Reprod 2003;18:182–18.

Ruiz JE, Cubillos J, Mendoza JC, et al. autoantibodies ro phospholipids and nuclear antigens in non-pregnant and pregnant Colombian women with recurrent spontaneous abortions. J Reprod Immunol 1995; 28:41-51.

Rushwoth FH, Backos M , Rai R. Prospective pregnancy outcome in untreated recurrent miscarriages with thyroid autoantibodies. Hum Reprod 2000; 15:1637-1639.

Sagiv R, Sadan O, Boaz M, et al. A new approach to office hysteroscopy compared with traditional hysteroscopy: a randomized controlled trial. Obstet Gynecol 2006; 108:387-92.

Salim R, Miel J, Savvas M, et al .A comparative study of glycodelin concentrations in uterine flushings in women with subseptate uteri, history of unexplained recurrent miscarriage and healthy controls. Eur. J. Obstet. Gynecol. Reprod. Biol. 2009;133: 76–80.

Salim R, Regan L, Woelfer B, et al .A comparative study of the morphology of congenital uterine anomalies inwomen with and without a history of recurrent first trimester miscarriage. Hum. Reprod. 2003 ; 18: 162–166.

- Salim R, Woelfer B, Backos M**, et al. Reproducibility of three-dimensional ultrasound diagnosis of congenital uterine anomalies. *Ultrasound Obstet Gynecol* 2003; 21:578-82
- Sanders B** . uterine factors and infertility . *J reprod Med* 51:169- 76 .on an update of the classification criteria for definite antiphospholipid syndrome (APS). *J. Thromb. Haemost.* 2008 ; 4 : 295–306
- Sargent 1L**. Does ‘soluble’ HLA-G really exist? Another twist to the tale. *Mol Human Reprod* 2005; 11:695-8.
- Sarti DA, Sample WF, Hobel CJ**, et al. Ultrasonic visualization of a dilated cervix during pregnancy. *Radiology* 1979; 130:417-20.
- Sata F, Yamada H, Kondo T**, et al. Glutathione S-transferase M1 and T1 polymorphisms and the risk of recurrent pregnancy loss. *Mol Hum Reprod* 2003; 9:165-9.
- Scarpellini F, Sbracia M**. Use of granulocyte colony-stimulating factor for the treatment of unexplained recurrent miscarriage: a randomised controlled trial.*Hum.Reprod.* 2009; 24: 2703 -2708.
- Schneider MA, Davies MC, Honour JW** . The timing of placental competence in pregnancy after oocyte donation. *Fertile. Steril*; 1993 ;59:1059-98.
- Scholz C, Toth, B, Brunnhuber R**, et al .Glycodelin A induces a tolerogenic phenotype in monocyte-derived dendritic cells in vitro. *Am. J. Reprod. Immunol.* 2008 ; 60: 501–512.
- Schweikert A, Rau T, Berkholz A**, et al. Association of progesteronereceptor polymorphism with recurrent abortions. *Eur J Obstet Gynecol Reprod Biol* 2004; 113:67-9.
- Scott JR** .Immunotherapy for recurrent miscarriage. *Cochrane Database Syst Rev.* 2003;CD000112

- Scott JR.** Immunotherapy for recurrent miscarriage (REMIS) study: How should data from women who do not become pregnant be handled? *Control Clin Trial*. 1998; 19:430-439.
- Scott JR.** Recurrent miscarriage: epidemiological factors, definition, and incidence. *Clin Obstet Gynecol* 1994; 37:625-9
- Scottish Programme for Clinical Effectiveness in Reproductive Health.** Scottish Audit of the Management of Early Pregnancy Loss. Aberdeen: SP CERH; 2003.
- Sebire NJ, Backos M, El Gaddal S,** et al. Placenta pathology, antiphospholipid antibodies and pregnancy outcome in recurrent miscarriage patients. *Obstet gynecol* 2003; 101:258-8.
- Sebire NJ, Fox H, Backos M,** et al. Defective endovascular trophoblast invasion in primary antiphospholipid antibody syndrome-associated early pregnancy failure. *Hum Reprod* 2002; 17:1067-71.
- Seidman DS, Nezhat CH , Nezhat F ,** et al . Minimally invasive surgery for fibroid , *Infert Reprod Med Clin North Am* . 2002; 13 : 375-91 .
- Seli E, Gardner DK, Scho-olcraft WB,** et al .Extent of nuclear DNA damage in ejaculated spermatozoa impacts on blastocyst development after in vitro fertilization.*Fertil Steril* 2004; 82: 378–383.
- Sermon KD, Michiels A, Harton G, Moutou C, Repping S, Scriven PN,** et al. ESHRE PGD Consortium data collection VI: cycles from January to December 2003 with pregnancy follow-up to October 2004. *Hum Reprod* .2008;22:323–36.
- Sharma S, Murphy S, Barnea ER.** Genes regulating implantation and fetal development: a focus on mouse knockout models. *Front Biosci* .2006; 20:2123-37.

- Sher KS, Jayanthi V, Probert CS**, et al. Infertility, obstetric and gynaecological problems in coeliac sprue. *Dig Dis* .1994; 12:186-9.
- Shiota K** . Development and intrauterine fate of normal and abnormal Human conceptuses . *Cong Anom* 1991; 31: 67-80 .
- Shirodkar VN**. A new method of operative treatment for habitual abortion in second trimester of pregnancy. *Antiseptic* 1955; 52:299-300.
- Sierra S, Stephenson M**. genetics of recurrent pregnancy loss. *Semin Reprod Med*. 2006; 24 :17-24.
- Siiter PK, Febres F, Clemens LE**, et al . progesterone and maintenance of pregnancy: is progesterone nature's immunosuppressant? *Ann NY Acad Sci* 1977 ; 286:384- 397.
- Silver EW, Eskenazi B, Evenson DP**,et al. Effect of antioxidant intake on sperm chromatin stability in healthy non-smoking men. *J Androl* 2005;26:550–6.
- Simoncini T, Caruso A, Giretti MS**, et al. Effects of dydrogesterone and of its stable metabolite, 20-a-dihydrogesterone, on nitric oxide synthesis in human endothelial cells. *Fertil Steril* 2006; 86(Suppl 3): 1235–1242
- Simpson JL**. Causes of fetal wastage. *Clin Obstet Gynecol* 2007; 50:101-12.
- Singh A, danta ZN, Stones SC, Asch EH**. Presence of thyroid antibodies in early reproductive failure Biochemical versus clinical pregnancies. *Fertil Steril* .1995; 63:277-9.
- Smilinich NJ, Day CD, Fitzpatrick GV**, et al. A maternally methylated CpG island in KvLQT1 is associated with an antisense paternal transcript and loss of imprinting in Beckwith- Wiedemann syndrome. *Proc Natl Acad Sci USA* .1999; 96:8064–8069.
- Smith TT, Nothnick WB**. Role of direct contact between spermatozoa and oviductal epithelial cells in maintaining rabbit sperm viability. *Biol Reprod* .1997;56:83–9.

- Sompolinsky D, Solomon F, Elkina L**, et al. Infections with mycoplasma and bacteria in induced midtrimester abortion and fetal loss. *Am J Obstet Gynecol* 1975 ; 121:610–61
- Sotiriadis A, Makrigiannakis A, Stefos T**, et al. Fibrinolytic defects and recurrent miscarriage: a systematic review and meta-analysis. *Obstet Gynecol* 2007; 109:1146-98.
- Souza SS, Ferriani RA, Santos CM , Voltarelli JC**. Immunological evaluation of patients with recurrent abortion. *J Reprod Immunol* 2002; 56:111-21.
- Spehr M, Gisselmann G, Poplawski A**, et al .Identification of a testicular odorant receptor mediating human sperm chemotaxis. *Science* 2003;299:2054–8.
- Spehr M, Schwane K, Riffell JA**, et al .Particulate adenylate cyclase plays a key role in human sperm olfactory receptor-mediated chemotaxis. *J Biol Chem* 2004;279:40194–203
- Speroff L, Glass RH, Kase NG** .Clinical gynecologic endocrinology and infertility (6th edn). Maryland: Lippincott: Williams and Wilkins 1999 ; 275:288-98.
- Stagnaro-Green A, Glinoe D**. Thyroid autoimmunity and the risk of miscarriage. *Best Pract Res Clin Endocrinol Metab* 2004; 18:167-8.
- Stagno S, Pass RF, Dworsky ME**, et al. Congenital cytomegalovirus infection: the relative importance of primary and recurrent maternal infection. *N Engl J Med* 1989 ; 306:945–949 *J Me Int J Fertil* 30:27–33
- Stahn R, Goletz S, Stahn, R**, et al .Human chorionic gonadotropin (hCG)as inhibitor of E-selectin-mediated cell adhesion. *Anticancer Res.* 2005 ; 25: 1811–1816.
- Stavreus-Evers A, Nikas G, Sahlin L, Eriksson H**. Formation of pinopodes in human endometrium is associated with the concentrations of progesterone and progesterone receptors, *Fertil Steril* 2001 ; 76:782-9.

Stenchever MA, Droegemueller W, Herbst AL, Mishell DR. spontaneous and recurrent abortion. In Comprehensive Gynecology, edn 4. St. Louis: Mosby; 2001:280-299.

Stephenson M, Sierra S .Reproductive outcomes in recurrent pregnancy loss associated with a parental carrier of a structural chromosome rearrangement . Hum Reprod 2008 ; 21: 1076- 82 .

Stephenson MD. frequency of factors associated with habitual abortion in 197 couples. Fertile.steril. 1996 ;66,24-29.

Stern JJ, Coulam CB. Current status of immunologic recurrent pregnancy loss. Curr Opin Obstet Gynecol .1993; 5:252–9.

Stirrat, GM. Recurrent miscarriage. Lancet 1990; 336:673-9

Stuart T ,Edith A .Pharmacotherapy. A pathophysiologic Approach 6th edition, Venous Thromboembolism 2007; 7: 133-98.

Stumvoll M, Haring H. The peroxisome proliferator-activated receptor-gamma2 Pro12Ala polymorphism. Diabetes 2002 ; 51:2341–2347

Suarez SS, Pacey AA. Sperm transport in the female reproductivetract. Hum Reprod Update 2006;12:23–37.

Sugimura M, Kobayashi T, Shu F,et al .Annexin V inhibits phosphatidylserine-induced intrauterine growth restriction in mice. Placenta. 1999 ; 20: 555–560

Sullivan AE, Silver RM, aLaCoursiere DY. Recurrent fetal aneuploidy and recurrent miscarriage. Obstet Gynecol 2005; 104:784-9.

Swanson KM. Effects of caring, measurement, and time on miscarriage impact and women's well-being. Nurs Res 1999; 48:288-98.

Swyer GIM , Daley D. Progesterone implantation in habitual abortion. BMJ 1953; 1: 1073–1086

- Sylvestre C , Child TJ , Tulandi T , et al .** A prospective study to evaluate the efficacy of two – and three – dimensional sonohysterography in women with intrauterine lesion . *Fertile Sterile* 2003 ; 79 : 1222 -5 .
- Szlachter N, O’Byrne E, Goldsmith L, et al.** Myometrial inhibiting activity of relaxin containing extracts of human corpora lutea of pregnancy. *Am J Obstet Gynecol* 1980; 136: 584–586.
- Takakuwa K, Adachi H, Hataya I, et al .** Molecular genetic studies of HLA-DRB1 alleles in patients with unexplained recurrent abortion in the Japanese population. *Hum Reprod* 2003 ; 18:728–73.
- Talbot P, Shur BD, Myles DG.** Cell adhesion and fertilization: steps in oocyte transport, sperm-zona pellucida interactions, and sperm-egg fusion. *Biol Reprod* 2003;68:1–9.
- Tanaka T, Umesaki N, Nishio J, et al .** Neonatal thrombocytopenia induced by maternal anti-HLA antibodies: a potential side effect of allogenic leukocyte immunization for unexplained recurrent aborters. *J Reprod Immunol* 2000;46:51–57.
- Tarrade A, Lai Kuen R, Malassine A, et al .** Characterization of human villous and extravillous trophoblasts isolated from first trimester placenta. *Lab. Invest.* 2001 ; 81:1199–1211.
- Tartagni M, Schonauer MM, Cicinelli E ,et al.** Usefulness of the hypo-osmotic swelling test in predicting pregnancy rate and outcome in couples undergoing intrauterine insemination. *J Androl* 2002; 23: 498–502.
- Tata LJ, Card TR, Logan RFA, et al.** Fertility and pregnancy-related events in women with celiac disease: a population-based cohort study. *Gastroenterology* 2005; 128:849-98.
- Taylor C, Faulk WP.** Prevention of recurrent abortion with leucocyte transfusions. *Lancet* 1981;2:68–70.

- Temmerman M, Lopita MI, Sanghri HC**, et al .The role of maternal syphilis, gonorrhea and HIV – 1 infection in spontaneous abortion. *Int J STD AIDS*. 1992 ; 3:418-87.
- Tempfer CB, Kurz C, Bentz EK**,et al. A combination treatment of prednisone, aspirin, folate, and progesterone in women with idiopathic recurrent miscarriage: a matched-pair study. *Fertil Steril* 2006; 86: 145–148.
- Temple R, Aldridge V, Greenwood R**. Association between outcome of pregnancy and glycaemic control in early pregnancy in type 1 diabetes: population based study. *BMJ* . 2002; 325:1275–6.
- Tharapel AT, Tharapel SA, Bannerman RM**. Recurrent pregnancy losses and parental chromosome abnormalities: a review. *Br J Obstet Gynaecol* 1985; 92:899-89.
- The Practice Committee of the American Society for Reproductive Medicine**. Intravenous immunoglobulin (IVIG) and recurrent pregnancy loss. *Fertile Steril* 2004; 86 Suppl 4: S226-S227.
- Thornhill AR, deDie-Smulders CE, Geraedts JP**, et al. ESHRE PGD Consortium ‘Best practice guidelines for clinical preimplantation genetic diagnosis (PGD) and preimplantation genetic screening (PGS).’ *Hum Reprod* .2005;20:35–48.
- Thornton and Ballow**. Fetus as an allograft. *Progress in Obstetrics and Gynecology* 1993;7-23.
- Tibmers JD** . Abortion &the related risk of recurrence1997;132-135.
- Tincani A, Allegri F, Balestrieri G**, et al. minimal requirements for antiphospholipid antibodies ELISAs proposed by the Europe Forum on antiphospholipid antibodies. *Thromb Res* 2004; 114:553-8.
- Toaff R, Toaff ME, Ballas S**, et al. Cervical incompetence: diagnostic and therapeutic aspects. *Isr J Med Sci* 1977; 13:39-49.

- Togas T, Hayama M Fozan** .Evaluation and management of couples with recurrent pregnancyloss,Up to Date on line, available at http://www.utdol.com/utd/content/topic.do?topicKey=gen_gyne/22093, 2006.
- Tong S, Marjono B, Brown DA**. Serum concentrations of macrophag inhibitory cytokine 1 (MIC 1) as a predictor of miscarriage. Lancet 2004; 363:1291-98.
- Toth B, Bastug M, Mylonas I**,et al . Peroxisome proliferator-activated receptor-gamma in normal human pregnancy and miscarriage. Acta Histochem.2009 ; 111 : 372–378.
- Toth B, Bastug M, Scholz C**, et al .Leptin and peroxisome proliferator-activated receptors: impact on normal and disturbed first trimester human pregnancy. Histol. Histopathol. 2008a ; 23:1465–1475.
- Toth B, Hornung D, Scholz C**, et al .Peroxisome proliferator-activated receptors: new players in the field of reproduction. Am. J. Reprod. Immunol. 2007 ; 58: 289–310.
- Toth B, Nieuwland R, Kern M**, et al .Systemic changes in haemostatic balance are not associated with increased levels of circulatingmicroparticles in women with recurrent spontaneous abortion. Am. J.Reprod. Immunol. 2008 b ; 59: 159–166.
- Toth B, Roth K, Kunert-Keil C**, et al .Glycodelin protein and mRNA is downregulated in human first trimester abortion and partially upregulated in mole pregnancy. J. Histochem. Cytochem. 2008 c ; 56: 477–485.,
- Troiano RN , McCarthy SM** . Mullerian duct anomalies :imaging and clinical issues . Radiology 2004 ; 233: 19 – 34 .
- Trout SW, Seifer DB**. Do women with unexplained recurrent pregnancy loss have higher day 3 serum FSH and estradiol values?. Fertil Steril 2000; 74:335.
- Trowsdale J, Moffett A**. NK receptor interactions with MHC class I molecules in pregnancy. Semin Immunol 2008; 20:317–320.

- Tuckerman E , Laird SM , Stewart R , et al .** Markers of endometrial function in women with unexplained recurrent pregnancy loss . Hum Reprod 2004 ; 19 : 196-205 .
- Tursi A, Giorgetti G, Brandimarte G, Elisei W.** Effect of gluten-free diet on pregnancy outcome in celiac disease patients with recurrent miscarriages. Dig. Dis. Sci. 2008 ; 53: 2925–2928.
- Ugwumadu A , Reid F , Hay P , et al .** Natural history of bacterial vaginosis and intermediate flora in pregnancy and effect of oral clindamycin . Obstet Gynecol. 2004 ; 104:114-19 .
- Valenzano MM , Mistrangelo E , Lijoi D , et al .** Transvaginal sonohysterographic evaluation of uterine malformation . Eur J Obstet Gynecol Reprod Biol .2006 ; 124 : 246-9 .
- VanDen Heuvel MJ, Peralta CG, Hatta k, et al .** Decline in number of elevated blood CD3(+) CD56(+) NKT cells in response to intravenous immunoglobulin treatment correlates with successful pregnancy. Am. J. Reprod. Immunol. 2007 ; 58:447–4.
- Vanwijk MJ, Vanbavel E, Sturk A, Nieuwland R.** Microparticles in cardiovascular diseases. Cardiovasc. Res. 2003 ; 59:277–287.
- Vaquero E, Lazzarin N, Valensise H.** Pregnancy outcome in recurrent spontaneous abortion associated with antiphospholipid antibodies: A comparative study of intravenous immunoglobulin versus prednisone plus low –dose aspirin. Am J Reprod Immunol 2001; 45:174.
- Vargas RG, Bompeixe EP, Franca PP, et al.** Activating killer cell immunoglobulin-like receptor genes' association with recurrent miscarriage. Am J Reprod Immunol 2009; 62:34–43.

- Varma R , Gupta JK**, et al . Antibiotic treatment of bacterial vaginosis in pregnancy : multiple meta – anylsis and dilemmas in interpretation EurJ Obstet Gynecol Reprod Biol 2006 ; 124: 10-14 .
- Ventolini G , Zhang M , Gruber J** . Hysteroscopy in the evaluation of patient with recurrent pregnancy loss : a cohort study in a primary care population . Surg Endosc 2006; 18 :1782-4 .
- Vidal F, Gimenez C, Rubio, C** . FISH preimplantation diagnosis of chromosome aneuploidy in recurrent pregnancy wastage. J Assist Reprod Genet 2006; 15:310-9.
- Vigano P, Mangioni S, Pompei F, Chiodo I** . Maternal-conceptus cross-talk: a review. Placenta 2003;24:56–61.
- Vinatier D, Dufour P, Cosson M ,Houpean IL** . Antiphospholipid syndrome and recurrent miscarriages. Eur J Obstet. Gynecol Reprod BioI 2001; 96 : 137-9.
- Volz J, Heinrich U, Volz-Koster S** . Conception and spontaneous delivery after total hypophysectomy. Fertil Steril 2002; 77:624-98.
- Wald NJ, Hackshaw AK** .advance in antenatal screening for Down's Syndrome. Bailliere's clinical obstetrics and gynecology. 2002 ; 14:503-79
- Walker ID , Kujovich L , Greer IA**, et al . the use of LMWH in pregnancy at risk : new evidence or perception ? thromb Haemost. 2006; 3:778-93 .
- Warburton D, Kline J, Stein Z** .Does the karyotype of a spontaneous abortion predict the karyotype of a subsequent abortion? Evidence from 273 women with two karyotyped spontaneous abortions. Am J Hum Genet 2006 ; 41:465.
- Warren JB** . Autoimmune diseases in pregnancy: Systemic lupus erythromatosis and antiphospholipid syndrome. Obstet Gynecol Clin North Am 2004 ; 31:345-8.

- Wei JL, Cui HM, Ma CY.** Simvastatin inhibits tissue factor and plasminogen activator inhibitor-1 secretion by peripheral blood mononuclear cells in patients with primary nephrotic syndrome. *Eur J Med Res* 2007; 12:216–221.
- Weiss A, Shalev , Romano S .** Hysteroscopy may be justified after two miscarriage . *Hum Reprod* 2005 ; 20 :2628-31.
- Wilcox AJ, Baird DD, Weinberg CR.** Time of implantation of the conceptus and loss of pregnancy, *New Engl J Med* 1999 ; 340:1796, .
- Wilcox AJ, Weinberg CR, Oconnar JF.** Incidence of early loss of pregnancy. *N. Eng, J. Med.* 1998 ; 319: 189-194.
- Williams M, Hill CJ, Scudamore I, et al .** Sperm numbers and distribution within the human fallopian tube around ovulation. *Hum Reprod* 1993;8:2019–26. Hill JA. Maternal-embryonic cross-talk. *Ann N Y Acad Sci* .2001;10:17–25.
- Wilson JD, Ralph SG, Rutherford AJ .** Rates of BV in women undergoing in vitro fertilization for different types of infertility . *BJOG* 2002 ; 109 : 714-17 .
- Wilson R , MacLean MA.** Thyroid antibody titre and avidity in patients with recurrent miscarriage. *Fertile Steril* 1999;71,558
- Witkin SS, Sultan KM, Neal GS, et al .** Unsuspected Chlamydia trachomatis infection and in vitro fertilization outcome. *Am J Obstet Gynecol* 2006 ; 171:1208–121
- World Health Organization.** WHO Laboratory Manual for the Examination of Human Semen and Sperm-Cervical Interaction, 4th edn. Cambridge: Cambridge University Press, 1999
- Wyatt PR, Owolabi T, Meier C, Huang T.** Age-specific risk of fetal loss observed in a second trimester serum screening population. *Am J Obstet Gynecol* 2008;192:240-6.

- Yamada H, Atsumi T, Kato EH**, et al .Prevalence of diverse antiphospholipid antibodies in women with recurrent spontaneous abortion. *Fertil Steril* 2004; 80:1276–1278
- Yan WH, Fan LA, Yang JQ**, et al. HLA-G polymorphism in a Chinese Han population with recurrent spontaneous abortion. *Int J Immunogenet* 2006; 33:55-8. of CD4+ CD25+ regulatory T cells after lymphocyte therapy in unexplained recurrent spontaneous abortion patients. *Fertil. Steril.* 2009 ; 92:301–305
- Yang CD**. Detection of anti-recombinant beta 2 glycoprotein and anti-recombinant beta 2 glycoprotein 1 fifth antibodies in sera from patients with systemic lupus erythematosus. *Rheumatol Int*, 1998;77:91-9
- Yenilmez E, Yildirmis S, Yulug E**, et al. Ham's F-10 medium and Ham's F-10 medium plus vitamin E have protective effect against oxidative stress in human semen. *Urology* 2006;67: 384–7.
- Yetman DL, Kutteh WH**: Antiphospholipid antibody panels and recurrent pregnancy loss. Prevalence of anticardiolipin antibodies compared with other antiphospholipid antibodies. *Fertile steril* 1996 ; 66:540-87.
- Ylinen K, AuLa P, Stenman UH**, et al. Risk of minor and major fetal malformations in diabetics with high haemoglobin A1C values in early pregnancy. *Br Med J* 1984; 289:345.
- Zhang M, Caragine T, Wang H**, et al .Spermine inhibits proinflammatory cytokine synthesis in human mononuclear cells: a counterregulatory mechanism that restrains the immune response. *J Exp Med* 1997 ; 185:1759–1768
- Zhou Y, Fisher SJ, Janatpour M, Genbacev O**. Human cytotrophoblasts adopt a vascular phenotype as they differentiate. A strategy for successful endovascular invasion? *J Clin Invest* 1997 ; 99:213-9 .