List of Figures

List of Figures in Review of Literature:		Page
Figure 1	Diminution in size of placental site after birth of fetus	10
Figure 2	Schultze mechanism of placental expulsion	11
Figure 3	Duncan mechanism of placental expulsion	11
Figure 4	Spontaneous separation of the placenta	12
Figure 5	Brandt-Andrews delivery of the placenta	13
Figure 6	Bimanual compression of the uterus	31
Figure 7	The structure of misoprostol and naturally occurring	39
	prostaglandin (PGE1)	
Figure 8	Mean plasma concentrations of misoprostol	44
	acid over time	
<u>List of Figures in the Results</u>		
Figure 1	Comparison of fetal weight at birth in kg between	82
	studied groups	
Figure 2	comparison of mean estimated blood loss in mL	83
	between the studied	
Figure 3	comparison of blood loss ≥ 500 in mL between the	84
	studied groups	
Figure 4	comparison of use of additional oxytocic agents the	85
	studied groups	
Figure 5	comparison of mean duration of the third stage of	86
	labor in minutes between the studied groups	
Figure 6	comparison of Blood Hemoglobin level between the	87
	studied groups	
Figure 7	comparison of side effects between the studied groups	88

List of Tables

<u>List of tables in Review of Literature:</u>		Page
Table 1	Physiological Versus Active Management	16
Table 2	Some previous studies were approved in the	69
	management of the third stage of labor trying to prevent	
	PPH	
List of tables in the Results:		
Table 1	Demographic characteristics of the two studied groups	81
Table 2	Comparison between group I and group II as	83
	regard the birth weight	
Table 3	Comparison of mean estimated blood loss in mL	83
	between the studied groups	
Table 4	Comparison of blood loss ≥ 500 in mL	84
	between the studied groups	
Table 5	Comparison of use of additional oxytocic agents	85
	between the studied groups	
Table 6	Comparison of mean duration of the third stage of labor	86
	in minutes between the studied groups	
Table 7	Comparison of Blood Hemoglobin level	87
	between the studied groups	
Table 8	Comparison of side effects between the studied groups	88

List of Abbreviations

°C Degree Celsius

% Percent μg Microgram X^2 Chi squre

ACOG American Collage of Obstetricians and Gynecologists

AFE Amniotic fluid embolism
AUC Area under the curve
CBC Complete blood count
CCT Controled cord traction
CI Confidence interval

cm Centimeter

CNS Central nervous system

dL Deciliter

D&C Dilatation and curretage

DM Diabetes milletus

FDA Food and Drug Administration

Fig. Figure

FIGO The International Federation of Gynaecologists &

Obstetricians

Gm Gram

Hb Hemoglobin Hct Hematocrit

HIV Human immunosupressive virus

I.V. IntravenousI.M. IntamuscularIU International unitIUFD Intrauterine fetal death

Kg Kilogram

LGA Low for gestational age

mg Milligram
min Minute
mL Milliter
mm Milimeter

mmHg Milimeter of mercury MPA Misoprostol acid

MRI Magnetic resonance imaging MVA Manual vacuum aspiration

No. Number

NSAID Non-steroidal anti-inflammatory drug

OR Odds ratio

P value Probability value PG Prostaglandin

PPH Postpartum hemorrhage PRBCs Paked Red Blood Cells

RBCs Red blood cells RR Relative risk

RCT Randomized controlled trial

SD Standard deviation TBV Total blood volume

TOP Termination of pregnancy

UK United Kingdom

USA United States of America

VDAC Vaginal delivery after cesarean

Vs Versus

WHO World Health Organization

List of contents

Title	Page
List of Figures	i
List of Tables	ii
List of Abbreviations	iii
Introduction	1
Aim of the work	5
Review of Literature	6
Chapter (1): Management of the third stage of labor	6
Chapter (2): Postpartum Hemorrhage	21
Chapter (3): Selected oxytocic agents used in the active	35
management of third stage of labor	
Chapter (4): Misoprostol	39
Subjects and Methods	76
Results	81
Discussion	89
Summary & conclusion	95
References	97
Arabic summary	124