

REFERENCES

1. **Abbasi F, Chen YD, Farin HM, Lamendola C and Reaven GM (2008):**
Comparison of 3 treatment approaches to decreasing cardiovascular disease risk in nondiabetic insulin-resistant dyslipidemic subjects.
Am J Cardiol., 102: 64-9.
2. **Aicken C, Roberts H and Arai L (2010):**
Mapping service activity: the example of childhood obesity schemes in England.
BMC Public Health; 10:310.
3. **Albu JB, Heilbronn LK, Kelley DE, Smith SR, Azuma K, Berk ES, Pi-Sunyer FX and Ravussin E; Look AHEAD Adipose Research Group (2010):**
Metabolic changes following a 1-year diet and exercise intervention in patients with type 2 diabetes.
Diabetes; 59(3):627-33.
4. **Al-Daghri N, Alokail M, Al-Attas O, Sabico S and Kumar S (2010):**
Establishing abdominal height cut-offs and their association with conventional indices of obesity among Arab children and adolescents.
Ann Saudi Med.; 30(3):209-14.
5. **Anders, Jung S, Wilhelm J, Fink L, Buhling F, Welte T, Bohle RM, Seeger W, Lohmeyer J (2008):**
Ykl-40 in adipose tissue from obese subjects and other inflammatory cytokines.
Proc Natl Acad Sci USA 98: 1124–9
6. **Anderson SE and Whitaker RC (2010):**
Household Routines and Obesity in US Preschool-Aged Children.
Pediatrics; 2010 Feb 8, Epub ahead of print
7. **Arens R and Muzumdar H (2010):**
Childhood obesity and obstructive sleep apnea syndrome.
J Appl Physiol.; 108(2):436-44.

8. **Association AD (2006):**

Diagnosis and classification of diabetes mellitus.

Diabetes Care; 29 (Suppl 1) : S43-8.

9. **Baba T, Hoff HB, III, Nemoto H, Orth J, Arai Y and Gerton GL (1993):**

Acrogranin, an acrosomal cysteine-rich glycoprotein, is the precursor of the growth-modulating peptides, granulins and epithelins, and is expressed in somatic as well as male germ cells.

Mol Reprod Dev 34:233-43.

10. **Bahceci M, Gokalp D, Bahceci S, Tuzcu A, Atmaca S and Arikan S (2007):**

The correlation between adiposity and adiponectin, tumor necrosis factor alpha, interleukin-6 and high-sensitivity c-reactive protein levels. Is adipocyte size associated with inflammation in adults?

J Endocrinol Invest 30:210–4.

11. **Bajpeyi, Leibel RL, Rosenbaum M and Hirsch J(2009):**

Changes in energy expenditure resulting from altered body weight & its outcome.

N Engl J Med 332:621-28

12. **Balagopal P, George D, Patton N, Yarandi H, Roberts WL, Bayne E and Gidding S (2005):**

Lifestyle-only intervention attenuates the inflammatory state associated with obesity—a randomized controlled study in adolescents.

J Pediatr 146:342–8.

13. **Banerji MA, Faridi N, Atluri R, Chaiken RL and Lebovitz HE (1999):**

Body composition, visceral fat, leptin, and insulin resistance in Asian Indian men.

J Clin Endocrinol Metab 84:137–144.

14. **Baserga R, Hongo A, Rubini M, Prisco M and Valentinis B (1997):**

The IGF-I receptor in cell growth, transformation and apoptosis.

Biochim Biophys Acta 1332:105-26.

15. **Bastard JP, Maachi M, Lagathu C, Kim MJ, Caron M, Vidal H, Capeau J and Feve B (2006):**

Recent advances in the relationship between obesity, inflammation, and insulin resistance.

Eur Cytokine Netw 17:4–12.

16. **Bateman A, Belcourt D, Bennett HPJ, Lazure C and Solomon S (1990):**

Granulins, a novel class of peptides from leukocytes.

Biochem Biophys Res Commun 173:1161-8.

17. **Bateman A and Bennett HPJ (1998):**

Granulins: the structure and function of an emerging family of growth factors.

J Endocrinol 158:145-51.

18. **Bhandari V, Palfree RGE and Bateman A (1992):**

Isolation and sequence of the granulin precursor cDNA from human bone marrow reveals tandem cysteine-rich granulin domains.

Proc Natl Acad Sci USA 89:1715-9.

19. **Bhandari V, Giad A and Bateman A (1993):**

The cDNA structure, tissue distribution and cellular localization of the rat granulin precursor; a novel growth factor-like protein.

Endocrinology 133:2682-9.

20. **Bhardwaj S, Misra A, Khurana L, Gulati S, Shah P and Vikram NK (2008):**

Childhood obesity in Asian Indians: a burgeoning cause of insulin resistance, diabetes and sub-clinical inflammation.

Asia Pac J Clin Nutr.;17 Suppl 1:172-5.

21. **Boor P, Celec P, Behuliak M, Grancic P, Kebis A, Kukan M, Pronayová N, Liptaj T, Ostendorf T, Sebeková K (2009):**

Regular moderate exercise reduces advanced glycation and ameliorates early diabetic nephropathy in obese Zucker rats.

Metabolism; 58(11):1669-77.

22. **Bravender T, Russell A, Chung RJ and Armstrong SC (2010):**

A "Novel" Intervention: A Pilot Study of Children's Literature and Healthy Lifestyles.

Pediatrics, 2010 Feb 8; Epub ahead of print.

23. **Brener, N.D.; Kann, L.; Kinchen, S.A.; Grunbaum, J.A.; Whalen, L.; Eaton, D.; Hawkins, J. and Ross, J.G. (2004):**

Methodology of the youth risk behavior surveillance system.

MMWR Recomm Rep 53:1–13.

24. **British Heart Foundation (2009):**

Couch Kids: The Nation's Future... London: British Heart Foundation.

25. **Brown C and Halper J (1990):**

Mitogenic effects of transforming growth factor type e on epithelial and fibroblastic cells—comparison with other growth factors.

Exp Cell Res 190:233-42.

26. **Burgos MS, Reuter CP, Burgos LT, Pohl HH, Pauli LT, Horta JA, Reckziegel MB, Franke SI, Prá D and Camargo M (2010):**

Comparison analysis of blood pressure, obesity, and cardio-respiratory fitness in schoolchildren.

Arq Bras Cardiol.; 94(6):788-93.

27. **Butland B, Jebb S, Kopelman P, McPherson K, Thomas S and Mardell J, (2007):**

Tackling obesity: future choices - project report. London, Department of Innovation Universities and Skills.

28. **Cali AM and Caprio S (2008):**

Prediabetes and type 2 diabetes in youth: an emerging epidemic disease?

Curr Opin Endocrinol Diabetes Obes.; 15(2):123-7.

29. **Carrel, Seeley RJ and Schwartz MW(2009):**

Neuroendocrine regulation of food intake.

Acta Paediatr Suppl ;88:58-61

30. **Cusi (2010):** Diabetes and obesity epidemiology. *Br Med J*;316:1221

31. **CGOU (2008):**

Cross-Government Obesity Unit, Department of Health, Department of Children Schools and Families: Healthy weight, healthy lives: guidance for local areas. London, Cross-Government Obesity Unit.

32. **Chanchay S, Tungtrongchitr R, Harnroongroj T, Phonrat B, Rungseesakorn O, Paksanont S, Pooudong S, Saowakontha S and Varongchayakul C (2006):**

Plasma resistin, insulin concentration in non-diabetic and diabetic, overweight/obese Thai.

Int J Vitam Nutr Res 76:125–131.

33. **Chandalia M, Abate N, Garg A, Strey-Dandersen J and Grundy SM (1999):**

Relationships between generalized and upper body obesity to insulin resistance in Asian Indian men.

J Clin Endocrinol Metab., 84: 2329-35.

34. **Chantry D, DeMaggio AJ, Brammer H, Raport CJ, Wood CL, Schweickart VL, Epp A, Smith A, Stine JT, Walton K, Tjoelker L, Godiska R and Gray PW (1998):**

Profile of human macrophage transcripts: insights into macrophage biology and identification of novel chemokines.

J Leukoc Biol 64: 49–54.

35. **Chomentowski ,Ogden CL, Flegal KM, Carroll MD and Johnson CL(2009):**

Prevalence and trends in overweight among children and adolescents .

JAMA ;288(14):1728:1732

36. **Clough GF, Turzyniecka M, Walter L, Krentz AJ, Wild SH, Chipperfield AJ, Gamble J and Byrne CD (2009):**

Muscle microvascular dysfunction in central obesity is related to muscle insulin insensitivity but is not reversed by high-dose statin treatment.

Diabetes; 58(5):1185-91.

37. Cole, T.J.; Bellizzi, M.C.; Flegal, K.M. and Dietz W.H. (2000):

Establishing a standard definition for child overweight and obesity worldwide: international survey

BMJ; 320: 1–6.

38. Collison KS, Zaidi MZ, Subhani SN, Al-Rubeaan K, Shoukri M and Al-Mohanna FA (2010):

Sugar-sweetened carbonated beverage consumption correlates with BMI, waist circumference, and poor dietary choices in school children.

BMC Public Health; 10:234.

39. Coppola D, Ferber A, Miura M, Sell C, D'Ambrosio C, Rubin R and Baserga R (1994):

A functional insulin-like growth factor I receptor is required for the mitogenic and transforming activities of the epidermal growth factor receptor.

Mol Cell Biol 14:4588-95.

40. Dabelea D, Mayer-Davis EJ and Imperatore G (2010):

The Value of National Diabetes Registries: SEARCH for Diabetes in Youth Study.

Curr Diab Rep. 2010 Jul 17. Epub ahead of print.

41. Daniels, Berkowitz RI, Wadden TA, Tershakovec AM and Cronquist JL(2005):

Behavior therapy and treatment of adolescent obesity.

JAMA ;289(14):1805-1812

42. De Ceuninck FS and Gauffillier NH (2001):

YKL-40 (cartilage gp39) induces proliferative events in cultured chondrocytes and synoviocytes and increases glycosaminoglycan synthesis in chondrocytes.

Biochem. Biophys. Res. Commun.; 285: 926-31.

43. Dehn H and Hogdall EV (2003):

Plasma YKL-40, as a prognostic tumor marker in recurrent ovarian cancer.

Acta Obstet Gynecol Scand.; 82: 3.

44. **Department of Health (2005):**

Choosing activity: a physical activity action plan. London: Department of Health.

45. **Diaz–Cueto L, Stein P, Jacobs A, Schultz RM and Gerton GL (2000):**

Modulation of mouse preimplantation embryo development by acrogranin (epithelin/granulin precursor).

Dev Biol 217:406-18.

46. **Dietz & Robinson, (2005):**

Prevention of pediatric overweight and obesity. American Academy of Pediatrics, Committee on Nutrition. Pediatrics;112(2):424-430

47. **Ditzel J, Leslie ND and Sperling MA (2010):**

Relation of metabolic control to complications in diabetes mellitus.

J Pediatr ;108:491

48. **De Angelis T, Ferber A and Baserga R (1995):**

The insulin-like growth factor I receptor is required for the mitogenic and transforming activities of the platelet-derived growth factor receptor.

J Cell Physiol., 164:214-21.

49. **De Silva-Sanigorski AM, Bell AC, Kremer P, Nichols M, Crellin M, Smith M, Sharp S, de Groot F, Carpenter L, Boak R, Robertson N and Swinburn BA (2010):**

Reducing obesity in early childhood: results from Romp & Chomp, an Australian community-wide intervention program.

Am J Clin Nutr. 2010 Feb 10; Epub ahead of print.

50. **Eder K, Baffy N, Falus A and Fulop AK (2009):**

The major inflammatory mediator interleukin-6 and obesity.

Inflamm Res.; 58(11):727-36.

51. **Eiholzer U, Meinhardt U, Petrò R, Witassek F, Gutzwiller F, Gasser T (2010):**

High-intensity training increases spontaneous physical activity in children: a randomized controlled study.

J Pediatr.;156(2):242-6

52. **Elmahgoub SM, Lambers S, Stegen S, Van Laethem C, Cambier D, Calders P (2009):**

The influence of combined exercise training on indices of obesity, physical fitness and lipid profile in overweight and obese adolescents with mental retardation.

Eur J Pediatr.; 168(11):1327-33.

53. **Fainardi V, Scarabello C, Brunella I, Errico MK, Mele A, Gelmetti C, Sponzilli I, Chiari G, Volta E, Vitale M and Vanelli M (2009):**

Residents of the Post-Graduate School of Paediatrics: Sedentary lifestyle in active children admitted to a summer sport school.

Acta Biomed.; 80(2):107-16.

54. **Feig DS, Lipscombe LL, Tomlinson G and Blumer I (2010):**

Breastfeeding predicts the risk of childhood obesity in a multi-ethnic cohort of women with diabetes.

J Matern Fetal Neonatal Med. 2010 Jul 7. Epub ahead of print.

55. **Fernandes RA and Zanesco A (2010):**

Early physical activity promotes lower prevalence of chronic diseases in adulthood.

Hypertens Res. 2010 Jun 24. Epub ahead of print.

56. **Franks PW, Hanson RL, Knowler WC, Sievers ML, Bennett PH and Looker HC (2010):**

Childhood Obesity, Other Cardiovascular Risk Factors, and Premature Death.

N Engl J Med.; 362(6):485-493.

57. **Genuth S, Alberti KG, Bennett P, Buse J, Defronzo R and Kahn R (2003):**

Follow-up report on the diagnosis of diabetes mellitus.

Diabetes Care; 26: 3160-7.

58. **Goetzel RZ, Ozminkowski RJ, Villagra VG and Duffy J (2005):**

Return on investment in disease management: a review.

Health Care Financ Rev; 26:1-19.

59. **Gosden C, Edge JA, Holt RI, James J, Turner B, Winocour P, Walton C, Nagi D, Williams R and Matyka K (2010):**

The fifth UK paediatric diabetes services survey: meeting guidelines and recommendations?

Arch Dis Child. 2010 Jul 6. Epub ahead of print

60. **Grundy SM, Brewer HB Jr, Cleeman JI, Smith SC Jr and Lenfant C (2004):**

Definition of metabolic syndrome: report of the National Heart, Lung, and Blood Institute/American Heart Association conference on scientific issues related to definition.

Circulation; 109:433-8.

61. **Gutafson Rewers A, Klingensmith G, Davis (2009):**

SEARCH for diabetes in youth, study Diabetes;54(Suppl 1):A63

62. **Guran T, Turan S, Akcay T, Degirmenci F, Avci O, Asan A, Erdil E, Majid A and Bereket A (2010):**

Content analysis of food advertising in Turkish television.

J Paediatr Child Health. 2010 Jun 8. Epub ahead of print.

63. **Hajer GR, van Haeften TW and Visseren FLJ (2008):**

Adipose tissue dysfunction in obesity, diabetes, and vascular diseases.

Eur Heart J 29:2959–71.

64. **Hashimoto S, Suzuki T, Dong HY, Nagai S, Yamazaki N, and Matsushima K (1999):**

Serial analysis of gene expression in human monocyte-derived dendritic cells.

Blood 94: 845–852, 1999.

65. **Haslam D (2010):**

Obesity and diabetes: the links and common approaches.

Prim Care Diabetes.; 4(2):105-12.

66. **He Z and Bateman A (1999):**

Progranulin gene expression regulates epithelial cell growth and promotes tumor growth *in vivo*.

Cancer Res 59:3222-9.

67. **He Z, Ong CH, Halper J, and Bateman A (2003):**

Progranulin is a mediator of the wound response.

Nat Med 9: 225–9.

68. **Hill JO (2009):**

Can a small-changes approach help address the obesity epidemic? A report of the Joint Task Force of the American Society for Nutrition, Institute of Food Technologists, and International Food Information Council.

Am J Clin Nutr.; 89(2):477-84.

69. **HM Treasury (2004):**

Public Service Agreements 2005-2008. HMSO.

70. **Holst-Schumacher I, Nuñez-Rivas H, Monge-Rojas R and Barrantes-Santamaría M (2008):**

Insulin resistance and impaired glucose tolerance in overweight and obese Costa Rican schoolchildren.

Food Nutr Bull; 29(2):123-31.

71. **Howe LD, Galobardes B, Sattar N, Hingorani AD, Deanfield J, Ness AR, Davey-Smith G and Lawlor DA (2010):**

Are there socioeconomic inequalities in cardiovascular risk factors in childhood, and are they mediated by adiposity? Findings from a prospective cohort study.

Int J Obes (Lond).; 34(7):1149-59.

72. **Hrabal R, Chen Z, James S, Bennett HPJ and Ni F (1996):**

The hairpin stack fold, a novel protein architecture for a new family of protein growth factors.

Nature Struct Biol 3:747-52.

73. **Information Centre for Health and Social Care (2008):**

Statistics on Obesity, Physical Activity and Diet: England. Information Centre for Health and Social Care.

74. **International Obesity Task Force (2009):**

The global challenge of obesity and the international obesity task force. <http://www.iuns.Org/features/obesity/obesity>.

75. **Jensen MD (2008):**

Role of body fat distribution and the metabolic complications of obesity.

J Clin Endocrinol Metab 93:S57–S63

76. **Johansen JS, Williamson MK, Rice JS and Price PA (1992):**
Identification of proteins secreted by human osteoblastic cells in culture.
J. Bone Miner. Res.; 7:501-12.
77. **Johansen JS (2006):**
Studies on serum YKL-40 as a biomarker in diseases with inflammation, tissue remodeling, fibroses and cancer.
Dan Med Bull.; 53:172-209.
78. **Justen HP, Grunewald E, Totzke G, Gouni-Berthold I, Sachinidis A, Wessinghage D, Vetter H, Schulze-Osthoff K, and Ko Y (2000):**
Differential gene expression in synovium of rheumatoid arthritis and osteoarthritis.
Mol Cell Biol Res Commun 3: 165–72.
79. **Kadoglou NP and Wang PH(2010):**
Tight glucose control and diabetic complications.
Lancet ;342:129
80. **Kersey M, Lipton R, Quinn MT and Lantos JD (2010):**
Overweight in latino preschoolers: do parental health beliefs matter?
Am J Health Behav. 2010; 34(3):340-8.
81. **Klötting N, Fasshauer M, Dietrich A, Kovacs P, Schön MR, Kern M, Stumvoll M and Bluher M (2010):**
Insulin sensitive obesity. Am J Physiol Endocrinol Metab., 2010 Jun 22; Epub ahead of print.
82. **Krebs (2003):**
Childhood obesity. *Pediatr Clin North Am* ;49(1):175:201
83. **Krebs (2005):**
Prevalence and consequences of obesity among children
J Pediatr;116:685-9
84. **Lee YH, Song YW, Kim HS, Lee SY, Jeong HS, Suh SH, Park JK, Jung JW, Kim NS, Noh CI and Hong YM (2010):**
The effects of an exercise program on anthropometric, metabolic, and cardiovascular parameters in obese children.
Korean Circ J.; 40(4):179-84.

85. *LeRoith D (2007):*

Dyslipidemia and glucose dysregulation in overweight and obese patients.
Clin Cornerstone.; 8(3):38-52.

86. *Liu F, Svoren BM, Butler D, Levine BS, Anderson BJ and Laffel LM(2010):*

Reducing acute adverse outcomes in youths with diabetes.
Pediatrics; 112(4):914:922

87. *Lu R and Serrero G (1999):*

Stimulation of PC cell-derived growth factor (epithelin/granulin precursor) expression by estradiol in human breast cancer cells.
Biochem Biophys Res Comm 256:204-7.

88. *Ma J, King AC, Wilson SR, Xiao L and Stafford RS (2009):*

Evaluation of lifestyle interventions to treat elevated cardiometabolic risk in primary care (E-LITE): a randomized controlled trial.
BMC Fam Pract.; 10:71.

89. *Malinda KM and Ponce L (1999):*

GP38k, a protein synthesized by vascular smooth muscle cells, stimulates directional migration of human umbilical endothelial cells.
Exp. Cel. Res.; 250: 2314-7.

90. *Matzilevich DA, Rall JM, Moore AN, Grill RJ, and Dash PK (2002):*

High-density microarray analysis of hippocampal gene expression following experimental brain injury.
J Neurosci Res 67: 646–63.

91. *Martin-Cordero L, Garcia JJ, Giraldo E, De la Fuente M, Manso R and Ortega E (2009):*

Influence of exercise on the circulating levels and macrophage production of IL-1beta and IFNgamma affected by metabolic syndrome: an obese Zucker rat experimental animal model.
Eur J Appl Physiol.; 107(5):535-43.

92. **Mauras N, Delgiorno C, Kollman C, Bird K, Morgan M, Sweeten S, Balagopal P and Damaso L (2010):**

Obesity without Established Comorbidities of the Metabolic Syndrome Is Associated with a Proinflammatory and Prothrombotic State, Even before the Onset of Puberty in Children.

J Clin Endocrinol Metab. 2010 Jan 8, Epub ahead of print.

93. **Meijer AH, Verbeek FJ, Salas-Vidal E, Corredor-Adamez M, Bussman J, van der Sar AM, Otto GW, Geisler R, and Spaink HP (2005):**

Transcriptome profiling of adult zebrafish at the late stage of chronic tuberculosis due to *Mycobacterium marinum* infection.

Mol Immunol., 42: 1185–203.

94. **Michelson PH, Williams LW, Benjamin DK and Barnato AE (2009):**

Obesity, inflammation, and asthma severity in childhood: data from the National Health and Nutrition Examination Survey 2001-2004.

Ann Allergy Asthma Immunol.; 103(5):381-5.

95. **Mohanty AK, Singh G, Paramasivam M, Saravanan K, Jabeen T, Sharma S and Yadav S (2003):**

Crystal structure of a novel regulatory 40-kDa mammary gland protein (MGP-40) secreted during involution.

J. Biol. Chem. 278: 14451-60.

96. **Morrison BW and Leder P (1998):**

Neu and ras initiate murine mammary tumors that share genetic markers generally absent in c-myc and int-2 initiated tumors.

Oncogene; 9: 3417-26.

97. **Mott Velho G, Froguel (2010):**

Genetic, metabolic and clinical characteristics of diabetes of the young. Eur J Endocrinol ;138:233

98. **Munakata H, Sei M, Ewis AA, Umeno M, Sato Y, Nakano T, Sakamoto K, Yoshida Y, Onishi C and Nakahori Y (2010):**

Prediction of Japanese children at risk for complications of childhood obesity: gender differences for intervention approaches.

J Med Invest.; 57(1-2):62-8.

99. **M. William, Bojestig M, Arnqvist HJ and Karlberg BE (2005):**
Glycemic control and prognosis in diabetic patients.
Diabetes Care ;19:313
100. **Nathan C (2006):**
Neutrophils and immunity: challenges and opportunities.
Nat Rev Immunol 6: 173–82.
101. **Ng Dp (2010):**
The effect of long-term intensified insulin treatment on the development of microvascular complications of diabetes mellitus.
N Engl J Med ;329:304
102. **NICE Public Health Collaborating Centre (2006):**
Obesity: guidance on the prevention, identification and management of overweight and obesity in adults and children. London, National Institute for Health and Clinical Excellence.
103. **Nobili V, Alisi A and Raponi M (2009):**
Pediatric non-alcoholic fatty liver disease: preventive and therapeutic value of lifestyle intervention.
World J Gastroenterol.; 15(48):6017-22.
104. **Ohtomo S Bojestig M, Arnqvist HJ and Hermansson G (2010):**
Declining incidence of nephropathy in insulin-dependent diabetes mellitus.
N Engl J Med;330:15
105. **Okura, Mokdad AH, Serdula MK and Dietz WH, (2010):**
The effect of progranulin on other inflammatory mediators.
Science 280:1371-74.
106. **Orio F Jr, Giallauria F, Palomba S, Cascella T, Manguso F, Vuolo L, Russo T, Tolino A, Lombardi G, Colao A and Vigorito C (2006):**
Cardiopulmonary impairment in young women with polycystic ovary syndrome.
J Clin Endocrinol Metab.; 91(8):2967-71.

107. **Otto TC and Lande MD (2005):**
Adipose development: from stem cell to adipocyte.
Crit Rev Biochem Mol Biol 40:229–42.
108. **OudeLuttikhuis H, Baur L, Jansen H, Shrewsbury VA, O'Malley C and Stolk RP (2009):**
Interventions for treating obesity in children. Cochrane Database of Systematic Reviews: CD001872.
109. **Park K, Steffes M, Lee DH, Himes JH and Jacobs DR Jr (2009):**
Association of inflammation with worsening HOMA-insulin resistance.
Diabetologia.; 52(11):2337-44.
110. **Park YH, Kim KW, Lee KE, Kim ES, Sohn MH and Kim KE (2010):**
Clinical implications of serum retinol-binding protein 4 in asthmatic children.
J Korean Med Sci.; 24(6):1010-4.
111. **Parnell PG, Wunderlich J, Carter B and Halper J (1990):**
Purification of transforming growth factor.
J Cell Biochem 42:111-6.
112. **Peroni DG, Pietrobelli A and Boner AL (2010):**
Asthma and obesity in childhood: on the road ahead.
Int J Obes (Lond). 2010 Jan 12, Epub ahead of print.
113. **Pignatelli P and Basili S (2010):**
Nutraceuticals in the early infancy.
Cardiovasc Ther.; 28(4):236-45.
114. **Plowman GD, Green JM, Neubauer MG, Buckley SD, McDonald V, Todaro GJ and Shoyab M (1992):**
The epithelin precursor encodes two proteins with opposing activities on epithelial cell growth.
J Biol Chem 267:13073-8.

115. **Pollock NK, Bernard PJ, Wenger K, Misra S, Gower BA, Allison JD, Zhu H and Davis CL (2010):**

Lower bone mass in prepubertal overweight children with pre-diabetes.

J Bone Miner Res. 2010 Jul 16. Epub ahead of print.

116. **Prado DM, Silva AG, Trombetta IC, Ribeiro MM, Nicolau CM, Guazzelli IC, Matos LN, Negrao CE and Villares SM (2009):**

Weight loss associated with exercise training restores ventilatory efficiency in obese children.

Int J Sports Med.;30(11):821-6.

117. **Rasouli N and Kern PA (2008):**

Adipocytokines and the metabolic complications of obesity.

J Clin Endocrinol Metab 93:S64–S73

118. **Recklies AD, White C and Ling H (2002):**

The chitinase 3-like protein human cartilage glycoprotein 39 (HC-gp39) stimulates proliferation of human connective-tissue cells and activates both extracellular signal-regulated kinase- and protein kinase B-mediated signaling pathways.

Biochem. J.; 365:119–26.

119. **Rees R, Oliver K, Woodman J and Thomas J (2009):**

Children's views about obesity, body size, shape and weight: a systematic review. London, EPPI-Centre, Social Science Research Unit, Institute of Education, University of London.

120. **Rehli M, Krause SW and Andreesen R (1997):**

Molecular characterization of the gene for human cartilage gp-39 (CHI3L1), a member of the chitinase protein family and marker for late stages of macrophage differentiation.

Genomics; 43:221–5.

121. **Reinehr T, Hebebrand J, Friedel S, Toschke AM, Brumm H, Biebermann H and Hinney A (2009):**

Lifestyle intervention in obese children with variations in the melanocortin 4 receptor gene.

Obesity (Silver Spring).; 17(2):382-9.

122. Renkema GH, Boot RG and Au FL (1998):

Chitotriosidase, a chitinase, and the 39-kDa human cartilage glycoprotein, a chitin-binding lectin, are homologues of family 18 glycosyl hydrolases secreted by human macrophages.

Eur. J. Biochem.; 251:504-9.

123. Rijzewijk LJ& Gerich JE(2010):

Glucose counterregulation and its impact on diabetes mellitus.

Diabetes ;37:1608

124. Rodríguez-Martín A, Novalbos Ruiz JP, Martínez Nieto JM and Escobar Jimenez L (2009):

Life-style factors associated with overweight and obesity among Spanish adults.

Nutr Hosp.; 24(2):144-51.

125. Salem M, Reichard P, Nilsson BY and Rosenqvist U(2010):

The effect of long-term intensified insulin treatment on the development of microvascular complications of diabetes mellitus.

N Engl J Med ;329:304

126. Schwartz,Froguel P, Zouali H and Vionnet N (2005):

Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus and obesity, *Annu Rev Med*;49:391

127. Scottish Executive (2003):

The Scottish Health Survey. Edinburgh: The Scottish Executive.

128. Sell C, Dumenil G, Devaud C, Miura M, Coppola D, De Angelis T, Rubin R, Efstratiadis A and Baserga R (1994):

Effect of a null mutation of the insulin-like growth factor I receptor gene on growth and transformation of mouse embryo fibroblasts.

Mol Cell Biol 14:3604-12.

129. Serrero G, Zhou J, Mills D and Lepak N (1991):

Decreased transforming growth factor-beta response and binding in insulin-independent teratoma-derived cell lines with increased tumorigenic properties.

J Cell Physiol 149:503-11.

130. Shackelton, L.M.; Mann, D.M. and Millis, A.J.T. (1995):

Identification of a 38-kDa heparin-binding glycoprotein (gp38k) in differentiating vascular smooth muscle cells as a member of a group of proteins associated with tissue remodeling.

J Biol Chem.; 270:13076–13083.

131. Shah P, Misra A, Gupta N, Hazra DK, Gupta R, Seth P, Agarwal A, Gupta AK, Jain A, Kulshreshta A, Hazra N, Khanna P, Gangwar PK, Bansal S, Tallikoti P, Mohan I, Bhargava R, Sharma R, Gulati S, Bharadwaj S, Pandey RM and Goel K (2010):

Improvement in nutrition-related knowledge and behaviour of urban Asian Indian school children: findings from the 'Medical education for children/Adolescents for Realistic prevention of obesity and diabetes and for healthy aGeing' (MARG) intervention study.

Br J Nutr.; 104(3):427-36.

132. Shoyab M, McDonald VL, Byles C, Todaro GJ and Plowman GD (1990):

Epithelins 1 and 2: isolation and characterization of two cysteine-rich growth-modulating peptides.

Proc Natl Acad Sci USA 87:7912-6.

133. Silver A Laffel LM, Vangsness L, Connell A, Goebel-Fabbri A, Butler D and Anderson BJ(2010):

Impact of ambulatory, family-focused teamwork intervention on glycemic control in youth with type 1 diabetes J Pediatr ;142(4):409-416

134. Singhal (2010):

The risk factors for cardiovascular morbidity and mortality in diabetes, Diabetes Care;22:5

135. Sjögren H and Meis-Kindblom JM (2003):

Studies on the molecular pathogenesis of extracellular myxoid chondrosarcoma – Cytogenetic, molecular genetic, and cDNA microarray analyses.

Am. J. Path.; 162:3.

136. **Srivastava M, Jung S, Wilhelm J, Fink L, Buhling F, Welte T, Bohle RM, Seeger W, Lohmeyer J, and Maus UA (2005):**

The inflammatory versus constitutive trafficking of mononuclear phagocytes into the alveolar space of mice is associated with drastic changes in their gene expression profiles.

J Immunol., 175: 1884–93.

137. **Straznicky NE, Lambert GW, McGrane MT, Masuo K, Dawood T, Nestel PJ, Eikelis N, Schlaich MP, Esler MD, Socratous F, Chopra R and Lambert EA (2009):**

Weight loss may reverse blunted sympathetic neural responsiveness to glucose ingestion in obese subjects with metabolic syndrome.

Diabetes; 58(5):1126-32.

138. **Subrahmanyam YV, Yamaga S, Prashar Y, Lee HH, Hoe NP, Kluger Y, Gerstein M, Goguen JD, Newburger PE, and Weissman SM (2001):**

RNA expression patterns change dramatically in human neutrophils exposed to bacteria.

Blood 97: 2457–68.

139. **Suzuki M, Yoshida S, Nishihara M and Takahashi M (1998):**

Identification of a sex steroid-inducible gene in the neonatal rat hypothalamus.

Neurosci Lett 242:127-30.

140. **Takeda K (2010):**

Perioperative management with prolonged intravenous insulin infusion versus subcutaneous insulin in children with type 1 diabetes mellitus.

J Diab Comp ;10:6-11

141. **The HEALTHY Study Group (2010):**

A School-Based Intervention for Diabetes Risk Reduction.

N Engl J Med. 2010 Jun 27. Epub ahead of print.

142. **Thorp AA, Healy GN, Owen N, Salmon J, Ball K, Shaw JE, Zimmet PZ and Dunstan DW (2010):**

Deleterious associations of sitting time and television viewing time with cardiometabolic risk biomarkers: Australian Diabetes, Obesity and Lifestyle (AusDiab) study 2004-2005.

Diabetes Care; 33(2):327-34.

143. **Tinder, P. (1969):**

Determination of blood glucose

Ann. Clin. Biochem; 6:24

144. **Tremblay ,Laffel LM, Vangsness L, Connell A, Goebel-Fabbri A, Butler D and Anderson BJ(2010):**

Impact of ambulatory, family-focused teamwork intervention on glycemic control in youth with type 1 diabetes.

J Pediatr ;142(4):409-416

145. **Tsai AG and Wadden TA (2005):**

Systematic review: an evaluation of major commercial weight loss programs in the United States.

Ann Intern Med; 142:56-6.

146. **Turina M, Fry DE and Polk HC Jr (2005):**

Acute hyperglycemia and the innate immune system: clinical, cellular, and molecular aspects.

Crit Care Med.; 33(7): 1624-33.

147. **Tziomalos K, Dimitroula HV, Katsiki N, Savopoulos C and Hatzitolios AI (2010):**

Effects of lifestyle measures, antiobesity agents, and bariatric surgery on serological markers of inflammation in obese patients.

Mediators Inflamm.; 2010:364957.

148. **Vanhorebeek I, Langouche L and Van den Berghe G (2005):**

Glycemic and nonglycemic effects of insulin: how do they contribute to a better outcome of critical illness?

Curr Opin Crit Care.; 11(4): 304-11.

149. **van der Heijden GJ, Toffolo G, Manesso E, Sauer PJ and Sunehag AL (2009):**

Aerobic exercise increases peripheral and hepatic insulin sensitivity in sedentary adolescents.

J Clin Endocrinol Metab.; 94(11):4292-9.

150. **Veiga OL, Gómez-Martínez S, Martínez-Gómez D, Villagra A, Calle ME and Marcos A; AFINOS Study Group (2009):**

Physical activity as a preventive measure against overweight, obesity, infections, allergies and cardiovascular disease risk factors in adolescents: AFINOS Study protocol.

BMC Public Health.; 9:475.

151. **Viardot A, Lord RV and Samaras K (2010):**

The effects of weight loss and gastric banding on the innate and adaptive immune system in type 2 diabetes and prediabetes.

J Clin Endocrinol Metab.; 95(6):2845-50.

152. **Volz Hc (2010):**

The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus.

N Engl J Med ;329:977-986.

153. **Virtaneva K, Wright FA, Tanner SM, Yuan B, Lemon WJ, Caligiuri MA, Bloomfield CD, de La Chapelle A, and Krahe R (2001):**

Expression profiling reveals fundamental biological differences in acute myeloid leukemia with isolated trisomy 8 and normal cytogenetics.

Proc Natl Acad Sci USA 98: 1124–9.

154. **Viswanathan V (2010):**

Diabetic microangiopathy.

Pediatrics ;84:642

155. **Wang Y, Beydoun MA, Liang L, Caballero B and Kumanyika SK (2008):**

Will all Americans become overweight or obese? Estimating the progression and cost of the US obesity epidemic.

Obesity; 16:2323-30.

156. **Wilson AJ, Prapavessis H, Jung ME, Cramp AG, Vascotto J, Lenhardt L, Shoemaker JK, Watson M, Robinson T and Clarson CL (2009):**

Lifestyle modification and metformin as long-term treatment options for obese adolescents: study protocol.

BMC Public Health.;9(1):434.

157. **Woodman J, Lorenc T, Harden A and Oakley A (2008):**

Social and environmental interventions to reduce childhood obesity: a systematic map of reviews. London, EPPI-Centre, Social Science Research Unit, Institute of Education, University of London.

158. **World Health Organization (2009):**

Obesity and overweight. *Annu Rev Med*;56:591

159. **Xu SQ, Tang D, Chamberlain S, Pronk G, Masiarz FR, Kaur S, Prisco M, Zanoocco–Marani T and Baserga R (1998):**

The granulin/epithelin precursor abrogates the requirement for the insulin-like growth factor 1 receptor for growth in vitro.

J Biol Chem 273:20078-83.

160. **Yang Y, Lu HL, Zhang J, Yu HY, Wang HW, Zhang MX and CianXone K (2006):**

Relationships among acylation stimulating protein, adiponectin and complement C3 in lean vs obese type 2 diabetes.

Int J Obes 30:439–46.

161. **You T and Nicklas BJ (2008):**

Effects of exercise on adipokines and the metabolic syndrome.

Curr Diab Rep 8:7–11.

162. **Youn BS, Bang SI, Klötting N, Park JW, Lee N, Oh JE, Pi KB, Lee TH, Ruschke K, Fasshauer M, Stumvoll M and Blaer M (2009):**

Serum progranulin concentrations may be associated with macrophage infiltration into omental adipose tissue.

Diabetes; 58(3):627-36.

163. **Zanocco–Marani T, Bateman A, Romano G, Valentinis B, He ZH and Baserga R (1999):**

Biological activities and signaling pathways of the granulin/epithelin precursor.

Cancer Res 59:5331-40.

164. **Zeber J (2010):**

Diabetes Control and Complications Are continuing studies of metabolic control and microvascular complications in insulin-dependent diabetes mellitus

N Engl J Med ;318:246-50.

- 165.Zhang H and Serrero G (1998):**

Inhibition of the tumorigenicity of the teratoma PC cell line by transfection with antisense cDNA for PC cell-derived growth actor (PCDGF, epithelin/granulin precursor).

Proc Natl Acad Sci USA 93:14202-7.

166. **Zhu J, Nathan C, Jin W, Sim D, Ashcroft GS, Wahl SM, Lacomis L, Erdjument-Bromage H, Tempst P, Wright CD, and Ding A (2002):**

Conversion of proepithelin to epithelins: roles of SLPI and elastase in host defense and wound repair.

Cell 111: 867–78.

167. **Ziaoddini H, Kelishadi R, Kamsari F, Mirmoghtadaee P and Poursafa P (2010):**

First nationwide survey of prevalence of weight disorders in Iranian children at school entry.

World J Pediatr. 2010 Jun 12. Epub ahead of print.