

## References

**Agrons GA, Wagner BJ and Davidson AJ (1995):** Multilocular cystic renal tumor in children. Radiographic; 15(3): 653-669.

**Anderson R, Wegner HE (1997):** Intravenous urography revisited in the age of ultrasound and CT. Urol Int; 58(4): 221-226.

**Argani P, Perlman EY and Breslow NE (2000):** Clear cell sarcoma of the kidney. Am J Surg Pathol; 24(1): 4-18.

**Aronson DC, Medary I and Finaly JL (1996):** Renal cell carcinoma in childhood. J Pediatr surg; 31(1): 183-186.

**Avner ED (1998):** Embryogenesis and anatomical development of the kidney. In : Polin RA and Fow WW (eds): Fetal and neonatal physiology. WB Saunders; 1554-1560.

**Avni EF, Nicaise N and Hull M (2001):** The role of MRI for the assessment of complicated duplex kidneys in children. Pediatr Radiol; 31: 215-223.

**Bae KT (2006):** MRI evaluation of hepatic cysts in early ADPKD. Clin J Am Soc Nephrol; 1 :64-69.

**Barth RA, Guillot AP and Capeless EL (1992):** prenatal diagnosis of ARPKD. Am J Obstet Gynecol; 166:560-561.

**Bartram U and Darge K (2005):** Harmonic Versus Conventional ultrasound imaging of the urinary tract in children. Pediatr Radiol; 35(7): 655-660.

**Becker A and Baum M (2006):** Obstructive uropathy. *Earl Hum Dev*; 82: 15-22.

**Beese RC, Bees NR and Belli AM (2000):** Renal angiography using carbon dioxide. *BJR*; 73:3-6.

**Belarmino JM and Kogan BA (2006):** Management of neonatal hydronephrosis. *Earl Hum Dev*; 82:9-14.

**Biegel JA, Tau L and Zhang F (2002):** Alterations of the hsNF5/INI1 gene in CNS atypical teratoid/ rhabdoid tumors and renal rhabdoid tumor. *Clin cancer Res*; 8(11): 3461-3467.

**Bilal M and Brown J (1997):** MR imaging of renal and adrenal masses in children. *Magn Reson Imag Clin N Am*; 5:179-197.

**Birmole BJ, Borwanker SS and Vaidya AS (1993):** Crossed renal ectopia. *J Postgrad med*; 39(3): 149-151.

**Blowey DL, Querfeld U and Geary D (1996):** Ultrasound findings in juvenile nephronophthisis. *Pediatr Nephrol*; 10: 22-24.

**Bosniak MA and Israel GM (2005):** Evaluating renal mass. *Radiology*; 236:441-450.

**Boubaker A, Prior JO and Meuwly JY (2006):** Radionuclide investigations of the urinary tract in the era of multimodality imaging. *J Nucl Med*; 47: 1819-1836.

**Bratton VS, Ellis EN and Seibert JT (1990):** Ultrasonography findings in congenital nephrotic syndrome. *Pediatr Nephrol*; 4:515-516.

**Brenner DJ and Hall EJ (2007):** Computed tomography: an increasing source of radiation exposure. *NEJM*; 357:2277-2284.

**Breslow N, Olshan A and Beckwith JB (1994):** Ethnic variation in the incidence, diagnosis, prognosis and follow up of children with Wilms' tumor. *J Natl cancer Inst*; 86(1): 49-51.

**Brisse H, couanet D and Neuerschwander S (2008):** Renal neoplasms. In: Fotter R (ed): *pediatric urology*. Springer; 431-460.

**Brosnahan GM (2002):** Relationship between renal volume growth and renal function in ADPKD: A longitudinal study. *Am J Kidney Dis*; 39 (6): 1127-1134.

**Brown SL, Elder JS and Spirnak JP (1998):** Are pediatric patients more susceptible to major renal injuries from blunt trauma? A comparative study. *J Urol*; 160:138-140.

**Buckley JC McAninch (2004):** Pediatric renal injuries: Management guidelines from 25 years experience. *J Urol*; 172:687-699.

**Casper KA, Donnelly LF and Chen B (2002):** Tuberous sclerosis complex: Renal imaging finding. *Radiology*; 225(2): 451-456.

**Chakraborty S and McHugh K (2005):** cystic diseases of the kidney in children. *Imaging*; 17:69-75.

**Chang SL and Shortliffe LD (2006):** pediatric urinary tract infections. *Pediatr clin N Am*; 53: 379-400.

**Chen JJ (2002):** The renal length nomogram: multivariable approach. *J Urol*; 168(5): 2149-2152.

**Chepuri NB, Strouse PJ and Yanik GA (2003):** CT of renal lymphoma in children. *AJR*; 180(2): 429-431.

**Christmann D, Becmeur F and Marcellin N (1990):** Mesoblastic nephroma. *Pediatr Radiol* 20 (7): 553-555.

**Chung DH (2006):** pediatric solid malignancies: Neuroblastoma and Wilms' tumor. *Surg Clin N Am*; 86(2): 331-354.

**Churg J, Bernstein J and Risdon RA (1987):** Renal disease. Classification and atlas. Igaku- Shoin; 68-76.

**Claudon M, Ben-Sira L and Lebowitz RL (1999):** Lower pole reflux in children: Uroradiologic appearances and pitfalls. *AJR*; 172:795-801.

**Cochetoux B, Vehiers M and McFadden EP (2001):** Rare variations in renal anatomy and blood supply. *Eur Radiol*; 11(5): 779-786.

**Daneman A and Alton DJ (1991):** Radiographic manifestations of renal anomalies. *Radiol Clin N Am*; 29:351-363.

**Davidson AJ, Choyke PL and Hartman DS (1995):** Renal medullary carcinoma: Radiologic findings. *Radiology*; 195(1): 83-85.

**Davis CJ, Barton JH and Sesterhenn IA (1995):** Metanephric adenoma. Clinicopathological study of fifty patients. *Am J Surg Pathol*; 19(1): 1-11.

**Deane MM, Beeson JE and john SD (2002):** U/S of renal insufficiency in neonates. *Radiographics*; 22:1429-1438.

**Dewan PA and Goh DG (1995):** Variable expression of the congenital obstructive posterior urethral membrane. *Urology*; 45:507-509.

**Dick PT, Shuckett BM and Tang B (1999):** Observer reliability in grading nephrocalcinosis on ultrasound examination in children. *Pediatr Radiol*; 29:68-72.

**Dillon MJ (1997):** The diagnosis of renovascular disease. *Pediatr Nephrol*; 11:366-372.

**Dyer RB, Chen MY and Zagoria RJ (2001):** Intravenous urography: Technique and interpretation. *Radiographics*; 21:744-824.

**Elder JS (2008):** Therapy for VUR. *Curr Urol Rep*; 9(2): 143-150.

**Emma F, Muda AO and Boldrini R (2001):** Acquired glomerulocystic kidney disease following hemolytic uremic syndrome. *Pediatr Nephrol*; 16(7): 557-560.

**Engin G, Acunas B and Tunaci M (2000):** Imaging of extrapulmonary tuberculosis. *Radiographics*; 20:471-488.

**Evan AP, Coe FK and Lingeman JE (2005):** Insights on the pathology of kidney stone formation. *Urol Res*; 33: 383-389.

**Fernbach SK, Feinstein KA and Schmidt MB (2000):** Pediatric VCUG : A pictorial guide. *Radiographics*; 20:155-168.

**Fleischman D (2003):** Multiple detector CT angiography of the renal and mesenteric vessels. *Eur J Radiol*; 45:579-587.

**Franz M (1999):** Common errors in diagnosis and management of UTI. *Nephrol Dial Transpl*; 14: 2746-2753.

**Furtwaengler R, Reihard H and Leuschner I (2006):** Mesoblastic nephroma. *Cancer*; 106(10): 2275-2283.

**Gershen RS, Brody AS and Duffy LC (1994):** Prognostic value of sonography in childhood nephrotic syndrome. *Pediatr Nephrol*; 8:76-78.

**Glass RB, Davidson AJ and Fernbach SK (1991):** Clear cell sarcoma of the kidney: CT, sonographic and pathologic correlation. *Radiology*; 180(3): 715-717.

**Glassberg KI, Braren V and Duckett JW (1984):** Suggested terminology for duplex system, ectopic ureters and ureteroceles. *J Urol*; 150:1153-1154.

**Glockner JF and Vrtiska TJ (2007):** Renal MRI and CT: Current concepts. *Abdom Imaging*; 32(3): 407-420.

**Grantham JJ (2008):** Autosomal dominant polycystic kidney disease. *NEJM*; 359: 1477-1485.

**Grundy PE, Green DM and Coppes MJ (2002):** Renal tumors in: Pizzo PA and Poplack DG (eds): *Principles and practice of pediatric oncology*. Lippincot; 865-893.

**Han TI, Kim M and Yoon HK (2001):** Rhabdoid tumor of the kidney. *Histopathology*; 28(4): 333-340.

**Hildbrandet F (1997):** Nephronophthisis. In: Barrat MT, Avner ED and Harman NE (eds): *Pediatric nephrology*. Lippincot; 453-458.

**Hildbrandet F and Otto F (2005):** A unifying pathogenetic concept for cystic kidney disease. *Nat Rev Genet* ; 6: 928-940.

**Hildebrandt F and Zhou W (2007):** Nephronophthisis-Associated Ciliopathies. *J Am Soc Nephrol*; 18: 1855-1871.

**Hiraoka M, Hashimoto G and Hori C (1997):** Use of US In the detection of ureteric reflux in children suspected of having UTI. *J Clin Ultrasound*; 25: 195-199.

**Hiraoka M, Hori C and Tsuchida S (1996):** Ultrasonographic findings of acute tubulointerstitial nephritis. *Am J Nephrol*; 16: 154-158.

**Hogg RJ (1990):** Acquired cystic disease in children, *Pediatr Nephrol*; 6: 176-178.

**Honda A, Shima M and Onoe S (2000):** Botryoid Wilms' tumor: case report and review of liter ature. *Pediatr Nephrol* 14(1): 59-61.

**Hoppe B, Milliner D and Leuman E (2007):** Urolithiasis and nephrocalcinosis in childhood. In: Gearry D and Schaefer F (eds): *comprehensive pediatric nephrology*. Elsevier.

**Hoyer PF (1996):** Renal cysts. In: Hoffman and Deeg KH (eds): *Pediatric ultrasonography*. Theime; 18-29.

**Hricik DE, Chung-Park M and Sedar JR (1998):** Glomerulonephritis. *NEJM*; 339:888-899.

**Ilica AT, Kocaoglu M and Bulkbası N (2008):** Prolapsing ectopic ureterocele presenting as vulval mass in a newborn girl. *Diagn Interv Radiol*; 14:33-34.

**Indolfi P, Terenziani M and Casale F (2003):** Renal cell carcinoma in children. *J Clin Oncol*; 41(10): 1757-1763.

**Ismaili K, Avni FE and Piepz A (2006):** VUR in children. EAU Update Series; 4: 129-140.

**Jodal U and Lindberg U (1999):** Guidelines for management of children with UTI and VUR. Acta Paediatr; 431:87-89.

**Karlowicz MG (1998):** What are the possible causes of neonatal nephrocalcinosis. Semin Nephrol (US); 18: 364-367.

**Karlowicz MG and Adelman RD (1995):** Renal calcification in the first year of life. Pediatr clin N Am; 42:1397-1413.

**Kelleher CL (2004):** Characteristics of hypertension in young adults with ADPKD compared with general US population. Am J Hypertension; 17: 1029-1034.

**Kelner M, Droulle P and Didier F (2003):** The vascular ring sign in mesoblastic nephroma. Pediatr Radiol; 33 (2): 123-128.

**Kenda RB (2001):** Imaging techniques for the detection of vesicoureteric reflux. Nephrol Dial Transpl; 16:4-7.

**Kher KK, Schnaper HW and Makker SP (2008):** Clinical pediatric nephrology. 2<sup>nd</sup> ed. Informa healthcare; 96-118.

**Kuan JK, Wright JL Nathens AB (2006):** AAST organ injury scale for kidney injuries predicts nephrectomy, dialysis and death in patients with blunt and penetrating injuries. J Trauma; 60:351-356.

**Kuhn JP (2004):** Pediatric diagnostic imaging. 10<sup>th</sup> ed. Mosby;318-460.

**La Garza OT, Uresti J and Urrutia E (2009):** Anatomical study of the horse shoe kidney. Int J Morphol; 27 (2): 491-494.

**Lagomarsino E, Orellana P and Munoz J (2004):** Captopril scintigraphy in the study of arterial hypertension in pediatrics. *Pediatr Nephrol*; 19:66-70.

**Laufer J and Boichis H (1989):** Urolithiasis in children: Current medical management. *Pediatr Nephrol*; 3: 317-331.

**Lebowitz RL (1992):** The detection and characterization of VUR in the children. *J Urol*; 148: 1640-1642.

**Levin TL, Han B and Little BP (2007):** congenital anomalies of the male urethra. *Pediatr Radiol*; 37(9): 851-862.

**Levine E (1992):** Renal cell carcinoma in uremic acquired renal cystic disease. *Urol Radiol*; 13: 203-210.

**Linebarger JS and Roy ML (2007):** Common nuclear medicine studies in pediatrics. *Pediatr Rev*; 28(11): 415-417.

**Lonergan GJ, Rice RR and Saurez ES (2000):** ARPKD: Radiologic pathologic correlation. *Radiographics*; 20:837-855.

**McCallum TJ, Milunsky JM and Munarriz R (2001):** Unilateral renal agenesis associated with congenital bilateral absence of vas deferens. *Hum Reprod*; 16(2): 282-288.

**McHugh K (2007):** Renal and adrenal tumors in children. *Cancer Imaging*; 7:41-51.

**McHugh K, stringer D and Hebert D (1991):** Simple renal cyst in children. *Radiology*; 178: 383-385.

**Mckay CP (2010):** Renal stone disease, *Pediatr Rev*; 31 (5): 179-186.

**Mizzi A and Moss J (2005):** Renovascular hypertension. Imaging; 17:44-52.

**Moore KL and Persaud TVN (1998):** The developing human. Clinically oriented embryology, 6<sup>th</sup> ed. Saunders; 380-384.

**N 'Guessen G, Stephen FD and Pick J (1984):** Congenital superior ectopic (thoracic) kidney. Urology; 24:219-228.

**Navarro O, Conolly B and Taylor G (1999):** Metanephric adenoma of the kidney. Pediatr Radiol; 29 (2): 100-103.

**Navoy JF, Royal SA Vaid YN (1995):** Wilms' tumor: unusual manifestations. Pediatr Radiol; 25:576-86.

**Nayir A, Kadioglu A and Sirin A (1995):** Causes of increased medullary echogenicity in children. Pediatr Nephrol; 9: 729-733.

**Nelson TR, Downey DB and Pretorius DH (1999):** Three dimensional ultrasound. Lippincott; 111-127.

**Ng YY, Healy JC and Vincen JM (1994):** The radiology of non-Hodgkin lymphoma in childhood. Clin Radiol; 49(9): 594-600.

**NICE clinical guidelines (2008):** Urinary tract infection in children: diagnosis, treatment and long-term management.

**Noroozian M, Cohan RH and Caoili EM (2004):** Multi slice CT urography: state of the art. BJR; 77:574-86.

**Orejas G and Malaga S (1996):** Multicystic dysplastic kidney: Absence of complications in patients treated conservatively. Child Nephrol Urol; 12: 35-39.

**O'Rilley PH (2003):** Standardization of the renogram technique for investigating the dilated upper urinary tract. *BJU*; 91:239-243.

**Ozsarlac O and Parizel PM (2004):** Role of MR angiography in the evaluation of renovascular hypertension. *JBR- BTR*; 87(1): 36-42.

**Palmer LS (2006):** Pediatric urologic imaging. *Urol Clin N Am*; 33:409-423.

**Paltiel HJ (2007):** Sonography of pediatric renal tumors. *Ultras clin N Am*; 2(1): 84-99.

**Park JW (2007):** Ectopic Kidney associated with malrotation and dual arterial supply. *Kor J Nephrol*; 26:107-110.

**Perlman EJ (2005):** Pediatric renal tumors: practical updates for the pathologist. *Ped Dev Pathol*; 8: 320-338.

**Piepsz A and Ham HR (2006):** Pediatric application of renal nuclear medicine. *Semin Nucl Med*; 36:16-35.

**Prasad SR, Dalrymple NC and Surabhi VR (2008):** Cross sectional imaging evaluation of renal masses. *Radiol Clin N Am*; 46(1): 95-111.

**Reiner I, Donell S and Jones M (1992):** Percutaneous Sclerotherapy for simple renal cysts in children. *BJR*; 65:281-282.

**Rengen P, Bellah R and Hellinger JC (2010):** Pediatric urologic advanced imaging. *Urol Clin N Am*; 37:307-318.

**Riccabona M and Ring E (2008):** Cystic renal diseases. In: Fötter R (ed): *Pediatric urology*. Springer; 193-210.

**Riccabona M, Avni F and Blickman J (2006):** Suggestions for guidelines in pediatric urology. Proceedings of ESUR meeting September 2006. Cairo.

**Richards JR, Knopf NA and Wang L (2002):** Blunt abdominal trauma in children: evaluation with emergency ultrasound. Radiology; 222:749-754.

**Rosslegh MA (2001):** Renal cortical scintigraphy and diuresis renography in infant and children. J Nucl Med; 42:91-95.

**Roth CG, Spottswood SE and Roth KS (2003):** Evaluation of the hypertensive infant. Radiol clin N Am; 41:931-944.

**Roth JA and Diamand DA (2001):** prenatal hydronephrosis. Curr Opin Pediatr; 13: 138-141.

**Sadowski RH and Falkner B (1996):** Hypertension in pediatric patients. Am J kidney Dis; 27:305-315.

**Saunier S and Salomon R (2005):** Nephronophthisis. Curr Op Genet Dev; 15(3): 324-331.

**Scott RH, Stiller CA and Walker L (2006):** Syndromes and constitutional chromosomal abnormalities associated with Wilms' tumor. J Med Genet; 43(4): 705-715.

**Shulkin BL, Mandell GA and Cooper JA (2008):** Procedure guideline for diuretic renography in children. J Nucl Med Techn; 36(3): 162-169.

**Smellie JM (1995):** The intravenous urogram in the detection and evaluation of renal damage following urinary tract infection. *Pediatr Nephrol*; 9(2): 213-219.

**Soulez G, Oliva VL and Turpin S (2000):** Imaging of renovascular hypertension. *Radiographics*; 20:1355-1368.

**Stapelton FB (1996):** Clinical approach to children with urolithiasis. *Semin Nephrol*; 3: 116-124.

**Stevens P (2007):** Assessment of patients presenting with acute renal failure. *Medicine*; 35(8):429-433.

**Stuhlfaut JW, Anderson SW and Soto JA (2007):** Blunt abdominal trauma: Current imaging techniques and CT findings. *Semin Ultrasound CT MRI*; 28:115-129.

**Sty JR and Pan CG (2006):** Genitourinary imaging techniques. *Pediatr Clin N Am*; 53:339-361.

**Swartz MA, Karth J and Schneider DT (2002):** Renal Medullary carcinom. *Urology*; 60(6): 1083-1089.

**Taylor AT, Fletcher JW and Nally JV (1998):** Procedure for diagnosis of renovascular hypertension. *J Nucl Med*; 39:1297-1302.

**Thomson AS, Dabhoiwala NF and Verbeek FJ (1994):** The functional anatomy of the ureterovesical junction. *BJU*; 73:284-291.

**Traubici J and Daneman A (2005):** High resolution renal sonography in children with ARPKD. *AJR*; 184:1630-1633.

**Tseng MH, Lin WJ and Lo WT (2007):** Does a normal DMSA obviate the performance of VCUG in evaluation of young children after their first UTI?. *J Pediatr*; 150: 96-99.

**Tullus K, Brennan E and Hamilton G (2008):** Renovascular hypertension in children. *The lancet*; 371 (9622): 1453-1463.

**Valtuille RG, Abascal F and Cerezal L (2006):** Magnetic resonance urography: a pictorial overview. *BJR*; 79: 614-626.

**Vanderwerff B and Winter TC (2007):** Renal failure. In: Sanders RC and Winter TC (eds): *clinical sonography*. Lippincot. 4<sup>th</sup> ed.; 162-176.

**Vazquez JL, Barnewolt CE and Shamberger RC (1998):** Ossifying renal tumor of infancy. *Pediatr Radiol*; 28(6): 454-457.

**Vergani P, Ceruti P and Locatelli (1994):** Accuracy of prenatal U/S diagnosis of duplex kidney. *J Ultras Med*; 18: 463-467.

**Verkoelen CF, Boom BG and Hontsmuller AB (1998):** Increased calcium oxalate monohydrate crystal binding to injured renal tubular epithelial cells. *Am J Physiol*; 274:954-965.

**Vujanic GM, Sandstedt B and Harms D (2001):** Rhabdoid tumor of the kidney: imaging finding. *Pediatr Radiol*; 31(4): 233-237.

**Weinberger E, Rosenbaum DM and Pendergrass DW (1990):** Renal involvement in children with lymphoma. *AJR*; 155(2): 347-349.

**Woolf AS (1997):** The kidney: embryology. In Barrat MT, Avner ED and Harman NE (eds): *Pediatric nephrology*. Lippincot; 453-458.

**Yamazaki Y, Yago R and Toma H (2001):** Sonographic characteristics of the urinary tract in healthy neonates. J Urol; 166(3): 1054-1057.

**Yoshitaka D and Sakamoto A (2009):** Thoracic Kidney. NEJM; 361(17): e35.

**Zamir G, Sakran W and Horowitz Y (2004):** UTI: is there a need for routine renal U/S?. Arch Dis Child; 89:466-468.