

REFERENCES

REFERENCES

A

Adoo-Yobo E., Chisaka N., Hassan M., et al. (2004): Oral amoxicillin versus injectable penicillin for severe pneumonia in children aged 3 to 59 months: a randomized multi-center equivalency study. *Lancet*; 364:1141-1148.

Akhondzadeh S., Mohammad M. and Khdemi M. (2004): Zinc sulphate as an adjunct to methylphenidate for the treatment of attention deficit hyperactivity disorder in children: A double blind and randomized trial. *BMC Psychiatry*; 4:9.

Alberta Clinical Practice Guidelines Steering Committee (2002): Guideline for the diagnosis and management of community acquired pneumonia: pediatric .

Albert R.K., Spro S.G., Jett J.R. (2004): Clinical respiratory medicine 2nd edition: pp266.

American Academy of Pediatrics (Committee on Infectious Diseases) (2000): Prevention of pneumococcal infections. *Pediatrics Vol. 106 No. 2*. pp362-366.

American Academy of Pediatrics (2009): Pneumococcal infection. Red book (2009): Report of the committee on infectious diseases, 28th ed, Pickering, LK (Ed), *American Academy of Pediatrics, Elk Grove Village, IL 2009 P524*.

Asher M.I., Leversha A.M. (1998): Lung abscess. In: Chernick V, Boat TF, Kendig EL (ed) *Kendig's Disorders of the Respiratory Tract in Children*. (6th ed) Philadelphia. WB Saunders Co, pp522-560.

Arnold J.C., Singh K.K., Spector S.A., Swayer M.H. (2006): Human Bocavirus. Prevalence and clinical spectrum at children's hospital. *Clin Infect Dis*; 43:283-8.

B

Bachur R., Perry H., Herper M.B., (1999): occult pneumonia; empiric chest radiographs in febrile children with leukocytosis. *Ann Emerg Med* 33:pp166-173.

Bahl, R., Bhandari, N., Hambidge, K.M. & Bhan, M. K. (1998): plasma zinc as a predictor of diarrhea and respiratory morbidity in children in an urban slum setting. *Am.J.Clin. Nutr*, 68 (suppl.2):414S-417S.

Baqui A.H., Black R.E., El Arifeen, et al. (2002): Effect of zinc supplementation started during diarrhea on morbidity and mortality in Bangladeshi children: community randomized trial. *BMJ*,;35:1059-65.

Bartlett J.G., Dowell S.F., Mandell L.A. (2000): Practice guidelines for the management of community-acquired pneumonia in adults: Infectious Diseases Society of America. *Clin Infect Dis* 31:pp 347-382.

Beck F.W., Prasad A.S., Kaplan J., Fitzgerald J.T., Brewer G.J. (1997): Changes in cytokine production and T cell subpopulations in experimentally induced zinc-deficient humans. *Am J Physiology*,; 272:E1002-1007.

Bhandari N., Bhal R., Taneja S., et al (2002): Effect of routine zinc supplementation on pneumonia in children in aged 6 months to 3 years: randomized controlled trial in an urban slum. *BMJ*; 324:1358.

Bhutta Z.A., Black R.E., Brown K.H., et al (1999): Prevention of diarrhea and pneumonia by zinc supplementation in children in developing countries: pooled analysis of randomized controlled trials. Zinc Investigators' Collaborative Group. *J pediatr*; 135: 689-697 .

Bhandari N., Bahl R., Taneja S. et al (2002): Routine zinc supplementation prevents pneumonia in children 6 to 3 years of age: a randomized controlled trial in an urban slum. *BMJ*, ; 324: 1358- 1360.

Bhaskaram P. (2001): Immunobiology of mild micronutrient deficiencies. *Br J Nutr*,; 85 (Suppl 2): S75- S80.

Bhatnagar ,S. & Taneja S. (2001): Zinc and cognitive development. *Br. J. Nutr.*, 85: S139- S145.

Bhatnagar ,S. & U.M. Natchu, (2004): Zinc in child health and disease. *Indian J. Pediatr.*, 71:991-5.

Bhutta Z.A., Black R.E., Brown K.H., Gardner J.M., Gore S., Hidayat A., et al. (1999):Prevention of diarrhea and pneumonia by zinc supplementation in children in developing countries : pooled analysis of randomized controlled trials. Zinc Investigators' Collaborative Group. *J pediatr*; 135: 689- 697.

Bhutta Z.A., Black R.E., Brown K.H., Gardner J.M., Gore S., Hidayat A., et al (2000) :Therapeutic effect of oral zinc in acute and persistent diarrhea in children in developing countries: pooled analysis of randomized controlled trials. *Am J Clin Nutr* ; 72: 1516- 1522.

Bhutta Z.A., Dewraj H.L. (2004): the role of zinc in child health in developing countries:Taking the science where it matters. *Indian pediatrics*: 41: 429- 433.

Black R.E., Morris S.S., Bryce J. (2003): Where and why are 10 million children dying every year ? *Lancet*; 361: 2226- 2234.

Black R.E., (1998): Therapeutic and preventive effects of zinc on serious childhood infectious diseases in developing countries. *Am J Clin Nutr*: 68:476S-479S.

Black R.E., (2003):Zinc deficiency, infectious disease and mortality in the developing world . *J Nutr.*; 133:1485S- 1489S.

Bobat R., Coovadia H., Stephen C., Naidoo K.L., Mckerrow N., Black R.E., Moss W.J., (2005): Safety and efficacy of zinc supplementation for children with HIV-1 infection in South Africa: a randomized double-blind placebo-controlled trial . *The Lancet*, volume 366, pp 1862- 1867.

Bose A., Coles C.L., Gunavathi, et al (2006): Efficacy of zinc in the treatment of additional studies in representative populations. Severe pneumonia in hospitalized children 2 y old .*Am J Clin Nutr*;83:1089-96.

- Bradely J.S. (2002):**Management of community-acquired pediatric pneumonia in an era of increasing antibiotic resistance and conjugate vaccine. *Pediatr infect Dis J*;21:592-8, 613-4.
- Bradely J.S. Rguedas A., Blumer J.L.,et al (2007):** Comparative study of levofloxacin in the treatment of children with community acquired pneumonia.*The pediatric infectious Disease Journal. Volume 26,No10:pp868-878.*
- Bridges C.B., Kuehnert M.J., Hall C.B., (2003):** Transmission of influenza:implications of control in health care settings. *Clin infect Dis* 37:pp 1094-1101.
- British Thoracic Society (2002):** Guidelines for the management of community acquired pneumonia in childhood. *Thorax*,2002;57(suppl1): 1-24.
- Brooks W.A., Yunus M., Santosham M., et al. (2004):** Zinc for severe pneumonia in very young children: double-blind placebo –cotrolled trial . *Lancet* ;363: 1683-16688.
- Brooks W.A., Santosham M., Naheed A., et al . (2005):** Effect of weekly zinc supplements on incidence of pneumonia and diarrhea in children younger than 2 years in an urban , low-income population in Bangladeh: randomized controlled trial . *Lancet* ;366:999-1010.
- Brooks W.A., Yunus M., Santosham M., Wahed M.A., Nahar K., Yeasmin S. et al (2004):**Zinc for severe pneumonia in very young children : double-blind placebo-controlled trial .*Lancet*,; 363(9422): 1683-1688.
- Brown N., Roberts C. (2004):** Vitamin A for acute respiratory infection in developing countries: a meta-analysis. *Acta pediatr*; 93: 1437-1142.
- Brown K. H., Peerson J. M., Allen L. H. (1998):**Effect of zinc supplementation on children's growth: a meta-analysis of intervention trials. *Bibl. Nutr. Diet.*; 54:76-83.
- Brown K.H., (1998):** Effect of infections on plasma zinc concentration and implications for zinc status assessment in low-income countries .*Am J Clin Nutr* 1998;68(suppl):425S-9S.

Brown K.H., Peerson J.M., Rivera J., Allen L.H. (2002):Effect of supplemental zinc on the growth and serum zinc concentrations of prepubertal children: a meta analysis of randomized controlled trials. *Am J Clin Nutr*; 75:1062-71.

C

Caballero B (2004): Global patterns of child health :the role of nutrition: *Ann Nutr Metab. Vol. 46.(suppl.1): 3-7.*

Campbell H., Bybass P., Lamont A.C. (1989): Assessment of clinical criteria for identification of severe acute lower respiratory tract infections in children . *Lancet 1 : pp 297-299.*

Cappor M.R., Nair D., Aggarwal P., Gupta B.(2006):Rapid diagnosis of community aquired pneumonia using the Bac T/Alert 3D system. *The Brazailian Journal of Infectious Diseases,; 10(5):352-356.*

Cardenosa Cendrero J.A., Sole-Violan J., Borders Benitez A. (1999): Role of different routes of tracheal colonization in the development of pneumonia in patient receiving mechanical ventilation . *Chest 116: pp 462-470.*

Chandra R.K. (1991): Nutrition and immunity : Lessons from the past and new insights into the future.*Am J Clin Nutr;53:1087-101.*

Chien S.M., Pichotta P., Siepman N., Chan C.K. (1993): Treatment of community-acquired pneumonia . A multicenter, double-blind, ramdomized study comparing clarithromycin with erythromycin. *Chest ;103:697-701.*

Choi S.H., Park E.Y., Jung H.L., Shim J.w.(2006): Serum Vascular Endothelial Growth factor in pediatric patients with community-aquired pneumonia and pleural effusion . *The Korean Academy of Medical Science. Vol.21,issue 4;pp: 608-613.*

Cincinnati children's hospital Medical center Health Policy and clinical Effectiveness Programe (2004):Evidence based clinical practice

guideline. Community acquired pneumonia in children 60 days to 17 years of age .

Claesson B.A., Trollfors B., Brolin I., et al (1989): Etiology of community acquired pneumonia in children based on antibody response to bacteria and viral antigens . *Pediatr Infect Dis J*; 8:856-62.

Clements H., Stephenson T., Gabriel V., et al (2000): Rationalised prescribing for community acquired pneumonia : a closed loop audit. *Arch Dis Child* ; 83:320-4.

Committee on Infectious Diseases (2002): American Academy of pediatrics. Reduction of influenza burden in children . *pediatrics* 110: 1246-52 .

Cowgill K., Ndiritu M., Nyiro J., et al (2006): Effectiveness of Haemophilus influenzae type B conjugate vaccine introduction into routine childhood immunization in Kenya . *JAMA*; 296: 671-8.

Craig W.A. (1998): Pharmacokinetic/ pharmacodynamic parameters : Rationale for antibacteria dosing of mice and men . *Clin Infect Dis* ;26:1-12.

Cousins R.J., Ziegler E.E., Filer L.J., (1996): eds. Present knowledge in nutrition . 7th Ed. Washington, DC :ILSI Press;;293-306.

Coban C., Ishii K.J., Kawai T., et al (2005): Toll-like receptor 9 mediates innate immune activation by the malaria pigment hemozoin . *J Exp Med*: 201:19-25.

D

Desrosiers T. & Clydesdale F.(1989): Effectiveness of organic chelators in solubilizing calcium and zinc in fortified cereals undersimulated Gastrointestinal PH conditions . *J food process pres*;13:307-319.

Donangelo C.M., Woodhouse L.R., King S.M., Viteri F.E., King J.C.(2002): Supplemental zinc lower measures of iron status in young women with low iron reserves. *J Nutr*;132:1860-4.

Drummond P., Clark J., Wheeler J., Galloway A., Freeman R., Cant A., (2000):Community aquired pneumonia : Aprospective UK study . *Arch Dis Child* ;83: 408-412.

D'Souza R.M., D'Souza R. (2002):Vitamin A for the treatment of children with measles a systemic review. *J Trop pediatr* 48:323-327.

Dunbar L.M., Wunderink R.G., Habib M.P(2003): High dose, short course levofloxacin for community aquired pneumonia : a new treatment paradigm. *Clin Infect Dis* 37:pp752-760.

E

Emanuel B., Shulman S.T., (1995):Lung abscess in infants and children . *Clin pediatr* 34(1):pp 2-6.

Enarson P M, Enarson D A, Gie R. (2005): Management of pneumonia in the child 2 to 59 months of age. *INT J Tuberc Lung Dis* 9(9):959-963.

Esposito S., (2001): Treatment of lower respiratory tract infections in Italy : the role of outpatient parenteral antibiotic therapy . *Chemotherapy* 47: pp33-40.

Esposito S., Bosis S., Cavagna R. (2002): Characteristics of Streptococcus pneumonia and atypical bacterial infections in children 2.5 years of age with community aquired pneumonia . *Clin infect Dis* 35:pp1345-1352.

Esposito S., Bosis S., Colombo R. (2004):Evaluation of rapid assay for detection of Streptococcus pneumoniae urinary antigen among infant and young children with possible invasive pneumococcal disease .*pediatr Infect Dis J* 23:pp 365- 367.

Esposito S., Blasi F., Bellini F., Allegra L., Principi N. (2001): Mycoplasma pneumoniae Chlamydia pneumoniae infections in children with pneumonia. Mowgli Study Group. *Eur Respir J* 17:241-245.

Esposito S., Lizioli A., Lastrico A., Begliatti E., Rognoni A., Talgiabue C., Cesati L., Carreri V., and Principi N. (2007):Impact on respiratory

tract infections of heptavalent pneumococcal conjugate vaccine administered at 3, 5 and 11 months of age .*Respir Resp; Vol.8(1):12.*

Eriksen H.M., Iverson B.G., Aavitsland P. (2004):prevalence of nosocomial infections and use of antibiotics in long term care facilities in Norway ,2002 and 2003. *J Hosp Infect* 57:316-20.

Expert Group on Vitamins and Minerals (EVM)(2002):Revised review of zinc /99/18.

F

Ferenci P. (2004):Review article :diagnosis and current therapy of Wilson's disease. *Aliment Pharmacol Ther; 19(2):157-165.*

Fontaine O. (2001):Effect of zinc supplementation on clinical course of acute diarrhea. *J Health Popul Nutr; 19(4):338-3460.*

Food and Nutrition Board & Institute of Medicine (FNB/IOM)(2002): Dietary reference intakes of Vitamin, Vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc. Washington , DC, National Academy Press.

Fortes C., Forastiere F., Agabiti N., Fano V., Pacific R., Virgili F., et al (1998): The effect of zinc and vitamin A supplementation on immune response in an older population . *J Am Geriatr Soc; 46 :19-26.*

Freij B.J., Kusmiesz H., Nelson J.D., (1984): Parapneumonic effusions and empyema in hospitalized children: a retrospective review of 227 cases . *Pediatr Infect Dis 3:pp 578-591.*

Fraker, P.J., King, L.E., Laakko, T. & Vollmer, T.L. (2000): The dynamic link between the integrity of the immune system and zinc status . *J. Nutr. 130 (suppl.5S): 1399S-1406S.*

Fry A.M., et al (2006) : Human bocavirus infection . *J. Infect Dis.2006;195:1038-1045.*

G

Gaston B. (2002): pneumonia . *pediatr Rev*;23:132-40.

Gentile G., Micoz A., Girmenia C., (1993): Pneumonia in allogenic and autologous bone marrow recipients: a retrospective study . *Chest* 104: pp371-375.

Gibson R.S., Yeudall F., Drost N., Mtitimuni B., and Cullinan T. (1998): Dietary interventions to prevent zinc deficiency. *Am J Clin Nutr* ; 68 (suppl):484S-7S.

Gillet Y., Vanhems P., Lina G., Bes M., Vandeesch F., et al (2007): Factors predicting mortality in necrotizing community acquired pneumonia caused by *S. aureus* containing Panton-Valentine Leucocidin. *CID*:45:PP315-321.

Golledge C.I., (1997): Community acquired pneumonia . Current therapeutics June :19-27.

Gove S. (1997): Integrated management of childhood illness by outpatient health workers: technical basis and overview. The WHO Working Group on Guidelines for Integrated Management of the Sick Child . *Bull World Health Organ*; 75:suppl 1, 7-24.

Grayston, J. T., M. B. Aldous, A. Easton, S. P. Wang, C.C., Kuo, L.A. Campbell, and Altman. Evidence that *Chlamydia pneumoniae* causes pneumonia and bronchitis . *J. Infect. Dis.* 168:1231-1235.

Greenwood B.M., Weber M.W. & Mulholland K. (2007): Childhood pneumonia-preventing the world's biggest killer of children-*bulletin of the World Health Organisation* , 85(7) pp502-503.

Guckel C., Benz-Bohm G., Widemann B. (1989): Mycoplasmal pneumonias in childhood . Roentgen features, differential diagnosis and review of literature. *Pediatr Radiol* ;19:499-503.

H

Hambidge K.M.(2006): Zinc and pneumonia . *Am J Clin Nutr*; 83:991-992.

Hamhidge M.(2000): human zinc deficiency. *J Nutr*;130:1344S-1349S.

Hanson L.A., Adlerberth I., Carlsson U., et al (1990): Breast milk's attack on microbes:is it of clinical significance ? In: Atkinson SA, Hanson LA, Chandra RK, eds. Breastfeeding, nutrition, infection and infant growth in developed and emerging countries. St John's, Canada: *ARTS Biomedical Puplisher and Disributors*,:55-65.

Hardie W.D., Roberts N.E., Reising S.F., (1998): Complicated prarapneumonic effusions in children caused by penicillin-nonsusceptiple *Streptococcus pneumoniae*. *Pediatrcs* 101:pp388-392.

Hargis, L.G (1998): Analytical Chemistry ; Principles and Techniques; Prentice Hall : Englewood Cliffs, NJ; pp 451-463.

Harris J.A., Kolokathis A., Campbell M., (1998): Safety and efficacy of azithromycin in the treatment of community aquired pneumonia in children. *Pediatr Infec Dis J* 17:pp 865-871.

Hay W.W., Myron J.J. Levin, Sondheimer J.M, Deterding R.R. (2005): *Current pediatric diagnosis & treatment*. 17th edition : pp291-292, 533-544 and 1198-1199.

Hayden F.G. (2006): Respiratory viral threats. *Curr Opin Infect Dis* ; 19:169-78.

Hazir T., Fox L.M., Nisar Y.B. et al (2008): Ambulatory short course high dose oral amoxicillin for treatment of severe pneumonia in children : a randomized equivalency trial . *Lancet* 371(9606), 49-56.

Heffelfinger J.D., Dowell S.F., Jorgensen J.H., Klumgman K.P., Mabry L.R., Musher D.M., et al (2000) :Management of community aquired pneumonia in the era of pneumococcal resistance : a report from the drug resistant *Streptococcus pneumoniae* Therapeutic Working Group . *Arch Intern Med* ;160:1399-1408.

- Heikkinen T., Osterback R., Peltola V., Jartii T., and Vainionpaa R.(2008):** Human metapneumovirus infections in children. *Emerging Infectious Disease* . Volume 14, No. 1,pp 101 -106.
- Helms P., Henderson J., eds. Respiratory disorders. In: Campbell AGM, McIntosh N, (1998): eds. Forfar and Arneils textbook of pediatrics, 5th ed. London, Churchill Livingstone , 12:489-583.**
- Hess S.Y., Peerson J.M., King J., Brown K.H. (2007):** Use of serum zinc concentration as an indicator of population zinc status. *Food Nutr Bull*, 28:S403-S429.
- Hirshberg B., Sklair-Levi M., Nir-Paz R., Ben-Sira L., Krivoruk V., Kramer M.R.(1999):** Factors predicting mortality of patient with lung abscess. *Chest* , 115(3) :746-750.
- Hoffer F.A., Bloom D.A., Colin A.A., (1999):** Lung abscess versus necrotizing pneumonia : implications for interventional therapy. *Pediatr Radiol* 29: pp 87-91.
- Hussey G.D., Apolles P., Arendse Z., et al (2000):** Respiratory syncytial virus infection in children hospitalised with acute lower respiratory infection . *S Afr Med J*;90:509-12.
- Hotz C & Gibson RS (2001):** A home based method to reduce phytate content and increase zinc bioavailability in maize-based complementary diets. *In J Food Sci Nutr* ; 52:133-142.
- Hotz C., Peerson J.M., Brown K.H. (2003):** Suggested lower cutoffs of serum zinc concentrations for assessing zinc status : reanalysis of the second National Health and Nutrition Examination Survey data (1976-1980). *Am J Clin Nutr* ;78:756-764.
- Hotz C., Hess S.Y., Walker C.L., et al (2007):** Recommended indicators for the assessment of population zinc status . Results of a WHO, UNICEF, IAEA and IZiNCG Working Group Meeting. *Food Nutr Bull* , :S399-S400.
- Hsieh Y., Wu T.T., Hung C.Y., Hsieh Y.S. and Liu J.Y.(2007):** Suppression of tumorigenicity of human hepatocellular Carcinoma Cells by

Antisense oligonucleotide MZF-1. *Chinese Journal of Physiology* 50(1):9-15.

I

Igor Rudan, Cynthia Boschi Printo, Zrinca Biloglan, Kim Mulholland & Harry Campbell, (2008): Epidemiology and etiology of childhood pneumonia. *Bulletin of WHO Organization*, 86: 408-416.

Institute of Medicine (IOM) (2001); Dietary reference intakes for vitamin A, vitamin k, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc. Washington, DC: National Academy Press; pp. 442-501.

International Zinc Nutrition Consultative Group (IZiNCG) (2004): Assessment of the risk of zinc deficiency in populations and options for its control. *Food Nutr Bull*; 25(Suppl.2): S91-204.

International Zinc Nutrition Consultative Group (IZiNCG) (2007): Assessing population zinc status with serum zinc concentration. Technical brief No(2).

J

Jackson J.L., Lesho E., Peterson C. (2000): Zinc and the common cold: a meta-analysis revisited. *J Nutr*; 130(5S Suppl):1512S-1515S.

Jadavji T., Law B., Label M.H., (1997): A practical guide for the diagnosis *Journal (CMAJ)* 156:pp S703-S711.

Jeffrey S. Khan. (2007): New identification respiratory viruses. *The Pediatric Infectious Disease Journal*. Vol.26, No.8,;pp: 745-746.

Jufen T., Mertsola J., Toikka P., Virkki R., Leinonen M., Ruuskanen O. (2001): clinical profile of serologically diagnosed Pneumococcal pneumonia. *Pediatr Infect Dis J*; 20: 1028-1033.

K

Ken Brown, Juan Rivera &Cuberto Gaza, (2003): Assessment of the risk of Zinc Deficiency in populations and option for its control. Report by UN Standing Committtee on Nutrition. New York: at UN head Quarters.

Kesebir D., et al (2006): Human bocavirus infection. *J Infect Dis.*; 194:1276-1282.

Kim N.H., Lee J.A., Eun B.W., Shin S.H., et al (2007): Comparison of Polymerase Chain Reaction and the Indirect Particle Agglutination Antibody Test for the Diagnosis of Mycoplasma pneumoniae pneumonia in children during Two Outbreak. *The pediatric Infect Dis J. Vol. 26,No10,:pp897-903.*

Kliegman R.M., Behrman R.E., Jenson H.B., Stanton B.F. (2007): *Nelson textbook of pediatrics . 18th edition . pp:1795-1799.*

Korppi M., Kiekara O., Heiskanen-Kosma T. (1993): Comparison of radiological findings and microbial aetiology of childhood pneumonia . *Acta Pediatr* 82 :pp360-363.

Korppi M, Heiskanen-Kosma T., Leinonen M. (1997): White blood cells, C-reactive protien and erythrocyte sedimentation rate in pneumococcal pneumonia in children . *Eur Respir J*; 10:1125-9.

King J.C. and Keen C.L. (1999): Zinc In: Modern Nutrition in Health and Disease, 9th edition. Shils ME, Olson JA, Shike M, Ross AC, eds. Baltimore: Williams &Wilkins , pp223-239.

King J.C., Cousins R.J. Zinc. In: Shike M, Ross AC., Caballero B, Cousins RJ,(2006):eds. Modern Nutrition in Health and Disease, 10th eds. Philadelphia, PA: Lippincott, Williams & Wilkins ; 271-85

Klaus-Helge Ibs and Lothar Rink (2003): Zinc-Altered Immune Function The American Society for Nutritional Sciences. *J Nutr.*, 133:1452S-1456S.

Krebs N.F., Westcott J. E., Huffer J. W., Miller L. V(1998): Absorption of exogenous zinc and secretion of endogenous zinc in the human small intestine. *FASEB J* ; 12:A345.

Krebs, N. F. (2000): Dietary zinc and iron sources, physical growth and cognitive development of breastfed infants .*J. Nutr.*, 130:358S-360S.

Krebs N.F., Hambidge K.M. (2007):Complementary feeding : clinically relevant factors affecting timing and composition. *Am J Clin Nutr* ; 85:639S-45S.

Kumar, S.S., Awasthi, A. Jain & R.C. Srivastava, (2004): Blood zinc level in children hospitalized with severe pneumonia: a case control study. *Indian pediatr.*, 41: 486-491.

L

Labandieria-Rey M., Couzon F., et al (2007): Staphylococcus aureus Pantone-Valentine Leucocidin causes severe necrotizing pneumonia . *Scienc*; 315-1130-3.

Langley J.M., Bradely J.S., (2005): Defining pneumonia in critically ill infants and children . *pediatr Crit Care Med* .;6:S9-S13.

Lannerdal, B., (2000): Dietary factors influencing zinc absorption. *J Nutr*,130(4Suppl):p1378S-83S.

Lichenstein R., Suggs A.H., Campbell J. (2003): Pediatric pneumonia . *Emergency medicine clinics of north America*, 21(2): 437-51.

Lim W.S., Macfarlane J.T., Boswell T.C., Harrison T.G., Rose D., Leinonen M., et al (2001): Study of community acquired pneumonia aetiology (SCAPA) in adults admitted to hospital : implications for management guidelines. *Thorax*;56:296-301.

Light R.W., Girard W.M., Jenkinson S.G. (1980): Parapneumonic effusions. *Am J Med* 69:pp507-512.

Lodha R., Kabra S.K., Seth V. (2000): Recurrent/ persistent pneumonia . *Indian J pediatr*; 37:1085-1092.

M

Macfurlane J.T. and Thomson A. (2003): Pneumonia and other acute respiratory infections , In G 39- Jhon Gibson , B.Sc., M.D., FRCR. *Respiratory medicine* , 3rd editions, Saunders, London, 35:862-899.

Mahalanabis D., Lahiri M., Paul D., Gupta A., Wahed M.A. et al(2004): Randomized, double-blind, placebo-controlled clinical trial of the efficacy of treatment with zinc or vitamin A in infants and young children with acute lower respiratory infection. *Am J Clin Nutr* ; 79(3): 430-436.

Madhi S.A., Schoub B., Simmank K., Blackburn N., Klugman K.P. (2000): Increased burden of respiratory viral associated severe lower respiratory tract infections in children with human immunodeficiency virus type-1. *J Pediatr* ;137:78-84.

Madhi S.A., Klugman K.P. and the Pneumococcal Vaccine Trialist Group(2004): A role for *Streptococcus pneumoniae* in virus-associated pneumonia. *Nat Med* ;10:811-813.

Maher R., Fekry A., Abdel Fattah M.,(2006): Combined medical and low-intensity laser physiotherapy versus isolated medical treatment in infants with pneumonia , *J Arab child* , 17(2):1-7.

Mandell L.A., Bartlett J.G., Dowell S.F (2003): Update of practice guidelines for the management of community acquired pneumonia in immunocompetent adults . *Clin Infect Dis* 37:pp1405-1433.

Mandell G.L., Douglas R.G., Bennett J.E., Mandell D.R., and Bennett's (2000): principles of practice of infectious diseases. 5th ed. Philadelphia: Churchill Livingstone :2416-7.

Manning A., Russell V., Eastick K., Leaadbetter G.H., Hallam N., et al (2006): Epidemiological profile and clinical association of human Bocavirus and other human parvovirus . *J Infect Dis*; 194:1283-90.

Mason P. (2006): physiology and medicinal zinc. The pharmaceutical *Journal*. Vol. 276, pp:271-274.

- Maureen M. Black (2003):** Micronutrient Deficiencies and Cognitive functioning. *J Nutr* ,; (suppl);133:3927S-3931S.
- Mayoral C., Norona M.A., Baroni M.R., Giani R., Zalazar F. (2005):** Evaluation of a nested-PCR assay for Streptococcal pneumoniae detection in pediatric patients with community-acquired pneumonia . *Revista Argentina de Microbiology* 37:184-188
- McIntosh K. (2002):** Community-acquired pneumonia in children . *N Engl J Med* 346: pp 429-437.
- McConnell C.T. Jr, Plouffe J.F., File T.M., Muller C.F., Wong K.H., Skelton S.K., et al (1994):** Radiographic appearance of Chlamydia pneumoniae (TWAR strain) respiratory infections. CBPIS Study Group. Community-based Pneumonia Incidence Study. *Radiology*;192:819-24.
- McCracken G.H. Jr (2000):** Etiology and treatment of pneumonia. *Pediatr Infect Dis J*; 19:373-7.
- Mirialdi M., Caulfield L.E., Zavaleta N., Figuerosa A., Di Pietro J.A. (1999):** Adding zinc to prenatal iron and folate tablets improves fetal neurobehavior development . *Am J Obstetric Gynaecol*; 180:483-490.
- Mirialdi M., Caulfield L.E., Zavaleta N., Figuerosa A., Di Pietro J.A. (2004):** Randomized control trial of prenatal zinc supplementation and the development of fetal heart rate . *Am J Obstet Gynecol*; 190(4):1106-1112.
- Michael Hambidge, K, (2006):** Zinc and pneumonia . *Am. J.Clin. Nutr.*, 83:991-992.
- Michelow I.C., Olsen K., Lozano J. (2004):** Epidemiology and clinical characteristics of community-acquired pneumonia in hospitalized children . *pediatr* 113:pp 701-707.
- Minigari, M.C., Moretta, L.(1998):** Regulation of Kir expression in human T cells: a safety mechanism that may impair protective T cell responses . *Immunol. Today* 19: 153-157.

Morbidity and Mortality Weekly Report (MMRW) Interim (2007):

Recommendations for the use of Haemophilus influenza type b (Hib) conjugate vaccines related to the recall of certain lots of Hib-Containing Vaccines (PedvaxHIB® and Comvax®) 156(50); 1318-1320.

Mostert D., Steyn N.P., Temple N.J., Olwage R. (2005): Dietary intake of pregnant women and their infants in poor black South African community *Curationis*;28:12-9.

Muno E.C., Rosado J.L., Lopez P., et al (2000): Iron and zinc supplementation improves indicators of vitamin A status of Mexican preschoolers. *Am J Nutr* , 71:789-94.

N

Nagler J., Harper M.B., Fleisher G.R. (2001): Value of thoracocentesis in the diagnosis and management of infectious pleural effusions. *Pediatr Res* 51:pp 280A-281A.

Nathwani D. (2001): The management of skin and soft tissue infections : outpatient parenteral antibiotic therapy in the United Kingdom . *Chemotherapy* 47:pp17-23.

Nelson J.D. (2000): Community-acquired pneumonia in children : guidelines for treatment . *Pediatr Infect Dis J*; 19:251-3.

Neldner K.H. (2003): Acrodermatitis enteropathica and other zinc deficiency disorders. In:Fitzpatrick TB, Freedberg IM, Eisen AZ, Wolff K, Austen KF, Goldsmith LA, Katz , SI, editors. *Dermatology in general Medicine* . 6th edition. McGraw-Hill: New York; pp 1412-8.

Neumann C.G., Murphy S.P., Gewa C., Grillenberger M., Bwibo N.O. (2007):Meat supplementation improves growth , cognitive, and behavioral outcomes in Kenyan children . *J Nutr*; 137:1119-23.

Nutrition and Health (2011): Zinc Intervention strategies: Cost and Health Benefits 2011, *part 4*,189-214,Dol:10.1007/ 978-1-60761-308-4_13.

O

O'Brien B.J., Rosenfeld J.V., Elder J.E. (2000): Tension pneumo-orbitus and pneumocephalus induced by a nasal oxygen cannula : report on two pediatric cases . *J Paediatr child Health*; 36:511-514.

Ostapchuk M., Roberts D.M., and Haddy R., (2004): Community-acquired Pneumonia in Infants and Children . *American Family Physician Volume 70, Number 5, pp:899-908.*

Owayed A.F., Campbell D.M., Wang E.E., (2000): Underlying causes of recurrent pneumonia in children. *Arch Pediatr Adolesc Med* 154: pp190-194.

P

Pakistan Multicenter Amoxycillin Short Course Therapy (MASCOT) pneumonia study group(2002): Clinical efficacy of 3 days versus 5 days of oral amoxicillin for treatment of childhood pneumonia : a multi-center double-blind trial. *Lancet*; 360: 835-841.

Peter G. (1999): pneumonia. In: Burg FD, Gellis SS, Kagan BM. Gellis & Kagan's current pediatric therapy. 16th ed. Philadelphia:Saunders:pp:32-5.

Peter Va Der Krogt, (2006): Elementymology and Elements Multidict: Zinc available from URL: <http://elements.vanderkrogt.net/elem/zn.html>.

Perlas L. & Gibson R.S. (2005): Household dietary strategies to enhance the content and bioavailability of iron, zinc and calcium of selected rice and maize based Philippine complementary foods. *Maternal child Nutr*; 1:263-273.

Prasad, A.S. (2000): Effects of zinc deficiency on Th1 and Th2 cytokine shifts. *J Infect. Dis.*, 182(suppl.1): S62-S68.

Prasad A.S. (2001): Recognition of zinc-deficiency syndrome . *Nutrition*: 17(1) : 67-9.

Prasad A.S. (2003): Zinc deficiency has been Known for 40 years but ignored by global health organizations. *BMJ*; 326:409-10.

Principi N., Esposito S. (2001): Emerging role of *Mycoplasma pneumoniae* and *Chlamydia pneumoniae* in pediatric respiratory tract infections. *Lancet Infect Dis* ; 1:334-44.

Pushpa, Mohan Lohano and Mumtaz Memon, (2009): Association of Serum Zinc level with severe Pneumonia in Children. *Pakistan Journal of Nutrition* 8 (12): 1873-1876.

Pyrc K., et al (2007): The novel human coronaviruses NL63 and HKUI. *J Virology* ; 81:3051-3057.

R

Ravaglia, G., Foti , P., Maioli , F., Bastagali , L., Facchini, A., Erminia, M., Savarino, L., Sassi, S., Cucinotta, D. & Lenza, G. (2000): Effect of micronutrient status on natural killer cell immune function in healthy free-living subjects .*Am J. Clin . Nutr.*, 71:590-598.

R. Das, M. Singh, N.Gupta, N.Shafiq (2010): Role of adjuvant zinc in the treatment of severe pneumonia in children: A meta-analysis of benefits and risks. *International Journal of Infectious Diseases, Volume14 , suppl.1,March2010,pages e 335-e 478.*

Reittner P., Muller N.L., Heyneman L. (2000): *Mycoplasma pneumoniae* pneumonia: radiographic and high-resolution CT features in 28 patients. *AJR Am J Roentgenol* 174: pp37-41.

Rink , L. & Gabriel, P. (2001): Extracellular and immunological actions of zinc . *Biometals*, 14:367-383.

Rivera-Olivero I.A., Bogaert D., Bello T., Nogal B., et al, (2007): Pneumococcal carriage among Indigenous Warao Children in Venzeualela: Serotypes, Susceptibility patterns, and molecular epidemiology. *Clinical Infectious Diseases*; 45:1427-34.

Rivera, J., T. Shamah, S. Villapando, T. Gonzales de Cossio, B. Harnandez & J. Sepulveda, (2001): Encuesta Nacional de Nutritión. Estado. Mexico.

Robberstad B., Strand T., Black R.E., Somerfelt H. (2004): Cost effectiveness of zinc as an adjunct therapy for acute childhood diarrhea in developing countries . *Bull World Health Organ*; 82:523-31.

Rock M.J., (1995): The diagnostic utility of bronchoalveolar lavage in immunocompetent children with unexplained infiltrates on chest radiograph *Pediatrics* 95:pp 373-377.

Rudan I., Lawn J., Cousens S., et al (2005): Graps in policy-relevant information on burden of disease in children: A systematic review. *Lancet* ; 365: 2031-40.

S

Samman S. (2007): Zinc. In:Mann JI, Truswell AS, eds. Essentials of Human Nutrition, 3rd ed., Oxford University Press, UK; 138-42.

Samransamruajkit R., Jitchaiwat S., Wachirapaes W., Deerojanawong J., Sritippayawan S., Prapphal N. (2008): Prevalence of mycoplasma and chlamydia pneumonia in aquired pneumonia among hospitalized children . *Japan journal infectious diseases*, (61), 36-39.

Sandora T.J., Herper M.B. (2005): Pneumonia in Hospitalized Children. *Pediatric Clinics of North America. Volume 52. Number4.*

Sanstead , H.H., Penland , J.G., Alcock, N.W., Dayal, H.H., Chen X. C., Li, J. S., Zhao, F. & Yang, J. J. (1998): Effects of repletion with zinc and other micronutrients on neuropsychological performance and growth of Chinese children .*Am J. Clin. Nutr.*, 68:470S-475S.

Sazawal S., Black R., Jalla S., Mazumdar S., Sinha A., Bhan M.K. (1998): Zinc supplementation reduces the incidence of acute lower respiratory infections in infants and preschool children . A double-blind controlled trial . *Pediatrics*;102:1-5.

Sazawal S., Black R.E., Menson VP, Dinghra P, Caulfield LE, Dhingra U, et al (2001): Zinc supplementation in infants born small for gestational

age reduces mortality: a prospective, randomized controlled trial .*pediatrics*; 108:1280-6.

Schildgen O., Glatzel T., Giekowski T., Scheibner B., Matz B., Bindl L., et al (2005): Human metapneumovirus RNA in encephalitis patient. *Emerge Infect Dis*; 11:467-70.

Scholl T.O., Reilly T.M. (2000): Trace element and mineral nutrition in pregnancy. In Bogden JD, Klevay LM: "Clinical Nutrition of the Trace Elements and Minerals: The Guide for Health Professionals". Totowa, NJ: Human Press Inc, pp 115-138.

Schultz K.D., Fan L.L., Pinsky J., Ochoa L., Smith E.O., Kaplan S.L., and BrandtM.L. (2004): The Changing Face of Pleural Empyemas in Children : Epidemiology and Management . *Pediatrics Vol. 113 No. 6*; pp 1735-1740.

Schwarze J., Hamelmann E., Bradely K.L., et al (1997):Respiratory syncytial virus infection results in airway hyperresponsiveness and enhanced airway sensitization to allergen . *J Clin Invest*; 100: 226-33.

Sgambatti de Andrade A.S., Guimaraes de Andrade J, Turchi Martelli C.M., Almeida e Silva S, Mauricio de Oliveira R, Costa M.S (2004): effectiveness of Haemophilus influenzae b conjugate vaccine on childhood pneumonia : a case-control study in Brazil. *International Journal of Epidemiology . Volume 33, Number 1, pp, 173-181.*

Shah D., Sachdev H.B.S. (2001): Effect of gestational zinc deficiency on pregnancy outcomes: Summary of observation studies and zinc supplementation trials. *Br J Natur* ,;85(suppl 2): S101-S108.

Shakur, MD. Salim Shakur (2010): Zinc is crucial to fight against pneumonia. *J The Daily Star,Star Health*13-2- 2010.

Shakur, M.S., M.A. Malek, N.Bano & K.Islam, (2004):Zinc status in well nourished Bangladeshi children suffering from acute lower respiratory infection. *Indian pediatr.*, 41:478-481.

Shakur M.S., Malek M.A., Bano N., Islam K. (2004): Zinc status in well nourished Bangladeshi children suffering from acute lower respiratory infection. *Indian J Pediatr*; 41: 478-483.

Shankar A.H. and Prasad A.S. (1998): Zinc and immune function the biological basis of altered resistance to infection. *Am J Clin. Nutr.* 68 (suppl.2): 447S-463S.

Shankar A.H., Genton B., Baisor M., Paino J., Tamja S., Adiguma T., et al (2000): The influence of zinc supplementation on morbidity due to New Guinea. *Am J Trop Med Hyg.*; 62: 663-669.

Shrimpton R., Gross R., Darnton-Hill I., Young M. (2005): Zinc deficiency: what are the most appropriate interventions ? *BMJ Volume 330*; pp347-349.

Simon A., Khurana K., Wilkesamnn A., Muller A., et al (2006): Nosocomial respiratory syncytial virus infection: Impact of prospective surveillance and targeted infection control. *Int J Hyg Environ Health*; 35:99-102.

Simoës E.A. (1999): Respiratory syncytial virus infection. *Lancet*; 354(9181):847-52.

Singh M. (2004): Role of micronutrients for physical growth and mental development . *Indian J Pediatr*, 71(1):59-62.

Solomons, N W. (2001): Dietary sources of zinc and factors affecting its bioavailability. *Food Nutr. Bull.*, 22:138-154.

Stockes D.C. (1999): Resoiratory infections in immunocompromised hosts. In: *Pediatric Respiratory Medicine*. Eds. Taussing LM, Landau LI. St. Louis C.V. Mosby ; pp 664-681.

Subramaniam R., Joseph V.T., Tan G.M(2001):Experience with video-assisted thoracoscopic surgery in the management of complicated pneumonia in children. *J Pediatr Surg* 36:pp 316-319.

Sur D., Gupta D.N., Mondal S.K., Ghosh S., Manna B., Rajendran K., et al (2003): Impact of zinc supplementation on diarrheal morbidity and growth pattern of low birth weight infants in kolkata, India: a randomized double-blind, placebo-controlled, community based study. *Pediatrics*; 112:1327-32.

T

Temple V.J., Masta A. (2004): Zinc in human health. *P N G Med J.*; 47 (3-4):146-58.

Thomas J. Sandora, Marvin B. Harper, (2005): Pneumonia in Hospitalized Children. *Pediatric Clinics of North America. Volume 52 Number 4.*

Tice A.D., Reham S.J., Dalovisio J.R. (2004): Practice guidelines for outpatient parenteral antimicrobial therapy :IDSA guidelines. *Clin Infect Dis* 38:pp 1651-1672.

Tor Strand, A. & Maria Mathisen, (2005): Zinc and childhood infection: From laboratory to new treatment recommendation. *Norsk Epidemiology*, 15: 151-157.

Tudor R., Zalewski P.D., Ratnaike R.N. (2005): Zinc in health and chronic disease. *J Nutr Health Aging*; 9(1):45-51.

U

Ugwuja, E.I., K.O. Nwosu, N.C. Ugwu & M. Okonji, (2007): Serum zinc and copper levels in malnourished pre-school age children in Jos, North Central Nigeria. *Pak. J. Nutr.*, 6:349-354.

Ulka R., Onen A., Onat S. (2004): Intrapleural fibrinolytic treatment of multiloculated pediatric empyemas. *Pediatr Surg Int* 20:pp 520-524.

United Nations Children's Fund (UNICEF)/ World Health Organisation (WHO) report (2006): Pneumonia: The forgotten killer of children .pp10.

Utine G.E., Ozcelik U., Yalcin E., Dogru D., Kiper N., Aslan A., and Kanra G. (2005): Childhood Paraneumonic Effusions. Biochemical and Inflammatory Markers. *Chest*; 128: 1436-1441.

V

Valdes L., Alvarez D., Valle J.M. (1996): The etiology of pleural effusions in an area with high incidence of tuberculosis . *Chest* 109: pp 158-162.

Vandenesch F., Naimi T., Enright M.C., et al (2003):Community-acquired methicillin-resistant *S.aureus* .

Van den Hoogen B.G., Osterhaus A.D., Fouchier R.A.(2004): Clinical impact and diagnosis of human metapneumovirus infection. *Pediatr Infect Dis J*; 23:S25-32.

Vervloet L.A., Marguet C. and Camargos P.A. (2007): Infection by *Mycoplasma pneumoniae* and its Importance as an Etiological Agent in Childhood Community-acquired Pneumonias. *The Brazilian Journal of Infectious Diseases* ; 11(5): 507-514.

Velie EM, Block G, Shaw GM, Samuels GJ, Scheffer DM, Kulldof M (1999): Maternal supplemental and dietary zinc intake and the occurrence of neural tube defects in California. *Am J Epidemiol*; 150: 605-16.

Vergis E.N., Indorf A., File T.M., Phillips J., Bates J., et al (2000): Azithromycin vs cefuroxime plus erythromycin for empirical treatment of community-acquired pneumonia in hospitalized patients :a prospective randomized multicenter trial. *Arch Intern* ; 160: 1294-300.

Vicente D., Cilla G., Montes M., Perez-Trallero E. (2007): Human Bocavirus; A respiratory and enteric virus. *Emerge Infect Dis*;13;636-7.

Volz S., Schildgen O., Klinkenberg D., Ditt., Muller A., et al : Prospective study of human bocavirus (HBoV) infection in a pediatric

university hospital in Germany 2005/2006. *Journal of Clinical Virology* 40:229-235.

W

Wald E.R. (1993): Recurrent and non-resolving pneumonia in children. *Semin Respir Infect*; 8: 46-58.

Walker C.F., Black (2004): Zinc and the risk for infectious diseases. *Ann Rev Nutr*, 24 :255-275.

Wang E.L., Law B.J., Stephens D., (1995): Pediatric Investigators Collaborative Network on Infections in Canada (PICNIC) study of morbidity and risk factors with RSV disease. *J Pediatr*; 126:212-9.

Wang E.E., Law B.J., Stephens D., et al (1996): Study of inter-observer reliability in clinical assessment of RSV lower respiratory illness: a pediatric Investigators Collaborative Network for Infectious in Canada (PICNIC) study. *Pediatr Pulmonol*; 22(1): 23-27.

Ward J.I., Zangwill K., (1998): Haemophilus influenzae. In: Feigin R.D., Cherry J.D. eds. Textbook of Pediatric Infectious Diseases. 4th ed. Philadelphia; W.B. Saunders Company ; pp1464-1482.

Weinstein M., Restrepo R., Chait P.G (2004): tissue plasminogen activator in the management of complicated parapneumonic effusions . *Pediatrics* 113:No,3, pp e182-e185.

Whittaker P. (1998): Iron and zinc interactions in humans. *Am J Clin Nutr*; 68:442S-446S.

Williams J.V., Haris P.A., Tollefson S.J., et al (2004): Human metapneumovirus and lower respiratory tract disease in otherwise healthy infants and children. *N Engl J Med* ;350:443-450.

Williams J.V., Haris P.A., Tollefson S.J., Halburnt-Rush L.L., Pingsterhaus J.M., Edwards K.M., et al (2004): Human metapneumovirus and lower respiratory tract disease in otherwise healthy infants and children. *N Engl J Med* : 443-450.

Williams W.Hay, Jr. Myron J. Levin, Judith M.Sondheimer, Robin R (2005): Deterding current pediatric diagnosis & treatment 17th edition : pp291-292.

Wikesman A., Schildgen O, Eis-Hubinger AM Glatzel T, et al (2006): Human metapneumovirus infection acuse similar symptoms and clinical severity as respiratory synsytial virus infection .*Eur J Pediatr*;165:467-75.

Wintergerst ES, Maggini S, Hornig DH. (2006): immune-enhancing role of Vitamin C and Zinc and effect on clinical conditions.*Ann Nutr Metab*, 50(2):85-94.

Wood RJ (2000): Assessement of marginal zinc status in humans. *J Nutr*. 130(5S Suppl):1350S-1354S.

World Health Organization (1998): Complementary feeding of young children in developing countries:a review of current scientific knowledge.

World Health Organization (2002):The world health report 2002: reducing risks, promoting healthy life . Geneva: WHO.

World Health Organiztion (2004):WHO-UNICEF Joint statement on the management of acute diarrhea. Geneva.

World Health Organization (2004): State of the art of new vaccines : research and development : acute respiratory infections , bacterial respiratory infections , streptococcus pneumoniae.

Wright A.L., Bauer M., Naylor A., et al (1998): Increasing breastfeeding rates reduce infant illness at the community level. *Pediatrics*; 101:837-844.

Wright S.W., Edwards K.M., Decker MD., Grayston JT, Wang S (1997):Prevalence of positive serology for acute Chlamydia pneumoniae infection in emergency department patients with persistent cough. *Acad Emerg Med*; 4:179-83.

Wubbel L., Muniz L., Ahmed A., Trujillo M., Carubelli C., McCoig C., et al (1999):Etiology and treatment of community-aquired pneumonia in ambulatory children. *Pediatr Infect Dis J*; 18:98-104

Z

Zalewski P.D.(2006): Zinc metabolism in the airway: basic mechanisms and drug targets. *Curr Opin Pharmacol*; 6(3):237-43.

Zar H.J. (2003): Prevention of HIV-associated respiratory disease in developing countries: potentials benefits. *Int J Tuberc Lung Dis* :7:820-827.

Zar H.J., Jeena P., Argent A., Gie R., Madhi S. (2005): Diagnosis and management of community acquired pneumonia in childhood . South African Thoracic Society Guidelines. *S Afr Med J*; 95: 977-990.

Zar H.J., Madhi S.A.(2006): Childhood pneumonia- progress and challenges *SAMJ, Vol. 96, No. (9): 890-900.*

Zinc Investigators Collaborative Group (1999): Prevention of diarrhea and pneumonia by zinc supplementation in children in developing countries: Pooled analysis of randomized controlled trials.*J Pediatr*,; 135:689-97.

Zinc Investigators Collaborative Group (2007): Assessing population zinc status with serum zinc concentration. Technical Brief. No (2).