

References

- **Aggleton JP(1993).** The contribution of the amygdala to normal and abnormal emotional states.Trends Neurosci; 16: 328–33.
- **Albert DJ, Walsh ML, Jonik RH(1993).** Aggression in humans: what is its biological foundation? . NeurosciBiobehav Rev; 17: 405–25.
- **Alberto Tassinari C, Tassi L, Calandra-Bounaura G et al (2005).** Biting behavior,aggression, and seizures. Epilepsia. May;46(5):654-63.
- **Alheid GF, de Olmos JS, Beltramino CA (1995).** Amygdala and extended amygdala. In: Paxinos G, editor.The rat nervous system. 2nd edn. San Diego: Academic Press;. p. 495–578.
- **Amaral DG, Price JL, Pitkänen A, Carmichael ST(1992).** Anatomical organization of the primate amygdaloid complex. In: Aggleton JP, editor. The amygdala: neurobiological aspects of emotion, memory, and mental dysfunction. New York: Wiley-Liss;. p. 1–66.

- **Alper KR, Barry JJ, Balabanov AJ(2002):** Treatment of psychosis, aggression, and irritability in patients with epilepsy, *Epilepsy* ;3(5S):13-18
- **Austin JK,Dunn DW,Caffrey HM,Perkin SM et al (2002) :** Recurrent seizures and behavioral problems in children with first recognized seizures a prospective study .*Epilepsia* 43(12)1564-1573.
- **American Psychiatric Association(1994).** Diagnostic and statistical manual of mental disorders—DSM-IV. 4th ed. Washington (DC): American Psychiatric Association;.
- **Anderson SW, Bechara A, Damasio H, Tranel D, Damasio AR(1999).** Impairment of social and moral behavior related to early damage in human prefrontal cortex. *Nat Neurosci*;2(11):1032–37.
- **Andy OJ, Jurko MF(1972).** Hyperresponsive syndrome. In: Hitchcock E, Laitinen L, Vaernet K, editors. *Psychosurgery*. Springfield (IL): Charles C. Thomas;. p. 117–26.
- **Alper KR, Barry JJ and Balabanov AJ(2002):.** Treatment of psychosis, aggression, and irritability in patients with epilepsy. *Epilepsy & Behavior* 3 S13–S18.

- **Bach-Y-Rita G, Lion JR, Climent CE, Ervin FR(1971).** Episodic dyscontrol: a study of 130 violent patients. *Am J Psychiatry*; 127: 1473–8.
- **Behbehani MM(1995).** Functional characteristics of the midbrain periaqueductal gray. *Prog Neurobiol*; 46: 575–605
- **Benbadis SR, Allen Hauser W(2000).** An estimate of the prevalence of psychogenic non-epileptic seizures. *Seizure*; 9: 280-281.
- **Bhatia M, Sinha PK, Jain S, Padma MV, Maheshwari MC (1997).** Usefulness of short-term video EEG recording with saline induction in pseudoseizures. *Acta Neurol Scand*; 95: 363-366.
- **Blume WT, Luders H, Mizrahi E et al(2001).** Glossary of descriptive terminology for ictal semiology: Report of ILAE task force on classification and terminology. *Epilepsia*; 42: 1212-18.
- **Brandao ML, Cardoso SH, Melo LL, Motta V, Coimbra NC (1994).** Neural substrate of defensive behavior in the midbrain tectum. [Review]. *Neurosci Biobehav Rev*; 18: 339–46.

- **Brodie MJ et al(1997).** Commission on European Affairs: appropriate standards of epilepsy care across Europe. *Epilepsia*, 38:1245–1250.
- **Brodie MJ, Kwan P(2002).** Staged approach to epilepsy management *Neurology*, (Suppl 5):S2–S8.
- **Brodie MJ, Kwan P(2001).** The star systems: overview and use in determining antiepileptic drug choice. *CNS Drugs*, 18:1–12.
- **Brower MC, Price BH (2000).** Epilepsy and Violence: When is the Brain to Blame?. *Epilepsy & Behavior* June; 1(3):145-9.
- **Best M, William GM, et al (2002).** Evidence for a dysfunctional prefrontal circuit in patients with an impulsive aggressive disorder. *Proc Natl Acad Sci USA*;99:8448-8453.
- **Blanchet P, Frommer GP(1986).** mood changes preceding Epileptic seizures *Nerv Ment Dis*;174:471-476.
- **Castro PA, Cooper EC, Lowenstein DH, Baraban SC(2001).** Hippocampal heterotopia lack functional Kv4.2 potassium channels in the methylazoxymethanol model of cortical malformations and epilepsy. *J Neurosci*;21:34-6626.

- **Cavada C, Company T, Tejedor J, Cruz-Rizzolo RJ (2000).** The anatomical connections of the macaque monkey orbitofrontal cortex. A review. *Cereb Cortex*;10:220–42.
- **Chapman WP, Schroeder HR, Geyer G, Poppen JL, et al(1954).** Physiological evidence concerning importance of amygdaloid nuclear region in the integration of circulatory function and emotion in man. *Science*; 120: 949–50.
- **Charney DS, Deutch A(1996).** A functional neuroanatomy of anxiety and fear: implications for the pathophysiology and treatment of anxiety disorders. *Crit Rev Neurobiol*; 10: 419–46.
- **Currie S, Heathfield KW, Henson RA, Scott DF(1971).** Clinical course and prognosis of temporal lobe epilepsy: a survey of 666 patients. *Brain*; 94: 173–90.
- **Capovilla G, Berg AT, Cross JH, Moshe SL, Vigevano F, Wolf P, Avanzini G (2009).** Conceptual dichotomies in classifying epilepsies: partial versus generalized and idiopathic versus symptomatic (April 18-20th, 2008, Monreale, Italy) *Epilepsia*;50:1645-1649.

- **Commission on classification and Terminology of the international league Against Epilepsy(1989).** Proposal for revised classification of epilepsies and epileptic syndromes. *Epilepsia*; 30:389-399.

Commission on Classification and Terminology of the International League Against Epileps(1981). Proposal for revised clinical and electroencephalographic classification of epileptic seizures. *Epilepsia* 22:489-501.

- **Chisholm D(2005).** Cost-effectiveness of first-line anti-epileptic drug treatments in the developing world: a population-level analysis.

Epilepsia, 46:751-759.

- **Damasio AR, Tranel D, Damasio H(1990).** Individuals with sociopathic behavior caused by frontal damage fail to respond autonomically to social stimuli. *Behav Brain Res*; 41: 81–94.
- **Damasio AR(1996).** The somatic marker hypothesis and the possible functions of the prefrontal cortex. *Philos Trans R Soc Lond B Biol Sci*;351:1413–20.
- **Davidson RJ, Putnam KM, Larson CL(2000).** Dysfunction in the neural circuitry of emotion regulation—A possible prelude to Violence. *Science Jul* 28: 591–4.

- **Davis M, Rainnie D, Cassell M(1994).** Neurotransmission in the rat amygdala related to fear and anxiety. *Trends Neurosci*; 17: 208–14.
- **De Timary P, Fouchet P, Sylin M, Indriets JP, Lefebvre A, et al (2002).** Non-epileptic seizures: delayed diagnosis in patients presenting with electroencephalographic (EEG) or clinical signs of epileptic seizures. *Seizure*; 11:193-197
- **Devinsky O, Morrell MJ, Vogt BA(1995).** Contributions of anterior cingulate cortex to behavior. *Brain*;118:279 –306.
- **Dicks P, Myers RE, Kling A(1969).** Uncus and amygdala lesions: effects on social behavior in the free-ranging rhesus monkey. *Science*; 165: 69–71.
- **Delgado-Escueta AV, Mattson RH, King L, et al(1981).** Special report. The nature of aggression during epileptic seizures. *N Engl J Med* 305: 711-716.
- **Delgado-Escueta AV, Mattson RH, King L, et al (2002).** The nature of aggression during epileptic seizures. *Epilepsy Behav* 2002; 3: 550-6.
- **Dolan R(1999).** On the neurology of morals. *Nat Neurosci*; 2/11:927–9.
- **Duncan JS, Bartlett P, Barker GJ(1996).** Technique for measuring

- hippocampal T2 relaxation time. *AJNR Am J Neuroradiol*; 17: 1805–10.
- **Elliott FA(1982).** Neurological findings in adult minimal brain dysfunction and the dyscontrol syndrome. *J Nerv Ment Dis*; 170: 680–7.
 - **Elliott FA(1984).** The episodic dyscontrol syndrome and aggression. *Neurol Clin*; 2: 113–25.
 - **Engel J Jr.(2001)** A proposed diagnostic scheme for people with epileptic seizures and with epilepsy: report of the ILAE Task Force on Classification and Terminology. *Epilepsia*. 42(6):796-803.
 - **Engel J Jr(2006).** Report of the ILAE classification core group. *Epilepsia*. Sep 47(9):1558-68.
 - **Elliott FA(1992).** The neurologic contribution: an overview. *Arch Neurol*; 49: 595–603.
 - **Falconer MA(1973).** Reversibility by temporal-lobe resection of the behavioral abnormalities of temporal-lobe epilepsy. *N Engl J Med*; 289: 451–5.
 - **Fenwick PB(1986).** Aggression and epilepsy. In: Trimble MR, Bolwig T, editors. *Epilepsy and psychiatry*. Chichester: John Wiley;. p. 31–60.

-
-
- **Fenwick PB. Aggression and epilepsy(1986)** In: Trimble MR, Bolwig T, editors. *Epilepsy and psychiatry*. Chichester: John Wiley**1989**. 31–60.
 - **Fenwick P (1989)** *Neuropsychiatry Clin Neurosci*. Fall;1(4):418-25.
 - **Forayssa E, talaat I, Maha E , Maha A ,(2009)** : Prevelence of epilepsy in school children in Elmanyal islandEgypt,J,Neurol,Pschiat,Neurosurg.49(1):19_32.
 - **Fisher RS, van Emde Boas W, Blume W, Elger C, Genton P, Lee P, et al(2005)**. Epileptic seizures and epilepsy: definitions proposed by the International League Against Epilepsy (ILAE) and the International Bureau for Epilepsy (IBE). *Epilepsia*. Apr 46(4):470-2 .
 - **Gastaut H, Morrin G, Lesevre N(1955)**. Etudes du compartment des epileptiques psychomoteur dans l'interval de leurs crises. *Ann Med Psychol*; 113: 1–29.
 - **Geschwind N(1975)**. The clinical setting of aggression in temporal lobe epilepsy. In: Fields WS, Sweet WH, editors. *Neural basis of violence and aggression*. St. Louis (MO): Warren H. Green;. p. 273–81.
 - **Gloor P, Olivier A, Quesney LF, Andermann F, Horowitz S(1982)**. The role of the limbic system in experiential phenomena of temporal lobe

epilepsy. *Ann Neurol*; 12: 129–44.

- **Goldstein M(1974).** Brain research and violent behavior: a summary and evaluation of the status of biomedical research on brain and aggressive violent behavior. *Arch Neurol*; 30: 1–35.
- **Goodkin HP(2007).** The founding of the American Epilepsy Society: 1936-1971. *Epilepsia*48(1):15-22.
- **Gerard ME, Spitz MC, Towbin JA, et al (1998).** Subacute post-ictal aggression. *Neurology*; 50: 384-8.
- **Guimaraes CA, Franzon RC, Souza EA, et al(2004).**
Abnormal behavior in children with temporal lobe epilepsy and ganglioglioma. *Epilepsy Behav* 5:788–791.
- **Gaitatzis A, Sander JW(2004).**The mortality of epilepsy revisited. *Epileptic Discord.*; 6(1):3-13
- **Halgren E(1992).** Emotional neurophysiology of the amygdala within the context of human cognition. In: Aggleton JP, editor. *The amygdala: neurobiological aspects of emotion, memory, and mental dysfunction.* New York: Wiley-Liss;. p. 191–228.
- **Hauser WA, Annegers JF, Kurland LT(1991).** Prevalence of epilepsy

in Rochester, Minnesota: 1940–1980. *Epilepsia*;32:429–445.

- **Hauser WA(1994).** The prevalence and incidence of convulsive disorders in children. *Epilepsia*;2(35):1–6.
- **Hauser WA, Hesdorffer DC(1990).** *Epilepsy: Frequency, Causes and Consequences.* New York: Demos Publications, 2–51.
- **Holmes GL(2002).** Overtreatment in children with epilepsy. *Epilepsy Res*; 52: 35-42.
- **Haller J,Kruk MR(2006)** Normal and abnormal aggression : human disorders and novel laboratory models.*Neurosci Biobehav Rev* 30(3)292-303.
- **Hirtz D,Thurman DJ,Gwinns K,Mohamed M,Chaudhuri AR,Zalatsky R (2007).** How common neurologic disorders? *Neurology* 68(5):326-37.
- **Hamed H.A.A (1992):** Statistical studies on epileptic patients attending the epilepsy clinics of Alexandria University Hospitals in the past ten years. Msc. Thesis in Neuropsychiatry, Faculty of Medicine, Alexandria University.
- **Irwin K, Edwards M, Robinson R (2000).** Psychogenic non-epileptic

seizures: management and prognosis. Arch Dis Child; 82: 474-478.

- **International league against Epilepsy and international Epilepsy Bureau (2005).** Epilepsia volume 46(10) 1701-1702
- **Jacoby, A, Snape D and Baker GA. Epilepsy and social identity(2005):** the stigma of a chronic neurological disorder. Lancet Neurology 4: 171-178
- **Kalynchuk LE, Pinel JP, Treit D(1999).** Characterization of the defensive nature of kindling-induced emotionality. Behav Neurosci;113(4):766 –75
- **Kim D, Song I, Keum S, et al (2001).** Lack of the burst firing of thalamocortical relay neurons and resistance to absence seizures in mice lacking $\alpha 1G$ T-type Ca^{2+} channels. Neuron,45: 31-35.
- **Kligman D, Goldberg DA(1975).** Temporal lobe epilepsy and aggression. J Nerv Ment Dis; 160: 324–41.
- **Kling AS, Brothers LA(1992).** The amygdala and social behavior. In: Aggleton JP, editor. The amygdala: neurobiological aspects of emotion, memory, and mental dysfunction. New York: Wiley-Liss;353–77.
- **Kossof EH(2004).** More fat and fewer seizures: dietary therapies for

epilepsy. *Lancet Neurology*, 3:415–420.

- **Kullmann DM(2002).** The neuronal channelopathies. *Brain*;125:1177-95.
- **Kwan P, Brodie MJ(2000).** Early Identification of refractory epilepsy. *New England Journal of Medicine*; 343:314–319.
- **Kwan P, Brodie MJ(2004).** Phenobarbital for the treatment of epilepsy in the 21st century: a critical review. *Epilepsia*, 45:1141–1149.
- **Kwan P, Brodie MJ(2002).** Refractory epilepsy: a progressive, intractable but preventable condition? *Seizure*, 11:77–84.
- **Kwan P, Sander JW(2004).** The natural history of epilepsy: an epidemiological view. *Journal of neurology, neurosurgery, and psychiatry*; 75(10):1376-1381.
- **Kenneth R A, Barry J and Antooneta J B(2002).** Treatment of psychosis, aggression, and irritability in patients with epilepsy; epilepsy & behavior Volume 3: (5) 1 13-18
- **LaBar KS, LeDoux JE, Spencer DD, Phelps EA(1995).** Impaired fear conditioning following unilateral temporal lobectomy in humans. *J Neurosci*; 15: 6846–55.

- **LeDoux JE(1995).** Emotions: clues from the brain. *Annu Rev Psychol*; 46: 209–35.
- **Leicester J(1982).** Temper tantrums, epilepsy and episodic dyscontrol. *Br J Psychiatry*; 141: 262–6.
- **Lemieux L, Wiesmann UC, Moran NF, Fish DR, Shorvon SD(1998).** The detection and significance of subtle changes in mixed-signal brain lesions by serial MRI scan matching and spatial normalization. *Med Image Anal*; 2: 227–42.
- **Lesser RP(1996).** Psychogenic seizures. *Neurology* ; 46: 1499-1507.
- **Lishman WA(1998).** Organic psychiatry—the psychological consequences of cerebral disorder. 3rd ed. Oxford: Blackwell Science.
- **Lombroso-Ferrero G(1972).** Criminal Man According to the Classification of Cesare Lombroso. Montclair, NJ, Patterson.
- **Lewis DO, Pincus JH, Shanok SS, et al(1982):** Psychomotor epilepsy and violence in a group of incarcerated adolescent boys. *Am J Psychiatry*; 139:882–887.
- **Leonardi M, Ustun B(2002)** The global burden of epilepsy. *Epilepsia*, 43(Suppl.6):21–25.

- **Lüders H, Acharya J, Baumgartner C, Benbadis S, Bleasel A, Burgess R, D inner DS, Ebner A, Foldvary N, Geller E, Hamer H, Holthausen H, et al .(2005).** Semiological seizure classification. *Epilepsia* 39:1006-1013.
- **Maletzky BM(1973).** The episodic dyscontrol syndrome. *Dis Nerv Syst*; 34: 178–85.
- **Malmgren K et al(2003).** The provision of epilepsy care across Europe. *Epilepsia*, 44:727–731.
- **Marsh L, Krauss GL(2000).** Aggression and violence in patients with epilepsy. *Epilepsy & Behaviour*;1:160-8.
- **Miller BL, Darby A, Benson DF, Cummings JL, Miller MH(1997).** Aggressive, and socially disruptive and antisocial behaviour associated with fronto-temporal dementia. *Br J Psychiatry*; 170: 150–4.
- **Miller LA, McLachlan RS, Bouwer MS, Hudson LP, Munoz DG(1994).** Amygdalar sclerosis: preoperative indicators and outcome after temporal lobectomy. *J Neurol Neurosurg Psychiatry*; 57: 1099–105.
- **Mungas D(1983).** An empirical analysis of specific syndromes of violent behavior. *J Nerv Ment Dis*; 171: 354–61.

-
-
- **Mungas D(1988).** Psychometric correlates of episodic violent behaviour. A multidimensional neuropsychological approach. *Br J Psychiatry*; 152: 180–7.
 - **Moyer KE(1989)** Violence and aggression—a physiological perspective. New York: Paragon House.
 - **Mohamed Y. El-Senousey1, Wael F. El-Beshlawy1, Ehab El-Seidy1,Hazem Fayed1, Mohamed H(2009).**Infantile and Childhood Epilepsies in Middle Delta:Types, Risk Factors and Etiology *Egypt J. Neurol. Psychiat. Neurosurg.*; 46 (1) – Jan.
 - **Mattson RH, King L (1981)** Special report. The nature of aggression duringepileptic seizures. *N Engl J Med* 1981; 305: 711-716
 - **Nermin A(2009):**Prevalence of epilepsy in primary school children in Elmenia city,Egypt *J Neurol,Pschiat,Neurosurg*,46(1)33-39.
 - **NINDS(2008).** National Institute of Neurological Disorders and stroke (Epilepsy Information).
 - **Ott D,Siddarlh P,Gurbani S, et al(2003):** Behavioral disorders in pediatric epilepsy :unmet psychiatric need .*Epilepsia* 44:591-597.
 - **Okazaki MM, Evenson DA, Nadler JV(1995).** Hippocampal mossy fiber sprouting and synapse formation after status epilepticus in rats:

visualization after retrograde transport of biocytin. *J Comp Neurol*;352:515-34.

- **Paolicchi JM(2002).** The spectrum of nonepileptic events in children. *Epilepsia*; 43 Suppl 3: 60-64.
- **Panayiotopoulos CP,Koutroumanidis M(2005)** The significance of the syndromic diagnosis of the epilepsies. National Society for Epilepsy.
- **Raine A, Lencz T, Bihrlle S, LaCasse L, Coletti P(2000).** Reduced prefrontal gray matter volume and reduced autonomic activity in antisocial personality disorder. *Arch Gen Psychiatry*; 67:119 –27.
- **Raine A, Stoddard J, Bihrlle S, Buchsbaum M.** Prefrontal glucose deficits in murderers lacking psychosocial deprivation. *Neuropsychiatry Neuropsychol Behav Neurol* 1998; 11: 1–7.
- **Ratner RA, Shapiro D(1979).** The episodic dyscontrol syndrome and criminal responsibility. *Bull Am Acad Psychiatry Law*; 7: 422–31.
- **Reuber M, Fernandez G, Bauer J, Helmstaedter C, Elger CE(2002).** Diagnostic delay in psychogenic nonepileptic seizures. *Neurology*; 58: 493-495.
- **Rodin EA(1973).** Psychomotor epilepsy and aggressive behavior. *Arch*

Gen Psychiatry; 28: 210–3.

- **Rolls ET(1992).** Neurophysiology and functions of the primate amygdala. In: Aggleton JP, editor. The amygdala: neurobiological aspects of emotion, memory, and mental dysfunction. New York: Wiley-Liss;. p. 143–65.
- **Ramamurthi B(1988).** Stereotactic operation in behaviour disorders. Amygdalotomy and hypothalamotomy. Acta Neurochir Suppl ; 44: 152–7.
- **Saver JL, Salloway SP, Devinsky O(1996).** Neuropsychiatry of aggression. In: Fogel BS, Schiffer RB, Rao SM, editors. Neuropsychiatry. Baltimore: Williams & Wilkins; p. 523–48.
- **Schachter SC(2002).** Vagus nerve stimulation therapy summary. Five years after FDA approval. *Neurology*, 59 (Suppl 4): S15–S20.
- **Specchio LM, Beghi E (2004).** Should antiepileptic drugs be withdrawn in seizure-free patients? *CNS Drugs*, 18:201–212
- **Stone JL, McDaniel KD, Hughes JR, Hermann BP(1986).** Episodic dyscontrol disorder and paroxysmal EEG abnormalities: successful treatment with carbamazepine. Biol Psychiatry; 21: 208–12.

- **Swartz MS, Swanson JW, Hiday VA, Borum R, Wagner HR, Burns BJ(1998).** Violence and severe mental illness: the effects of substance abuse and nonadherence to medication. *Am J Psychiatry*; 155: 226–31.
- **Saitsu, H, Kato, M, Mizuguchi, T, Hamada, K, Osaka, H, Tohyama, J, Fukuda, A, Ogata, K and Matsumoto, N (2008).** De novo mutations in the gene encoding STXBP1 (MUNC18-1) cause early infantile epileptic encephalopathy. *Nat Genet*; **40**: 782-788.
- **Shawki O A(1996):** Clinico- Epidemiologic study of Epilepsy in Assiut. Thesis submitted in partial fulfillment of requirements for the Doctorate degree in neurology, faculty of medicine- Assiut university.
- **Simeon D, Frenkel M, Islam MN, Hollander E(1995).** An open trial of valproate in borderline personality disorder. *J Clin Psychiatry*. Nov;56(11):506-10.
- **Tamer SK(1997).** The pediatric non-epileptic seizure. *Indian J Pediatr*; 64:671-676.
- **Temkin NR(2001).** Antiepileptogenesis an seizure prevention trials with antiepileptic drugs: meta-analysis of controlled trials. *Epilepsia*;42:515-24.
- **Treiman DM(1991).** Psychobiology of ictal aggression. *Adv Neurol*; 55:

341–56.

- **Trimble MR, Ring HA, Schmitz B(1996).** Neuropsychiatric aspects of epilepsy. In: Fogel BS, Schiffer RB, Rao SM, editors. Neuropsychiatry. Baltimore: Williams & Wilkins; 771–803.

- **Trimble MR. Biological psychiatry(1996).** Chichester: John Wiley.

- **Tuxhorn IE, Fischbach HS(2002).** Pseudostatus epilepticus in childhood. *Pediatr Neurol*; 27: 407-409.

- **TansyE, Anthony G,Gillbert M,Victor M,Thomas K(2008).**Active convulsive epilepsy in a rural district of Kenya: study of prevalence and possible risk factors. *The Lancet Neuro*.7(11):50-56.

- **Taghreed M. Farahat1, Ali M. El-Shafie2, Gaafar M(2010)** Integrated Management of Epilepsy among BasicSchool Children in Menoufiya Governorate Egypt *J Neurol Psychiat Neurosurg.* Vol 47 (1) 49

- **Taylor I, Berkovic SF, Kivity S and Scheffer IE (2008).** Benign occipital epilepsies of childhood: clinical features and genetics. *Brain*. 131: 2287-2294.

- **Trivedi, H.K.; Wang, B.; Gonzalez-Heydrich, J(2005).** Antiepileptic drugs(AEDs) in the treatment of aggression in children and adolescents. *Child Adolesc. Psychopharmacol. News*, 10, 6-12.

- **Treiman DM(1991):** Psychobiology of ictal aggression, in Neurobehavioral Problems in Epilepsy, edited by Smith D, Treiman DM, Trimble M. New York, Raven Press, , pp. 341–356.
- **Tan Torres T et al(2003).** *Making choices in health: WHO guide to cost-effectiveness analysis.* Geneva: World Health Organization.
 - **Thomas SV et al(2001).** Economic burden of epilepsy in India. *Epilepsia*, 2001, 42:1052–1060.
- **Valzelli L(1981).** Psychobiology of aggression and violence. New York: Raven Press.
- **Van Elst LT, Woermann FG, Lemieux L, Thompson PJ, Trimble MR (2000).** Affective aggression in patients with temporal lobe epilepsy: a quantitative MRI study of the amygdala. *Brain*; 123(2):234–43.
- **Vitiello B, Stoff DM(1997).** Subtypes of aggression and their relevance to child psychiatry. *J Am Acad Child Adolesc Psychiatry*; 36: 307–15.
- **Van Manen, T.G., Prins, P.J., & Emmelkamp, P.M. (2004).** Reducing aggressive behavior in boys with a social cognitive group treatment: results of a randomized, controlled trials. *Journal American Academy of Child and Adolescent Psychiatry*, Dec; 43(12), 1478-87.
 - **Vadlamudi I, Kjeldsen MJ, Corey LA, Solaas MH, Friis ML, Pellock JM, Nakken KO, Milne RL, Scheffer IE, Harvey SA,**

- Hopper JL, Berkovic SF (2006).** Analyzing the etiology of benign rolandic epilepsy: a multicenter twin collaboration. *Epilepsia*. **47**: 550-555.
- **The World report on violence and health (2010)** Violence Prevention Annual Meeting 2010.
 - **Wada JA(1985).** Differential diagnosis of epilepsy. *Electroencephalogr Clin Neurophysiol Suppl*; 37: 285-311.
 - **WHO,** Fact sheet N°999 January 2009.
 - **WHO(2008)** Epilepsy: aetiology, epidemiology and prognosis.
 - **The World Health Report (2004) – Changing history.** Geneva, World Health Organization, 2004