

REFERENCES

- * Bailie, M.D., Derkx, FHM, Schalekamp, C.R. et al.: Release of active and inactive renin by the pig kidney during development. *Dev. Pharmacol. ther* 1:47, 1980.
 - * Balcerzak, S.P., Bromberg, P.A.: Secondary polycythemia. *Semin Hematology* 12; 353, 1975.
 - * Bard, H., Fouron, J.C. Hagnon, C., and Gagnon, J.: Hypoxemia and increased fetal hemoglobin synthesis the journal of pediatrics , 124:941, 43, 1994.
 - * Baxter, J.D. and Tyrrell, J.B. : The adrenal cortex. In feilg, P. Baxter, J.D., (eds.) *Endocrinology and Metabolism* . New. York. 385-510, 1981.
 - * Berman, Jr. W., Wood, S.C., Yabec, S.M., et al.: Systemic oxygen transport in patients with congenital heart disease. *Circulation*; 15:360-8, 1987.
 - * Biljanovic - Paunovic, L., Pavlovic-Kentera, V., Nikoloc, R. et al.: Erythropoietin in premature infant. *Acta. pediatrics scand* 71 : 75, 1982.
-

- * Brown, J.E., Adamson, J.W. : The influence of beta adrenergic agonists on erythroid colong formation. J. Clinical invest. 60 :70, 1977.

 - * Campbell, M. and Polani, P. E.: The etiology of coarctation of the aorta. Lancet. 1 : 563, 1961.

 - * Cannon, P.J.: The kidney in heart failure. N. Engl. J. Med. 63:881, 1977.

 - * Caramena, A.O., Howard, D., Stohlman, F.: Regulation of erythropoiesis : erythropoietin preduction in newborn animal. Blood 32:376, 1968.

 - * Chung, K.J., Hesslink, J.R., Chernoff, H.L. et al.: Digital subtraction angiography in patients with transposition of the great arteries after surgical repair. J. Am. Coll. Cardiol.; 5 : 113, 1985.

 - * Clark, E.B., Van Mierop, L.H.S.: Development of the cardiovascular system. In : Adams, F.H. : Emmanouilides, G.C., Riemenschneider, T.A. eds.: Moss heart disease in infants, children and adolescents, ed. 4, Baltimore. Williams and Wilkins, 1989.

 - * Compbell, M. : Causes of malformation of the heart. Br. Heart. J.; 2 : 895, 1965.
-

- * Creager, M.A. Faxon, D.P. Halperin, J.L. and clutter, S.S. "
Determinants of clinical response and survival in patients with
congestive heart failure treated with captopril. Am. M.J.
104:1147, 1982.

 - * Dallman, P.R.: Erythropoietin and anemia of prematurity J. pediatri 105:
756, 1984.

 - * Dallman, P.R., Siimes, M.A.: Percentile curves for heamoglobin and red
cell volume in infancy and childhood. J., Pediatri; 94 : 26-31,
1979.

 - * Davis, J.O. : What signals the kidney to release renin ? Circ. Res. 28 :
301, 1971.

 - * Davis, J.O., Freeman, R.H.: Mechanisms regulating renin release
Physiol. Rev. 56:1, 1976.

 - * DeVore, G.R., Siassi, B. : Prenatal diagnosis and fetal monitoring. In :
Adams, F.H.: Emmanouilides, G.C., Kiemenschneider, T.A. eds.
: Moss heart disease in infants, children and adolescents, ed. 4,
Baltimore, Williams and Wilkins; 1989.

 - * Eckhardt, K.U., Kurtz, A., Bauer, C.: Regulation of erythropoietin
production is related to proximal tubular function. Am. J.
Physiol. 256 : F942, 1989.
-

- * Fekardt, KU, Hartmann, W., yetter, U., et al.: Serum immunoreactive erythropoietin of children in health and disease. Eur. J. Pediatrics ; 149 : 459-64, 1990.
 - * Fedrick, J., Abermon, E.D. and Goldstein, H. : Possible teratogenic effect of cigarette smoking. Nature, Lond. 231:529, 1971.
 - * Feiring, A.J., Rumberger, J.A., Reiter, S.J. et al. : Sectional and segmental variability of left ventricular function : Experimental and clinical studies using , 1988.
 - * Fisher, J.W., Langston, J.W. : The influence of hypoxemia and cobalt on erythropoietin production in the isolated perfused dog kidney. Blood 29 : 115, 1976.
 - * Fisher, J.W., Nelson, P.K., Beckman, P., et al.: Kidney control of erythropoietin production . In Dunn, M.J. 9ed): Renal endocrinology. Baltimore, Williams & Wilkins , 142, 1983.
 - * Fisher , J.W. Roh, B.L., Halversen, S.: Inhibition of erythropoietic effects of hormones by erythropoietin antisera in mildly plethoric mice. Proc. Soc. Exp. Biol. Med. 126:97, 1967.
-

- * Fisher, J.W., Taylor, G., Porteous, D.D.: Localization of erythropoietin in glomeruli of sheep kidney using fluorescent antibody technique. *Nature* 205:6111, 1965.
 - * Fisher, J.W., Ueno, M.: External messenger and erythropoietin production. *Bull Ny Acad Med.* 554:9, 1989.
 - * Freedom, R.M., Gulham, JAG, Moes, C.A.F. : Angiocardiography of congenital heart disease. New York, Macmillan Publishing Company, 1984.
 - * Friedland, R.P.: hematocrit, viscosity and cerebral blood flow. *Am. heart J.*, 97:404-5, 1979
 - * Friedman, W.F.: Congenital heart disease in infancy and childhood. Quoted from Heart Disease, textbook of cardiovascular medicine. Edited by Braunwald, E. 3rd Part, 4th edition. W.B. Saunders. Company. 887-956, 1992.
 - * Friedman, W.F. and Child, J.S.: Congenital heart disease, Quoted from Harrison's principles of internal medicine. 12 th edition. Edited by Wilson, J.D., Brown Wald, E., Isselbacher, K.J. et al., McGraw Hill Inc., 923, 1991.
-

- * Fritsch, E.F.: The molecular biology and biochemistry of erythropoietin.
In Gammick, M.B., ed. Erythropoietin in clinical applications.
New York; Marcel Dekker, 39-58, 1990.
 - * Gibbons, G.H., Dzau, V.J., Farhi, E.R., et al.: Interaction of signals
influencing renin release. *Annu. rev. physiol.* 46:291, 1984.
 - * Gidding, S.S. and Stockman, J.A. III: Erythropoietin in cyanotic heart
disease. *American heart journal*, 116 : 128-132, 1988.
 - * Gidding, S.S., Bassel, M. and Liao, Y. : Determinants of hemoglobin
concentration in cyanotic heart disease. *Pediatric Cardiology.*,
11 :121-5, 1990.
 - * Gidding, S.S., Stockmann, J.A.: III Erythropoietin in cyanotic heart
disease *Am. heart. J.*; 116:128-132, 1988.
 - * Githens, J.H. and Hathaway, W.E. : Hematologic disorders. Quoted from
: *Current pediatric diagnosis and treatment*. Edited by
Hathaway, W.E., William, W.H. and Baisly, J.W. Appleton and
Lanage. california ; 470-592, 1991.
 - * Godard, C., Geering, J.M., Geering, K. et al.: plasma renin activity
related to sodium balance, renal function and urinary
vasopressin in the newborn infant. *Pediatric Res*:13 :742, 1979.
-

- * Gold, E.D.W., Hocking, W.G. et al. : Polycythemia: Mechanisms and Management. *Annals of Internal Medicine*. Volume 95, No. 1, 71-87, 1981.
 - * Golde, D.W., Hocking, W.G., Koeffler, H.P., Adamson, J.W.: Polycythemia : Mechanisms and management. *Ann. Intern. Med.* 95; 71, 1981.
 - * Golde, D.W., Hocking, W.G., Koeffler, H.P.: Polycythemia, mechanisms and management. *Ann. Intern Med.* , 95:71-87, 1981.
 - * Gomez, A.R., Lych, K.R., Sturgill, B.C. : Distribution of renin mRNA and its protein in the developing kidney . *Am. J. Physiol.* , 257 : F 850 , 1989.
 - * Gould , A.B., Goodman, S., Dewolf, R., et al.: Inter-relationship of the renin system and erythropoietin in rats. *J. Lab. Clin. med.* 96:523, 1980.
 - * Gross, J.B. Jami, M. and Kakko, J.: A functional comparison of the distal convoluted tubule in the cortical collecting tubule *J. Clin. Invest.* 55: 1284, 1975.
-

- * Guntheroth, W.G. and Kawabori, I. : Heart disease in infants, children and adolescents. 2nd ed. edited by Moss A.J., Adams F.H. and Emmonovilides G.C. William, and Wilkins Co., Baltimore, 1978.
 - * Gussenhoven, E.J., Herwerden, L.A., Roelandt, J. et al. : Intraoperative two-dimensional echocardiography in congenital heart disease. J. Am. Coll. Cardiol.; 9 : 565, 1987.
 - * Haber, E. : The role of renin in normal and pathological cardiovascular hemostasis Circulation 54 :849-1976.
 - * Haber, E. and Carlson, W.: the biochemistry of renin and angiotensin system. In Genest, J., Kuchel, O., Hamet P. et al. (eds): Hypertension : pathology and treatment. new York, McGraw Mill, 117, 1983.
 - * Haga, P., Kristiansen, S.: Role of the kidney in fetal erythropoiesis. Erythropoiesis and erythropoietin levels in newborn mice with renal agenesis. J. Embryol Exp. Morph. 61:165, 1981.
 - * Hagaper, Mary cotes, Janice, A. Till, Barbara, D.: Serum Immunoreactive erythropoietin in children with cyanotic and acyanotic congenital heart disease. Blood, Vol. 70 No. 3, 822-826, 1987.
-

- * Halvorsen, K., Haga, P., Halvorson, S. : erythropoiesis in fetus and neonato. In Nakoa, K., Fisher, G.W., Takahu, F. (eds.): Erythropoiesis. proceeding of the fourth international conference on erythropoiesis. Boltimore, university park press, 1974.

- * Hamed, M.A.: Congenital heart disease in Egyptian children, thirteen years experience. Proceedings of the Annual Meetings of Egyptian Society of Cardiology. March 20-22, 1976. Quoted from congenital heart disease as a cause of heart failure in infants and children. Master Degree. Thesis in Pediatrics. Ain Shams University, Al-Mously, H.S.; 4, 1986.

- * Heidenreich, S. Raha, K.H., Zidek, W.: Direct vasopressor effect of recombenant human erythropoietin on renal resistance vessels kidney Int. ; 39 : 259-265, 1991.

- * Hellebostad, M. Maga, P., Cotes P, M.: Serum immunoreactive erythropoietin in healthy normal children . Br. J. Heamatol 70; 247; 1988.

- * Helmer, O.M., Judson, W.E. · Influence of high renin substrate levels on renin, angiotensin system in pregnancy. Am. J. Obstet Gynecol 99:9, 1967.

- * Hiner, L.B., Gruskin, A.B., Baluarte, H.J., et al.: Plasma renin activity in normal children. J. pediatric 89:258, 1978.

- * Hoffman, J.I.E.: Congenital heart disease in a cohort of 1950 2 births with long term follow up, *Am. J. Cardiology*, 42 : 641 , 1978.
- * Hoffman, J.I.E.: Congenital heart disease : Incidence and Clin. North. Am., 37 (1) : 25-42, 1990.
- * Hutha, J.C., Glasow, P., Murphy, D.J. et al. : Surgery without catheterization for congenital heart defects : Management of 100 patients. *J. Am. Coll. Cardiol.*; 9 : 823, 1987.
- * Jacobsen, L.O., Goldwasser, E., Fried, W., Pezak, L.: Role of kidney in erythropoiesis. *Nature (Lond)* ; 179:633-4, 1957.
- * Jacobson, L.O., Marks, E.K., Gaslon, E.O., et al.: Studies on erythropoiesis. IX. Reticulocyte response of transfusion induced polycythemic mice to anemic plasma from nephroctmized mice and to plasma from nephroctomized rats exposed to low oxygen *Blood*. 14 :635, 1959.
- * Jackson , E.K., Branch, R.A., Oates, J.A. : Particpation of prostaglandins in the control of renin release. In Oates J.A. (ed.) *prostaglandins and the cardiovascular system*. New York, Raven Press, 1982.

- * Jemoine, F., Najman, A., Baillev, C. and Bof, G. : A prospective study of the value of bone marrow erythroid progenitor cultures in polycythemic; *Blood*, 68 (5):996-1002, 1986.

- * jepson, J.H., Frieson, H.G.: the mechanism of action of human placental lactogen on erythropoiesis. *Acta. hematol. (basel)* 15 : 465, 1968.

- * jepson, J.H., McGarry, E.E., Lowenstien, L. : Erythropoietin excretion in a hypopituitary patient. *Arch. Int. Med.* 122: 265, 1968.

- * Kaplan, N.M.: The biosynthesis of adrenal steroids, effects of angiotensin II, adrenocorticotropin and postassium". *J. Clin. Invest.* 44:2029, 1965.

- * Karsh, R.B., Knapp, R.F. and Nora, J.J. : Congenital heart disease in 49 XXXXY syndrome. *Ped.* 56:462, 1975.

- * Kawabori, I. : Cyanotic congenital heart defects with decrease pulmonary blood flow. *Ped Clinics. of North . Am.* 25:759, 1978.

- * Keeton, T.K., Campbel, W.B.: The pharmacologic alteration of renin release. *Pharmacol. Rev.* 31:81, 1981.

- * Koury, M.J., Koury, S.T., Bondurant, M.C., et al.: Correlation of molecular and anatomical aspects of renal erythropoietin production. *Contrib Nephrol* 76 : 24, 1989.
- * Kubo, S.H.: Neurohormonal activation and the response to converting enzyme inhibitors in congestive heart failure *Circulation* , 8 (Suppl 111) : 111-107- 111-114, 1990.
- * Kurtz, A.W., Jelkmann, W., Bauer, C. : The cells, derived from rat glomeruli produce an erythropoietin stimulating factor in cell culture *Eur Biomed Sci Lett* 137:129, 1982.
- * Largh, J.H., and Sealey, J.E.: The renin aldosterone axis or blood pressure, electrolyte hemostasis and diagnosis of high blood pressure In "Textbook" of endocrinology" RH Williams ed W.B. Saunders Philadelphia 1064, 1981.
- * Laursen, H.B. : Some epidemiological aspects of congenital heart disease in Denmark. *Acta Ped. Scand*; 69:619-624, 1980.
- * Levens, N.R., Peach, M.J., Carey, R.M.: Role of intrarenal renin angiotensin system in the control of renal function. *Circ. Res.*48: 157, 1981.

- * Lichty, J.A.; Ting, R.; Burns, P.D. and Dyar, E. : Studies on babies born at high altitudes. Relation of altitude to birth and weight. *Am. J. Dis. Child.*; 93:666-670, 1957.
- * Linch, D.C., Knott, L.J. Rodach, CH. et al.: studies of circulating hemopoietic progenitor cells in human fetal blood. *Blood* 59 : 976, 1982.
- * Lindop, G.B.M.: Morphological aspects of renin synthesis, processing storage and secretion. *Kidney Int (Suppl 20)* 31, S 18, 1987.
- * Lornez, J.N., Weihprecht, H., Schnermann, J., et al.: Characterization of the macula densa stimulus or renin secretion. *Am. J. Physiol* 259: F 186, 1990.
- * Loser, H. and Majewski, F. : Type and frequency of cardiac defects in embryofetal alcohol syndrome, Report of 16 cases. *Br. Heart.* 39 : 1379-1379, 1977.
- * Luten, J.H. and Fanestil, J.L.: the mechanism of aldosterone function In Gills G.N. (ed.): *Pharmacology of the adrenal cortical hormones.* New York, Pergamon press ; 1431, 1979.

- * Massimo volpe, cristina Tritto, A.E. Rao, Rosaria, Russo : Blood levels of erythropoietin in congestive heart failure and correlation with clinical, hemodynamic and hormonal profiles Amr. J. of Cardiol. Vol 74: Septmber 1, 1994.
- * Matoth, Y., Zaizov, R.: regulation of erythro poiesis in fetal rat Isr med. Sc. 7 : 839, 1971.
- * McDonald, T.P., Martin, D.H., Simmons, M.L., et al.: Preliminary results of erythropoietin production by bovine kidney cells in culture. life sce 8 : 949, 1969.
- * McKusick, V.A. : Genetical view of cardiovascular disease. Circulation; 30 : 326, 1964.
- * Milledge J.S., Cotes, P.M.: Serum erythropoietin in human at high altitude and its relation to plasma renin. J. Appl. Physiol. ; 59 : 360-4, 1985.
- * Mitchell, S.C., Korones, S.B. and Berendes, H.W. : Congenital heart disease in 56, 109 births; incidence and natural history. Circ., 43 : 323-332, 1971.
- * Moodie, D.S., Yiannikas, J. (eds.) : Digital subtraction angiography of the heart and lungs. New York, Grune & Stratton; 1986.

- * Moollinger, R.S. Cobuman, J.W. and Meerson, F.Z.: Stimulation of aldosterone, renin and cortisol by tryptophan. *J. Clin. Endocrinology Met* 48:599, 1979.
- * Morgan, B.C. : Incidence, etiology and classification of congenital heart diseases. *Ped. Clinics of North. America*; 25:721, 1978.
- * Moss, Adams, F.H. and Emmanouilides, G.C. : Moss heart disease in infants, children and adolescence, 3rd Ed. Williams and Wilkins Baltimore. London, 1983.
- * Mounier, F., Hinglias, N., Sich, M., et al.: Ontogenesis of angiotensin I : Converting enzyme in human kidney. *Kidney Int* 32 : 684, 1987.
- * Muberg, A.: Hemoglobin concentration and erythropoietin levels in appropriate and small for gestational age infants. *Scand J. Haematol* 24 : 162, 1980.
- * Muller, J. : Regulation of aldosterone biosynthesis " New York, Springer Verlag ; 312, 1971.
- * Nadas, A.S.; and Fyler, D.C. : Pediatric cardiology 3rd W.B. Saunders, Philadelphia ; 348, 1972.

- * Neil, C.A. : Genetic aspects of congenital heart disease in infants, children and adolescents. Edited by Moss, A.J. and Adams, F. H. The Williams and Wilkins Company. Baltimore, Ch. 3, 1968.
- * Nora, J.J. and Nora, A.H. : Genetic epidemiology of congenital heart disease. *Progress in Medical Genetics*. 5:91,1983.
- * Nora, J.J.; Nora, A.H. : Maternal transmission of congenital heart diseases : New recurrence risk figures and the question of cytoplasmic inheritance and vulnerability to teratogens, *Am. J. Cardiol*; 59:459, 1987.
- * Nora, J.J. : Multifactorial inheritance hypothesis for etiology of congenital heart disease. *Circulation*; 38 : 60, 1968.
- * Notti, I. Besster, H., Fjaldetti, M.: Increased erythropoiesis in embryonic spleen of polycythemic mice : An indicator for erythropoietin production by the embryo. *Biol. neonate* 40:269, 1981.
- * Noveck, R.j. Fisjher, J.W. : Erythropoietic effects of 5 hydroxy tryptamine. *proc. Soc. Exp. Biol. med.* 138:103, 1971.
- * Opail, S., Bailie, M.D.: Mechanism of renal handling of angiotensin II in the dog. *Cir. Res.* 50 : 119, 1971.

- * Oparil, S., and Haber, E.: The renin angiotensin system (First of two parts). *N. Engl. J. Med.* 291:389, 1974.
- * Oparil, S., Haber, E.: the renin angiotensin sysem (second of two parts). *N Engl. J. Med.* 291:446, 1974.
- * Oram, S. : Atrial septal defects from clinical heart disease. 2nd Ed. William Heimann Medical Book Ltd., 474 : 482, 1981.
- * Papayannoupoulou, T.H., Brice, M., Stamatoyannopoulos, G.: Stimulation of foetal hemoglobin synthesis in bone marrow culture from adult indiviedual. *Proc., Natl Acad Sci USA* 73 : 2033, 1976.
- * Paul, F., Rothmann, S.A., Meagher, R.C.: Modulation of erythropoietin production by adenosine. *J. Lab. Clin. Med.* 112 : 168, 1988.
- * Peschle, C., Sasso, G.F., Mastroberardine, G., et al.: The mechanism of endocrine influences on erythropoiesis. *J. Lab. Clin. Med.* 78:20, 1971.
- * Pipkin, F.B., Qusey, J., Rosedale, P.D.: The effect of furusimide on renin angiotensin aldosterone system in the concous newborn focal *Int. J. pediatr. nephrol.* 4:288, 1983.

- * Poulou, L.G., Wilkerson, R.D., Roh, B.L., et al.: The effect of prostaglandin E/on erythropoietin production. *Proc. Soc. Exp. Biol. Med.* 142 : 771, 1973.

- * Pykett, T.L. : NMR imaging in medicine. *Sci. Am.* 246:78, 1982.

- * Rich, I.N., Heit, W., Kubank, B. : Extrarenal erythropoietin production by macrophages. *Blood* 60:1007, 1982.

- * Richer, C., Hornyh, H., Amial Tison, C., et al.: Plasma renin activity and its postnatal developmental in proterm infants. *Biol. neonate* 31 :301, 1977.

- * Rosenthal, A.; Button, L.N., Nthan, D.G. et al. : Blood volume change, in cyanotic congenital heart disease. *Am. J. Cardiol.*, 7 : 162-7, 1971.

- * Ruth, V., Fyhrquist, F., Clemons, G., et al. : Cord plasma vasopressin, erythropoietin and hypoxanthine as indices of asphexia at birth. *Pediatr. Res.* 24:490, 1988.

- * Ruth, V., Autti, Ramo, I., Granstorm, M.L., et al.: prediction of perinatal brain damage by cord plasma vasopressin, erythropoietin and hypoxanthine values. *J.Pediatric* 113:880, 1988.

- * Sahn, D.J., Anderson, F. : Two dimensional anatomy of the heart. New York, John Wiley and Sons ; 1982.

- * Samuel, S.G. and Amnon, R. : The interface between primary care and pediatric cardiology. *Ped. Clin. Nor.; Am.*, 31 (6) : 1371-80, 1984.

- * Sanengen, T., Myhre, K., Halvorsen, S. : Erythropoietic factor in plasma from neonatal mice. In vivo studies by ex-hypoxic polycythemic mice assay for erythropoietin. *Acta. Physiol Scand.* 129 : 381, 1987.

- * Scammell, A.M., Diver, M.J. : plasma renin activity in infant with congenital heart disease. *Prch Dis. Child.*; 62:1136-8, 1987.

- * Schooly, J.C., Mahlmann, L.J.: Extrarenal erythropoietin production by *Proc. Soc. Exp. Biol. Med.* 145:1081, 1974.

- * Schmidt, D., Forssmann, W.G., Taugner, R.: Juxtaglomerular granules of the newborn rat kidney. *Pflugers Arch*, 331 : 226, 1972

- * Severe, L.J. : Virus infections and malformations. *ped. Proc.*, 30 : 114-118, 1971.

- * Smith, M.D., Crayburn, P.A., Spain, M.G. et al. : Observer variability in the quantitation of Doppler color flow jet areas for mitral and aortic regurgitation. *J. Am. Coll. Cardiol.*, 11 : 579, 1988.
- * Soler, N.G., Walch, C.H. and Malins, J.M. : Congenital malformations of infants of diabetic mothers. *Q.J. Med.*; 45:303-307, 1967.
- * Stockmann, J.A. Graber, J.E., Clark, D.A, et al.: Anemia of prematurity Determinants of the erythropoietic response. *J. pediatr* 105:786, 1984.
- * Stonestreet, B.S., Goldstien, M., Oh, W., et al: Effect of prolonged hyperinsulinemia on erythropoiesis on fetal sheep. *Am. J. Physiol* 257: R 1199, 1989.
- * Sulyok, E., Nemeth, M. Teny, I., et al., : Relationship between maturity, electrolyte balance and function of renin angiotensin. aldosteron system in new born infants. *Biol. Neonate* 35:60, 1979.
- * Swischuk, L.E., Sapire, D.W. (1986): Basic imaging in congenital heart disease, ED. 2. Baltimore, M.D., Williams and Wilkins, 1986.
- * Tabbara, I.A.: Erythropietin in biology and clinical applications *Arch. Internal Med.*, 153 : 298-304, 1983.

- * Tawfik, S.S.M. : M.D. Thesis, Pediatrics, El-Mansoura University:
Some genetic aspects of congenital heart disease, 1985.
- * Tyndall, M.R. Teitel, D.F., Lutin, W.A., Clemons, G.K., Dollman, P.R.:
Serum erythropoietin levels in patients with congenital heart
disease. J. Pediatr. ; 110:538-44, 1987.
- * Volpe, M. Trilto Cristina, and Maria A.E. Ras. Blood level of
erythropoietin in congestive heart failure and correlation with
clinical hemodynamics and hormonal profiles. American journal
of cardiology vol. 74 seplamber 1, 1994.
- * Voutilainen, P.E.J., Wideness, J.A., Clemons, G.K., et al.: Amniotic
fluid erythropoietin predicts fetal distress in Rh - immunized
pregnancies. Am. J. Obest. Gynecol 160:429, 1989.
- * Widness, J.A., Phillipps, A.F., Clemons , G.K.: Erythropoietin levels and
erythropoiesis at birth in infant with potter syndrome . J. pediatr
116 : 155, 1990.
- * Widness, J.A., Susa, J.B., Garcia, G.F.: Increased erythropoiesis and
elevted erythropoietin in infant born to diabetic mother and in
hyper insulinemic rhesus fetuses. J. Clin Invest. 67:637, 1981.
- * Wiles, H.B. : Imaging congenital heart disease. Ped. Clin. North. Am.;
37:115, 1990.

- * William, G. and Underwood, R.M. : Mineral corticoids; aldosterone, deoxycorticosterone and 18 hydroxycorticosterone In "Methods of hormone radioimmunoassay". B.M. Jaffre, M.R. Behrman eds. Academic press New York. 743, 1979.
- * Williams, G.H.: Aldosterone in non renal hormone acting on the kidney. renal endocrinology. Dunn M.J. (eds.) 1989.
- * Zanjani, E.D., Poster, J., Mann. L.I., et al.: Regulation of fetal erythropoiesis in the fetus kidney hormones II. London Academic, 1977.