

References

- **Adcock LM and Papile LA (2008):** Perinatal asphyxia. In cloherty J P, Eichenwald EC and Stark AR(eds). Manual of Neonatal Care, 6th ed. Philadelphia. Wolters Kluwer. P 518-28.
- **Aigrain EJ and Anderson BJ (2006):** Pain control: Non-steroidal anti-inflammatory agents. Semin Fetal Neonatal Med; 11(4): 251-59.
- **Agustin L, Paola Land Hee J C et al (1996) :** Serum Prolactin in Neonates. with Seizures Epilepsia ;36(7):682-686.
- **Apgar V. and James, LS (1962):** Further observations on the newborn scoring system Am. J. Dis. Child., 104-419.
- **Aurora S and Snyder EY (2004):** Perinatal asphyxia: In Clothery J P, Eichenwald EC and Stark AR(eds). Manual of Neonatal Care, 5th ed. Philadelphia. Lippincott Williams & Wilkins, P 536-55.
- **Badr LK (2006):** Brain Injury in the Infant: The old, the new, and the uncertain, J Perinat Neonatal Nurs: 20(2): 163-75.
- **Ballard and Khoury(1991) :** New Ballard score. Ballard JL, Khoury JC, Wedig K, *et al*: New Ballard Score, expanded to include extremely premature infants. *J Pediatrics* ; 119:417-423.

- Baumann G (2001):** Growth hormone binding protein 2001. J. Pediatr. Endocrinol. Metab.; 14 : 355–375.

- **Barnett A, Mercuri E and Rutherford M ,et al (2002):** Neurological and perceptual – motor outcome at 5-6 years of age in children with neonatal encephalopathy: Relationship with neonatal brain MRI. Neuropediatrics: 33: 242-8.

- **Bear MF, Connors BW and Paradiso MA (2001):** Mitochondria, free radicals and neurodegeneration. **In:** Bear MF, Connors B W, Paradiso MA (eds). Neuroscience Exploring The Brain. 2nd ed. Philadelphia. Lippincott Williams & Wilkins. P 36.

- **Ben-Jonathan N. Dopamine(1985) :** a prolactin-inhibiting hormone. *Endocr Rev* 6: 564-589.

- **Boguszewski CL (2003).** Molecular heterogeneity of human GH : from basic research to clinical implications. J. Endocrinol. Invest. ; 26 : 274–288.

- Bozzola M, De Benedetti F and De Amici M, et al(2003) :** Stimulating effect of growth hormone on cytokine release in children. Eur. J. Endocrinol. ; 149 : 397–401.

- **Britannica from internet site (2006):** [www. Britannica.com/eb/ article-9055383](http://www.Britannica.com/eb/article-9055383).

- **Brown RJ, Adams JJ and Pelekanos RA, et al(2005):** Model for growth hormone receptor activation based on subunit rotation within a receptor dimer. *Nat Struct Mol Biol* ; 12 : 814–821.

- **Carpenter T O, Shane E and Stewart AF (2006):** Neonatal hypocalcemia. *JBMR*; 6(1): 224-227.

- **Carteux P, Cohen H and Check J et al (2003):** Evalution and development of potentially better practices for the prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants. *Pediatrics*: 111(4, Pt2): 489 – 96.

- **Casey BM, McIntire DD and Leveno KJ (2001):** The continuing value of the Apgar score for the assessment of newborn infants. *NEJM*: 344(7): 467-71.

- **Chiesa C, Panero A and Osborn JF, et al (2004):** Diagnosis of neonatal sepsis: A clinical and laboratory challenge. *Clin Chem*; 50: 279-287.

- **Chiu S, and Wise PM. (1996):** Prolactin receptor gene expression in specific hypothalamic nuclei increases with age. *J Gerontol A Biol Sci Med Sci*, 51: B220-B224.

- Cohen P, Rogol AD and Howard CP, et al (2007).** Insulin growth factor-based dosing of growth hormone therapy in children : a randomized , controlled study . *J. Clin. Endocrinol. Metab.*; 92 : 2480–2486.

- **Cowan F (2007):** Hypoxic ischemic encephalopathy. *Pediatr Child Health*; 17:47-57.

- **Cowan F, Rutherford M and Groendaal F et al (2003):** Origin and timing of brain lesions in term infants with neonatal encephalopathy. *Lancet*; 361:736-42.

- **Cranmer H and Shannon M (2007):**
Pediatric hypoglycemia. e- Medicin, Emergency Medicine Pediatrics.
Available at : <http://www.emedicine.com/emerg/topic384.htm>.

- **Dag Y, Firat AK and Karakas M et al (2006):** clinical outcomes of neonatal hypoxic ischemic encephalopathy evaluated with diffusion-weighted magnetic resonance imaging. *Diagn Interv Radiol*; 12:109-114.

- **de Menezes MS and Shaw DW (2006):** Hypoxic – Ischemic Brain Injury in the Newborn. E-Medicine. Pediatrics. Neurology. Available at <http://www.emedicine.com/neuro/topic696.htm>.

- **du Plessis A and Volpe J. (2002):** Perinatal brain in the preterm and term newborn. *Curr Opin Neurol*: 15(2):151-57.

- **Deulofeut M and Sola A (2005):** Injury to the developing brain in term and pretem infants, mechanisms of injury and potential for prevention and repair. *J Arab Neonatal Forum*; 2:34-47.

- **Dorland's Illustrated Medical Dictionary, (1994):** 28th Edition, W. B., neurohormones ,definition.

- **El Metwally D (2006):** Hypoxic ischemic encephalopathy, still haunting! Neuropediatrics: SI (37).

- **Fisker S , Hansen B and Fuglsang J , et al(2004):**
Gene expression of the GH receptor in subcutaneous and intraabdominal fat in healthy females: relationship to GH-binding protein Eur.J.Endocrinol. ; 150: 773–777.

- **Florio P, Luisi S and Moataza B et al (2007):** High urinary concentrations of activin A in asphxiated full-term newborns with moderate of severe hypoxic ischemic encephalopathy. Clin Chem J; 10:1373.

- **Fuglsang J and Ovesen P (2006).** Aspects of placental growth hormone physiology. Growth Hormone & IGF Research ;16 (2) : 67-85.

- **GY Zhang, Lu XM , Sun RP (2006):** Serum growth hormone and prolactin levels in neonates with hypoxic-ischemic encephalopathy PMID: 17178031 [PubMed - indexed for MEDLINE] .

- Gardner, David G, Shoback, Dolores (2007).** Greenspan's Basic and Clinical Endocrinology 8th ed. pp. 193-201.New York: McGraw Medical. ISBN: 0071440119.

- **Ghigo E, Broglio F and Arvat E, et al (2005) :**
Ghrelin: more than a natural GH secretagogue and/or an orexigenic factor. *Clin. Endocrinol.* ; 62 : 1-17.

- **Goffin V, Bouchard B and Ormandy CJ, et al (1998) :**
Prolactin a hormone at the crossroads of neuroimmunoendocrinology. *Ann NY Acad Sci* 840: 498-509.

- **Goldenberg RL, Culhane JF and Johnson DC (2005):** Maternal infection and adverse fetal and neonatal outcomes. *Clin Perinatol*; 32(3):523-559.

- **Golianu B, Krane E and Seybold J et al (2007):** Non-pharmacological techniques for pain management in neonates. *Sem Perinat*; 31(5): 318-22.

- **Granelli SL and McGrath JM (2004):** Neonatal seizures: diagnosis. Pharmacologic interventions, and outcomes. *J perinat Neonatal Nurs*; 18(3):275-87.

- **Grattan DR, and Waverill RL. (1996) :** Intrahypothalamic pituitary grafts elevate prolactin in the cerebrospinal fluid and attenuate prolactin release following ether stress. *Proc Soc Exp Biol Med* 196: 42-46.

- **Gregg C, Shikar V, Larsen P, et al. (2007).** "White matter plasticity and enhanced remyelination in the maternal CNS". *J. Neurosci.* 27 (8): 1812–23.

- Gunn AJ and Bennet L (2001):** Is temerature important in delivery room resuscitation? *Semin Neonatol*: 6(3):241-9.

- **Hagberg H and Jacobsson B (2005):** Brain injury in preterm infants what can be obstetrician do? *Early Hum Dev*; 81(3):231-35.
- **Hellström-w L, Rosén I and De Vries LS et al (2006):** Amplitude-integrated EEG classification and interpretation in preterm and term infants. *NeoRev*; 7(2): 76-87.
- Horseman ND, and Yu-Lee LY. (1994):** Transcriptional regulation by the helix bundle peptide hormones: growth hormone, prolactin, and hematopoietic cytokines. *Endocr Rev* 15: 627-649, 1994.
- **Hua G.H., Chen S.L. and Yu J.N., et al (2009) :** Polymorphism of the growth hormone gene and its association with growth traits in Boer goat bucks. *Meat Science* ; 81 : 391–395.
- **Jeay S, Sonenshein GE and Postel-Vinay MC.,(2002):** Growth hormone can act as a cytokine controlling survival and proliferation of immune cells: new insights into signaling pathways. *Mol Cell Endocrinol* ; 188 : 1-7 .
- **Johnston MV, Trescher WH and Ishida A, et al (2001):** Neurobiology of hypoxic-ischemic injury in the developing brain. *Pediatr Res*; 49(6):735-741.
- **Ka poor R.K. , Misra P.K. and Kumar Ajay , et al (1997) :** Growth Hormone in Birth Asphyxia. *Indian Pediatrics* ;34 :133-135.

- Kanyicska, B., M.T. Sellix and M. E. Freeman. (200۳):** Autocrine regulation of prolactin secretion by endothelins throughout the estrous cycle. *Endocrine* 20: 53-58.

- **Karaarslan E and Arslan A(2007):** Diffusion weighted MR imaging in non-infarct lesions of the brain. *Eur J Radiol*; in Press.

- Kilic S, Tarim O and Eralp O. : (1999):** Serum prolactin in neonatal seizure *Pediatr Int*,41: 61-64.

- **Klinger G, Beyene, J and Shah, P et al (2005):** Do hyperoxaemia and hypocapnia add to the risk of brain injury intrapartum asphyxia? *Arch. Dis. Child Fet. Neon. Ed*; 90(1): 49-52.

- Le Roith D, Bondy C, Yakar S, Liu J , Butler A. (2001):** The Somatomedin Hypothesis: 2001. *Endocrine Reviews* ; 22 (1) : 53-74.

- **Lee LR, Haisenleder DJ and Marshall JC, et al (1989):** The role of the suckling stimulus in regulating pituitary prolactin mRNA in the rat. *Mol Cell Endocrinol* 64: 243-249.

- Lindsey A, Norbeck and JeVrey D, et al (2007) :** Resolving the growth-promoting and metabolic effects of growth hormone: Differential regulation of GH–IGF-I system components. *General and Comparative Endocrinology* ; 151 : 332–341.

- **Maalouf EF, Duggan PJ and Counsell SJ et al (2001):** Comparison of findings of cranial ultrasound and magnetic resonance imaging in preterm infants. *Pediatrics*; 107:719-29.

- **Maschmann J, Heinemann Mk and Ziemer G et al (2000):** valuation of protein s-100 serum concentrations in healthy newborns and seven newborns with perinatal acidosis. *Acta Paediatr*; 89:553-55.

- **Maneru C, Junque C and Botet F et al (2001):** Neuropsychological long-term sequelae of perinatal asphyxia. *Brain Inj*; 12:1029-39.

- **Meintosh N and Stenson B (2003):** The newborn. **In:** McIntosh N, Helms PJ and Smyth RL (eds). *Forfar and Arneil's Textbook of pediatrics*. 6th ed. Edinburgh. Churchill Livingstone, P 177-391.

- **Miller SP, Latal B and Clark H et al (2004):** Clinical signs predict 30 month neurodevelopmental outcome after neonatal encephalopathy. *Am J Obstetrics Gynecology*; 190:93-9.

- **Molitch ME, Clemmons DR and Malozowski S , et al (2006) :** "Evaluation and treatment of adult growth hormone deficiency: an Endocrine Society Clinical Practice Guideline". *J. Clin. Endocrinol. Metab.* ; 91 (5) : 1621–34.

- **Morales A, Bass NE and Verhulst SJ. (1995) :** Serum prolactin levels and neonatal seizures. *Epilepsia*; 36:349–354.

- **Nagdyman N, komen W and Ko-H-k, et al (2001):** Early biochemical indicators of hypoxic-Ischemic encephalopathy after birth asphyxia. *Pediatric Res*: 49:502-6.

- **Nagy G and Halasz B. (1983) :** Time course of the litter removal-induced depletion in plasma prolactin levels of lactating rats. *Neuroendocrinology* 37: 459-462.

- **Nelson, R.J. (2005):** An introduction to behavioral endocrinology (3rd ed.)/ Sunderland, MA: Sinauer Associates.

- Nem-Yun Boo, (Edin & Glasg) and Munn-Sann Lye, (1993) :**
 Factors Associated with Clinically Significant Perinatal Asphyxia in the Malaysian Neonates: a Case-control Study. PMID: 1844086[PubMed - indexed for MEDLINE]

- **Nindl BC, Hymer WC and Deaver DR, et al (2001) :** "Growth hormone pulsatility profile characteristics following acute heavy resistance exercise". *J. Appl. Physiol.*; 91 (1 : 163–72.)

- **Nioka S, Izzetoglu M and Michael J et al (2005):** Fetal transabdominal pulse oximeter studies using a hypoxic sheep model *J Mater Fet Neonat Med*; 17 (6) : 393-99.

- **Norrelund H (2005):** The metabolic role of growth hormone in humans with particular reference to fasting. *Growth Hormone & IGF Research* ; 15 : 95–122.

- **Osredkar D, Toet MC and van Rooij LGM et al (2005):** Sleep-wake cycling on amplitude-integrated EEG in full-term newborns with hypoxic-ischemic encephalopathy. *Pediatrics*; 115:327-32.

- **Parer JT and King T (2000):** Fetal heart rate monitoring: Is it salvageable? *Am J Obstet Gynecol*: 182:982-87

- **Perlman JM (2006):** Summary proceedings from the neurology group on hypoxic-ischemic encephalopathy. *Pediatrics*; 117(3):28-33.

- **Perrone S., Bracci R. and Buonocore G. (2002):** New biomarkers of fetal– neonatal hypoxic stress. *Acta Pediatr.* ; 438:135-138.

- **Pignotti MS, Indolfi G and Ciuti R et al (2005):** Perinatal asphyxia and inadvertent neonatal intoxication from local anaesthetics given to the mother during labour. *BMJ*:330:34-35.

- **Raju TN, Rosenkrantz T and Windle ML et al (2006):** Hypoxic Ischemic Encephalopathy. *e-medicine, pediatrics, Neonatology*. Available at <http://e.medicine.com/ped/topic 149.htm>.

- **Rohl L, Ostergaard L and Simonsen Z et al (2001):** Viability thresholds of ischemic penumbra of hyperacute stroke defined by perfusion-weighted MRI and apparent diffusion coefficient. *Stroke*; 32:1140.

- **Roztocil A, Miklica J and Kucera M, et al (2002):** Continuous monitoring of fetal oxygen saturation (FSpO₂) using intrapartum fetal pulse oximetry (IFPO) in the diagnosis of acute fetal hypoxia. Cesk Gynekol ; 65 : 224-30.

- **Saling E, Schreiber M and Al-Taie T (2001):** Simple, efficient and inexpensive program for preventing prematurity. J Perinat Med; 29(3):199-211.

- **Sarnat H.B. and Sarnat M.S. (1976) ::**neonatal encephalopathy following fetal distress:A clinical and electro-encephalographic study .Arch Neurol;33:696.

- **Saugstad OD, Ramji S and Vento M (2005):** Resuscitation of depressed newborn infants with ambient air or pure oxygen: A meta-analysis. Biol Neonate; 87(1):27-34.

- **Scheepens A, Modersheim TA, Gluckman PD (2005) .**The role of growth hormone in neural development. Horm Res ; 64 (Suppl 3) : 66–72.

- **Scher M (2001):** Perinatal asphyxia: Timing and mechanisms of injury in neonatal encephalopathy. Cure Neurol Neurosci Rep; 1:175-84.

- **Schwartz N and Young BK (2006):** Intrapartum fetal monitoring today. J Perinat Med; 34(2): 99-107.

- **Sheffali G and Vani W (2005):** Prevention of developmental disabilities. Indian J pediatr; 72:11:975-78.

- **Shennan DB. (1994):** Regulation of water and solute transport across mammalian plasma cell membranes by prolactin. *J Dairy Res* 61: 155-166.

- Shah P, Riphagen, S and Beyene J et al (2004):** Multiorgan dysfunction in infants with post-asphyxial hypoxic-ischemic encephalopathy. Arch. Dis. Child Fet. Neon. Ed; 89(2):152-155.

- **Shankaran S (2002):** The postnatal management of the asphyxiated term infant. Clin perinatol: 29:675-92.

- **Shin DH, Eunju L and Jong-Wan K, et al (2004) :** Protective effect of growth hormone on neuronal apoptosis after hypoxia–Ischemia in the neonatal rat brain. Neuroscience Letters;354:64–68.

- Smaniotto S, de Mello-Coelho V and Villa-Verde DM, et al (2005) :** Growth hormone modulates thymocyte development in vivo through a combined action of laminin and CXC chemokine ligand 12.. Endocrinology ; 146 : 3005–3017.

- **Smith S J (2005):** EEG in the diagnosis, classification, and management of patients with epilepsy. J Neurol Neurosurg Psychiatry; 76(2):2-7.

- **Stoll BJ and Kliegman RM (2007):** Hypoxia-Ischemia In: Kliegman RM, Behrman RE, Jenson HB and Stanton BF (eds). Nelson Textbook of Pediatrics . 18th ed . Philadelphia. WB Saunders, P718.

- **Su L L, Chong YS and Biswas A (2007):** Use of fetal electrocardiogram for intrapartum monitoring. Ann Acad Med Singapore: 36: 416-20.

- **Sucholeiki R and Louis S (2006):** Normal EEG waveforms. Electroencephalography and evoked potentials, e-medicine, Neurology. Available at <http://www.emedicine.com/neuro/topic275.htm>

- **Taksera L., Merglera D., De Grosboisa S., Smargiassia and Lafond j. (2004) :** Blood manganese content at birth and cord serum prolactin levels. Neurotoxicology and Teratology; 26: 811– 815, 2004.

- **Thorngren-J K and Herbst A (2001):** Low 5-minute Apgar score: A population-based register study of 1 million term births. Obstet Gynecol; 98: 65-70.

- **Toet MC, Lemmers PM, van-Schelven LJ et al (2006):** Cerebral oxygenation and electrical activity after birth asphyxia: their relation to outcome. Pediatrics; 117(2): 333-39.

- **Van den Eijnden MJ and Strous GJ(2007).** Autocrine Growth Hormone: Effects on Growth Hormone Receptor Trafficking and Signaling. Molecular Endocrinology; 21: 2832–2846.

- **Van der Lely AJ, Tschöp M, Heiman ML, Ghigo E (2004).**
Biological, physiological, pathophysiological and pharmacological aspects of ghrelin. *Endocr. Rev.* ; 25 : 426–457.

- **Varvarigou A, Vagenakis AG, Makri M, Frimas C, Beratis NG. PMID:**
8713652 [PubMed - indexed for MEDLINE]

- **Verdu PA, Falero MP and Arroyos A et al (2001):** Blood neuronal specific enolase in newborns with perinatal asphyxia. *Rev. Neurok*; 32 (8) 714-17.

- **Vintzileos A M (2000):** Antenatal assessment for the detection of fetal asphyxia: An evidence- based approach using indication-specific testing. *Annals N Y Acad Science*; 900:137-50.

- **Volpe JJ (2001):**
Hypoxic ischemic encephalopathy. In: *Neurology of the newborn*, 4th ed. p.217- 394, W.B. Saunders Co; Philadelphia.

- **Volpe J (2003):**
Cerebral white matter injury of the premature infant: More common than you think. *Pediatrics*; 111:176-180.

- **Wahlin A, Herbst A and Lindoff C et al (2001):** Brain-specific NSE and S-100 proteins in umbilical blood after normal delivery. *Clinic Chim Acta*: 304:57-63.

- **Waldstreicher J, Duffy JF, Brown EN, Rogacz S, Allan JS, and Czeisler CA. (1996):** Gender differences in the temporal organization of prolactin (PRL) secretion: evidence for a sleep-independent circadian rhythm of circulating PRL levels—a clinical research center study. *J Clin Endocrinol Metab* 81: 1483-1487, 1996.

- Wang Mingfang, et al. (1998):** Department of Nuclear Medicine Zibo Wan Jie Hospital, Shandong (255202)- Epilepsy Seizures Growth hormone RIA- *Journal of Radioimmanology*
R742.1 【DOI】 : CNKI:SUN:FSMY.0.1998-02-000

- **Ward P, Counsell S and Allsop J et al (2006):** Reduced fractional anisotropy on diffusion tensor magnetic resonance imaging after hypoxic ischemic encephalopathy. *Pediatrics*; 117:619-30.

- **Waters MJ, Hoang HN, Fairlie DP, Pelekanos RA, Brown RJ (2006).** New insights into growth hormone action. *J Mol Endocrinol* ; 36 : 1–7.

- **Wikipedia from internet site(2006) :**

www.en.wikipedia.org/wiki/Neuroendocrinology,lastupdate, March 2006.

- **Wiswell TE (2000):** Delivery room management of the apparently vigorous meconium-stained neonate: Results of the multicenter, international collaborative trial. Pediatrics: 105:1-7.

- **Zach T and Brown J C (2006):** Periventricular leukomalacia. e-medicine, Pediatrics. Neonatology. Available at <http://www.emedicine.com/ped/topic1773.htm> .