

REFERENCES

Al-Ali MK, Batchoun RG, Al-Nour TM (2006): Etiology of Jordan.

community-acquired pneumonia in hospitalized patients in *Saudi Med J*; 27(6):813-6.

Antunes M, Rodrigues J, Castro M, Elias LL, et al (2004): Neuroendocrine control of body fluid metabolism. *Physiol Rev* 84:169,

Ayus JC, Varon J, Arieff AI (2000): Hyponatremia, cerebral edema, and noncardiogenic pulmonary edema in marathon runners. *Ann Intern Med*; 132:711–714

Black RE (2003): Zinc Deficiency, Infections Disease and Mortality in the Developing World. *J Nutr*, 133: 14855-95

Bradley JS (2003): Old and new antibiotics for Pediatric Pneumonia. *Semin Respir Infect*; 17(1):57-64

British Thoracic Society Standards of Care Committee. BTS

Guidelines for the Management of Community Acquired Pneumonia in Childhood. *Thorax* 2002; 57 (Suppl. 1): i1–23.

BTS. BTS Guidelines for the management of community-acquired

pneumonia in childhood. *Thorax* 2002; 57:S1—S24

Brown K (2002): Pneumonia. In: *Pediatric Emergency Medicine; A Comprehensive Study Guide. 2nd ed; Pp: 19-25*

Brooks WA, Santosham M, Naheed A, Goswami D, Wahed MA, Diener-West M, Faruque AS, Black RE (2005): Effect of Weekly Zinc Supplements on Incidence of Pneumonia and Diarrhea in Children Younger than 2 years in an Urban, Low-Income Population in Bangladesh: Randomized Controlled Trial, *Lancet*; 366(9490): 999-1004.

CDC (Centers for Disease Control and Prevention) (1997):

Pneumococcal Polysaccharide Vaccine. What You Need To Know. July 1997. National Immunization Program website at www.cdc.gov/nip

Cincinnati Children's Hospital Medical Center. Evidence-based clinical practice guideline of community-acquired pneumonia in children 60 days to 17 years of age. Cincinnati, OH: Cincinnati Children's Hospital Medical Center; 2000. pp. 1—11

Claudia Nordenbaek, Julia S. Johansen, Peter Junker, Niels Borregaard, Ole Sorensen and Paul A. Price. YKL-40, a matrix protein of specific granules in neutrophils, is elevated in serum of patients with community – acquired pneumonia requiring hospitalization. *The Journal of infectious diseases* 1999;180:1722-6

Constantine A. Sinanidis and Athanassios C. Sinanidis; Community-acquired pneumonia in children. *Current opinion in pulmonary medicine* 2005, 11:218-225.

Cutts FT, Zaman SM, Enwere G, Jaffar S, Levine OS, Okoko JB, Oluwalana C, Aughton A, Obaro SK, Leach A, McAdam KP, Biney E, Saaka M, Onwuchekwa U, Yallop F, Pierce NF, Greenwood BM, Adegbola RA (2005): Efficacy of Nine-valent Pneumococcal Conjugate Vaccine against Pneumonia and Invasive Pneumococcal Disease in the Gambia: Randomised, Double-blind, Placebo- controlled Trial. *Lancet*; 365(9465): 1139-46

Don M, Paldanius M, Fasoli L, Canciani M, Korppi M (2006)

Simkania negevensis is a rare but real cause of pneumonia in children. *Pediatr Infect Dis J* 25:470–471

Don M, Valent F, Korppi M, Falleti E, De Candia A, Fasoli L,

Tenore A, Canciani M (2007) Efficacy of serum procalcitonin in evaluating severity of community-acquired pneumonia in childhood. *Scand J Infect Dis* 39:129–137

Ellison DH, Berl T: Clinical Practice. The syndrome of inappropriate antidiuresis. *N Engl J Med* 2007, 356:2064-72.

Emerman CL, Dawson N, Speroff T, Siciliano C, Effron D, Rashad F,

Shaw Z, Bellon EL. (1991): Comparison of physician judgment and decision aids for Ordering chest radiographs for pneumonia in outpatients. *Ann Emerg Med*; 20(11):1215-9.

El-Radhi, A S, Barry W (2006): Thermometry in pediatric practice. *Arch Dis Child*; 91 (4):351-6.

Felker GM, Leimberger JD, Califf RM, Cuffe MS, Massie BM, Adams

KF Jr, Gheorghiade M, O'Connor CM: Risk stratification after hospitalization for decompensated heart failure. *J Card Fail* 2004, 10:460-466.

Feigelman S (2008): Growth, Development and Behavior. *Nelson Text Book of Pediatrics, 18 th ed. Philadelphia : WB Saunders. pp: 33-100.*

Garbaldi RA : Epidemiology of community-acquired respiratory tract infections in adults : incidence, etiology, and impact. *A m J Med* 1985;78:32S-37S.

Gaston B (2002): Pneumonia. *Pediatr Rev; 23:132-40.*

Gerigk M, Gnehm HE, Rascher W (1996). Arginine vasopressin and renin in acutely ill children: implication for fluid therapy. *Acta Paediatr* 85:550–553

Gheorghiade M, Abraham WT, Albert NM: Relationship between admission serum sodium concentration and clinical outcomes in patients hospitalized for heart failure: an analysis from the OPTIMIZE-HF registry. *Eur Heart J* 2007, 28:980-8.

Ghosh S, Watts D, Kinner M (2002) : Management of gastrointestinal hemorrhage. *Postgraduate Medical Journal;78(915):2-25.*

References

Greenbaum LA (2007): Pathophysiology of Body Fluids and Fluid Therapy. In: Behrman RE, Kliegman RM, Jenson HB (eds). Nelson Text Book of Pediatrics, Saunders 18th edition, 267-319.

Guyton AC and Hall JE (2006)–a: Regulation of Extracellular Fluid Osmolarity and Sodium Concentration. In Guyton AC and Hall JE, eds, Text book Of medical Physiology 348-364.

Hall JE and Brands MW (2000): The renin-angiotensin-aldosterone system: renal mechanisms and circulatory homeostasis. In Seldin DW, Giebisch G (eds): The Kidney—Physiology and Pathophysiology, 3rd ed. New York: Raven Press, pp 1009-1046.

Halperin M L, Cherney DZ, Spital A, Adroque H J, Madias N E (2000): Hypernatremia. NEJM 343: 817-818

Halm EA, Teirstein AS (2003): Management of community-acquired pneumonia. *N Engl J Med*; 347:2039-45.

Han DS and Cho BS (2002): Therapeutic approach to hyponatremia. Nephron; 92 Suppl; 1: 9-13.

Haycock GB (2006): Hypernatraemia: diagnosis and management. Arch Dis Child Educ Pract Ed; 91:ep8-ep13

Jacobs MR, Felmingham D, Appelbaum PC, et al. The Alexander Project

1998-2000: susceptibility to pathogens isolated from community-acquired respiratory tract infection to commonly used antimicrobial agents. *J Antimicrob Chemother* 2003; 52:229—246.

Jacobs MR. Worldwide trends in antimicrobial resistance among common respiratory tract pathogens in children. *Pediatr Infect Dis J* 2003; 22:S109— S119.

Jones G, Steketee RW, Black RE, Bhutta ZA, Morris SS; Bellagio Child Survival Study Group (2003): How Many Child Deaths Can We Prevent This Year?. *Lancet*; 362(9366): 65-71

Johnson BE, Chute JP, Rushin J, Williams J, Le PT, Venzon D, Richardson GE: A prospective study of patients with lung cancer and hyponatremia of malignancy. *Am J Respir Crit Care Med* 1997;156:1669-1678.

Kaplan S. Review of antibiotic resistance, antibiotic treatment and prevention of pneumococcal pneumonia. *Paediatr Respir Rev* 2004;5(suppl A) S153—S158.

Klein L, O' Connor CM, Leimberger JD, Gattis-Stough , Pina IL, Felker GM, Adams KF Jr, Califf RM, Gheorghiade M: Lower serum sodium is associated with increased short-term mortality in hospitalized Prospective Trial of Intravenous Milrinone patients with worsening heart failure: results from the Outcomes of a for Exacerbations of Chronic Heart Failure (OPTIME-CHF) study. *Circulation* 2005, 111:2454-2460.

Korppi M. Non-specific host response markers in the differentiation between pneumococcal and viral pneumonia: what is the most accurate combination? *Pediatr Int* 2004; 46:545—550.

Korppi M, Remes S, Heiskanen-Kosma T. Serum procalcitonin concentrations in bacterial pneumonia in children: a negative result in primary healthcare settings. *Pediatr Pulmonol* 2003; 35:56—61.

Korppi M, Heiskanen-Kosma T, Jaloner E, Kiekara O, Soimakallio S (1992): Comparison of radiological findings and microbial aetiology of community – acquired pneumonia in children treated in hospital . *Eur J Pediatr*;152:24-30.

Korppi M, Heiskanen-Kosma T, Kleenola M. Incidence of community-acquired pneumonia in children caused by *Mycoplasma pneumoniae*: serological results of a prospective, population-based study in primary health care. *Respirology* 2004; 9:109—114.

Lichenstein R, Suggs AH, Campbell J. Pediatric pneumonia. *Emerg Med Clin North Am* 2003; 21:437—451.

Lin PL, Michaels MG, Janosky J, et al. Incidence of invasive pneumococcal disease in children 3 to 36 months of age at tertiary care pediatric center 2 years after licensure of the pneumococcal conjugate vaccine. *Pediatrics* 2003; 111:896—899.

Lopez AF, Cubells L, Carcia JJG, et al. Procalcitonin in pediatric emergency departments for the early diagnosis of invasive bacterial infections in febrile infants: results of a multicenter study and utility of a rapid qualitative test for this marker. *Pediatr Infect Dis J* 2003; 22:895—903.

Lutfiyya MN, Henley E, Change LF (2006): Diagnosis and treatment of community-acquired pneumonia. *Am Fam Physician*; 73:442-50.

Margolis P, Gadomski A (1998): The rational clinical examination. Does this infant have pneumonia? *JAMA*; 279:308-13.

Mandell LA, Bartlett JG, Dowell SF, File TM, Musher DM, Whitney C (2003): Update of practice guidelines for the management of community-acquired pneumonia in immunocompetent adults. *Clin Infect Dis*; 37:1405-33.

Maneker AJ, Emory MP, Krug SE. Contribution of routine pulse oxymetry to evaluation and management of patients with respiratory illness in a pediatric emergency department. *Ann Emerg Med* 1995; 25:36—40.

Massimiliano Don & Giuliana Valerio & Matti Korppi & Mario Canciani. Hyponatremia in pediatric community-acquired pneumonia. *Pediatr Nephrol* (2008) 23:2247–2253

Mayo Clinic . Diseases and Conditions . Pneumonia: Basics . may 9, 2009 . Available at <http://www.mayoclinic.com/health/pneumonia/DS00135> . Accessed on December 8, 2009

Michelow IC, Olsen K, Lozano J, et al. Epidemiology and clinical characteristics of community-acquired pneumonia in hospitalized children. *Pediatrics* 2004; 113:701—707.

McIntosh K. Community-acquired pneumonia. *N Engl J Med* 2002; 346:429—437.

Moritz ML, and Ayus JC (2003): Prevention of Hospital-Acquired Hyponatremia: A Case for Using Isotonic Saline. *Pediatrics* Vol. 111 No. 2 ; 227-230

Moritz ML, Manole MD, Bogen DL, Ayus JC (2005): Breastfeeding-associated hypernatremia: are we missing the diagnosis?. *Pediatrics*. Sep. ;116(3):e343-7.

Moritz ML, Ayus JC (2002) Disorders of water metabolism in children: hyponatremia and hypernatremia. *Pediatr Rev* 23:371—380

Nair V, Niederman MS, Masani N, Fishbane S: Hyponatremia in community-acquired pneumonia. *Am J Nephrol* 2007, 27:184-90.

Niederman MS, Mandell LA, Anzueto A, Bass JB, Broughton WA, Campbell GD, Co-chair, Lionel A , Dean N, File T, Fine MJ, Gross PA, Martinez F, Marrie TJ, Plouffe JF, Ramirez J, Sarosi GA, Torres A, Wilson R, Yu VL (2001): American Thoracic Society. Guidelines for the management of adults with community-acquired pneumonia. Diagnosis, assessment of severity, antimicrobial therapy, and prevention. *Am J Respir Crit Care Med*;163: 1730-54.

Núñez M, Rey-Joly C, Sabrià M (2007) Streptococcus pneumoniae and Legionella pneumophila pneumonia in HIV-infected patients. *Scand J Infect Dis* 39:122–128

Oh MS (2002) Pathogenesis and diagnosis of hyponatremia. *Nephron* 92 [Suppl 1]:2–8

Ostapchuk, M.; Roberts, D. and Haddy, R. (2004): Community-Acquired Pneumonia in Infants and Children. *American Family Physician*; 70(5): 899-908.

Park JE, Park K (1979): Text book and social Medicine. 7th edition. *Herssers Barner sides*, pp: 81.

Pedro-Botet ML, Sopena N, García-Cruz A, Mateu L, García-Swaniker F, Soldes O, Hirschl RB (1999): The utility of technetium 99m pertechnetate scintigraphy in the evaluation of patients with Meckel diverticulum. *J Paediatr Surg*;34:760-5.

Reynolds RM, Padfield PL, Seckl JR (2006): Disorders of sodium imbalance. *BMJ*; 332:702-705.

Sands JM and Layton HE (2000): Urine concentrating mechanism and its regulation. In Seldin DW, Giebisch G (eds): *The Kidney—Physiology and Pathophysiology*, 3rd ed. New York: Raven Press,

Schmitt SK (2004): Community-acquired pneumonia. The Cleveland Clinic Foundation. Retrieved from <http://www.Clevelandclinic.org>

Sectich T C, Prober CG (2008): Pneumonia In: Kliegman KM, Behrman RE, Jenson HB, Stanton BF, (eds). *Nelson Text Book of Pediatrics*, 18th ed. Philadelphia : *WB Saunders*. pp: 1795-1801.

Senstad AC, Suren P, Brauteset L, Eriksson JR, Hoiby EA, Wathne K-O. Community acquired pneumonia (CAP) in children in Oslo, Norway. *Acta Paediatr* 2009; 98: 332–6.

Shah SS, Alpern ER, Zwerling L, et al. Risk of bacteremia in young children with pneumonia treated as outpatients. *Arch Pediatr Adolesc Med* 2003; 157:389—392

Sopena N, Sabria M, Pedro-Botet ML, Manterola JM, Matas L, Dominguez J, Modol M, Tudela , Ausina V, Foz M(1999): Prospective study of community-acquired pneumonia of bacterial etiology in adults. *Eur J Clin Microbiol Infect Dis*; 18(12):852-8.

Swingler GH, Zwarenstein M. Chest radiograph in acute respiratory infections in children. *Cochrane Database Syst Rev* 2000;(2):CD001268.

Tsolia MN, Psarras S, Bossios A, et al. Etiology of community-acquired pneumonia in hospitalized school-age children: evidence for high prevalence of viral infections. *Clin Infect Dis* 2004; 39:681—686.

Valli G, Fedeli A, Antonucci R, Paoletti P, Palange P: Water and sodium imbalance in COPD patients monaldi Arch Chest Dis 2004;61: 112-116.

Virkki R, Juven T, Rikalainen H, et al. Differentiation of bacterial and viral pneumonia in childhood. Thorax 2002;57;438-441.

Williams BG, Gouws E, Boschi-Dinto C, et al. Estimates of worldwide distribution of child deaths from acute respiratory infections. Lancet Infect Dis 2002; 2:25—32.

World Health Organization (WHO), The United Nations Children's Foundation (UNICEF) (2006): Pneumonia: The forgotten killer of children .UNICEF Immunization: Hib, <http://www.unicef.org/immunization/23245_hib.html> .