

Chapter (9)

REFERENCES

1. **Abe E, Yamamoto M, Taguchi Y et al.:** Essential requirement of BMPs-2/4 for both osteoblast and osteoclast formation in murine bone marrow cultures from adult mice: antagonism by noggin. *J Bone Miner Res* 2000; 15: 663–673.
2. **Ahlborg HG, Johnell O, Turner CH et al.:** Bone loss and bone size after menopause. *N Engl J Med* 2003; 349: 327-334.
3. **Akshulakov CK, Eimbaev TT, Tankacheyev TS et al.:** Percutaneous vertebroplasty for osteoporotic fractures. *Journal of Chinese Clinical Medicine* 2009; 4(2): 82-86.
4. **Althausen PL, Lee MA, Finkemeier CG et al.:** Operative stabilization of supracondylar femur fractures above total knee arthroplasty: a comparison of four treatment methods. *J Arthroplasty* 2003; 18: 834-839.
5. **Álvarez L, Alcaez M, Pérez-Higueras A et al.:** Percutaneous vertebroplasty: functional improvement in patients with osteoporotic compression fractures. *Spine* 2006; 31: 1113-1118.
6. **American College of Rheumatology ad Hoc Committee on Glucocorticoid-Induced Osteoporosis.** Recommendations for the prevention and treatment of glucocorticoid-induced osteoporosis: 2001 update. *Arthritis Rheum* 2001; 44: 1496–1503.

7. **American Geriatrics Society, British Geriatrics Society, American Academy of Orthopaedic Surgeons Panel on Falls Prevention.** Guideline for the prevention of falls in older persons. *J Am Geriatr Soc.* 2001; 49: 664-672.
8. **An YH:** Internal fixation in osteoporotic bone. *Thieme Verlag, New York; 2002.*
9. **An YH, Burgoyne CR, Crum MS et al.:** Current methods and trends in fixation of osteoporotic bone. In: An YH (ed). *Internal fixation in osteoporotic bone. New York: Thieme; 2002: 73-107.*
10. **An YH, Young FA, Kang Q et al.:** Effects of cancellous bone structure on screw pullout strength. *Medical University of South Carolina Orthopedic Journal* 2000; 3: 22-26.
11. **Armstrong R, Milliren A, Shantz W et al.:** Retrograde interlocked intramedullary nailing of supracondylar distal femur fractures in an average 76-year-old patient population. *Orthopedics* 2003; 26: 627-629.
12. **Baim S, Binkley N, Bilezikian JP et al.:** Official Positions of the International Society for Clinical Densitometry and executive summary of the 2007 ISCD Position Development Conference. *J Clin Densitom* 2008; 11: 75–91.
13. **Baroncelli GI, Bertelloni S, Sodini F et al.:** Osteoporosis in children and adolescents: etiology and management. *Paediatr Drugs* 2005; 7: 295–323.

14. **Bartl R and Frisch B:** *Osteoporosis: Diagnosis, Prevention and Therapy. Spain: Springer; 2009: 1-321.*
15. **Bartolozzi B, Nozzoli C, Pandolfo C et al.:** Percutaneous vertebroplasty and kyphoplasty in patients with multiple myeloma. *Eur J Haematol* 2006; 76(2): 180-181.
16. **Bilezikian JP:** Efficacy of bisphosphonates in reducing fracture risk in postmenopausal osteoporosis. *The American Journal of Medicine* 2009; 122(2A): s14-s21.
17. **Bischoff-Ferrari HA and Dawson-Hughes B:** Where do we stand on vitamin D? *Bone* 2007; 41(1 Suppl. 1): S13–S19.
18. **Black DM, Steinbuch M, Palermo L et al.:** An assessment tool for predicting fracture risk in postmenopausal women. *Osteoporos Int.* 2001; 12: 519-528.
19. **Black DM, Thompson DE, Bauer DC et al.:** Fracture risk reduction with alendronate in women with osteoporosis: the fracture intervention trial. FIT Research Group. *J Clin Endocrinol Metab* 2000; 85: 4118–4124.
20. **Blake GM:** The Clinical Role of Bone Density Scans in the Diagnosis and Treatment of Osteoporosis. In: Adler RA (ed). *Osteoporosis: Pathophysiology and Clinical Management.* New York: Humana Press; 2010: 77-95.
21. **Blake GM and Fogelman I:** Clinical use of instruments that measure peripheral bone mass. *Curr Opin Endocrinol Diab* 2002; 9: 502–511.

22. **Bliuc D, Nguyen ND, Milch VE et al.:** Mortality risk associated with low-trauma osteoporotic fracture and subsequent fracture in men and women. *JAMA* 2009; 301: 513-521.
23. **Boivin GY, Chavassieux PM, Santora AC et al.:** Alendronate increases bone strength by increasing the mean degree of mineralization of bone tissue in osteoporotic women. *Bone* 2000; 27: 687–694.
24. **Bong MR, Egol KA, Koval KJ et al.:** Comparison of the LISS and a retrograde-inserted supracondylar intramedullary nail for fixation of a periprosthetic distal femur fracture proximal to a total knee arthroplasty. *J. Arthroplasty* 2002; 17: 876–881.
25. **Bonnick SL:** Bone densitometry in clinical practice: Application and interpretation. *New York: Humana Press; 2010: 1-520.*
26. **Boonen S, Lips P, Bouillon R et al.:** Need for additional calcium to reduce the risk of hip fracture with vitamin D supplementation: evidence from a comparative meta-analysis of randomized controlled trials. *J Clin Endocrinol Metab* 2007; 92(4): 1415–1423.
27. **Boskey AL, DiCarlo E, Paschalis E et al.:** Comparison of mineral quality and quantity in iliac crest biopsies from high- and low-turnover osteoporosis: an FT-IR microspectroscopic investigation. *Osteoporos Int* 2005; 16: 2031–2038.

28. **Bouxsein ML, Kaufman J, Tosi L et al.:** Recommendations for optimal care of the fragility fracture patient to reduce the risk of future fracture. *J Am Acad Orthop Surg.* 2004; 12: 385-395.
29. **Broos PL and Robijns FM:** Fractures of the distal femur. In: Orbant K (ed). *Management of fractures in severely osteoporotic bone: Orthopedic and pharmacologic strategies.* London: Springer; 2000.
30. **Brown JP and Josse RG:** Clinical practice guidelines for the diagnosis and management of osteoporosis in Canada. *CMAJ* 2002; 167: S1–34.
31. **Buchbinder R, Osborne RH, Peter R et al.:** A Randomized trial of vertebroplasty for painful steoporotic vertebral fractures. *The New England Journal Of Medicine* 2009; 361(6): 557-568.
32. **Button G, Wolinsky P, Hak D:** Failure of less invasive stabilization system plates in the distal femur: a report of four cases. *J. Orthop. Trauma* 2004; 18, 565–570.
33. **Cadarette SM, Katz JN, Brookhart MA et al.:** Trends in drug prescribing for osteoporosis after hip fracture, 1995–2004. *J. Rheumatol.* 2008; 35: 319–326.
34. **Casaleto JA and Gatt R:** post-operative mortality related to waiting time for hip fracture surgery. *Injury* 2004; 35: 114-120.
35. **Cline RR, Farley JF, Hansen RA et al.:** Osteoporosis beliefs and anti-resorptive medication use. *Maturitas* 2005; 50: 196-208.

36. **Clowes JA, Peel NF, Eastell R:** The impact of monitoring on adherence and persistence with antiresorptive treatment for postmenopausal osteoporosis: a randomized controlled trial. *J Clin Endocrinol Metab* 2004; 89: 1117–1123.
37. **Cole JH and Van Der Meulen MC:** Biomechanics of bone. In: Adler RA (ed). *Osteoporosis: pathophysiology and clinical management*. New York: Humana Press; 2010: 157-179.
38. **Colo'n-Emeric C, Kuchibhatla M, Pieper C et al.:** The contribution of hip fracture to risk of subsequent fracture: data from two longitudinal studies. *Osteoporosis Int*. 2003; 14: 879–883.
39. **Cornell CN:** Internal Fracture Fixation in Patients With Osteoporosis. *Journal of the American Academy of Orthopaedic Surgeons* 2003; 11(2): 109-119.
40. **Cramer JA, Gold DT, Silverman SL et al.:** A systematic review of persistence and compliance with bisphosphonates for osteoporosis. *Osteoporos Int* 2007; 18: 1023–1031.
41. **Cranney A, Tugwell P, Zytaruk N et al.:** Osteoporosis Methodology Group and the Osteoporosis Research Advisory Group. Meta-analyses of therapies for postmenopausal osteoporosis. IV. Meta-analysis of raloxifene for the prevention and treatment of postmenopausal osteoporosis. *Endocr Rev* 2002; 23: 524–528.
42. **Cummings SR and Melton LJ:** Epidemiology and outcomes of osteoporotic fractures. *Lancet* 2002; 359: 1761–1767.

43. **Curtis JR, Westfall AO, Cheng H et al.:** Risk of hip fracture after bisphosphonate discontinuation: implications for a drug holiday. *Osteoporos Int* 2008; 19: 1613–1620.
44. **Dalle-Carbonare L and Giannini S.** Bone microarchitecture as an important determinant of bone strength. *J Endocrinol Invest* 2004; 27: 99–105.
45. **Daniel C, Fitzpatrick A, Doornink J et al.:** Relative stability of conventional and locked plating fixation in a model of the osteoporotic femoral diaphysis. *Clinical Biomechanics* 2009; 24: 203–209.
46. **Deakin DE, Wenn RT, Moran CG:** Factors influencing discharge location following hip fracture. *Injury* 2008; 39: 213–218.
47. **Dean DB, Watson JT, Moed BR et al.:** Role of bone morphogenetic proteins and their antagonists in healing of bone fracture. *Front Biosci* 2009; 14: 2878–2888.
48. **Demondion X, Boutry N, Khalil C et al.:** Plain radiographs of the wrist and hand. *J Radiol* 2008; 89: 640–653.
49. **Dennison E, Mohamed MA, Cooper C:** Epidemiology of osteoporosis. *Rheum Dis Clin North Am* 2006; 32(4):617–629.
50. **Drewa T and Allcock P:** A new method of fixation in osteoporotic bone: A preliminary report. *Injury, Int. J. Care Injured* 2002; 33: 685–689.

51. **Dukas L, Bischoff HA, Lindpainter LS et al.:** Alfacalcidol reduces the number of fallers in a community-dwelling elderly population with a minimum calcium intake of more than 500 mg daily. *J Am Geriatr Soc* 2004; 52: 230–6.
52. **Ebeling PR:** Idiopathic or hypogonadal osteoporosis in men: current and future treatment options. *Treat Endocrinol.* 2004; 3: 381–391.
53. **Egol KA, Kubiak EN, Fulkerson E et al.:** Biomechanics of locked plates and screws. *J. Orthop. Trauma* 2004; 18: 488–493.
54. **Ellis T, Bourgeault CA, Kyle RF:** Screw position affects dynamic compression plate strain in an in vitro fracture model. *J Orthop Trauma* 2001; 15: 333-337.
55. **Fogeman I and Blake GM:** Different approaches to bone densitometry. *J Nucl Med* 2000; 41: 2015–2025.
56. **Fox KM, Magaziner J, Hawkes WG et al.:** Loss of bone density and lean body mass after hip fracture. *Osteoporosis Int.* 2000; 11: 31–35.
57. **Frankle MA, Herscovici D, Dipasquale TG et al.:** A comparison of open reduction and internal fixation and primary total elbow arthroplasty in the treatment of intraarticular distal humerus fractures in women older than age 65. *J Orthop Trauma* 2003; 17: 473-480.
58. **Frihagen F, Grotle M, Madsen JE et al.:** Outcome after femoral neck fractures: a comparison of Harris Hip Score, Eq-5d and Barthel Index. *Injury* 2008; 39: 1147–1156.

59. **Gardner MJ, Brophy RH, Campbell D et al.:** The mechanical behavior of locking compression plates compared with dynamic compression plates in a cadaver radius model. *J. Orthop. Trauma* 2005; 19: 597–603.
60. **Gardner MJ, Griffith MH, Demetrakopoulos D et al.:** Hybrid locked plating of osteoporotic fractures of the humerus. *J. Bone Joint Surg. Am.* 2006; 88: 1962–1967.
61. **Garg AX, Adhikari NK, McDonald H et al.:** Effects of computerized clinical decision support systems on practitioner performance and patient outcomes: a systematic review. *JAMA.* 2005; 293: 1223-1238.
62. **Gautier E and Sommer C:** Guidelines for the clinical application of the LCP. *Injury* 2003; 34 (2): B63–B76.
63. **Geusens P:** Strategies for treatment to prevent fragility fractures in postmenopausal women. *Best Practice & Research Clinical Rheumatology* 2009; 23: 727–740.
64. **Geusens PP, Roux CH, Reid DM et al.:** Drug Insight: choosing a drug treatment strategy for women with osteoporosis-an evidence-based clinical perspective. *Nat Clin Pract Rheumatol* 2008; 4(5): 240–248.
65. **Giannoudis PV, Kanakaris NK, Einhorn TA:** Interaction of bone morphogenetic proteins with cells of the osteoclast lineage: review of the existing evidence. *Osteoporos Int* 2007; 18: 1565–1581.

66. **Giannoudis P, Tzioupis C, Almalki T et al.:** Fracture healing of osteoporotic fractures: Is it really different?—A basic science perspective injury. *Int. J. Care Injured* 2007; 38 S1, S90-S99.
67. **Gillespie LD, Gillespie WJ, Robertson MC et al.:** Interventions for preventing falls in elderly people. *Cochrane Database Syst Rev* 2003; CD000340.
68. **Gourlay ML:** *Screening for Osteoporosis*. In: Adler RA (ed). *Osteoporosis: pathophysiology and clinical management*. New York: Humana Press; 2010: 527-543.
69. **Gray DT, Hollingworth W, Onwudiwe N et al.:** Thoracic and lumbar vertebroplasties performed in US Medicare enrollees, 2001-2005. *JAMA* 2007; 298: 1760-1762.
70. **Gronholz MJ:** Prevention, diagnosis, and management of osteoporosis-related fracture: a multifactoral osteopathic approach. *JAOA* 2008; 108(10): 575-585.
71. **Guessous I, Cornuz J, Ruffieux C et al.:** Quantitative heel us and clinical risk factors. *Radiology* 2008; 248 (1): 179-184.
72. **Guglielmi G and Diacinti D:** Densitometry and morphometry of osteoporotic bone. In: Yuehuei H(ed). *Orthopaedic issues in osteoporosis.USA: CRC Press LLC; 2003: 127-144*.
73. **Guglielmi G and Lang TF:** Quantitative computed tomography. *Semin Musculoskelet Radiol* 2002; 6: 219–227.

74. **Haleem S, Lutchman L, Mayahi R et al.:** Mortality following hip fracture: trends and geographical variations over the last 40 years. *Injury* 2008; 39: 1157–1163.
75. **Hausman M and Panozzo A:** Treatment of distal humerus fractures in the elderly. *Clin. Orthop. Relat. Res.* 2004; 55–63.
76. **Hayes WC:** Biomechanics of cortical and trabecular bone: implications for fracture risk. In: Mow VC, Hayes WC (eds). *Basic Orthopedic Biomechanics*. New York: Raven Press; 1991: 93-142.
77. **Hodgson SF, Watts NB, Bilezikian JP et al.:** American Association of Clinical Endocrinologists medical guidelines for clinical practice for the prevention and treatment of postmenopausal osteoporosis: 2001 edition, with selected updates for 2003. *Endocr Pract.* 2003; 9: 544-564.
78. **Holick MF and Chen TC:** Vitamin D deficiency: a worldwide problem with health consequences. *Am J Clin Nutr* 2008; 87(4): 1080S–1086S.
79. **Holman H and Lorig K:** Patient self-management: a key to effectiveness and efficiency in care of chronic disease. *Public Health Rep* 2004; 119: 239–43.
80. **Holroyd C, Cooper C, Dennison E:** Epidemiology of osteoporosis. *Best Pract Res Clin Endocrinol Metab* 2008; 22: 671–685.

81. **Holt G, Smith R, Duncan K, et al.:** Changes in population demographics and the future incidence of hip fracture. *Injury* 2009; 40: 722–726.
82. **Inoue N and Chao EY:** Biomechanics of osteoporotic bone and fractures. In: An YH(ed). *Internal fixation in osteoporotic bone*. New York: Thieme; 2002: 9-21.
83. **Islam AA, Rasubala L, Yoshikawa H et al.:** Healing of fractures in osteoporotic rat mandible shown by the expression of bone morphogenetic protein-2 and tumour necrosis factor-alpha. *Br J Oral Maxillofac Surg* 2005; 43: 383–391.
84. **Ito K, Hungerbuhler R, Wahl D et al.:** Improved intramedullary nail interlocking in osteoporotic bone. *J Orthop Trauma* 2001; 15: 192-196.
85. **Jensen ME, McGraw JK, Cardella JF et al.:** Position statement on percutaneous vertebral augmentation: a consensus statement developed by the American Society of Interventional and Therapeutic Neuroradiology, Society of Interventional Radiology, American Association of Neurological Surgeons/ Congress of Neurological Surgeons, and American Society of Spine Radiology. *J Vasc Interv Radiol* 2007; 18: 325-330.
86. **Jiang HX, Majumdar SR, Dick DA et al.:** Development and initial validation of a risk score for predicting in-hospital and 1-year mortality in patients with hip fractures. *J Bone Miner Res* 2005; 20: 494-500.

87. **Johnell O and Kanis J:** An estimate of the worldwide prevalence and disability associated with osteoporotic fractures. *Osteoporos Int* 2006; 17: 1726-1733.
88. **Johnell O, Kanis JA, Oden A et al.:** Predictive value of BMD for hip and other fractures. *J Bone Miner Res* 2005; 20: 1185–1194.
89. **Joldersma M, Klein-Nulend J, Oleksik AM, et al.:** Estrogen enhances mechanical stress-induced prostaglandin production by bone cells from elderly women. *Am J Physiol Endocrinol Metab.* 2001; 280: E436–442.
90. **Kanakaris NK, Petsatodis G, Tagil M et al.:** Is there a role for bone morphogenetic proteins in osteoporotic fractures? *Injury, Int. J. Care Injured* 2009; 40: S21–S26.
91. **Kanis JA:** Diagnosis of osteoporosis and assessment of fracture risk [review]. *Lancet.* 2002; 359: 1929-1936.
92. **Kanis JA, on behalf of the WHO Scientific Group:** Assessment of osteoporosis at the primary health-care level (technical report). *World Health Organization Collaborating Centre for Metabolic Bone Diseases, University of Sheffield, UK* 2007.
93. **Kanis JA, Borgstrom F, De Laet C et al.:** Assessment of fracture risk. *Osteoporos Int.* 2005; 16: 581-589.
94. **Kanis JA, Burlet N, Cooper C et al.:** European society for clinical and economic aspects of osteoporosis and osteoarthritis (esceo). European guidance for the diagnosis and management of osteoporosis in postmenopausal women. *Osteoporos Int* 2008; 19(4): 399–428.

95. **Kanis JA, Johnell O, De Laet C et al.:** Ameta-analysis of previous fracture and subsequent fracture risk. *Bone* 2004; 35(2): 375–382.
96. **Kanis JA, Oden A, Johansson H et al.:** FRAX((R)) and its applications to clinical practice. *Bone* 2009; 44(5): 734–743.
97. **Karlsson MK, Obrant KJ, Josefsson PO:** Osteoporotic fractures. In: Bucholz RW, Heckman JD, Court-Brown CM (eds): *Rockwood and Green's fractures in adults*. Philadelphia: Lippincott Williams & wilkins; 2006: 614-641.
98. **Kok C and Sambrook PN:** Secondary osteoporosis in patients with an osteoporotic fracture. *Best Practice & Research Clinical Rheumatology* 2009; 23: 769–779.
99. **Koval KJ, Chen AL, Aharonoff GB et al.:** Clinical pathway for hip fractures in the elderly: The hospital for joint diseases experience. *Clin Orthop Relat Res* 2004; 425: 72-81.
100. **Krege JH, Siminoski K, Adachi JD et al.:** A simple method for determining the probability a new vertebral fracture is present in post-menopausal women with osteoporosis. *Osteoporos Int*. 2006; 17: 379-386.
101. **Kubiak EN, Fulkerson E, Strauss E et al.:** The evolution of locked plates. *J. Bone Joint Surg. Am.* 2006; 88 (Suppl. 4): 189–200.
102. **Kutsal YG, Atalay A, Arslan S et al.:** Awareness of osteoporotic patients. *Osteoporos Int* 2005; 16: 128-133.

103. **Lanyon L, Armstrong V, Ong D et al.:** Is estrogen receptor alpha key to controlling bones' resistance to fracture? *J Endocrinol* 2004; 182: 183–191.
104. **Larsson S:** Treatment of osteoporotic fractures. *Scand J Surg* 2002; 91: 140–146.
105. **Lenchik L and Dickerson B:** Radiology of osteoporotic bone. In: Yuehuei H (ed). *Orthopaedic issues in osteoporosis. USA: CRC Press LLC; 2003: 91-126.*
106. **Lewiecki EM:** Review of guidelines for bone mineral density testing and treatment of osteoporosis. *Curr Osteoporos Rep* 2005; 3: 75–83.
107. **Lewiecki EM:** Managing osteoporosis: Challenges and strategies. *Cleveland journal of medicine* 2009; 76(8): 457-466.
108. **Lewiecki EM and Borges JL:** Bone density testing in clinical practice. *Arq Bras Endocrinol Metabol* 2006; 50: 586–595.
109. **Lewiecki EM and Watts NB:** Assessing response to osteoporosis therapy. *Osteoporos Int* 2008; 19: 1363–1368.
110. **Lindner T, Kanakaris NK, Marx B et al.:** Fractures of the hip and osteoporosis: the role of bone substitutes. *J Bone Joint Surg Br* 2009; 91: 294–303.
111. **Lindsay R, Borisov NN, Sheer RL et al.:** Impact of early osteoporosis treatment on subsequent fracture prevention among women with clinical vertebral fracture. *Abstract presented at: Annual Meeting of the American Society for Bone and Mineral Research; September 23-27, 2005; Nashville, Tenn. M293.*

112. **Link TM, Guglielmi G, van Kuijk V et al.:** Radiologic assessment of osteoporotic vertebral fractures: diagnostic and prognostic implications. *Eur Radiol.* 2005; 15: 1521-1532.
113. **Lu J, Bhargav D, Wei AQ et al.:** Posterolateral intertransverse spinal fusion possible in osteoporotic rats with BMP-7 in a higher dose delivered on a composite carrier. *Spine* 2008; 33: 242–249.
114. **Lu Y, Genant HK, Shepherd J et al.:** Classification of osteoporosis based on bone mineral densities. *J Bone Miner Res* 2001; 16: 901–910.
115. **Lu"thje P, Nurmi- Lu"thje I, Kaukonen JP et al.:** Undertreatment of osteoporosis following hip fracture in the elderly. *Archives of Gerontology and Geriatrics* 2009; 49: 153–157.
116. **Lyles KW, Colo'n-Emeric CS, Magaziner JS et al.:** HORIZON recurrent fracture trial. Zoledronic acid and clinical fractures and mortality after hip fracture. *N. Engl. J. Med.* 2007; 357: 1799–1809.
117. **Mankin HJ:** Pathophysiology of orthopedic diseases. *American Academy of Orthopedic Surgeons* 2006; 163-170.
118. **Marti A, Fankhauser C, Frenk A et al.:** Biomechanical evaluation of the less invasive stabilization system for the internal fixation of distal femur fractures. *J. Orthop. Trauma* 2001; 15: 482–487.

119. **McCloskey EV, Johansson H, Oden A et al.:** Ten-year fracture probability identifies women who will benefit from clodronate therapy—additional results from a double-blind, placebo-controlled randomised study. *Osteoporos Int* 2009; 20(5): 811–817.
120. **McConnell T, Court-Brown C, Sarmiento A:** Isolated tibial shaft fracture. *J Orthop Trauma* 2000; 14: 306-308.
121. **McKoy BE and Ann YH:** A hollow wall anchor for fixation in osteoporotic bone. *J Orthop Res* 2001.
122. **McKoy BE, Connor G, Ann YH:** An interlocking screw for fixation in osteoporotic bone. 6th *World Biomaterial Congress, Kamuela, Hawaii, May 15-20, 2000.*
123. **McKoy BE, Connor GS, Ann YH:** An interlocking screw for fixation in osteoporotic bone. In: An YH (ed). *Internal fixation in osteoporotic bone. New York: Thieme; 2002: 237-241.*
124. **Meier C, Seibel MJ, Kraenzlin ME:** Biochemical markers of bone turnover-clinical aspects. In: Adler RA (ed). *Osteoporosis: pathophysiology and clinical management. New York: Humana Press; 2010: 131-155.*
125. **Melton L, Johnell O, Lau E et al.:** Osteoporosis and the global competition for health care resources. *J Bone Miner Res* 2004; 19: 1055–1058.
126. **Meyer RA, Tsahakis PJ, Martin DF:** Age and ovariectomy impair both the normalization of mechanical properties and the accretion of mineral by the fracture callus in rats. *J Orthop Res* 2001; 19: 428–435.

127. **Minihane KP, Lee C, Ahn C et al.:** Comparison of lateral locking plate and antiglide plate for fixation of distal fibular fractures in osteoporotic bone: a biomechanical study. *J. Orthop. Trauma* 2006; 20: 562–566.
128. **Mirovsky Y, Anekstein Y, Shalmon E et al.** Intradiscal cement leak following percutaneous vertebroplasty. *Spine* 2006; 31(10): 1120–1124.
129. **Miyaji T, Nakase T, Azuma Y et al.:** Alendronate inhibits bone resorption at the bone-screw interface. *Clin Orthop Relat Res* 2005; 430: 195–201.
130. **Moroni A, Faldini C, Rocca M et al.:** Improvement of the Bone-Screw Interface Strength with Hydroxyapatite-Coated and Titanium-Coated AO/ASIF Cortical Screws. *J Orthop Trauma* 2002; 16: 257–263.
131. **Moroni A, Vannini F, Faldini C et al.:** Cast vs external fixation: A comparative study in elderly osteoporotic distal radial fracture patients. *Scandinavian Journal of Surgery* 2004; 93: 64–67.
132. **Moroni A, Hoang-Kim A, Lio V et al.:** Current augmentation fixation techniques for the osteoporotic patient. *Scandinavian Journal of Surgery* 2005; 94: 103–109.
133. **Mosekilde L:** Age-related changes in bone mass, structure, and strength-effects of loading. *Z Rheumatol* 2000; 59 Suppl 1: 1–9.

134. **Mui LW, Haramati LB, Alterman DD et al.:** Evaluation of vertebral fractures on lateral chest radiographs of innercity postmenopausal women. *Calcif Tissue Int.* 2003; 73: 550-554.
135. **National Osteoporosis Foundation:** Physician's Guide to Prevention and Treatment of Osteoporosis. *Washington, DC: National Osteoporosis Foundation;* 2003.
136. **National Osteoporosis Foundation:** Clinician's Guide to Prevention and Treatment of Osteoporosis. *Washington, DC: National Osteoporosis Foundation;* 2008.
137. **NIH Consensus Development Panel on Osteoporosis Prevention, Diagnosis, and Therapy:** Osteoporosis prevention, diagnosis, and therapy. *JAMA* 2001; 285:785–795.
138. **Orbay JL:** Volar plate fixation of distal radius fractures. *Hand Clin* 2005; 21: 347–354.
139. **Orbay JL and Fernandez DL:** Volar fixed-angle plate fixation for unstable distal radius fractures in the elderly patient. *J Hand Surg* 2004; 29(1): 96–102.
140. **Ortiz-Luna G, García-Hernández P, Tamayo-Orozco JA:** Treatment options for osteoporosis and decision making criteria. *salud publica de México* 2009; 51(1): s114-s125.
141. **Painter SE, Kleerekoper M, Camacho PM.:** Secondary osteoporosis: a review of the recent evidence. *Endocr Pract* 2006; 12: 436–445.

142. **Papaioannou A, Watts NB, Kendler DL et al.:** Diagnosis and management of vertebral fractures in elderly adults. *Am J Med* 2002; 113: 220–228.
143. **Perren SM:** Evolution of the internal fixation of long bone fractures. The scientific basis of biological internal fixation: choosing a new balance between stability and biology. *J. Bone Joint Surg. Br.* 2002; 84: 1093–1110.
144. **Ploeg WT, Veldhuizen AG, The B:** Percutaneous vertebroplasty as a treatment for osteoporotic vertebral compression fractures: a systematic review. *Eur Spine J* 2006; 15: 1749-1758.
145. **Raisz L:** Screening for osteoporosis. *New Engl J Med* 2005; 353: 164–171
146. **Reid RL, Blake J, Abramson B et al.:** Menopause and Osteoporosis Update. *Journal of obstetric and gynecology Canada* 2009; 31(1): s1-s48.
147. **Reventlow S and Bang H:** Brittle bones: ageing or threat of disease exploring women's cultural models of osteoporosis. *Scand J Public Health* 2006; 34: 320–326.
148. **Ring D, Kloen P, Kadzielski, J et al.:** Locking compression plates for osteoporotic nonunions of the diaphyseal humerus. *Clin. Orthop. Relat. Res.* 2004; 50–54.
149. **Rizzoli R and Bonjour JP:** Dietary protein and bone health. *J Bone Miner Res* 2004; 19: 527–531.

150. **Rizzoli R and Bonjour JP:** Determinants of Peak Bone Mass Acquisition. In: Adler RA (ed). *Osteoporosis Pathophysiology and Clinical Management*. USA: Humana Press; 2010: 1-22.
151. **Rizzoli R, Bonjour JP, Ferrari SL:** Osteoporosis, genetics and hormones. *J Mol Endocrinol* 2001; 26: 79–94.
152. **Robinson CM, Page RS, Hill RM et al.:** Primary hemiarthroplasty for treatment of proximal humeral fractures. *J Bone Joint Surg Am* 2003; 85(A): 1215-1223.
153. **Rogmark C, Carlsson A, Johnell O et al.:** A prospective randomized trial of internal fixation versus arthroplasty for displaced fractures of the neck of the femur. Functional outcome for 450 patients at two years. *J Bone Joint Surg Br* 2002; 84: 183-188.
154. **Rosier RN and Bukata SV:** Orthopedic Knowledge Update. *American Academy of Orthopedic Surgeons* 2002; 141-154.
155. **Sambrook P and Cooper C:** Osteoporosis. *Lancet* 2006; 367: 2010–2018.
156. **Seagger R, Howell J, David H:** Prevention of secondary osteoporotic fractures—why are we ignoring the evidence? *Injury, Int. J. Care Injured* 2004; 35: 986—988.
157. **Shepherd JA, Cheng XG, Lu Y et al.:** Universal standardization of forearm bone densitometry. *J Bone Miner Res* 2002; 17: 734–745.

158. **Siris ES, Chen YT, Abbott TA et al.:** Bone mineral density thresholds for pharmacological intervention to prevent fractures. *Arch Intern Med.* 2004; 164: 1108-1112.
159. **Skoglund B, Holmertz J, Aspenberg P:** Systemic and local ibandronate enhance screw fixation. *J Orthop Res* 2004; 22: 1108–1113.
160. **Smith D, Enderson B, Mauli K:** Trauma in the elderly: Determinants of outcome. *South Med J.* 1990; 83: 171–177.
161. **Sommer C, Gautier E, Muller M et al.:** First clinical results of the locking compression plate (LCP). *Injury* 2003; 34 (Suppl. 2): B43–B54.
162. **Stevenson JC and Marsh MS:** *An atlas of osteoporosis.* UK: Informa Healthcare; 2007: 1-78.
163. **Stewart A and Reid DM:** Quantitative ultrasound in osteoporosis. *Semin Musculoskelet Radiol* 2002; 6: 229–232.
164. **Stoffel K, Lorenz KU, Kuster MS:** Biomechanical considerations in plate osteosynthesis: the effect of plate-to-bone compression with and without angular screw stability. *J. Orthop. Trauma* 2007; 21: 362–368.
165. **Stone KL, Seeley DG, Lui LY et al.** BMD at multiple sites and risk of fracture of multiple types: long-term results from the Study of Osteoporotic Fractures. *J Bone Miner Res* 2003; 18: 1947–1954.
166. **Taylor BC, Schreiner PJ, Stone KL et al.:** Long-term prediction of incident hip fracture risk in elderly white women: study of osteoporotic fractures. *J Am Geriatr Soc.* 2004; 52: 1479-1486.

167. **Taylor RS, Fritzell P, Taylor RJ:** Balloon kyphoplasty in the management of vertebral compression fractures: an updated systematic review and meta-analysis. *Eur Spine J* 2007; 16(8): 1085–1100.
168. **Tencer AF:** Mechanisms of internal fixation of bone. In: An YH(ed). *Internal fixation in osteoporotic bone*. New York: thieme; 2002: 40-50.
169. **Thomsen JS, Ebbesen EN, Mosekilde L:** Predicting human vertebral bone strength by vertebral static histomorphometry. *Bone* 2002; 30(3): 502–508.
170. **Tow BP, Chua BS, Fook-Chong S et al.:** Concurrent fractures of the hip and wrist: a matched analysis of elderly patients. *Injury* 2009; 40: 385–387.
171. **Uthoff HK, Poitras P, Backman DS:** Internal plate fixation of fractures: short history and recent developments. *J. Orthop. Sci.* 2006; 11: 118–126.
172. **US Department of Health and Human Services:** Bone Health and Osteoporosis: A Report of the Surgeon General. Rockville: *US Department of Health and Human Services, Office of the Surgeon General*; 2004.
173. **Van de Kerkhove MP, Antheunis PS, Luitse JS et al.:** Hip fractures in nonagenarians: perioperative mortality and survival. *Injury* 2008; 39: 244–248.

174. **Van Staa TP, Laan RF, Barton IP et al.:** Bone density threshold and other predictors of vertebral fracture in patients receiving oral glucocorticoid therapy. *Arthritis Rheum* 2003; 48: 3224–3229.
175. **Verma R, Rigby AS, Shaw CJ et al.:** Acute care of hip fractures in centenarians – do we need more resources? *Injury* 2009; 40: 368–370.
176. **Villareal DT and Morley JE:** Trophic factors in aging: should older people receive hormonal replacement therapy? *Drugs Aging*. 1994; 4: 492–509.
177. **Walsh WR, Sherman P, Howlett CR et al.:** Fracture healing in a rat osteopenia model. *Clin Orthop Relat Res*. 1997; 342: 218–227.
178. **Wardlaw D, Cummings S, Van Meirhaeghe J et al.:** Efficacy and safety of balloon kyphoplasty compared with non-surgical care for vertebral compression fracture (FREE): a randomised controlled trial. *Lancet* 2009; 373: 1016-1024.
179. **Wasnich RD and Miller PD:** Antifracture efficacy of antiresorptive agents are related to changes in bone density. *J Clin Endocrinol Metab* 2000; 85: 231–236.
180. **Weaver CM:** Calcium requirements of physically active people. *Am J Clin Nutr* 2000; 72: 579S–584S.
181. **Williams AL, Al-Busaidi A, Sparrowa PJ et al.:** Under-reporting of osteoporotic vertebral fractures on computed tomography. *European Journal of Radiology* 2009; 69: 179-183.