



REFERENCES

- Adelman RD and Solhaug MJ (2000):** Pathophysiology of body fluids and fluid therapy. In Behrman R.E; Kilegman, RM. And Genson, H.B. (eds.) : Nelson textbook of pediatrics. 16 ed., w.b. Saunders. Co. P. 189 – 227.
- Agarwal R and Deorari AK (2002):** Unconjugated hyperbilirubinemia in newborns : current perspective. Indian Pediatrics; 39 : 30 – 42.
- Ahlfors CE and Shapiro SM (2001):** Auditory brainstem responses and unbound bilirubin in jaundiced (jj) Gunn rat pups. Biol neonate; 80 : 158 – 162.
- American Academy of Pediatrics (AAP), Subcommittee on Hyperbilirubinemia : clinical Practice Guideline (2004):** management of hyperbilirubinemia in the newborn infant 35 or more weeks of gestation. Pediatrics; 114 (1) : 297 – 316.
- Amin SB (2004):** Clinical assessment of bilirubin – induced neurotoxicity in premature infants. Semin perinatol; 28 : 340 – 347.
- Anderson C (2001):** Critical haemoglobin thresholds in premature infants. Arch Dis Child Fetal Neonatal Ed; 84 : F146.
- Aono S, Yamada Y and Keino H (1995):** A new type of defect in the gene for bilirubin uridine 5-diphosphate glucuronosyl transferase syndrome type I. Pediatr. Res.; 35 : 629 – 39.
- Armstrong J and Reilly JJ (2002):** Breastfeeding and lowering the risk of childhood obesity; 349 : 2003 – 2004.



Ashok K (2002): Unconjugated hyperbilirubinemia in newborn In : Indian Pediatrics; 39 : 30 – 42.

Avery ME and Taeusch HW (1998): Schaffer's diseases of the newborn, 8th edn. Philadelphia London, Toronto, W.B. Saunders; P. 749 : 774.

Balagangadhar RT and Torbati D (2005): Neonatal jaundice. International pediatrics; 20 : 47 – 54.

Barness LA (1996): Nutrition and nutritional disorders : In Nelson textbook of pediatrics. Edt. By Behrman, R.E; Kliegman, R.M; Arvin, A.M. and Nelson, W.E. 15th ed., W.B. Saunders Company, Philadelphia, London, Toronto, Montreal, Sydney, Tokyo.

Behrman RE, Kliegman RM and Arvin AM (2000): Haemolytic disease of the newborn. In : Nelson, W.E. : Behrman. R.E. : Kliegman, R.M. and Arvin A.M. (eds). Nelson textbook of pediatrics. 16ed. W.B. Saunders Co. PP. 500 – 504.

Behrman RE, Kliegman RM and Arvin AM (eds) (2000): Nelson. Textbook of pediatrics 16ed. Philadelphia, W.B. Saunders Chapters 88.3 – 89.4.

Behrman RE, Kliegman RM, Arvin AM and Nelson WE (2000): Laboratory medicine and reference tables. Nelson textbook of pediatrics. 16th ed. W.B. Saunders company – Philadelphia, London, Toronto.

Behrman RF, Vaughan VC and Nelson WE (2000): Jaundice and hyperbilirubinemia in the newborn infant. Nelson textbook of pediatrics. 16th ed. W.B. Saunders Co. Philadelphia. 476 – 499.



- Bhutani VK and Johnson LA (2009):** Proposal to prevent severe neonatal hyperbilirubinemia and kernicterus. *Journal of Perinatology*, 29 : 561 – 567.
- Bhutani VK, Johnson L and Keren R (2004):** Diagnosis and management of hyperbilirubinemia in the term neonate : for a safer first week. *Pediatr Clin N Am*; 51 : 843 – 861.
- Bhutani VK, Johnson L and Sivieri EM (1999):** Predictive ability of a predischarge hour – specific serum bilirubin for subsequent significant hyperbilirubinemia in healthy term and near – term newborns. *Pediatrics*; 103 : 6 – 14.
- Bhutani VK, Johnson L and Sivieri EM (2000):** Predictive ability of a predischarge hour specific bilirubin for subsequent significant hyperbilirubinemia in healthy term and nearterm newborns. *Pediatrics*; 103 : 6 – 14.
- Blackmon LR, Fanaroff AA and Raju TNK (2004):** Research on prevention of bilirubin – induced brain injury and kernicterus : National institute of child health and human development conference executive summary. *Pediatrics*; 114 : 229 -233.
- Blaustein MP and Ledrer and WJ (1999):** Sodium / calcium exchange : Its physiological implication. *Am. Physiol*; 79 : 763.
- Boskey AL (1998):** Biomineralization conflicts challenges and opportunities. *Journal of Cellular Biochemistry Supplements*; 30 : 83.
- Brown EM and Macleod and RJ (2001):** Extracellular calcium sensing and extracellular calcium signaling. *Physiol Rev*; 81 : 239.



- Burby L (2005):** 101 reasons to breastfeed your child; ProMoM.
- Bushinisky DA and Monk and RD (1998):** Calcium. Lancet; 352 : 306.
- Camilia RM and Cloherty JP (2003):** Neonatal hyperbilirubinemia. In: cloherty JP. Elchenwald EC and Stark AR (eds). Manual of neonatal Care 5th ed. Eippincott – Ravrn Philadelphia; 5(18) : 185 – 220.
- Campbell O et al. (2004):** Perinatal / Neonatal mortality study. Journal of perinatology; 24 (5) : 284 – 9.
- Cashore WJ (1999):** Hyperbilirubinemia. In : McMillan JA. Ed. Oski's pediatrics – principles and practice. 3rd edn. Lippincott. Williams & Wilkins: Philadelphia. PA; 197 – 206.
- Cashore WJ (2000):** Bilirubin and jaundice in the micropremie. Clinics in perinatology; 27 (1) : 171 – 179.
- Colletti JE, Kothari S, Jackson DM, Kilgore KP and Barringer K (2007):** An emergency medicine approach to neonatal hyperbilirubinemia. Emerg med Clin N Am; 25 : 1117 – 1135.
- Connerty HV and Bigs AR (1986):** Am. J. Clin. Pan, 45, 290.
- Connetry HV, Briggs AR (1966):** Am. J. Clin. Pathol., 45 : 290 – 296.
- Dahi Far H (1993):** Phototherapy, proceedings of the 5th international congress of pediatrics Tehran; P. 139 – 52.
- Dani C, Martelli E, Bertini G, Pezzati M, Filippil L, Rossetti M, Rizzuti G and Rubaltelli FF (2003):** Plasma bilirubin level and oxidative stress in preterm infants. Arch Dis Child Fetal Neonatol; 88 (2) : 119 – 123.



- De Carvalho M, De –Carvalho D, Tizmielin S, Lopes JM and Hansen TW (1999):** Intensified phototherapy using day light fluorescent lamps. *Acta. Pediatr*, Jul; 88 (7): 768 – 71.
- Dennery PA, Seidman DS and Stevenson DK (2001):** Neonatal hyperbilirubinemia. *N Engl J Med*; 344 : 581 – 590.
- Dennery PA, Seidman DS and Stevenson DK (2001):** Neonatal hyperbilirubinemia. *N Engl J Med*; 344 (8): 581 – 590(a).
- Dennery PA, Weng Yi-Hao, Stevenson DK and Yang Guang (2001):** The biology of bilirubin production. *Journal of Perinatology*; 21 : 517 – 520(b).
- Dicken P, Grant LJ and Jons S (2000):** An evaluation of the characteristics and performance of neonatal phototherapy equipment. *Physiol. Meas*; 21 : 493 -503.
- Donzelli GP, Moroni M, Pratesi, Rapisardi G, Agati G. and Fusi F (1996):** Fiberoptic phototherapy in management of jaundice in low birth weight neonates *Acta. Paediatr*; 85 : 366 – 70.
- Ebbesen F, Andersson C, Verder H, Grytter C, Pedersen – Bjergaard L and Petersen JR (2005):** Extreme hyperbilirubinemia in term and near – term infants in Denmark. *Acta Pediatr*; 94 (1): 59 – 64.
- Ebbesen F, Rasmussen LM and Wimberley PD (2002):** a new transcutaneous bilirubinometer, bilicheck, used in the neonatal intensive care unit and the maternity ward. *Acta paediatr*; 91 : 203 – 211.



- ECRI (1995):** Fiberoptic phototherapy systems. *Health Devices*; 24 : 134.
- Eghbalian F and Monsef (2002):** Phototherapy induced hypocalcemia in icteric newborns. *Iran J Med Sci*; 27 (4) : 169 – 171.
- Fanaroff AA and Martin RJ eds (2002):** Neonatal perinatal medicine : Diseases of the fetus and infant, 7th ed. ST. Louis : Mosby – year book.
- Fenton (2001):** Jaundice in the healthy newborn infant : a new approach to an old problem. *Pediatrics*; 81 : 505 – 511.
- Gartner LM (1999):** Neonatal jaundice. *Pediatrics in review*; 15 (11): 422 – 432.
- Gartner LM and Herschel M (2001):** Jaundice and breastfeeding. *Pediatric Clin. North Am*; 48 (2) : 389 – 399.
- Gartner LM, Morton J, Lawrence RA, Naylor AJ, O'Hare D, Schanler RJ and Eidelman AI (2005):** Breastfeeding and the use of human milk; *Pediatrics*; 115 (2) : 496 – 506.
- Gourley GR (2001):** Breastfeeding diet and hyperbilirubinemia. *Neoreviews* : 1 : e25 : 30.
- Gourley GR, Kreame B, Cohnen M and Kosorok MR (1999):** Neonatal jaundice and diet. In : *Arch Pediatr. Adolesc. Med*; Feb. 153 (2) : 184 -8.
- Hakanson D, Penny R and Bergstron WH (1999):** Hypocalcemia responses to photic and pharmacological manipulation of serum melatonin *Pediat*; 414 -6.



- Halamek LP and Stevenson DK (1997):** Neonatal jaundice and liver disease. In : Fanaroff AA. Martin RJ, eds. Neonatal – Perinatal medicine. Diseases of the fetus and infant. 6th eds. Mosby – Year Book; St. Louis; 1345 – 1389.
- Hamza M and Hamza M (1995):** New scanner fiberoptic delivery system for laser phototherapy in the treatment of neonatal jaundice. Instrumentation by the society of photo-optical instrumentation Engineers. San Jose. California; 7 – 9.
- Hansen TW (2002):** Therapeutic approaches to neonatal jaundice : an international survey. Clin Pediatr; 35 (6) : 309 – 316.
- Hansen TW (2009):** e Medicine – Jaundice, Neonatal Article Last updated.
- Harmesh Singh, DalJit Singh, N.S. Toor (1998):** Phototherapy induced hypocalcemia. Indian Pediatrics Sci; 35 : 566 – 567.
- Hawley C and Elder G (2005):** Calcium – Westmead NSW (Australia): CARI – Caring for Australians with Renal impairment; Oct. 7P.
- Hawley C and Elder G (2005):** Calcium leak lymphoma; 46 (12): 1829 – 31.
- Hinkes M and Cloherty JP (1998):** Manual of neonatal care textbook : 4th edition Lippincott – Raven Philadelphia. New York. John P. Cloherty and Ann R Stark (eds.); Chapter 18 : 175 – 210.
- Hmortensen EL et al. (2002):** The association between duration of breastfeeding and adult intelligence; JAMA; 287 : 2365- 71.
- Holliday MA, Barratt TM and Avner ED (1994):** pediatric Nephrology. 3rd ed. Bilatimore. Williams and Wilkins.



- Horwood LJ, Darlow BA and Mogridge N (2001):** Breast milk feeding and cognitive ability at 7 – 8 years. Arch Dis Child Fetal Neonatal Ed; 84 : F23 – F27.
- Huang CS, Chung PF, Hung MJ, Chen GS and Hung KL (2002):** Relationship between bilirubin UDP. Glucornyl transferase gene and neonatal hyperbilirubinemia pediatrics; 52: 601 – 605.
- Huttner KM (1998):** Hypocalcemia, hypercalcemia and hypomagnesemia. In Cloherty J.P and Stark A.R (eds) Manual of neonatal care – 4th ed. Lippincott, Philadelphia; pp. 553 – 562.
- IP S, Chung M, Kulig J, O'Brien R, Sege R, Glick S, Maisels MJ, Josephlau J and Subcommittee on Hyperbilirubinemia (2004):** An evidence - based preview of important issues concerning neonatal hyperbilirubinemia. Pediatrics; 114 : e130 – e153.
- Ives NK (1999):** Neonatal jaundice. In : Textbook of Neonatology; Edited by Janet M. Rennie and NRC Robertson. Third Edition. Churchill Livingstone; 715 – 730.
- Jain B, Singh H, Singh D and Toor NS (1999):** Hypocalcemia effect of phototherapy Indian Pediatr; 36 (2) : 208 -9.
- Jain B, Singh H, Singh D and Toor NS (2000):** Phototherapy induced hypocalcemia in newborn. J Indian Pediatr; 36 (2): 208 -9.
- Jernstorm H, Lubinski J, Lynch HT et al. (2004):** "Breastfeeding and the risk of breast cancer in BRCA1 and BRCA2 mutation Carriers"; J Natl Cancer Inst.; 96 : 1094 – 1098.



- Johnson LH, Bhutani VL and Brown AK (2002):** System – based approach to management of neonatal jaundice and prevention of kernicterus. *Pediatrics*; 140 : 326 – 403.
- Jones G (1998):** Current understanding of the molecular actions of vitamin D. *physiol. Rev*; 78 : 1193.
- Kaplan M and Hammerman C (2005):** Understanding severe hyperbilirubinemia and preventing kernicterus : Adjuncts in the interpretation of neonatal serum bilirubin. *Clinica Chimica Acta*; 356 : 9-21.
- Kaplan M, Muraca M, Hammerman C, Rubaltelli FF, Vilei MT, Vreman HJ and Stevenson DK (2002):** Imbalance between production and conjugation of bilirubin : A fundamental concept in the mechanism of neonatal Jaundice. *Pediatrics*; 110 : e47.
- Karamifar H, Pishva N and Amirhakimi GH (2002):** Prevalence of phototherapy – induced hypocalcemia. *Iran J Med Sci*; 27 : 166 – 8.
- Kenneth M and Huttner (2004):** Hypocalcaemia, hypercalcemia and hypermagnesemia in manual of neonatal care (5th ed) by John P.Cloherty. Eric C. Eichenwald and Ann R. Staik. Lippincott Williams and Wilkins Philadelphia, PA 19106 USA (579 – 589).
- Kliegman RM and Jenson HB (eds) (2000):** Nelson text book of pediatrics. 16 ed. Plsauders Co; 513 -9.



- Knudsen A (1996):** Prediction and non – invasive assessment of neonatal jaundice in the term healthy newborn infant. *Acta Pediatr*; 85 : 393 -7.
- Kramer MS and Kakuma R (2004):** The optimal duration of exclusive breastfeeding : a systematic review; *Adv Exp med Biol*; 554 : 63 – 77.
- Kravets A, Huz, Miralem T, Torno MD and Maines MD (2004):** Biliverdin Reductase, anovel regulator for induction of activating transcription factor – 2 and heme oxygenase – 1. *The journal of Biological Chemistry*; 279 (19): 19916 – 19923.
- Kruse K (1995):** Endocrine control of calcium and bone metabolism. In: *Clinical pediatric endocrinology*. Eds. Brook, G.D. and Prader. A; third edition Excel type setters company. Hong Kong. Great Britain. University Press, Cambridge, 37 : 713 – 732.
- Lovelady DC et al. (2000):** The effect of weight loss in overweight lactating women on the growth of their infants; *New Eng Journal of Med*; 342 : 449 – 453.
- Maisels MF and McDonagh AF (2008) :** Phototherapy for neonatal jaundice. *N Engl J. Med*; 358 : 920 – 928.
- Maisels MJ (1999):** Neonatology: Pathophysiology and Management of the Newborn, Fifth edition, edited by A Veny GB, Fletcher MA and MacDonald MG, Fifth edition. Lippincott Company, Philadelphia; 38 : 765 – 919.
- Maisels MJ (2001):** Phototherapy – traditional and non traditional. *J Prenatol* : 1 : 593 – 7 : Discussion 5104-7.



- Maisels MJ (2005):** Neonatal jaundice. *Pediatr. Rev*; 27 : 443 -454.
- Maisels MJ (2006):** Neonatal jaundice. *Pediatr. Rev*; 27 : 443 – 454(a).
- Maisels MJ (2006):** What's in a name? Physiologic and pathologic jaundice : The conundrum of defining normal bilirubin levels in the newborn. *Pediatrics*; 118 : 805 – 807(b).
- Maisels MJ and Watchko JF (2003):** Treatment of jaundice in low birth weight infants. *Arch Dis Child Fetal Neonatal Ed*; 88 (6) : 459 – 463.
- Maisels MJ, Ostrea EJ Jr., Touch S, et al. (2004):** Evaluation of a new transcutaneous biliurbinometer. *Pediatrics*; 113 : 1628 – 1633.
- Marx SJ (2000):** Medical progress : Hyperparathyroidism and hypoparathyroidism. *N. Engl. J. Med*; 343 : 1863.
- Melton K and Akinbi HT (1999):** Neonaal jaundice, strategies to reduce bilirubin – induced complication. *Post Graduate Medicine*; 106 (6): 167 – 172.
- Meunier PJ, Chapuy MC and Arlot ME (1999):** Can we stop bone loss and prevent hip fracture in the elderly. *Osteoporosis Int*; 4 : 71 – 76.
- Mills JF and Tudehope D (2003):** Fibreoptic phototherapy for neonatal jaundice. *Cochrane Library* 2001; Accessed on November 21, URL : <http://www.nichd.nih.gov/cochraneneonatal>.
- Moerschel SK, Cianciaruso LB and Tracy LR (2008):** A practical approach to neonatal jaundice. *American Family Physician*; 77 (9) : 1255- 1262.



- Moriz, Chemtob D, Pessach N and Nitzan – Kaluski D (2006):** Human immuno-deficiency virus in newborn of infected mothers : pregnancy, breastfeeding and prevention; 145 (9) : 682 -6, 701.
- Neiva et al. (2003):** Better Speech development, J Pediatr (Rio J); 79 (1): 07-12.
- Newman TB and Maisels MJ (1992):** Evaluation and treatment of jaundice in the term newborn : A kinder, gentler approach. Pediatrics; 89 : 809 – 818.
- Newman TB, Xiong B, Gonzales VM, Escobar GJ (2000):** Prediction and prevention of extreme neonatal hyperbilirubinemia in a mature health maintenance organization Arch pediatr Adolesc Med; 154 : 1140 – 1147.
- Nicholson IF and Pesce MA (2000):** Reference ranges for laboratory test and procedures. In : Nelson Textbook of Pediatrics (16th ed.) by Richard Behrman, Robert M. Kliegman and Hal B Jenson (ed.), W.B. Saunders; 2181 – 2229.
- Oddy WH et al. (2003):** "Breastfeeding and cognitive development in childhood : a prospective birth cohort study"; pediatric perinatal epidemiology (Australia); 17, No. 1; 81 – 90.
- Oddy WH, Sly PD, Deklerk NH et al. (2003):** "Breastfeeding and respiratory morbidity in infancy : a birth cohort study"; Archives of Disease in childhood; 88 : 224 – 228.
- Oden J and Bourgeois M (2000):** Neonatal endocrinology. Indian J Pediatr.; 67 : 217 – 23.



- Ojukwu JU, Abonyi LE, Ugwu J and Orji LK (2006):** Neonatal septicemia in high risk babies in south - Eastern Nigeria. J. Perinat. Med; 34 (2) : 166 – 172.
- Porter ML and Dennis BL (2002):** Hyperbilirubinemia in the term newborn. American Family Physician; 65 (4) : 599 – 606.
- Reiser DJ (2004):** Neonatal jaundice : physiologic variation or pathologic process. Crit Care. Nurs Clin N Am; 16 : 257 – 269.
- Rigo J and Curtis MD (2006):** Disorders of calcium, phosphorus and magnesium metabolism in Richard J Martin, A vory A Fanaroff, Michele C Walsh. Eds, neonatal perinatal Medicine – Diseases of the fetus and infant 8th edition; Elsevier, Philadelphia; 1508 -14.
- Rodgers PA and Stevenson DK (1990):** Developmental biology of heme oxygenase. Clin Perinatol; 17 (2) : 275 – 91.
- Rosenblatt KA et al. (1995):** "Prolonged lactation and endometrial cancer"; Int. J. Epidemiol; 24 : 499 – 503.
- Rubaltelli FF, Gourley GR, Loskamp N, Modi N, Roth – Kleiner M, Sender A and Vert P (2001):** Transcutaneous bilirubin measurement : a multicenter evaluation of a new device. Pediatrics; 107 : 1264 – 1271.
- Saltopolsky E, Brown A and Dusso A (2001):** Role of phosphorus in the pathogenesis of secondary hyperparathyroidism. Am. J. Kidney Dis; 37 : 554.



- Samanta S, Tan M, Kissack C et al. (2004):** The value of bilicheck as a screening tool for neonatal jaundice in term and near – term babies. *Acta paediatr*; 93 : 1486 – 90.
- Schanler RJ (2001):** The use of human milk for premature infants. *Pediatr Clin North Am*; 48 : 207 – 219.
- Seidman DS, Moise J, Erggzz et al. (2000):** a new Blue – Light – emitting phototherapy Device : a prospective Randomized Controlled study. *J Pediatr*; 136 (6): 771 – 4. A Panel of blue LEDS controlled jaundice of the newborn better than standard Light therapy.
- Sethi H, Saili A and Dutta AK (1993):** Phototherapy induced hypocalcemia. *Indian Pediatr*; 30 (12) : 1403 – 6.
- Sethi H, Saili A and Dutta AK (1993):** Phototherapy induced hypocalcemia. *Indian Pediatr*; 30 (12) : 1403 -6.
- Sethi H, Sails A and Dutte AK (1998):** Phototherapy induced hypocalcemia *India Pediatric*; 30 (12) : 1403 – 6.
- Sethi H, Sailsa and Dutta AK (1999):** Phototherapy induced hypocalcemia *Indian Pediatr*; 30 (12) : 1402 – 6.
- Shapiro SM, Bhutani VK and Johnson L (2006):** Hyperbilirubinemia and kernicterus. *Clin Perinatol*; 33 : 387 – 410.
- Shibuya A, Hirono A, Ishii S, Fujii H and Miwa S (1999):** Haemolytic crisis after excessive ingestion of fava beans in a male infant with G6PD Canton. *Int J Hematol*; 70 (4) : 233 – 5.



- Silfverdal et al. (1999):** Protective effects of breastfeeding : an ecological study of haemophilus influenza (HI) meningitis and breast feeding in aswedish population; Int J Epidem; 28 : 152 -6.
- Silver J (2001):** Cycling with parathyroid. J Clin Invest; 107 : 1079.
- Smith JF and Baker JM (1994):** Crigler Najjar Disease in Pregnancy. Obstet Gynecol; 84 : 670.
- Stevenson DK and Vreman HJ (1998):** Bilirubin production in healthy term infants as measured by carbon monoxide in breath. Clinical Chemistry; 40 : 1934 – 1939.
- Stevenson DK and Vremant JH (1997):** Carbon monoxide and bilirubin production in neonates. Pediatrcis; 100 : 252 – 254.
- Stevenson DK, Dennery PA and Hintz SR (2001):** Understanding newborn jaundice. Journal of Perinatology; 21 : 521 – 524.
- Stevenson DK, Wong RJ and Vreman HJ (2005):** Reduction in hospital readmission rates for hyperbilirubinemia is associated with use of transcutaneous bilirubin measurements. Clinical Chemistry; 51 (3) : 481 – 482.
- Stokowski LA (2002):** Early recognition of neonatal jaundice and kernicteurs. Advances in Neonatal Care; 2 : 101 – 114.
- Stoll B and Kliegman R (2004):** Digestive system disorders. In Richard E. Beherman . Robert M (eds). Nelson Textbook of Pediatrics 17th eds. Sounders company; pp 592 – 599.
- Stoll BJ and Kliegman RM (2000):** Nelson textbook of pediatrics : 16th edition, edited by Behrman RE, Kliegman RM and Jenson HB, W.B saunders Company Volume 2; 513 – 519.



- Streweler GJ (2000):** Mechanism of disease. N Engle J Med; 341 : 177.
- Suresh GK and Clark RF (2004):** Cost - effectiveness of strategies that are intended to prevent kernicterus in newborn infants. Pediatrics; 114 (4) :917 – 24.
- Szabo P, Wolf M, Bucher Hu, Haensse D, Fauchere JC and Arlettaz R (2004):** Assessment of jaundice in preterm neonates : comparison between clinical assessment, two transcutaneous bilirubin meters and serum bilirubin values. Acta paediatr; 93 : 1491 – 1495.
- Tan KL (1996):** Glucose – 6 – phosphate dehydrogenase status and neonatal jaundice. Arch. Dis. Child; 56; 874 -7.
- Tan KL (1996):** The nature of the dose response relationship of phototherapy for neonatal hyperbilirubinemia. J. Pediatr; 90 : 448 – 52.
- Tan KL (1996):** The pattern of bilirubin response to phototherapy for neonatal hyperbilirubinemia. Pediatr. Res; 670 – 74.
- Thibeault DW (2000):** The precarious antioxidant defenses of the preterm infant. An J Perinatol; 17 : 167 – 181.
- Thilo EH and Rosenberg AA (2009):** The newborn infant, common problems in the term newborn, neonatal Jaundice. In : Current Diagnosis & Treatment in Pediatrics -19th Ed.
- Updegrave K (2004):** Necrotizing Enterocolitis : The evidence for use of human milk in prevention and treatment; J Hum Lact; 20 : 335 – 339.



- Vreman HJ, Wong RJ and Stevenson DK (2000):** Carbon monoxide in breath, blood, and other tissues. In : Penney DG, ed. Carbon monoxide toxicity. Boca Raton. Fla. : CRC Press; 22 – 30.
- Vreman HJ, Wong RJ and Stevenson DK (2004):** Phototherapy : Current methods and future directions. Semin Perinatol; 28 : 326 – 333.
- Walsh SA, Yao N, El-Khuffash Twomey A and Molloy EJ (2008):** Efficacy of intravenous immunoglobulin in the management of haemolytic disease of the newborn. Ir Med. J; Feb: 101 (2) : 46 – 8.
- Wanda KJ and Torgus J (2004):** Benefits of breastfeeding; An Easy Gluide to breastfeeding.
- Watchko JF (2006):** Hyperbilirubinemia and bilirubin toxicity in the late preterm infant. Clin Perinatol; 33 : 839 – 852.
- Watchko JF and Maisels MJ (2003):** Jaundice in low birth weight infants : pathobiology and outcome. Arch Dis Child Fetal Neonatal Ed; 88 : F455 – F458.
- Whittington PF and Alonso EM (2003):** Disorders of bilirubin metabolism. Chapter in : Nathan DG, Ginsburg D, Orkin SH, Look AT, eds. Nathan and Oski's Haematology of Infancy and Childhood. 6th ed. Philadelphia, PA : WB Saunders co; 86- 120.
- Wiggins PK and Dettwyler KA (1998):** Breastfeeding : A mother's Gift, Chapter 1, L.A. Publishing Co.



- Willems WA, Van den Berg LM, de Wit H et al. (2004):** Transcutaneous bilirubinometry with the Bilicheck in very premature newborns. J Matern Fetal Neonatal Med; 16 : 209 – 214.
- Wong RJ, Stevenson DK, Ahlfors CE and Vreman HJ (2007):** Neonatal jaundice : Bilirubin physiology and clinical chemistry. Neo Reviews; 8 : e58 – e67.
- Yetman RJ, Parks DK, Huseby V, Mistry K, Garcia J (1998):** Rebound bilirubin levels in infants receiving phototherapy. J Pediatr; 133 : 705 – 7.
- Zivin JR, Gooley T and Zager RA (2001):** Hypocalcemia : a pervasive metabolic abnormality in the critically ill. Am J Kidney Dis; 37 : 689 – 98.