## **List of Contents**

Introduction	1
Aim of the work	2
Chapter 1 (Neonatal Jaundice)	3
Chapter 2 (Phototherapy)	21
Chapter 3 (Tumor Necrosis Factor Alpha)	38
Subjects and Methods	54
Results	59
Discussion	79
Summary and Conclusion	84
Recommendations	86
References	87
الملخص العربي	

## **List of Figures**

No.	Figure	
1	Demonstrates the metabolism of bilirubin	
2	Technique of exchange transfusion	
3	Baby in opisthotonos position	18
4	Bank lights	24
5	Infant undergoing home phototherapy with fiberoptic blanket	25
6	Fiberoptic blankets	
7	Baby undergoing combined therapy	26
8	Light Emitting Diodes	
9	Bilichek for evaluation of phototherapy in jaundiced babies	
10	Some of the signaling events that are initiated when tumor necrosis factor alpha (TNF-α) leads to apoptosis	41
11	Range of Actions of TNF In response to inflammatory stimuli	
12	TNF activities and effect on different cells	
13	distributions of the study groups according to sex	
14	means of wt among study,control groups	60

15	means of G. ages among study,control groups	61
16	means of ages among study,control groups.	
17	means of CRP among study,control groups	
18	Means of CRP before and after phototherapy among patients	
19	means of TLC among study,control groups.	65
20	Means of TLC before and after phototherapy among patients	
21	means of HB among study, control groups.	67
22	Means Hb before and after phototherapy among patients	
23	means of PLts among study, control groups	
24	Means of Plts before and after phototherapy among patients	
25	means of T.Bil among study groups	
26	means of D.Bil. among study,control groups	
27	means of T.Bil. before and after among cases	
28	28 means of D.Bil. before and after among cases	
29	means of TNF among study groups	
30	means of TNF before and after among cases	76

31	Correlation between TNF levels and CRP in patients before phototherapy	77
32	Correlation between TNF levels and CRP in patients after phototherapy	77
33	Correlation between TNF levels and PLTs in patients before phototherapy	78
34	Correlation between TNF levels and PLTs in patients after phototherapy	78

## **List of Tables**

No.	Table	
1	Classification of neonatal hyperbilirubinemia	8
2	Guidelines for exchange transfusion	13
3	Guide lines by American Academy of Pediatrics for prevention of severe neonatal hyperbilirubinemia and bilirubin encephalopathy	
4	Guidelines for phototherapy in hospitalized infants of 35 or more weeks' gestation	
5	distributions of the study groups according to sex.	59

6	ange and mean ± standard deviation of Weight among study and control groups	60
7	Range and mean ± standard deviation of gestational age among study and control groups	
8	Range and mean ± standard deviation of age among study and control groups	
9	Range and Mean ± standard deviation of CRP among study and control groups	63
10	Means,standarded deviations (SD) of CRP before and after phototherapy among patients	63
11	Range and Mean ± standard deviation of TLC among study and control groups.	64
12	Means, standarded deviations (SD) of TLC before and after phototherapy among patients.	65
13	Range and Mean ± standard deviation of Hb among study and control groups	66
14	Means,standarded deviations (SD) of Hb before and after phototherapy among patients	67
15	Range and Mean ± standard deviation of Plts among study and control groups.	
16	Means, standarded deviations (SD) of Plts before and after phototherapy among patients	69
17	Range and Mean ± standard deviation of T. Bil. among study and control groups	70
18	Range and Mean ± standard deviation of D.Bil. among study and control groups	71
19	Means, standarded deviations (SD) of T Bil before and after phototherapy among patients	
20	Means,standarded deviations (SD) of D Bil before and after phototherapy among patients	74
12	Range and Mean ± standard deviation of TNF among study and control groups	75

22	Means, standarded deviations (SD) of TNF before and after phototherapy among patients	
23	Correlation between TNF levels with other parameters in patients (before and after phototherapy).	76

## List of abbreviation

Acute lumphocytic lymphoma	ALL
Bacillus Calmette Geurin	(BCG)
Citrate phosphate dextrose	(CPD)
Compact fluorescent tube	(CFT)
Double-surface intensive phototherapy	(DsIPT)
Iranscutaneous bilirubin	(TcB)
Double-surface intensive phototherapy	(DsIPT)
Fas-associated death domain	FADD
free fatty acid	(FFA)
Glucose-6-phosphate dehydrogenase deficiency	(G6PD)
Histocompatibility complex	(MHC)
Intravenous immunoglobulin	(IVIG)
Interleukin-1	(IL-1)
lipoprotein lipase	(LPL)
Light Emitting Diodes	(LED)
Lipopolysaceharide	(LPS)
Neonatal intensive care unit	(NICU)
Nuclear factor-kappa B	(NF-kB)
Patent ductus arteriosus	(PDA)
Receptor interacting protein	(RIP)
Single-surface intensive phototherapy	(SsIPT)

TNF-receptor associated death domain	(TRADD)	
Total serum bilirubin	(TSB)	
Transcutaneous bilirubin	(TcB)	
Total parenteral nutrition	(TPN)	
Tumor necrosis factor receptor-I	(TNF-RI)	
Tumor necrosis factor receptors-II	(TNF-RII)	
Tumor necrosis factor- alpha	(TNF-α)	
Ultra-violet	(UV)	
Uridine diphosphoglucuronate glucuronosyl transferase (UDPGT)		