

REFERENCES

Adamkiewicz T.V.; Silk B.J.; Howgate J. et al. (2008): Effectiveness of the 7-valent pneumococcal conjugate vaccine in children with sickle cell disease in the first decade of life. *Pediatrics*; 121:562-569.

Advisory Committee on Immunization Practices (2009): Recommended adult immunization schedule: United States, *Ann. Intern. Med*; 150(1):40-44.

American Academy of Pediatrics (2000): Immunocompromised Children – Asplenic Children. The Red Book on CD-ROM, Report of the Committee on Infectious Diseases, 25th edn. Elk Grove Village, IL, USA: American Academy of Pediatrics.

American Academy of Pediatrics (2003): Committee on Infectious Diseases. Policy statement: Recommendations for the prevention of pneumococcal infections, including the use of pneumococcal conjugate vaccine (Prevnar), pneumococcal polysaccharide vaccine, and antibiotic prophylaxis. *Pediatrics*; 106:362–366.

Angelucci, E.; Barosi, G.; Camaschella, C. et al. (2008): Italian Society of Hematology practice guidelines for the management of iron overload in thalassemia major and related disorders. *Haematologica*; 93(5):741-52.

Argyropoulou, M.I and Astrakas, L. (2007): MRI evaluation of tissue iron burden in patients with β -thalassaemia major. *Pediatr. Radiol.*; 37(12): 1191–1200.

Ataga, K.; Cappellini, M.D. and Rachmilewitz, E.A. (2007): β -Thalassemia and sickle cell anemia as paradigms of hypercoagulability. Br. J. Haematol.; 139(1):3-13.

Australian Immunization Handbook (2008): Department of Health and Ageing and National Health and Medical Research Council. 9th edn. Available at [www.health.gov.au/internet/immunise/publishing.nsf/Content/78CDF41C283426A8CA2574E40020CCAB/\\$File/handbook-9](http://www.health.gov.au/internet/immunise/publishing.nsf/Content/78CDF41C283426A8CA2574E40020CCAB/$File/handbook-9).

Australian Therapeutic Guidelines (2006): Antibiotic. Version 13. Postsplenectomy prophylaxis; 181.

Aygenel, G.; Dizbay, M.; Turkoglu, M.A. et al. (2008): Cases of OPSI syndrome still candidate for medical ICU. Braz. J. Infect. Dis.; 12(6): 549-51.

Balci, A.; Karazincir, S.; Sangun, O. et al. (2008): Prevalence of abdominal ultrasonographic abnormalities in patients with sickle cell disease. 14(3): 133-7.

Bazvand, F.; Shams, S.; Esfahani, M. B. et al. (2011): Total antioxidant status in patients with major β -thalassemia. Iran J. Pediatr.; Vol. 21(No 2), P: 159-165.

Berjis, N.; Sonbolestan, S.M.; Nemati, S. et al. (2007): Otorhinolaryngologic Manifestations in Thalassemia Major Patients. Iran J. Ped.; Vol. 17 No. 1.

Bianchi, N.; Zuccato, C. and Lampronti, I. (2009): Fetal Hemoglobin Inducers from the Natural World: A Novel Approach for Identification of Drugs for the Treatment of β -Thalassemia and Sickle-Cell Anemia. *eCAM*; 6(2): 141-151.

Binenbaum, S.J. (2007): The spleen . Lecture Conference; SLR.

Bisharat, N.; Omari, H.; Lavi, I. et al.(2001): Risk of Infection and Death Among Post-splenectomy Patients. *Journal of Infection*; 43:182-186.

Bognár, G.; István, G.; Ledniczky, G. et al. (2010): Analysis of two different operative techniques for laparoscopic splenectomy. *Magy. Seb.*; 63(6): 359-63.

Borgna-Pignatti, C.; Rugolotto, S.; De Stefano, P. et al. (2004): Survival and complications in patients with thalassemia major treated with transfusion and deferoxamine. *Haematologica*; 89: 1187-1193.

Borgna-Pignatti, C.; Ventola, M. and Friedman, D. (2006): Seasonal variation of pretransfusion hemoglobin levels in patients with thalassemia major. *Vol. 107, No. 1, pp. 355-357.*

Borie, F. and Philippe, C. (2009): Laparoscopic splenectomy: Indications, techniques, outcomes; 146(4): 336-46.

Bradai, M.; Abad, M.T.; Pissard, S. et al. (2003): Hydroxyurea can eliminate transfusion requirements in children with severe β -thalassemia. *Blood, American Society of Hematology*; 102: 1529-1530.

Cao, A. and Galanello, R. (2010): Beta-thalassemia. *Genet. Med.*; 12(2): 61-76.

Cappelli, B.; Chiesa, R.; Evangelio, C. et al. (2009): Absence of VOD in pediatric thalassemic HSCT recipients using defibrotide prophylaxis and intravenous Busulphan. *Br. J. Haematol.*; 147(4): 554-60.

Cappellini, M.D.; Cohen, A.; Piga, A. et al. (2006): A phase 3 study of deferasirox (ICL670), a once-daily oral iron chelator, in patients with β -thalassemia. Vol. 107, No. 9, pp. 3455-3462.

Cappellini, M.D. and Piga, A. (2008): Current status in iron chelation in hemoglobinopathies. *Curr. Mol. Med.*; 8(7): 663-74.

Cappellini, M.D. (2008): Long-term efficacy and safety of deferasirox. *Blood Rev. Suppl.*; 2: S35-41.

Castagnola, E. and Fioredda, F. (2003): Prevention of life-threatening infections due to encapsulated bacteria in children with hyposplenism or asplenia: a brief review of current recommendations for practical purposes. *Eur. J. Haematol.*; 71: 319-326.

Centers for Disease Control and Prevention (2009): Updated recommendations for use of Haemophilus influenza type b (Hib) vaccine: reinstatement of the booster dose at ages 12-15 months. *MMWR Morb. Mortal. Wkly. Rep.*; 58(24): 673-4.

Chern, J.P.; Su, S.; Lin, K.H. et al. (2007): Survival, mortality, and complications in patients with beta-thalassemia major in northern Taiwan. *Pediatr. Blood Cancer*; 48: 550-554.

Choby, B.A. (2009): Diagnosis and treatment of streptococcal pharyngitis. Am. Fam. Physician. 1;79(5): 383-90.

Christoforidis, A.; Perifanis, V.; Spanos, G. et al. (2009): MRI assessment of liver iron content in thalassemic patients with three different protocols: comparisons and correlations. Eur J. Haematol.; 82(5): 388-92.

Cohen, A.R.; Glimm, E.; Porter, J.B. (2008): Effect of transfusional iron intake on response to chelation therapy in beta-thalassemia major. Blood J.; 111: 583-587.

Curcio, G.; Sciveres, M.; Di Pisa, M. et al. (2010): Refractory obstructive jaundice in a child affected with thalassodrepanocytosis: a new endoscopic approach. BMC Gastroenterol.; 10: 117.

De Withe, T. (2008): The role of iron in patients after bone marrow transplantation. Blood Rev.; 22(S2): S22-S28.

DeBaun, M.R. and Vichinsky, E. (2007): Hemoglobinopathies. In Nelson Text Book of Pediatrics, 18th Edition. Edited by Kaliegman, R.M.; Jenson, H.B.; Beharman, R.E. and Stanton, B.F., Published by Saunders, Chapter 462.9, P. 2025-2038.

Desigan, S.; Hall-Craggs, M.A.; Ho, C.P. et al. (2006): Degenerative disc disease as a cause of back pain in the thalassemic population: a case-control study using MRI and plain radiographs. Skeletal Radiol.; 35(2): 95-102.

Devarajan, V.R. (2009): Haemophilus Influenza Infections <http://emedicine.medscape.com/article/218271-overview>.

Di Carlo, I.; Primo, S. et al. (2008): Should all splenectomised patients be vaccinated to avoid OPSI? Revisiting an old concept: an Italian retrospective monocentric study. *Hepatogastroenterology*; 55(82-83): 308-10.

Economou, M.; Printza, N.; Teli, A. et al. (2010): Renal dysfunction in patients with beta-thalassemia major receiving iron chelation therapy either with deferoxamine and deferiprone or with deferasirox. *Acta Haematol.*; 123(3): 148-52.

El-Alfy, M.S. and El-Sayed, M.H. (2004): Overwhelming postsplenectomy infection: is quality of patient knowledge enough for prevention? *Hematol. J.*; 5(1): 77-80.

El-Beshlawy, A.; Mohtar, G.; Abd El Ghafar, E. et al. (2008b): Assessment of puberty in relation to L-carnitine and hormonal replacement therapy in beta-thalassemic patients. *J. Trop. Pediatr.*; 54(6): 375-81.

El-Beshlawy, A.; Mostafa, A.; Youssry, I. et al. (2008a): Correction of aberrant pre-mRNA splicing by antisense oligonucleotides in beta-thalassemia Egyptian patients with IVSI-110 mutation. *J. Pediatr. Hematol. Oncol.*; 30(4): 281-4.

El-Beshlawy, A.; Ragab, L.; Fattah, A. et al. (2004): Improvement of cardiac function in thalassemia major treated with L-carnitine. *Acta. Haematol.*; 111: 143-148.

El-Beshlawy, A.M.; Hamdy, M.M; Elgamrawy, M. et al. (2009): Low Incidence of Cardiac Siderosis in Heavily Iron Overloaded Egyptian

Thalassemics. *Blood* (ASH Annual Meeting Abstracts) 114: Abstract 5110
© American Society of Hematology.

Engelhardt, M.; Haas, P.S. and Theilacker, C. et al. (2009): Prevention of infections and thrombosis after splenectomy or because of functional loss of the spleen. *Dtsch. Med. Wochenschr.*; 134(17): 897-902.

Faraz, A. and Kamal, A.(2005): Fatal splenic sequestration crisis with multiorgan failure in an adult woman with sickle cell-beta thalassemia. *American Journal of the Medical Sciences*; Vol. 329- Issue 3 –PP.(4)- 143 (case report).

Farmakis, D.; Giakoumis, A.; Polymeropoulo, E. et al. (2003): Pathogenetic aspects of immune deficiency associated with β thalassemia. *Med. Sci. Monit.*; 9: RA19-22.

Fibach, E. and Rachmilewitz, E. (2008): The role of oxidative stress in hemolytic anemia. *Curr. Mol. Med.*; 8: 609-619.

Fragatou, S.; Tsourveloudis, I. and Manesis, G. (2010): Incidence of hepatocellular carcinoma in a thalassemia unit. *Hemoglobin*; 34(3): 221-6.

Fuentes-Ferrer, M.E.; Cano-Escudero, S. et al. (2008): Vaccination coverage against *Streptococcus pneumonia* in splenectomized patients in a fourth-level hospital (1999-2004). *Microbiol. Clin.*; 26(4): 194-8.

Fung, E.B.; Harmatz, P.; Milet, M. et al. (2007): Morbidity and mortality in chronically transfused subjects with thalassemia and sickle cell disease: a report from a multicenter study on iron overload. *Am. J. Hematol.*; 82: 255-265.

Galanello, R. and Origa, R. (2010): Beta-thalassemia. Orphanet. J. Rare Dis.; 21: 5-11.

Galloway, S.D.R. et al. (2005): Oral L-carnitine supplementation and exercise metabolism. Monatshefte für chemie; 136(8): 1391-1410.

Gaziev, J. and Lucarelli, G. (2003): Stem cell transplantation for hemoglobinopathies. Curr. Opin. Pediatr.; 15: 24-31.

Giambona, A.; Passarello, C.; Renda, D. and Maggio, A. (2009): The significance of the hemoglobin A(2) value in screening for hemoglobinopathies. Clin. Biochem.; 42(18): 1786-96.

Gratwohl, A.; Baldomero, H.; Aljurf, M. et al. (2010): "Hematopoietic stem cell transplantation: a global perspective." JAMA 303(16): 1617-24.

Haburchak, D.R. (2004): Vaccinations and Antibiotic Treatment Post Splenectomy. <http://www.medscape.com/viewarticle/474926>.

Hankins, J.S.; McCarville, M.B.; Loeffler, R.B. et al. (2009): R2* magnetic resonance imaging of the liver in patients with iron overload. Blood 14; 113(20): 4853-5.

Harrison, L.M.; Morris, J.A.; Telford, D.R. et al., (1999): The nasopharyngeal bacterial flora in infancy: effects of age, gender, season, viral upper respiratory tract infection and sleeping position. FEMS Immunology and Medical Microbiology; 25: 19-28.

Hartwell, S.K.; Srisawang, B.; Kongtawelert, P. et al. (2005): Review on screening and analysis techniques for hemoglobin variants and thalassemia. Thailand; 65(5): 1149-61.

High, N.J. (2001): Haemophilus influenza. Molecular Medical Microbiology. Sussman, M., Academic Press, London: 1967-1988.

Holdsworth, R.; Irving, A. and Cuschieri, A. (1991): Postsplenectomy sepsis and its mortality rate actual versus perceived risks. Br. J. Surg.; 78-1031-8.

Howard-Jones, M.; Randll, L. and Bailey-Squire, B. et al. (2009): An audit of immunization status of sickle cell patients in Coventry, UK. J. Clin. Pathol.; 62(1): 42-5.

Hussein, G.; Fawzy, M.; Serafi, T.E. et al. (2007): Rapid detection of beta-Thalassemia alleles in Egypt using naturally or amplified created restriction sites and direct sequencing: a step in disease control. Hemoglobin; 31(1): 49-62.

Inati, A.; Zeineh, A.; Isma'eel, H. et al. (2006): β -Thalassemia: the Lebanese experience. Clin. Lab. Haem.; 217–227.

Jones, P.; Leder, K.; Woolley, I. et al. (2010): Postsplenectomy infection, Strategies for prevention in general practice. AUSTRALIAN FAMILY PHYSICIAN; Vol. 39, NO.6.

Jugenburg, M.; Haddock, G.; Freedman, M.H. et al. (1999): The morbidity and mortality of pediatric splenectomy: Does prophylaxis make a difference? J. Pediatr. Surg.; 34: 1064–1067.

Karimi, M.; Mohammadi, F.; Behmanesh, F. et al. (2009): Effect of combination therapy of hydroxyurea with L-carnitine and magnesium chloride on hematologic parameters and cardiac function of patients with β -thalassemia intermedia. *European Journal of Haematology*; 84: 52–58.

Klouwenberg, P.K. and Bont. L. (2008): Neonatal and infantile immune responses to encapsulated bacteria and conjugate vaccines. *Clinical and Developmental Immunology*. Volume 2008, Article ID 628963, 10 pages.

Kolnagou, A. and Kontoghiorghe, G.J. (2009): Advances in the prevention and treatment are changing thalassemia from a fatal to a chronic disease. Experience from a Cyprus model and its use as a paradigm for future applications. *Paphos, Cyprus*; 33(5): 287-95.

Kusumoto, N.; Kuroki, M.; Umekita, K. et al. (2009): Overwhelming postsplenectomy infection 22 years after splenectomy. *Kansenshogaku Zasshi.*; 83(3): 261-5.

Kuypers, F.A. (2008): Red cell membrane lipids in hemoglobinopathies. *Curr. Mol. Med.*; 8(7): 633-8.

Kwiatkowski, J.L. (2008): Oral iron chelators. In *Pediatric Clinics of North America Text Book*. Edited by Coppes MJ. And ware. RE. USA, Ch. 55, P. 461-482.

La Nasa, G.; Argioli, F.; Giardini, C. et al. (2005): Unrelated bone marrow transplantation for beta-thalassemia patients: The experience of

the Italian Bone Marrow Transplant Group. Ann. N. Y. Acad. Sci.; 1054: 186–95.

Ladis, V.; Chouliaras, G.; Bedousi, H. et al. (2005): Longitudinal study of survival and causes of death in patients with thalassemia major in Greece. Ann. N. Y. Acad. Sci.; 1054: 445-50.

Ladis, V.; Chouliaras, G.; Berdoukas, V. et al. (2010): Relation of chelation regimes to cardiac mortality and morbidity in patients with thalassemia major: an observational study from a large Greek Unit. Eur. J. Haematol.; 85(4): 335-334.

Landgren, O.; Bjoerkholm, M.; Konradsen, H.B. et al. (2004): A prospective study on antibody response to repeated vaccinations with pneumococcal capsular polysaccharide in splenectomized individuals with special reference to Hodgkin's lymphoma. J. Intern. Med.; 255: 644-673.

Langley, J.M.; Dodds, L.; Fell, D. et al. (2010): Pneumococcal and influenza immunization in asplenic persons: a retrospective population-based cohort study 1990-2002. BMC Infect. Dis.; 10: 219.

Langlois, S.; Ford, J.C.; Chitayat, D. et al. (2008): Carrier screening for thalassemia and hemoglobinopathies in Canada. CCMG Prenatal Diagnosis Committee; SOGC Genetic Committee. J. Obstet. Gynaecol. Can.; 30(10): 950-71.

LeBlanc, W.; Salah, H. and Khakoo, Y. (1995): Group A Beta hemolytic streptococcal bacteraemia in a patient with sickle cell anemia on penicillin prophylaxis. J. Nati. Med. Assoc.; 87: 347-348.

Lee, J.W.; Yoon, S.S.; Shen, Z.X. et al. (2010): Iron chelation therapy with deferasirox in patients with aplastic anemia: a subgroup analysis of 116 patients from the EPIC trial. EPIC study investigators. *Blood*; 116(14): 2448-54.

Leiberman, A.; Dagan, R.; Leibovitz, E. et al., (1999): The bacteriology of the nasopharynx in childhood. *Int. J. Pediatr. Otorhinolaryng.*, 49(Suppl. 1): S151-S153.

Lekawanvijit, S. and Chattipakorn, N. (2009): Iron overload thalassemic cardiomyopathy: iron status assessment and mechanisms of mechanical and electrical disturbance due to iron toxicity. *Thailand*; 25(4): 213-8.

Linsk, R.L.; Hussain, R.S. and Ozor, C.E. (2000): Nasopharyngeal colonization in healthy adults. In Program and Abstracts of the Fortieth Interscience Conference on Antimicrobial Agents and Chemotherapy. Toronto, Canada, American Society for Microbiology, Washington, DC, USA. 1804: 112.

Lithanatudom, P.; Leecharoenkiat, A.; Wannatung, T. et al. (2009): A mechanism of ineffective erythropoiesis in β -thalassemia/Hb E disease. *Haematologica*; Vol. 95, Issue 5, 716-723.

Low Louis, C.K.(2005): Growth of children with beta thalassemia major. *Indian J. Pediatr.*; 72: 159-64.

Lowson, J.P. (2009): Thalassemia Imaging. Yale University School of Medicine, <http://emedicine.medscape.com/article/396792-overview>.

Lucarelli, G. and Gaziev, J. (2008): Advances in the allogeneic transplantation for thalassemia. *Blood Rev.*; 22(2): 53-63.

Lynch, A.M. and Kapila, R. (1996): Overwhelming postsplenectomy infection. *Infect. Dis. Clin. North. Am.*; 10: 693–707.

Mabaera, R.; West, R.J.; Conine, S.J. et al. (2008): A cell stress signaling model of fetal hemoglobin induction: what doesn't kill red blood cells may make them stronger. *Exp. Hematol.*; 36(9): 1057-72.

Mahfouz, R.E.; Zaghlol, W.S.; Solyman, O.S. et al. (2006): Nasopharyngeal carriage of H. influenza type b in preschool children. M.Sc. Thesis. El-Mansoura Faculty of Medicine, El-Mansoura University.

Malik, S.; Syed, S. and Ahmed, N. (2009): Complications in transfusion-dependent patients of β -thalassemia major. Volume 25, July – September, No. 4.

Mantikou, E.; Arkesteijn, S.G.; Beckhoven, J.M. et al. (2009): A brief review on newborn screening methods for hemoglobinopathies and preliminary results selecting beta thalassemia carriers at birth by quantitative estimation of the HbA fraction. *Clin. Biochem.*; 42(18): 1780-5.

Marchissio, P.; Gironi, S.; Esposito, S. et al., (2001): Seasonal variations in nasopharyngeal carriage of respiratory pathogens in healthy Italian children attending day-care centers or schools. *J. Med. Microbiol.*, 50: 1095-1099.

Marsella, M.; Pepe, A. and Borgna-Pignatti, C. (2010): Better survival and less cardiac morbidity in female patients with thalassemia major: a review of the literature. *Ann. N. Y. Acad. Sci.*; 1202: 129-33.

McCoy, D.; Kembhavi, G.; Patel, J. et al. (2009): The Bill & Melinda Gates Foundation's grant-making programme for global health. *Lancet.*; 373(9675): 1645-53.

Mebius, R.E. and Kraal, G. (2005): Structure and function of the spleen. *Nat. Rev. Immunol.* 5(8): 606-16.

Mischiati, C.; Sereni, A.; Lampronti, I. et al. (2004): Rapamycine-mediated induction of gamma-globin mRNA accumulation in human erythroid cells. *Br. J. Hematol.*; 126: 612-21.

Moffett, S.L. (2009): Overwhelming postsplenectomy infection: Managing patients at risk. *JAAPA.* 22(7).www.jaapa.com

Moorjani, J.D. and Chithira, I. (2006): Neurotic manifestations in adolescents with thalassemia major. *Indian J. Pediatr.*; 73: 603-7.

Morris, C.R.; Gladwin, M.T. and Kato, G.J. (2008): Nitric oxide and arginine dysregulation: a novel pathway to pulmonary hypertension in hemolytic disorders. *Curr. Mol. Med.*; 8(7): 620-32.

Mosca, A.; Paleari, R.; Galanello, R. et al. (2008): New analytical tools and epidemiological data for the identification of HbA2 borderline subjects in the screening for beta-thalassemia. *IFCC Working Group on Standardization of HbA2. Bioelectrochemistry*; 73(2): 137-40.

Mosca, A.; Paleari, R.; Leone, D. et al. (2009): The relevance of hemoglobin F measurement in the diagnosis of thalassemias and related hemoglobinopathies. Clin. Biochem.; 42(18): 1797-801.

Muncie, H.L. and Campbell, J. (2009): Alpha and beta thalassemia. Am. Fam. Physician.; 80(4): 339-44.

Munor et al. (2002): Statistical methods for health care research. University of Pennsylvania, Boston Collage Lipincott U.S.A. 4th Edition P 1-412.

Musher, D.M. (2006): Pneumococcal vaccine-direct and indirect (“herd”) effect. N. Engl. J. Med.; 354(14): 1522-1524.

Nabipour, F. and Tayarzadeh, M. (2005): Prevalence of beta-hemolytic streptococcus carrier state and its sensitivity to different antibiotics among Guidance - School Children in Kerman-Iran. American Journal of Infectious Diseases 1 (2): 128-131.

Neufeld, E.J. (2006): Oral chelators deferasirox and deferiprone for transfusional iron overloaded in thalassemia major: new data, new questions. Blood J.; Vol. 107, No. 9, PP. 3436-3441.

Norgaard, M.; Larsson, H.; Pedersen, G. et al. (2006): Risk of bacteraemia and mortality in patients with haematological malignancies. Clin. Microbiol. Infect.; 12(3): 217-223.

Northern Comprehensive Thalassemia Center, (2005):
<http://www.thalassemia.com/hla.html>

Origa, R.; Galanello, R.; Ganz, T. et al. (2007): Liver iron concentrations and urinary hepcidin in beta-thalassemia. *Haematologica*; 92(5): 583-8.

Otrock, Z.K.; Azar, S.T.; Shamseddeen, W.A. et al. (2006): Intravenous zoledronic acid treatment in thalassemia-induced osteoporosis: results of a phase II clinical trial. *Ann. Hematol.*; 85(9): 605-9.

Ozment, C.P. and Turi, J.L. (2009): Iron overload following red blood cell transfusion and its impact on disease severity. *Biochim. Biophys. Acta.*; 1790(7): 694-701.

Papadopoulos, N.; Vasiliki, A.; Aloizos, G. et al. (2010): Hyperchloremic metabolic acidosis due to deferasirox in a patient with beta thalassemia major. *Ann. Pharmacother.*; 44(1): 219-21.

Papakonstantinou, O.; Alexopoulou, E.; Economopoulos, N. et al. (2009): Assessment of iron distribution between liver, spleen, pancreas, bone marrow, and myocardium by means of R2 relaxometry with MRI in patients with beta-thalassemia major. *J. Magn. Reson. Imaging*; 29(4): 853-859.

Patle, N.M.; Tantia, O.; Sasmal, P.K. et al. (2010): Laparoscopic splenectomy in patients of β -thalassemia: Our experience. *J. Minim. Access. Surg.*; 6(3): 70-5.

Pecorari, L.; Savelli, A.; Cuna, C.D. et al. (2008): The role of splenectomy in thalassemia major. An update. *Acta Paediatrica Mediterranea*; 24: 57.

Perifanis, V.; Tziomalos, K.; Tsatra, I. et al. (2005): Prevalence and severity of liver disease in patients with beta thalassemia major. A single-institution fifteen year experience. *Haematologica*; 90: 1136-38.

Perrine, S.P. (2008): Fetal globin stimulant therapies in the beta-hemoglobinopathies: principles and current potential. *Pediatr. Ann.*; 37(5): 339-46.

Phylipsen, M.; Amato A.; Cappabianca, M.P. et al.(2009): Two new beta-thalassemia deletions compromising prenatal diagnosis in an Italian and a Turkish couple seeking prevention. *Haematologica*; 94(9): 1289-92.

Price, V.E.; Blanchette, V.S. and Ford-Jones, E.L. (2007): The prevention and management of infections in children with asplenia or hyposplenia. *Infect. Dis. Clin. North. Am.*; 21(3): 697-710.

Price, V.E.; Dutta, S.; Banchette, V.S. et al. (2006): The prevention and treatment of bacterial infections in children with asplenia or hyposplenia: practice considerations at the hospital for sick children, Toronto. *Pediatr. Blood Cancer*; 46: 597-603.

Quinn, C.T.; Rogers, Z.R. and Buchanan, G.R. (2004): Survival of children with sickle cell disease. *Blood*; 103(11): 4023-4027.

Rachmilewitz, E.A.; Weizer-Stern, O.; Adamsky, K. et al. (2005): Role of iron in inducing oxidative stress in thalassemia. Can it be prevented by inhibition of absorption and by antioxidants? *.Ann. N.Y. Acad. Sci.*; 1054: 118–123.

Ram, S.; Lewis, L.A. and Rice, P.A. (2010): Infections of people with complement deficiencies and patients who have undergone splenectomy. *Clin. Microbiol Rev.*; 23(4): 740-80.

Rebouche, C.J. (2006): Carnitine. In: Shils, M.E.; Shike, M.; Ross, A.C.; Caballero, B.; Cousins, R.J. Modern Nutrition in Health and Disease. 10th ed. Philadelphia: Lippincott, Williams & Wilkins.; p. 537-544.

Ricerca, B.M.; Di Girolamo, A. and Rund, D. (2009): Infections in Thalassemia and Hemoglobinopathies: Focus on Therapy-Related Complications. Mediterranean Journal of Hematology and Infectious Diseases; Vol. 1, No. 1.

Rizk, M.K.; Dabour, S.A.; Abdou, M.K. et al. (2002): Some cardiac and pulmonary functions abnormalities in children with beta-thalassemia major. M.Sc. Thesis, Benha Faculty of Medicine, Benha University.

Roselli, E.A.; Mezzadra, R.; Frittoli, M.C. et al. (2010): Correction of beta-thalassemia major by gene transfer in haematopoietic progenitors of pediatric patients. EMBO. Mol. Med.; 2(8): 315-28.

Rund, D. and Rachmilewitz, E. (2005): β -Thalassemia. N. Engl. J. Med.; 353: 1135-1146.

Salama O.S.; Al-Tonbary, Y.A.; Shahin, R.A. et al. (2006): Unbalanced bone turnover in children with beta-thalassemia. Hematology; 11(3): 197-202.

Scacchi, M.; Danesi, L.; Cattaneo, A. et al. (2010): The pituitary-adrenal axis in adult thalassaemic patients. Eur. J. Endocrinol.; 162(1): 43-8.

Schein, A.; Enriquez, C.; Coates, T. et al. (2008): Magnetic resonance detection of kidney iron deposition in sickle cell disease: a marker of chronic hemolysis. 28(3): 698-704.

Settin, A.A.; El-Tonbary, Y.A.; El-Gharib, M.E. et al. (2006): Characterization of beta-thalassemia mutations in Northeastern province Egypt. M.Sc. Thesis. El-Mansoura Faculty of Medicine, El-Mansoura University.

Shamsian, B.S.; Aminasnafi, A.; Moghadassian, H. et al. (2008): Sensory neural hearing loss in beta-thalassemia major patients treated with deferoxamine. *Pediatr. Hematol. Oncol.*; 25(6): 502-8.

Sharma, R.N. and Pancholi, S.S. (2010): Oral iron chelators: a new avenue for the management of thalassemia major. *Journal of Current Pharmaceutical Research*; 01: 1-7

Sheikha, A.K.; Salih, Z.T.; Kasnaza, K.H. et al. (2007): Prevention of overwhelming postsplenectomy infection in thalassemic patients by partial rather than total splenectomy. Abha, Saudi Arabia. *Can. J. Surg.*; 50(5): 382-386.

Shekhar, H.U.; Kabir, Y.; Hossain, M. et al. (2007): Blood transfusion-mediated viral infection in thalassemic children in Bangladesh. *J. Med. Sci.*, 7(1): 131-135.

Sipahi, T.; Kara, A.; Kuybulu, A. et al. (2009): Congenital thrombotic risk factors in β -Thalassemia. *Clinical and Applied Thrombosis/Hemostasis*, Vol. 15, No. 5, 581-584.

Skordis, N. (2006): The growing child with thalassemia. *J. Pediatr. Endocrinol. Metab.*; 19: 467-9.

Spelman, D.; Buttery, J.; Daley, A. et al. (2008): Guidelines for the prevention of sepsis in asplenic and hyposplenic patients. *Intern. Med. J.*; 38: 349-56.

Sumaraju, V.; Leon, G. and Smith, S.M. (2001): Infectious complications in asplenic hosts. *Infect. Dis. Clin. North. Am.*; 15: 551–565.

Swirski, F.K.; Nahrendorf, M.; Wildgruber, M. et al. (2009): Identification of splenic reservoir monocytes and their deployment to inflammatory sites. *Science*; 325: 612-616.

Taher, A.; Isma'eel, H.; Mehio, G. et al. (2006): Prevalence of thromboembolic events among 8,860 patients with thalassemia major and intermedia in the Mediterranean area and Iran. *Thrombo. Haemost.*; 96: 488- 91.

Taher, A.; Cappellini, M.D.; Vichinsky, E. et al. (2009): Efficacy and safety of deferasirox doses of >30 mg/kg per d in patients with transfusion-dependent anemia and iron overload. *Br. J. Haematol.*; 147(5): 752-9.

Takeshita, K., (2010): Beta-Thalassemia: Differential Diagnosis & Workup. <http://emedicine.medscape.com/article/206490>.

Tantawy, A.A.; Adly, A.A.; Mahdy, S.A. et al. (2009): Spinal cord compression and extramedullary hematopoiesis in young Egyptian beta-thalassemia patients. *Ain Shams University; Cairo, Egypt.* 33(6): 448-62.

Testa, U. (2009): Fetal hemoglobin chemical inducers for treatment of hemoglobinopathies. *Ann. Hematol.*; 88(6) :505-28.

Thalassemia International Federation, (2007): Guidelines for the clinical management of thalassemia, 2nd edn.; Nicosia, Cyprus.

Thelma, E. and Tupasi, M.D. (1996): Life-threatening group A streptococcal infections. *Phil. J. Microbiol. Infect. Dis.*; 25(1): 21-25.

Thuret, I.; Pondarre, C.; Loundou, A. et al. (2009): Complications and treatment of patients with β -thalassemia in France: results of the National Registry. *Haematologica*; Vol. 95, Issue 5, 724-729.

Toumba, M.; Sergis, A.; Kanaris, C. et al. (2007): Endocrine complications in patients with Thalassemia major. *Pediatric Endocrine Reviews*; 5: 642-648.

Vento, S.; Cainelli, F. and Cesario, F. (2006): Infections in thalassemia. *Lancet. Infect. Dis.*; 6: 226-233.

Vichinsky, E.; Levine, L.; Bhatia, S. et al. (2008): Standards of care guidelines for thalassemia. Children's Hospital & Research Center Oakland. Hematology/Oncology Department
www.childrenshospitaloakland.org. www.thalassemia.com. P: 5-35.

Waghorn, D.J. (2001): Overwhelming infection in asplenic patients: current best practice preventive measures are not being followed. *J. Clin. Pathol.*; 54(3): 214-218.

Wanachiwanawin, W. (2000): Infections in E-beta thalassemia. *Pediatr. Hematol. Oncol.*; 22(6): 581-7.

Wang, S.C.; Lin, K.H.; Chern, J.P.; et al. (2003): Severe bacterial infection in transfusion-dependent patients with thalassemia major. *Clin. Infect. Dis.*; 37(7): 984-988.

Winichagoon, P.; Svasti, S.; Munkongdee, T. et al. (2008): Rapid diagnosis of thalassemia and other hemoglobinopathies by capillary electrophoresis system. *Transl. Res.*; 152(4): 178-184.

Yaish, H.M. (2009): Thalassemia: Differential Diagnosis, Workup, Treatment and Medication. <http://emedicine.medscape.com/article/958850>.

Ye, B.C.; Zhang, Z. and Lei, Z. (2007): Molecular analysis of alpha/beta-thalassemia in a southern Chinese population. *Genet. Test.*; 11: 75–83.

Zafeiriou, D.I.; Economou, M. and Athanasiou-Metaxa, M. (2006): Neurological complications in beta thalassemia. *Brain Dev.*; 28: 477-81.