

REFERENCES

- Al Rajeh S, Awada A, Bademosi O. and Ogunniyi A. (2001):** The prevalence of epilepsy and other seizure disorders in an Arab population: a community-based study. *Seizure*. 10 :401-414.
- Alanis-Guevara, Pana E, Corona T, Lopez-Ayala T, Lopez-Meza E and Lopez-Gomez, M. (2005):** Sleep disturbances, socioeconomic status, and seizure control as main predictors of quality of life in epilepsy. *Epilepsy & Behavior*; 9: 300 – 305.
- Al-Sulaiman A.A. and Ismail H.M. (1999):** Clinical pattern of newly-diagnosed seizures in Saudia Arabia: a prospective study of 263 children. *Childs Nerv Syst.*; 15(9):468-471.
- Aneja S. and Gupta, M. (2005):** Sleep and childhood epilepsy. *J. Neurol. Neurosurg. Psychiatry*; 72 (8): 687-690.
- Arzimanoglou A. and Dravet C. (2004):** Hemiconvulsion-hemiplegia syndrome. In: Gilman S., editor. *Medlink Neurology*. San Diego SA: Arbor Publishing Corp. 35:211-21
- Bailey E.E, Pfeifer H.H. and Thiele E.A. (2005):** The use of diet in the treatment of epilepsy. *Epilepsy and Behavior* 6:4–8.
- Banu S, khan N, Hossain M, Jahan A and Parveen M (2003):** Profile of childhood epilepsy in Bangladesh. *Dev Med Child Neurol*. 45:477-482.
- Beilmann A, Napa A, Hamarik M, and Talvik T. (1999):** Prevalence of childhood epilepsy in Estonia. *Epilepsia*; 40(7):1011-1019.
- Berga A.T, Levy S.R, Testa F.M. and Shinnar S. (1999):** Classification of childhood epilepsy syndromes in newly diagnosed epilepsy: interrater agreement and reasons for disagreement. *Epilepsia*. 4(40):439-444.
- Berg A.T, Shinnar S, Levy S.R, Testa F.M, Smith R.S. and Beckerman B.**



- (2001):** Early development of intractable Epilepsy in Children: A Prospective Study; *Neurology*; 56:1445-52
- Bernd A, Stephanie G and Andreas H. (2008):** Epilepsy in Childhood and Adolescence *Dtsch Arztebl Int*; 105(17): 319–28.
- Besag F. (2002):** Childhood epilepsy in relation to mental handicap and behavioral disorders. *Journal of Child Psychology and Psychiatry*; 43(1): 103.
- Blume W.T. (2001):** Current trends in electroencephalography. *Curr Opin Neurol*; 14: 193.197.
- Braathen G. and Theorell K. (1995):** A general hospital population of childhood epilepsy. *Acta Paediatr.* 8(10):1143-1146.
- Browne T.R. and Holmes G.L. (2001):** Primary Care: Epilepsy. *New England Journal of Medicine*; 344:1145-1151.
- Camfield, C, Camfield P, Wirrell E and Dooley J (1996):** Incidence of epilepsy in childhood and adolescence: a population-based study in Nova Scotia . *Epilepsia*; 37: 19–23.
- Chabilla D.R. (2002):** Characteristics of the epilepsies. *Mayo Clin Proc.* 77(9):981-990.
- Chassoux F. and Chiron C. (2008):** Positron emission tomography: which indications, which benefits? *Neurochirurgie.* 54:219-25.
- Christian Elger and Dieter Schmidt (2008):** Modern management of epilepsy: A practical approach Review. *Epilepsy & Behaviour* 12: 501–539.
- Claes L, Del-Favero J Ceulemans B, Lagae L, Van Broeckhoven C. and De Jonghe P. (2001):** De novo mutations in the sodium-channel gene SCN1A cause severe myoclonic epilepsy of infancy. *Am J Hum Genet*; 68(6):1327-32.
- Cockerell O.C, Eckle I, Goodridge D.M, Sander J.W. and Shorvon, S.D. (1995):** Epilepsy in a population of 6000 re-examined: secular



trends in first attendance rates, prevalence, and prognosis. J Neurol Neurosurg Psychiatry: 58:570-6.

Commission on Classification and Terminology of the International League Against Epilepsy, (1981): Proposal for revised clinical and electroencephalographic classification of epileptic seizures. *Epilepsia*, 22:489–501.

Commission on Classification and Terminology of the International League Against Epilepsy (1985): Proposal for classification of epilepsies and epileptic syndromes. *Epilepsia*, 26:268–278.

Commission on Classification and Terminology of the International League Against Epilepsy (1989): Proposal for revised classification of epilepsies and epileptic syndromes. *Epilepsia*, 30:389–399.

Commission on Diagnostic Strategies (2000): Recommendations for functional neuroimaging of persons with epilepsy. *Epilepsia*. 45(4):61-71.

Coppola, G.; Capovilla, G.; Montagnini, A.; et al., (2002): Topiramate as add-on drug in severe myoclonic epilepsy in infancy: an Italian multicenter open trial. *Epilepsy Res*; 49(1):45-8.

Cowan L.D.; Bodensteiver, J.; Levinton, A. and Doherty, L. (1989) : Prevalence of epilepsies in children and adolescents. *Epilepsia*. 30(1):94-106.

Cristina, G. and Carter, O. (2008): Pharmacologically intractable epilepsy in children: Diagnosis and preoperative evaluation, *Neurosurg Focus*; 25(3):E2.

Datta S.S, Premkumar T.S, Chandy S, Kumar Set al (2005): Behaviour problems in children and adolescents with seizure disorder; associations and risk factors. *Seizure*; 14 (3): 190-7.

De Silva M. (1996) : Randomised comparative monotherapy trial of



phenobarbitone, phenytoin, carbamazepine or sodium valproate for newly diagnosed childhood epilepsy. *Lancet*, 347: 709–713.

Dichter M.A. and Cole A.J. (2002): Neuroprotection and antiepileptogenesis: where are we now? *Neurology*. 59:36–38.

Donald W. (2006): Infantile Spasms: Little Seizures, BIG Consequences *Epilepsy Currents*. 6 (3): 63–69.

Dravet C, Bureau M, Fukuyama Y and Cokar O (2002): Severe myoclonic epilepsy in infancy (Dravet syndrome). In: Roger J, Bureau M, Dravet Ch, Genton P, Tassinari CA, Wolf P, editors. *Epileptic syndromes in infancy, childhood and adolescence*. 3rd ed. London: John Libbey. 81-103.

Dulac O. (2002): Malignant migrating partial seizures in infancy. In: Roger J, Bureau M, Dravet C, Genton P, Tassinari CA, Wolf P, editors. *Epileptic syndromes in infancy, childhood and adolescence*. 3. London: John Libbey & Co Ltd;. pp. 65–8.

Dunn D.W, Austin J.K. and Ambrosius, W.T. (2003): ADHD and epilepsy in childhood. *Dev Med Child Neurol.*; 45(1):50-4.

El-Afify M.M. and Mostafa M.A. (1981): Study of epilepsy in general hospital population. Msc. Thesis. Faculty of Medicine, Ain Shams University.

Elena H, Drewel T. and Rochelle C. (2007): Author for correspondence
Treatment of pediatric epilepsy: European expert opinion, *Epileptic Disorders*. 9 (4): 353-412

Elias O. and Hauser W.A. (1999): Prevalence of epilepsy in rural Iceland, *Epilepsia*, 40(1): 1529-1534.

El-Khayat H, El-Hodhod M.A. and Abdel Aziz H. (1994): "Prevalence and epidemiology of epilepsy among Egyptian infants and



- children". Sci Med J, Cai. Synd., No.2:93-101.
- Endziniene M, Pauza V, and Misevicne I. (1997):** Prevalence of childhood epilepsy in Kaunas, Lithuania. Brain Dev.; 19(6):379-387.
- Engel J.R. (2001):** A proposed diagnostic scheme for people with epileptic seizures and epilepsy: report of the ILAE task force on classification and terminology. *Epilepsia* 42:796–803.
- Engelborghs S., D'Hooge R. and De Deyn, P. (2000):** Pathophysiology of epilepsy. Acta Neurol Belg. 100(4):201-13.
- First Seizure Trial Group (1993):** Randomized clinical trial on the efficacy of antiepileptic drugs in reducing the risk of relapse after first unprovoked tonic-clonic seizure. Neurology; 43:478-83.
- Forayssa E, Maha R, Maha A, Ehab S, Hany T (2009).** Prevalence of Epilepsy in School Children in El-Manyal Island. Egypt J. Neurol. Psychiat. Neurosurg. 46(1): 19-32
- Forsgren L, Beghi E, Oun A and Sillanpaa, M. (2005):** The epidemiology of epilepsy in Europe: a systematic review. *European Journal of Neurology* 12:245–253.
- Gastaut H. (1982):** Clinical and electroencephalographical classification of epileptic seizures. *Epilepsia*, 11:102–113.
- Gupta A.K, Ettinger A.B, and Weisbrot D.M. (2002):** Psychiatric comorbidity in epilepsy. In: Managing co-existing disorders. Edited by: AB Ettinger, O Devinsky. Boston. Pp. 343-388.
- Hart Y, Roger J, Bureau M, Dravet C, Genton P, Tassinari C.A, Wolf, P. and Andermann F. (2002):** Rasmussen's syndrome., editors. Epileptic syndromes in infancy, childhood and adolescence. 3. London: John Libbey & Co Ltd;. pp. 495–511.



- Hartman A, Gasior M, Vining E and Rogawski M (2007):** The neuropharmacology of the ketogenic diet. *Pediatr Neurol.*; 36(5):281–292.
- Hauser W.A, Annegers J.F. and Kurland L.T. (1998):** Incidence of epilepsy and unprovoked seizures in Rochester, Minnesota: 1935-1984. *Epilepsia*; 34:453-68.
- Herbst F, Heckmann M, Reiss I, Gotuor L. and Neubeuer B. (2002):** Hemiconvulsion hemiplegia epilepsy syndrome *Clinical Neurology*. 214: 126-127.
- Hovinga C.A. and Phelps S.J. (2000):** The chronic pediatric epilepsies, 3rd ed. Pharmacotherapy Self-Assessment Program: Module 9- Pediatric, Kansas City American College of Clinical Pharmacy.
- IIIrd and IVth ILEA Commission on Antiepileptic Drugs, (1985):** Availability and distribution of antiepileptic drugs in developing countries. *Epilepsia*, 26 (2): 117–121.
- ILEA Commission Report, (2001):** A proposed diagnostic scheme for people with epileptic seizures and with epilepsy: a report of the ILEA task force on classification and terminology. *Epilepsia*; 42:796–803.
- International League Against Epilepsy, (1993):** Commission on Epidemiology and Prognosis, Guidelines for epidemiologic studies on epilepsy. *Epilepsia*, 34:592-6.
- James J. and Riviello J.R. (2003):** Classification of Seizures and Epilepsy. *Current Neurology and Neuroscience Report*, 3:325–331.
- Jayakar P, Dunoyer C, Dean P.; Ragheb J et al., (2008):** Epilepsy surgery in patients with normal or nonfocal MRI scans: integrative strategies offer longterm seizure relief. *Epilepsia*;



49:758–764.

John H, Menkes R.S. and Rais, G.T. (2000): "Paroxysmal disorders". In John Mekey Textbook of Pediatric Neurology. 6th ed, p. 725-810.

Johnston M.V. (2004): "Seizures in childhood". In: Behrman RE, Kliegman and Jenson HB (eds). Nelson Textbook of Pediatrics 17th ed. WB Saunders Company, Philadelphia, USA. 1994-2009.

Kandil M, Ahmed W, Sayed A, Hamed S (2005): pattern of epilepsy in childhood and adolescence : a hospital-based study .African journal of neurological sciences. 24 (1):33-44

Kanner A.M. and Dunn D.W. (2004): Diagnosis and management of depression and psychosis in children and adolescents with epilepsy. J. Child Neurol; 19 Suppl. 1:S65-72

Karsten K. (2008): Imaging Epileptic Activity Using Functional MRI Neurodegenerative Dis; 5:286–295.

Kenou V.R. (2008): Treatment of Lennox-Gastaut syndrome: overview and recent findings Neuropsychiatr Dis Treat. 4: 1001–1019.

Knowlton R.C.; Shih, J. and Kuzniecky, R. (2004): Magnetoencephalography in epilepsy. Clinical applications of MR spectroscopy in epilepsy: Neuroimaging Clin N Am. Aug; 14 (3): 507-16.

Kwan P. and Brodie M.J. (2001): Effectiveness of first antiepileptic drug. Epilepsia. 42: 1255–1260.

Kwong k, Chak W and Wong S (2001): Epidemiology of childhood epilepsy in the cohort of 309 Chinese children. Pediatr Neurol.; 24(4):276-282



- Leary P, Riordan g, Schlegel B, morris S (1999):** Childhood secondary (symptomatic) epilepsy, seizure control and intellectual handicap in a non-tropical region of South Africa. *Epilepsia*. 40(8):1110-1113
- Lee J. and Adelson P.** Neurosurgical management of pediatric epilepsy
Pediatric Clinics of North America 51(2): 441-456
- Lee Y.M, Kang H.C, Lee J.S, et al., (2008):** Mitochondrial respiratory chain defects: underlying etiology in various epileptic conditions. *Epilepsia*; 49:685–90.
- Li S.C, Schoenberg B.S, Bolis C.L et al., (1985):** Epidemiology of epilepsy in urban regions of the people's republic of china. *Epilepsia*; 26:391-4.
- Loh N.K, Lee W.L Yew, W.W. and Tjia, T.L. (1999):** Epidemiologic study of epilepsy in Young Singaporean Men, *Epilepsia*. 40 (10): 1384-1187.
- Lux A. and Osborne J. (2004):** A proposal for case definitions and outcome measures in studies of infantile spasms and West syndrome: *Epilepsia*; 45:1416–28.
- Maehara T (2007):** Neuroimaging of epilepsy. *Neuropath*.27:585-93.
- Massoud M.K. (1997):** "Neuroepidemiological study of epilepsy among school children in Cairo aged between 6-15 years". MD Thesis, Cairo University, Egypt.
- Michael R. and Sperling, M.D. (2001):** Sudden unexpected death in epilepsy, *Epilepsy Currents*. 1 (1): 21-23.
- Muhammad M.M. (1993):** Prevalence of epilepsy among Egyptian School Children. MSc. Thesis in pediatrics. Ain Shams University. Faculty of Medicine.
- Mullen S.A. and Scheffer I.E. (2009):** Translational research in epilepsy genetics: sodium channels in man to interneuronopathy in



- mouse. Arch Neurol.; 66(1):21-26.
- Novak G. (2002):** Recognition and management of psychiatric disorders in child hood epilepsy. In: Managing co-existing disorders. Edited by: AB Ettinger O Devinsky. 305-316
- Pal D.K, (1998):** Antiepileptic drugs in developing countries. Lancet, 351: 1210–1211 (letter).
- Ismael S. (1990):** The efficacy of phenobarbital in controlling epilepsy in children. Paediatrica Indonesiana, 30 (3–4): 97–110.
- Patel M, Blum A, Pearlman J et al., (1999):** Echo-planar functional MR imaging of epilepsy with concurrent EEG monitoring. AJNR Am J Neuroradiol; 20:1916-9.
- Pedley T.A, Bazil C.W and Morrell M.J. (2000):** Epilepsy. In Rowland LP (Ed). *Merritt's neurology*. 10th ed. Lippincott Williams & Wilkins, Philadelphia. 8123–8133.
- Pellock J.M. (2004):** Understanding co-morbidities affecting children with epilepsy. Neurology; 62: 17–23.
- Pillai J, Hessler R, Allison J, Park Y and Lavin T. (2002):** Advanced MR imaging of cortical dysplasia with or without neoplasm: a report of two cases. AJNR Am J Neuroradiol; 23:1686-91.
- Placencia M, (1993):** Antiepileptic drug treatment in a community health care setting in northern Ecuador: a prospective 12 month assessment. Epilepsy Research, 14 (3): 237–244.
- Raili S. (2009):** Favourable prognostic factors with infantile spasms, European Journal of Paediatric Neurology. 14: 13-18
- Rasmussen T, Olszewski J. and Lloyd-Smith D. (1958):** "Focal seizures due to chronic localized encephalitis". *Neurology* 8: 435–45.
- Redda T, Lars F. and Jan E. (1997):** Incidence of Epilepsy in Rural Central Ethiopia, *Epilepsia*, 38(5): 541-546.



- Robert S, Fisher W, Warren B. and Christian E. (2005):** Epileptic Seizures and Epilepsy: Definitions Proposed by International League against Epilepsy (ILAE) and International Bureau for Epilepsy (IBE) *Epilepsia*, **46**:470–472.
- Rocca W, Sharbough F and Hauser W (1987):** Risk factor for clonic seizures: A population based case controle study. *Neurol.*; **37**:1315-1325.
- Rogawski M. and Loscher W. (2004):** The neurobiology of antiepileptic drugs. *Nat Rev*; **5**:1–13.
- Romdhane N, Hamida M, Mrabet A et al., (1993):** Prevalence study of neurologic disorders in Kelibia (Tunisia). *Neuroepidemiology*; **12**:285-99.
- Rwiza H, Kilonzo G, Haule J, Matuja W et al., (1992):** Prevalence and incidence of epilepsy in Ulanga, a rural Tanzanian district: a community-based study. *Epilepsia*.; **33** (6):1051-1056.
- Sadleir L and Scheffer I (2007):** Febrile seizures. *BMJ*. **10**: 307-11.
- Saiz R, Martínez A, and Gómez J. (2007):** Diagnosis of epilepsy over the course of the disease. *Neurologist*. Nov; **13**(6):S11-9.
- Sandra E, Carmen S, Sylvie E et al., (2001):** The effects of refractory epilepsy on intellectual functioning in children and adults. A longitudinal study *Seizure*; **10**: 250–259.
- Sankar R. and Rho J.M. (2004):** Ontogeny of molecular targets of antiepileptic drugs: impact on drug choice in Epilepsy: scientific foundations of clinical practice. 61–76.
- Schachter S. (2003):** Overview of epilepsy and seizures. In S. Schachter & L. Anderman (Eds.). *The brain storms village: Epilepsy in our world*. Lippincott, Williams & Wilkins. 1–4



- Shawki A. (1996):** Etiological and clinical presentation of epilepsy in Upper Egypt. M.D. Thesis in Neurology. Faculty of Medicine, Assiut University.
- Shinnar S, Berg A, Dell C, Newstei S and Hauser W (2000):** Predictors of multiple seizures in a cohort of children prospectively followed from the time of their first unprovoked seizure. *Ann Neurol*; 48:140-7.
- Shorvon S.D. and Farmer, P.J. (1988):** Epilepsy in developing countries: a review of epidemiological, sociocultural and treatment aspects. *Epilepsia*, 29 (1): S36–S45. 48.
- Sidenvall R, Forsgren L and Heijbel J. (1996):** Prevalence and characteristics of epilepsy in children in northern Sweden. *Seizure*; 5: 139-46.
- Smith D. and Chadwick J. (2001):** The management of epilepsy. *Neurol Neurosurg Psychiatry*; **70**:15–21.
- Steinlein O.K. (2001):** Genes and Mutations in Idiopathic Epilepsy *American Journal of Medical Genetics*. 106:139-145.
- Sunao K, Motohiro O, Hiroto I, Kazuhiro Y. and Shinichi H. (2002):** Genetics of epilepsy: current status and perspectives. Review article *Neuroscience Research* 44 11-30.
- Tatum W.O, Winters L, Gieron, M et al., (2001):** Outpatient seizure identification: results of 502 patients using computer-assisted ambulatory EEG. *J Clin Neurophysiol*. Jan ; 18(1):14-9.
- Taylor I, Scheffer I.E. and Berkovic S.F. (2003):** Occipital epilepsies: identification of specific and newly recognized syndromes. *Brain*; 126: 753–69.
- Tempkin O. (1971):** "The falling sickness". 2nd ed. Baltimore: The Johns Hopkins University Press.



- Waruiru C. and Appleton R. (2004):** Febrile seizures: an Update. Arch Dis Child; 89: 751–6.
- West W.J. (1841):** On a peculiar form of infantile convulsions. Osborne JP, Edwards SW. Treatment of infantile spasms. *Cochrane Database of Systematic Reviews*. Lancet; 1:724
- WHO (1980):** World Health Organization. International classification of impairments, disabilities and handicaps. A manual of classification relating to the consequence of disease. Geneva.
- William T. and Curr M. (2002):** Prognostic Value of Proton Magnetic Resonance Spectroscopy for Epilepsy Surgery Outcome Epilepsia. 4:26-31.
- Wilmschurst J, Appleton D.B, and Grattan-Smith P.J. (2000):** Migrating partial seizures in infancy: Benign childhood epilepsy with centrotemporal spikes. In: Engel J Jr, Pedley TA, editors. Philadelphia: Lippincott Williams & Wilkins, p. 2369–77.
- Wirrell E, Camfield, C.S. and Camfield, P.R. (2006):** Idiopathic and bening partial epilepsies of childhood. In: Wyllie E, Gupta A, Lachhwani D, editors. The treatment of epilepsy. 4th edn. Philadelphia: Lippincott Williams & Wilkins. 373–89.
- WHO bulletin (2001):** Fact sheet N°165, Revised in February
- Wright J, Pickard N, Whitfield A and Hakin N. (2000)** A population-based study of the prevalence, clinical characteristics and effect of ethnicity in epilepsy. *Seizure* 9:309–313.
- Wright N.B. (2003):** Imaging in epilepsy .a pediatric prospective .Br J Radiology, 74.575-89.
- Yoshinaga H, Terasaki T, Ogino T, Ohata H, and Okae, E. (2001):** Incidence of epileptic discharges in various epileptic syndromes. *Pediatr Neurol.*; 25(1):38-42