
REFERENCES

- **Alison MR, Poulsom R, Forbes S , et al.** An introduction to stem cells. *J Pathol* 2002; 197: 419–423.
- **Aoi T, Yae K, Nakagawa M, et al 2008.** "Generation of pluripotent stem cells from adult mouse liver and stomach cells". *Science* 321 (5889): 699–702.
- **Apostolova, A. Irintchev, M. and Schachner,** Tenascin-R restricts posttraumatic remodeling of motoneuron innervation and functional recovery after spinal cord injury in adult mice, *Journal of Neuroscience* I. 26 2006 7849–7859
- **Baker M.** "Embryonic-like stem cells from a single human hair". *Nature Reports Stem Cells*. 2008 10.1038/ .142.
- **Bakshi Ajay , Hunter Corey, Swanger Sharon, B.S., et al** Minimally invasive delivery of stem cells for spinal cord injury: advantages of the lumbar puncture technique *J Neurosurg (Spine 1)* 3:330–337, 2004 330
- **Banfi A, Muraglia A, Dozin B, et al,** Proliferation kinetics and differentiation potential of ex vivo expanded human bone marrow stromal cells: Implications for their use in cell therapy. *Exp Hematol*. 2000. ;28:707-15.
- **Banfi A, Muraglia A, Dozin B, et al.** Proliferation kinetics and differentiation potential of ex vivo expanded human bone marrow stromal cells: Implications for their use in cell therapy. *Exp Hematol*. 2000;28:707-15.

- **Basso, D.M., Beattie, M.S., and Bresnahan, J.C..** A sensitive and reliable locomotor rating scale for open field testing in rats. *J. Neurotrauma* 1995 12, 1 21.
- **Beattie GM, Otonkoski T, Lopez AD& Hayek A.** Functional beta-cell mass after transplantation of human fetal pancreatic cells: differentiation or proliferation? *Diabetes* 1997; 46: 244–248.
- **Bensaid W, Triffitt JT, Blanchat C, et al.** A biodegradable fibrin scaffold for mesenchymal stem cell transplantation. *Biomaterials*. 2003; 24:2497-502.
- **Bjorklund, A., and Lindvall** Cell replacement therapies for central nervous system disorders. *Nat. Neurosci.* 2000 3:537–544.
- **Blight AR, DeCrescito V.** Morphometric analysis of experimental spinal cord injury in the cat: the relation of injury intensity to survival of myelinated axons. *Neuroscience* 1986;19(1):321–41.
- **Bongso Ariff and Mark Richards** History and perspective of stem cell research Best Practice & Research Clinical Obstetrics and Gynaecology Vol. 18, No. 6, pp. 827–842, 2004
- **Bouhy D, Malgrange B, Multon S et al.** Delayed GM-CSF treatment stimulates axonal regeneration and functional recovery in paraplegic rats via an increased BDNF expression by endogenous macrophages. *FASEB J* 2006;20:1239 –1241.
- **Braccini A, Wendt D, Jaquier C, et al.,** Three dimensional perfusion culture of human bone marrow cells and generation of osteoinductive grafts. *Stem Cells*. 2005; 23:1066-72.

- **Brian K. Wolfram Tetzlaff, , Jonathan N. Grauer, et al**, Pathophysiology and pharmacologic treatment of acute spinal cord injury. *The Spine Journal* 4 (2004) 451–464
- **Brinchmann Jan E..** *Journal of the Neurological Sciences* 2008 265 .127–130
- **Brockes JP.** Amphibian limb regeneration: rebuilding a complex structure. *Science* 1997; 276: 81–87.
- **Brustle O, Choudary K, Karram K et al.** Chimeric brains generated by intraventricular transplantation of human brain cells into embryonic rats. *Nat Biotechnol* 1998; 16: 1040–1044.
- **Bucholz RW, Heckman JX, Court-Brown C, et al., eds.** *Rockwood and Green's Fractures in Adults*, 6th ed. Philadelphia: Lippincott Williams & Wilkins, 2006.
- **Busch S.A, and Silver J.** The role of extracellular matrix in CNS regeneration, *Current Opinion in Neurobiology* 17 (2007) 120–127
- **Bush, T.G.; Puvanachandra, N.; Horner, C.H.; Svendsen, C.N.; Mucke, L.; Johnson, M.H.; Sofroniew, M.V.** *Neuron*, 1999 23, 297-308.
- **Centeno CJ, Busse D, Kisiday J, et al** "Increased knee cartilage volume in degenerative joint disease using percutaneously implanted, autologous mesenchymal stem cells". *Pain Physician* 2008. 11 (3): 343–53.
- **Chen DF, Zeng HP, Du SH, et al.** Extracts from *Plastrum testudinis* promote proliferation of rat bone-marrow derived mesenchymal stem cells. *Cell Prolif.*; 2007 40:196-212.

- **Chen SL, Fang WW, Ye F, et al.** Effect on left ventricular function of intracoronary transplantation of autologous bone marrow mesenchymal stem cell in patients with acute myocardial infarction. *Am J Cardiol.* 2004;94:92–95.
- **Chen, Q.** *Chinese Med. J.*, 2000, 113(8), 737-742.
- **Cho BC, Kim TG, Yang JD, et al.** Effect of calcium sulfate-chitosan composite: pellet on bone formation in bone defect. *J Craniofac Surg.* 2005; 16:213-24.
- **Choi YS, Park SN, Suh H.** Adipose tissue engineering using mesenchymal stem cells attached to injectable PLGA spheres. *Biomaterials.* 2005;26:5855-63.
- **Chopp, M., and Li, Y.** Treatment of neural injury with marrow stromal cells. *Lancet Neurol.* 2002, 1:92–100.
- **Cibelli JB, Lanza RP, West MD, Ezzell C** "The First Human Cloned Embryo". *Scientific American.* Nov. 2001.
- **Claire M. Rice, Neil J. Scolding** Autologous bone marrow stem cells — properties and advantages *Journal of the Neurological Sciences* 265 (2008) 59–62
- **Clark, W.M.; Hazel, S.; Coull, B.M.** *Drugs*, 1995, 50(6), 971-983.
- **Conrad S, Renninger M, Hennenlotter J, et al** "Generation of pluripotent stem cells from adult human testis". *Nature* 2008, 456 (7220): 344–9.
- **Corcione A, Benvenuto F, Ferretti E, Giunti D, Cappiello V, Cazzanti F, et al.** Human mesenchymal stem cells modulate B-cell functions. *Blood* 2006;107:367–72.

- **Corti, S., Locatelli, F., Strazzer, S., et al** Modulated generation of neuronal cells from bone marrow by expansion and mobilization of circulating stem cells with in vivo cytokine treatment. *Exp. Neurol.* 177, 443–452.
- **Cristino S, Grassi F, Toneguzzi S, et al.** Analysis of mesenchymal stem cells grown on a three-dimensional HYAFF 11-based prototype ligament scaffold. *J Biomed Mater Res A.* 2005 ;73:275-83.
- **Cyranoski D.** "Simple switch turns cells embryonic".2007 *Nature* 447 (7145): 618-9
- **David, S.; Lacroix, S.** *AR Rev. Adv.*, 2003, 19(21), 441-440.
- **Devine SM, Cobbs C, Jennings M, Bartholomew A, Hoffman R.** Mesenchymal stem cells distribute to a wide range of tissues following systemic infusion into nonhuman primates. *Blood* 2003;101: 2999–3001.
- **Doerr HW, Cinatl J, Sturmer M, et al** Prions and orthopedic surgery. *Infection*; 2003, 31:163–71.
- **Dominici M, Le BK, Mueller I, et al.** Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy* 2006;8:315–7.
- **Fawcett J.W. and Asher R.A.** The glial scar and central nervous system repair, *Brain Research Bulletin* 49 (1999) 377–391.
- **Fehlings, M.G.; Sekhon, L.H.S.; Tator, C.** *Spine*, 2001, 26(24S),S101-S110.
- **Fibbe WE, Noort WA:** Mesenchymal stem cells and hematopoietic stem cell transplantation. *Ann NY Acad Sci* 996:235–244,2003

- **Fitch, M.T.; Doller, C.; Combs, C.K.; Landreth, G.E.; Silver, J. J.** *Neurosci.*, 1999, 19(19), 8182-8198.
- **Friedenstein. F AJ, Gorskaja JF, Kulagina NN.** Fibroblast precursors in normal and irradiated mouse haematopoietic organs. *Exp Hematol.* 1976;4: 267-74.
- **Gardner RL.** Stem cells: potency, plasticity and public perception. *J Anat* 2002; 200: 277–282.
- **Green, R.M.** Benefiting from “evil”: an incipient moral problem in human stem cell research. *Bioethics* 2002, 16:6, 544–556.
- **Greitz D.,** Unraveling the riddle of syringomyelia, *Neurosurgical Review* 29 (2006) 251–263 (discussion 64).
- **Hasegawa S, Neo M, Tamura J, et al.** In vivo evaluation of a porous hydroxyapatite/poly-DL-lactide composite for bone tissue engineering. *J Biomed Mater Res A.* 2007;81A:930-938.
- **Herzog E, Chai L, Krause D.** Plasticity of marrow-derived stem cells. *Blood.* 2003;102:3483-3493.
- **Hofstetter C.P., Schwarz E.J., Hess D., Widenfalk J., El Manira A. , Prockop D.J.,** Marrow stromal cells form guiding strands in the injured spinal cord and promote recovery, *Proceedings of the National Academy of Sciences of the United States of America* 99 (2002) 2199-2204.
- **Horner, P. J., Power, A. E., Kempermann, G., Kuhn, H. G., Palmer, T. D., Winkler, J., Thal, L. J., and Gage, F. H.** Proliferation and differentiation of progenitor cells throughout the intact adult rat spinal cord. *J. Neurosci.* 2000, 20, 2218–2228

- **Horwitz EM, Gordon PL, KooWK, et al.** Isolated allogeneic bone marrow-derived mesenchymal cells engraft and stimulate growth in children with osteogenesis imperfecta: Implications for cell therapy of bone. *Proc Natl Acad Sci USA*; 2002, 99:8932–7.
- **Jansen, J., Hanks, S., Thompson, J.M., Dugan, M.J., Akard, L.P.,.** Transplantation of hematopoietic stem cells from the peripheral blood. *J. Cell. Mol. Med.* 2005, 9, 37–50.
- **Jendelov´ a, P., Herynek, V., De Croos, J., Glogarov´ a, K., et al** Imaging the fate of implanted bone marrow stromal cells labeled with superparamagnetic nanoparticles. *Magn. Reson. Med*(2003).. 50:767–776.
- **Jiang Y, Jahagirdar BN, Reinhardt RL, et al,** Pluripotency of mesenchymal stem cells derived from adult marrow, *Nature*. 2002; 418:41-49.
- **Jones, L.L.; Yamaguchi, Y.; Stallcup, W.B.; Tuszynski, M.H.** *J. Neurosci.*, 2002, 22(7), 2792-2803.
- **Kawada H, Ogawa M.** Bone marrow origin of hematopoietic progenitors and stem cells in murine muscle. *Blood*. 2001;98:2008-2013.
- **KazutoshTakahashi and Shinya Yamanaka. Takahashi ,** Induced pluripotent stem cells 2006. *Cell* 126 (4): 663–76.
- **Khalatbary A.R ,and Tiraihi, T.** Localization of bone marrow stromal cells in injured spinal cord treated by intravenous route depends on the hemorrhagic lesions in traumatized spinal tissues, *Neurological Research* 29 (2007) 21–26.
- **Kinnaird T, Stabile E, Burnett MS, Lee CW, Barr S, Fuchs S, et al.** Marrow-derived stromal cells express genes encoding a broad spectrum of

arteriogenic cytokines and promote in vitro and in vivo arteriogenesis through paracrine mechanisms. *Circ Res* 2004;94: 678–85.

- **Koc ON, Gerson SL, Cooper BW, Dyhouse SM, Haynesworth SE, Caplan AI, et al.** Rapid hematopoietic recovery after coinfusion of autologous-blood stem cells and culture-expanded marrow mesenchymal stem cells in advanced breast cancer patients receiving high-dose chemotherapy. *J Clin Oncol* 2000;18:307–16.
- **Koc ON, Gerson SL, Cooper BW, et al:** Rapid hematopoietic recovery after coinfusion of autologous-blood stem cells and culture-expanded marrow mesenchymal stem cells in advanced breast cancer patients receiving high-dose chemotherapy. *J Clin Oncol* 18:307–316, 2000
- **Kolata, G..** Researchers say embryos in labs are not available. *NY Times* 2001, Aug. 26 (late edition—final).
- **Kopen, G.C.; Prockop, D.J.; Phinney, D.G.** *Proc. Natl. Acad. Sci. USA*, 1999, 96, 10711-10716.
- **Krause DS, Theise ND, Collector MI et al.** Multi-organ, multi-lineage engraftment by a single bone marrow derived stem cell. *Cell* 2001; 105: 369–377.
- **Kulbatski I, Mothe AJ, Nomura H, et al:** Endogenous and exogenous CNS derived stem/ progenitor cell approaches for neurotrauma. *Curr Drug Targets* 6:111, 2005
- **Lanza, R.P., Caplan, A.L., Silver, L.M., Cibelli, J.B., West, M.D., and Green, R.M.** The ethical validity of using nuclear transfer in human transplantation. *JAMA* 2000, 284:24, 3175–3179

- **Lauratsien.** Stem Cell basics , Postgraduate obstetrics & gynecology, 2006. (26) . pp: 1-5 .
- **Lee TT, Green BA.** Advances in the management of acute spinal cord injury. *Orthop Clin North Am* 2002; 33: 311-315.
- **Lennon DP, Caplan AI.** Isolation of human marrow derived Exp Hematol. 2006; 34:160 mesenchymal stem cell
- **Li Y, Chen J, Chen XG, Wang L, Gautam SC, Xu YX, et al.** Human marrow stromal cell therapy for stroke in rat: neurotrophins and functional recovery. *Neurology* 2002;59:514–23.
- **Lie, D.C.; Song, H.; Colamarino, S.A.; Ming, G.L.; Gage, F.H** *Ann. Review Pharmacol. Toxicol.*, 2004, 44, 399-421.
- **Lua P. Jonesa L.L, Tuszynskia. M.H.,** BDNF-expressing marrow stromal cells support extensive axonal growth at sites of spinal cord injury *Experimental Neurology* 191 (2005) 344– 360
- **Luck R, Klempnauer J, Steiniger B.** Simultaneous occurrence of graft-versus- host and host-versus-graft reactions after allogeneic MHC class II disparate small bowel transplantation in immunocompetent rats. *Transplant Proc* 1991;23:677– 678.
- **Markusen JF, Mason C, Hull DA, et al..** Behavior of adult human mesenchymal stem cells entrapped in alginate- GRGDY beads. *Tissue Eng.*; 2006, 12:821-30.
- **McDonald John W. and Becker Daniel** Principles of Tissue Engineering, 3rd Edition ed. by Lanza, Langer, and Vacanti Copyright © 2007.

- **McDonald JW, Liu XZ, Qu Y et al.** Nature Med 5, 1410±1412 (1999)
Chopp Michael, Zhang Xue Hui Yi Li, et al Spinal cord injury in rat: treatment with bone marrow stromal cell transplantation. Regeneration and Transplantation Neuroreport Vol 11 no 13 11 sep 2000
- **McDonald, J.W.** *Sci. American*, 1999, 281(3), 65-73.
- **McGee A.W. and Strittmatter S.M.** The Nogo-66 receptor: focusing myelin inhibition of axon regeneration, *Trends in Neurosciences* 26 (2003) 193–198.
- **McMahon, S.S.; McDermott, M.W.** *J. Neurocytol.*, **2001**, 30, 821-828.
- **Mehta, T. Feroz, A Thakkar, U et al** **subarachnoid Placement of Stem Cells in Neurological Disorders** *Transplantation Proceedings*, 40, 1145–1147 (2008)
- **Mitalipov SM, Zhou Q, Byrne JA, et al** . "Reprogramming following somatic cell nuclear transfer in primates is dependent upon nuclear remodeling".2007 *Hum Reprod* 22 (8): 2232–42
- **Morgenstern, D. A., Asher, R. A., and Fawcett, J. W.** Chondroitin sulphate proteoglycans in the CNS injury response. *Prog. Brain Res* 2002,.137, 313–332.
- **Muraglia A, Cancedda R, Quarto R.** Clonal mesenchymal progenitors from human bone marrow differentiate in vitro according to a hierarchical model. *J Cell Sci.* 2000;113:1161-6.
- **Nicholas C. Bambakidis, John Butler, L Eric M. et al** Stem cell biology and its therapeutic applications in the setting of spinal cord injury *Neurosurg Focus* 24 (3&4):E19, 2008.

- **Nomura H, Tator C.H., and. Shoichet,** Bioengineered strategies for spinal cord repair, J Neurotrauma 23 (2006) 496–507.
- **Oest ME, Dupont KM, Kong HJ, et al.** Quantitative assessment of scaffold and growth factor-mediated repair of critically sized bone defects. J Orthop Res. 2007.
- **Ohta M., Suzuki, Y. Noda T. et al.,** Bone marrow stromal cells infused into the cerebrospinal fluid promote functional recovery of the injured rat spinal cord with reduced cavity formation, Experimental Neurology 187 (2004) 266–278.
- **Parens, E.** On the ethics and politics of embryonic stem cell research. In “The Human Embryonic Stem Cell Debate,” 2001 (S.Holland *et al.*, eds.), pp. 37–50.
- **Peng L, Li H, Gu L, et al.** Comparison of biological characteristics of marrow mesenchymal stem cells in hepatitis B patients and normal adults. World J. Gastroenterol.; 2007, 13:1743-6
- **Pope John Paul II.** Address of John Paul II to the Members of the Pontifical Academy of Sciences, Monday, 10 November 2003.
- **Popovich PG, Jones TB:** Manipulating neuroinflammatory reactions in the injured spinal cord: back to basics. Trends Pharmacol Sci 24:13–17, 2003
- **Pountos Ippokratis, Corscadden Diane, and Emery Peter** Injury, Mesenchymal stem cell tissue engineering: Techniques for isolation, expansion and application Int. J. Care Injured (2007) 38S4, S23-S33
- **Preston, S L Alison, S J Forbes, N C Direkze, etal** The new stem cell biology: something for everyone J Clin Pathol: Mol Pathol 2003;56:86–96

- **Raff, M. 2003.** Adult stem cell plasticity: fact or artifact? *Annu. Rev. Cell Dev. Biol.* 19:1–22.
- **Ramalho-Santos M, Yoon S, Matsuzaki Yet al.** ‘Stemness’: transcriptional profiling of embryonic and adult stem cells. *Science* 2002; 298: 597–600.
- **Richards M, Fong CY, Chan WK et al.** Human feeders support prolonged undifferentiated growth of human inner cell masses and embryonic stem cells. *Nat Biotechnol* 2002; 20: 933–936.
- **Ringden O, Uzunel M, Rasmusson I, Remberger M, Sundberg B, Lonnies H, et al.** Mesenchymal stem cells for treatment of therapyresistant graft-versus-host disease. *Transplantation* 2006;81:1390–7.
- **Roberts, A.W.,.** G-CSF: a key regulator of neutrophil production, but that's no all! *Growth Factors* 2005, 23, 33–41.
- **Sanchez-Ramos J., Song S., Cardozo-Pelaez F., Hazzi C., Stedeford T., Willing A.,** Adult bone marrow stromal cells differentiate into neural cells in vitro. *Experimental Neurology* 164 (2000) 247-256.
- **Sasaki, M., Honmou, O., Akiyama, Y., Uede, T., Hashi, K., and Kocsis, J. D.** Transplantation of an acutely isolated bone marrow fraction repairs demyelinated adult rat spinal cord axons. *Glia* 2001, 35:26–34.
- **Sattler, R.; Xiong, Z.; Lu, W.; MacDonald, J.F.; Tymianski, M. J.** *Neurosci.*, 2000 20(1), 22-33.
- **Schultz Sherri S.** Adult Stem Cell Application in Spinal Cord Injury. *Current Drug Targets*, 2005, 6, 63-73 63.
- **Seebach C, Henrich D, Tewksbury R, et al.;** Number and proliferative capacity of human mesenchymal stem cells are modulated positively in

multiple trauma patients and negatively in atrophic nonunions. *Calcif. Tissue Int.* 2007, 80:294-300

- **Short B, Brouard N, Occhiodoro-Scott T et al.** Mesenchymal stem cells. *Arch Med Res* 2003;34:565-571
- **Shostak S O.** "(Re)defining stem cells". *Bioessays* 2006, 28 (3): 301–8.
- **Sikavitsas. VI, Bancroft GN, Mikos AG.** Formation of three-dimensional cell/polymer constructs for bone tissue engineering in a spinner flask and a rotating wall vessel bioreactor. *J Biomed Mater Res.* 2002;62:136-48.
- **Smith AG.** Embryo-derived stem cells- of mice and men. *Annu Rev Cell Dev Biol* 2001; 17: 435–462.
- **Sofroniew, M.V. Tuszynski, M.H.; Kordower** Neuronal responses to axotomy, in *CNS regeneration*, , J., 1999, pp. 3-25.
- **Sotiropoulou PA, Perez SA, Salagianni M, et al.** Characterization of the optimal culture conditions for clinical scale production of human mesenchymal stemcells. *Stem Cells.* 2006; 24:462-71.
- **Spees JL, Gregory CA, Singh H , et al..** Internalized antigens must be removed to prepare hypoimmunogenic mesenchymal stem cells for cell and gene therapy. *Mol Ther*; 2004, 9:747–56.
- **Spradling A, Drummond-Barbosa D & Kai T.** Stem cells find their niche. *Nature* 2001; 414: 98–104.
- **Stenderup K, Justesen J, Clausen C, et al** Aging is associated with decreased maximal life span and accelerated senescence of bone marrow stromal cells. *Bone.*; 2003, 33:919-26.

- **Sykova Eva , Jendelova Pavla, and Urdz'ikova Lucia ,** Bone Marrow Stem Cells and Polymer Hydrogels—Two Strategies for Spinal Cord Injury Repair *Cellular and Molecular Neurobiology* 2006
- **Sykova Eva Mazanec, Radim and Hynek Lachmann** Autologous Bone Marrow Transplantation in Patients With Subacute and Chronic Spinal Cord Injury *Cell Transplantation*, 2006, Vol. 15, pp. 1–100.
- **Tator, C.H. (2002)** *Injury Prev.*, 8, iv33-iv36.
- **Theriault, E.; Frankenstein, U.N.; Hertzberg, E.L.; Nagy, J.I. (1997)** *J. Comp. Neurol.*, 382, 199-214.
- **Tsutsumi S, Shimazu A, Miyazaki K, et al.** Retention of multilineage differentiation potential of mesenchymal cells during proliferation in response to FGF. *Biochem Biophys Res Commun.*;2001, 288:413-9.
- **Tuszynski, M. H., Grill, R., Jones, L. L., and Blesch.** Spontaneous and augmented growth of axons in the primate spinal cord: effects of local injury and nerve growth factor–secreting cell grafts. *J. Comp. Neurol.* 2002 449, 88–101.
- **Urdz'iková Lucia, Jendelová Pavla and Katerina Glogarová,** Transplantation of Bone Marrow Stem Cells as well as Mobilization by Granulocyte-Colony Stimulating Factor Promotes Recovery after Spinal Cord Injury in Rats *JOURNAL OF NEUROTRAUMA* Volume 23, Number 9, 2006.Pp. 1379–1391
- **Vanicky', Urdz'iková, L., Saganová, K., Et al** A simple and reproducible model of spinal cord injury induced by epidural balloon inflation in the rat. *J. Neurotrauma* 2001, 18, 1399–1407.

- **Villa A, Snyder EY, Vescovi A & Martinez-Serrano A.** Establishment and properties of a growth factor dependent perpetual neural stem cell line from the human CNS. *Exp Neurol* 2000; 161: 67–84.
- **Wagers, A.J., and Weissman, I.L.** Plasticity of adult stem cells. *Cell*. 2004, 116:639–648.
- **Wan C, He Q, McCaigue M et al.** Non adherent cell population of human marrow culture is a complementary source of mesenchymal stem cells (MSCs). *J Orthop Res*. 2006;24:21-8.
- **Wang, L., Li, Y., Chen, J., Gautam, S. C., Zhang, Z., Lu, M., and Chopp, M.** Ischemic cerebral tissue and MCP-1 enhance rat bone marrow stromal cell migration in interface culture. *Exp. Hematol*. 2002, 30:831–836.
- **Widenfalk, J.; Lundstromer, K.; Jubran, M.; Brene, S.; Olson, L. J.** *Neurosci.*, 2001, 21(10), 3457-3475.
- **Willerth Stephanie M and Sakiyama Shelly E.** Cell therapy for spinal cord regeneration *Advanced Drug Delivery Reviews* 60 (2008) 263–276
- **Wlierth SM and Sakiyama-Elbert SE** *Advanced Drug Delivery Reviews* 60 (2008) 263-276.
- **Wolpert L, Hicklin J & Hornbruch A.** Positional information and pattern regulation in regeneration of hydra. *Exp Biol* 1971; 25: 391–415.
- **Wu, S., Suzuki, Y., Ejiri, Y., Noda, T., Bai, H., Kitada, M., et al.** Bone marrow stromal cells enhance differentiation of cocultured neurospheres cells and promote regeneration of injured spinal cord. *J. Neurosci. Res*. 2003, 72:343–351.

- **Xi Chen, Haibo Xu, Chao Wan, et al.** Bioreactor Expansion of Human Adult Bone Marrow-Derived Mesenchymal Stem Cells. *Stem Cells*. 2006;24:2052- 2059
- **Yamada Y, Boo JS, Ozawa R, et al.** Bone regeneration following injection of mesenchymal stem cells and fibrin glue with a biodegradable scaffold. *J Craniomaxillofac Surg*. 2003;31:27-33.
- **Yang XB, Bhatnagar RS, Li S, Oreffo RO.** Biomimetic collagen scaffolds for human bone cell growth and differentiation. *Tissue Eng.*;2004, 10:1148-59.
- **Yoon Ha, L Seung Hwan Yoon, Park, So Ra et al .** Treatment of Complete Spinal Cord Injury Patients Receiving Autologous Bone Marrow Cell Transplantation and Bone Marrow Stimulation with Granulocyte Macrophage-Colony Stimulating Factor *journal Korean neurosurgery soc* vol 35 p 459-464.
- **Yoshimizu T, Sugiyama N, De Felice M et al.** Germline-specific expression of the Oct-4/green fluorescent protein (GFP) transgene in mice. *Dev Growth Differ* 1999; 41: 675–684.
- **Yu J, Vodyanik MA, Smuga-Otto K, et al.** "Induced pluripotent stem cell lines derived from human somatic cells". *Science (journal)* 2007 318 (5858): 1917–20.
- **Zeng L, Rahrmann E, Hu Q , et al.** Multipotent adult progenitor cells from Swine bone marrow. *Stem Cells*;2006, 24:2355–66.
- **ZhangYi, Chang Li, Jiang X, et al.** Comparison of mesenchymal stem cells from human placenta, bone marrow. *Chin MedJ*. 2004:117:882-887.

- ***Zhao F and Ma T.*** Perfusion bioreactor system for human mesenchymal stem cell tissue engineering: dynamic cell seeding and construct development. *Biotechnol Bioeng.* 2005;91:482-93.
- ***Zhao F, Grayson WL, Ma T, et al.*** Effects of hydroxyapatite in 3-D chitosan-gelatin polymer network on human mesenchymal stem cell construct development. *Biomaterials.* 2006, ;27:1859-67.
- ***Zwimpfer TJ, and Bernstein M.*** Spinal cord concussion. *J Neurosurg* 1990;72(6):894–900.