
References

Adam Ajis and Nicola Maffulli: Conservative management of chronic ankle instability. *Foot Ankle Clin N Am* 2006; 11: 531–537.

Adam Ajis, Alastair S.E. Younger and Nicola Maffulli: Anatomic repair for chronic lateral ankle instability. *Foot Ankle Clin N Am* 2006; 11: 539–545.

Amendola A, Williams G and Foster D: Evidence-based approach to treatment of acute traumatic syndesmosis (high ankle) sprains. *Sports Med Arthrosc* 2006; 14 (4): 232–6.

Amy B. Kirby, Douglas P. Beall, Michael P. Murphy, Justin Q. Ly, and Jon R. Fish: Magnetic resonance imaging findings of chronic lateral ankle instability. *Curr Probl Diagn Radiol* 2005; 34: 196–203.

Beumer A, Swierstra BA and Mulder PG: Clinical diagnosis of syndesmotic ankle instability: evaluation of stress tests behind the curtains. *Acta Orthop Scand* 2002; 73 (6): 667–9.

Beynnon BD, Webb G and Huber BM: Radiographic measurement of anterior talar translation in the ankle: determination of the most reliable method. *Clin Biomech (Bristol, Avon)* 2005; 20 (3): 301–6.

Boss AP and Hintermann B: Anatomical study of the medial ankle ligament complex. *Foot Ankle Int* 2002; 23 (6): 547–53.

Burns J, Redmond A and Ouvrier R: Quantification of muscle strength and imbalance in neurogenic pes cavus, compared to health controls, using hand-held dynamometry. *Foot Ankle Int* 2005; 26 (7): 540–4.

Cannon LB and Slater HK: The role of ankle arthroscopy and surgical approach in lateral ankle ligament repair. *Foot Ankle Surg* 2005; 11: 1–4.

Carl G. Mattacola and Maureen K. Dwyer: Rehabilitation of the ankle after acute sprain or chronic instability. *Journal of Athletic Training* 2002; 37 (4): 413–429.

Cerezal L, Abascal F, Garcia-Valtuille R and Canga A: Ankle MR-arthrography: how, why, when. *Radiol Clin North Am* 2005; 43: 693–707.

Charalampos Zalavras and David Thordarson: Ankle syndesmotic injury. *J Am Acad Orthop Surg* 2007; 15: 330–339.

Coughlin MJ, Schenck RC Jr, Grebing BR and Treme G: Comprehensive reconstruction of the lateral ankle for chronic instability using a free gracilis graft. *Foot Ankle Int* 2004; 25 (4): 231–241.

DiGiovanni CW and Brodsky A: Current concepts: lateral ankle instability. *Foot Ankle Int* 2006; 27: 854–866.

Douglas Ivins: Acute ankle sprain, *American family physician* 2006.

Ferkel RD and Chams RN: Chronic lateral instability: arthroscopic findings and long-term results. *Foot Ankle Int* 2007; 28: 24–31.

Fortin PT, Guettler J and Manoli A 2nd: Idiopathic cavovarus and lateral ankle instability: recognition and treatment implications relating to ankle arthritis. *Foot Ankle Int* 2002; 23 (11): 1031–7.

Gardner MJ, Demetrakopoulos D and Briggs SM: Malreduction of the tibiofibular syndesmosis in ankle fractures. *Foot Ankle Int* 2006; 27 (10): 788–92.

Grass R and Zwipp H: Peroneus longus tenodesis for chronic instability of the distal tibiofibular syndesmosis. *Oper Orthop Traumatol* 2003; 15 (2): 208–25.

Gross AE, Agnidis Z and Hutchison CR: Osteochondral defects of the talus treated with fresh osteochondral allograft transplantation. *Foot Ankle Int* 2001; 22: 385–91.

Haller J, Bernt R, Seeger T, Weissenba'ck A, Tu'chler H and Resnick D: MR-imaging of anterior tibiotalar impingement syndrome: agreement, sensitivity and specificity of MR-imaging and indirect MR-arthrography. *Eur J Radiol* 2006; 58 (3): 450–460.

Hansen M, Le L and Wertheimer S: Syndesmosis fixation: analysis of shear stress via axial load on 3.5-mm and 4.5-mm quadricortical syndesmotic screws. *J Foot Ankle Surg* 2006; 45 (2): 65–9.

Han SH, Lee JW and Kim S: Chronic tibiofibular syndesmosis injury: the diagnostic efficiency of magnetic resonance imaging and comparative analysis of operative treatment. *Foot Ankle Int* 2007; 28 (3): 336–42.

Hintermann B, Valderrabano V and Boss A: Medial ankle instability: an exploratory, prospective study of fifty-two cases. *Am J Sports Med* 2004; 32 (1): 183–90.

Hintermann B: Medial ankle instability. *Foot Ankle Clin* 2003; 8 (4): 723–38.

James F. Griffith and Jason Brockwell: Diagnosis and Imaging of ankle instability. *Foot Ankle Clin N Am* 2006; 11: 475–496.

James S. Marsh, John P. Daigneault, and Gert K. Polzhofer: Treatment of ankle instability in children and adolescents with a modified Chrisman-Snook repair: a clinical and patient-based outcome study. *Pediatr Orthop* 2006; 26: 94–99.

Jay Hertel: Functional anatomy, pathomechanics, and pathophysiology of lateral ankle instability; *J Athl Train*. 2002 Oct–Dec; 37 (4): 364–375.

John M. Schuberth, Meagan M. Jennings and Alex C. Lau: Arthroscopy-assisted repair of latent syndesmotic instability of the ankle. *Journal of Arthroscopic and Related Surgery* 2008; Vol 24, No 8: pp 868–874.

Judith F. Baumhauer and Todd O'Brien: Surgical considerations in the treatment of ankle instability. *Journal of Athletic Training* 2002; 37 (4): 458–462.

Kelvin TL Chew, Eileen Tay and Yue Shuen Wong: Osteochondral lesions of the talus. *Ann Acad Med Singapore* 2008; 37: 63–8.

Kiter E and Bozkurt M: The crossed-leg test for examination of ankle syndesmosis injuries. *Foot Ankle Int* 2005; 26 (2): 187–8.

Kumai T, Takakura Y, Kitada C, Tanaka Y and Hayashi K: Fixation of osteochondral lesions of the talus using cortical bone pegs. *J Bone Joint Surg Br* 2002; 84: 369–74.

Lamm BM, Myers DT, Dombek M, Mendicino RW, Catanzariti AR and Saltrick K: Magnetic resonance imaging and surgical correlation of peroneus brevis tears. *J Foot Ankle Surg* 2004; 43: 30–36

Leyla Alparslan and Christopher P. Chiodo: Lateral ankle instability: MR-imaging of associated injuries and surgical treatment procedures. *Semin Musculoskelet Radiol* 2008; 12: 346–358.

Liu W, Maitland ME and Nigg BM: The effect of axial load on the in vivo anterior drawer test of the ankle joint complex. *Foot Ankle Int* 2000; 21 (5): 420–6.

Louis Solomon, David J. Warwick and Selvadurai Nayagam: Apley's system of orthopaedics and fractures 2001: 733–737.

Masato Takao, Ken Innami, Takashi Matsushita, Yuji Uchio and Mitsuo Ochi: Arthroscopic and magnetic resonance image appearance and reconstruction of the anterior talofibular ligament in cases of apparent functional ankle instability. The American Journal of Sports Medicine 2008: Vol. 36, No. 8.

Merv Letts, Darin Davidson, and Iftikhar Mukhtar: Surgical management of chronic lateral ankle instability in adolescents. Journal of Pediatric Orthopaedics 2003: 392–397.

Michael W. Wolfe, Carl G. Mattacola and Leland C. Mcclusky: Management of ankle sprains, American family physician 2001.

Munn J, Beard DJ and Refshauge KM: Eccentric muscle strength in functional ankle instability. Med Sci Sports Exerc 2003; 35 (2): 245–50.

Murat Bozkurt and Mahmut Nedim Doral: Anatomic factors and biomechanics in ankle instability. Foot Ankle Clin N Am 2006; 11: 451–463.

Nawata K, Nishihara S and Hayashi I: Plantar pressure distribution during gait in athletes with functional instability of the ankle joint: preliminary report. J Orthop Sci 2005; 10 (3): 298–301.

Neckers AC, Polster JM, Winalski CS, Krebs VE and Sundaram M: Comparison of MR-arthrography with arthroscopy of the hip for the assessment of intra-articular loose bodies. Skeletal Radiol 2007; 36: 963–967.

Nicola Maffulli and Nicholas A. Ferran: Management of acute and chronic ankle instability. J Am Acad Orthop Surg 2008; 16: 608–615.

Nielson JH, Gardner MJ and Peterson MG: Radiographic measurements do not predict syndesmotic injury in ankle fractures: an MRI study. Clin Orthop Relat Res 2005; 436: 216–21.

Norman Espinosa, Jonathan Smerek, Anish R. Kadakia and Mark S. Myerson: Operative management of ankle instability: reconstruction with open and percutaneous methods. Foot Ankle Clin N Am 2006; 11: 547–565.

Nussbaum ED, Hosea TM and Sieler SD: Prospective evaluation of syndesmotic ankle sprains without diastasis. *Am J Sports Med* 2001; 29 (1): 31–5.

Oae K, Takao M and Naito K: Injury of the tibiofibular syndesmosis: value of MR-imaging for diagnosis. *Radiology* 2003; 227 (1): 155–61.

Pearsall AW, Kovalski JE and Heitman RJ: The relationships between instrumented measurements of ankle and knee ligamentous laxity and generalized joint laxity. *J Sports Med Phys Fitness* 2006; 46 (1): 104–10.

Peetrons P, Creteur V and Bacq C: Sonography of ankle ligaments. *J Clin Ultrasound* 2004; 32 (9): 491–9.

Pneumaticos SG, Noble PC and Chatziioannou SN: The effects of rotation on radiographic evaluation of the tibiofibular syndesmosis. *Foot Ankle Int* 2002; 23 (2): 107–11.

Robert W. Bucholz, James D. Heckman and Charles Court-Brown: Rockwood and Green's fractures 2006: 2235.

Rover Krips, Jasper de Vries, C. Niek van Dijk: Ankle Instability. *Foot Ankle Clin N Am* 2006; 11: 311–329.

Schuman L, Struijs PA and van Dijk CN: Arthroscopic treatment for osteochondral defects of the talus: results at follow-up at 2 to 11 years. *J Bone Joint Surg Br* 2002; 84: 364–8.

Scranton PE Jr and McDermott JE: Treatment of type V osteochondral lesions of the talus with ipsilateral knee osteochondral autografts. *Foot Ankle Int* 2001; 22: 380–4.

Senall JA and Kile TA: Stress radiography. *Foot Ankle Clin* 2000; 5 (1): 165–84.

S. P. J. Muijs, P. D. S. Dijkstra and C. F. A. Bos: Clinical outcome after anatomical reconstruction of the lateral ankle ligaments using the Duquenois technique in chronic lateral instability of the ankle: a long-term follow-up study. *J Bone Joint Surg (Br)* 2008; 90-B: 50–6.

Springer BA, Arciero RA and Tenuta JJ: A prospective study of modified Ottawa ankle rules in a military population. *Am J Sports Med* 2000; 28 (6): 864–8.

Stefan Rammelt, Hans Zwipp and René Grass: Injuries to the distal tibiofibular syndesmosis: an evidence-based approach to acute and chronic lesions. *Foot Ankle Clin N Am* 2008; 13: 611–633.

S. Terry Canale, James H. Beaty, Frederick M. Azar: Campbell's operative orthopaedics (Ankle injuries), 2008; Chapter 42: 2354.

Sugimoto K, Takakura Y and Kumai T: Reconstruction of the lateral ankle ligaments with bone–patellar tendon graft in patients with chronic ankle instability: a preliminary report. *Am J Sports Med* 2002; 30: 340–6.

Susan A. Norkus and R. T. Floyd: The Anatomy and mechanisms of syndesmotic ankle sprains. *J Athl Train* 2001 Jan–Mar; 36 (1): 68–73.

Tohyama H, Yasuda K and Ohkoshi Y: Anterior drawer test for acute anterior talofibular ligament injuries of the ankle: How much load should be applied during the test? *Am J Sports Med* 2003; 31(2): 226–32.

Tol JL, Verheyen CP and van Dijk CN: Arthroscopic treatment of anterior impingement in the ankle. *J Bone Joint Surg Br* 2001; 83: 9–13.

Tricia J. Hubbard, Lauren C. Kramer and Jay Hertel: Correlations among multiple measures of functional and mechanical instability in subjects with chronic ankle instability. *J Athl Train* 2007; 42 (3): 361–366.

Tun Hing Lui: Arthroscopic-assisted lateral ligamentous reconstruction in combined ankle and subtalar instability. *Journal of Arthroscopic and Related Surgery* 2007 May; Vol 23, No 5: pp 554.e1–554.e5.

V. James Sammarco: Complications of lateral ankle ligament reconstruction. *Clinical orthopaedics and related research* 2001; Number 391: pp 123–132.

Whittaker JP, Smith G, Makwana N, Roberts S, Harrison PE and Laing P: Early results of autologous chondrocyte implantation in the talus. *J Bone Joint Surg Br* 2005; 87: 179–83.

Williams GN, Jones MH and Amendola A: Syndesmotic ankle sprains in athletes. *Am J Sports Med* 2007; 35 (7): 1197–207.

Wright RW, Barile RJ and Surprenant DA: Ankle syndesmosis sprains in national hockey league players. *Am J Sports Med* 2004; 32 (8): 1941–5.
