

References

References

Albert ED, Scholz S (1998):Juvenile arthritis: genetic update. *Baillieres Clin Rheumatol*;12(2): 209– 18.

Al-Matar MJ, Cabral DA, Petty RE (2001): Isolated tuberculous monoarthritis mimicking oligoarticular juvenile rheumatoid arthritis. *J Rheumatol*;28(1):204– 6.

Arguedas O, Fasth A, Andersson-Gare B, Porras O (1998): Juvenile chronic arthritis in urban San Jose', Costa Rica: a 2 year prospective study. *J Rheumatol*;25:1844 – 50.

Avcin T, Cimaz R, Falcini F, Zulian F, Martini G, Simonini G, et al (2002): Prevalence and clinical significance of anti-cyclic citrullinated peptide antibodies in juvenile idiopathic arthritis. *Ann Rheum Dis*. Jul;61(7):608-11.

Bahabri SA, Suwairi WM, Laxer RM, Polinkovsky A, Dalaan AA, Warman ML(1998): The camptodactyly-arthropathy-coxa vara-pericarditis syndrome: clinical features and genetic mapping to human chromosome 1. *Arthritis Rheum*. Apr;41(4):730-5.

Bakkaloglu A, Ozen S, Saatci U, Erguven S, Topaloglu R, Bassoy Y, et al (1999) : Antineutrophil cytoplasmic antibodies in juvenile chronic arthritis. *Clin Rheumatol.*;18(4):304-7.

Bharti BB, Kumar S, Kapoor A, Agarwal A, Mishra R, Sinha N (2004) : Assessment of left ventricular systolic and diastolic function in juvenile rheumatoid arthritis. *J Postgrad Med.* Oct-Dec;50(4):262-5; discussion 266-7.

Boone MI, Moore TL, Cruz OA (1998). Screening for uveitis in juvenile rheumatoid arthritis. *J Pediatr Ophthalmol Strabismus.*;35:41-43.

Brewer EJ Jr, Bass J, Baum J, Cassidy JT, Fink C, Jacobs J, et al (1977). Current proposed revision of JRA criteria. *Arthritis Rheum*;20:195-9.

Bryant P, Lachman P (2003). Pseudoporphyria secondary to non-steroidal anti-inflammatory drugs. *Arch Dis Child.* Nov;88(11):961.

Cabral DA, Tucker L (1999). Malignancies in children who initially present with rheumatic complaints. *J Peds*;134:53- 7.

Cakmak A, Bolukbas N (2005) : Juvenile rheumatoid arthritis: physical therapy and rehabilitation. *South Med J.* Feb;98(2):212-6.

Carbone J, Sarmiento E, Micheloud D, Rodriguez-Mahou M, Rodriguez-Molina JJ, Cobo R, et al (2006) : [Systemic autoimmune disease in patients with uveitis] *Arch Soc Esp Oftalmol.* Apr;81(4):193-8. Spanish.

Cassidy JT, Levinson JE, Bass JC, Baum J, Brewer EJ Jr, Fink CW, et al (1986) : A study of classification criteria for a diagnosis of juvenile rheumatoid arthritis. *Arthritis Rheum.* Feb;29(2):274-81.

Cassidy JT, Petty RE (2001): Juvenile rheumatoid arthritis. In: Cassidy JT, Petty RE. *Textbook of Pediatric Rheumatology.* Philadelphia: W. B. Saunders;;221.

Cassidy JT, Petty RE (1995): Juvenile rheumatoid arthritis. In: *Textbook of Pediatric Rheumatology.* 3rd ed. Philadelphia, PA: WB Saunders;; 133–223

Cassidy JT (1999): Medical management of children with juvenile rheumatoid arthritis. *Drugs.*;58:831-850.

Chen YS, Yang YH, Lin YT, Chiang BL (2004): A patient diagnosed with pauciarticular juvenile rheumatoid arthritis after a mechanical prosthetic valve replacement due to aortic regurgitation. *J Microbiol Immunol Infect.* Jun;37(3):200-2.

Choi HK, Merkel PA, Walker AM, Niles JL (2000): Drug-associated antineutrophil cytoplasmic antibody-positive vasculitis: prevalence among patients with high titers of antimyeloperoxidase antibodies. *Arthritis Rheum.* Feb;43(2):405-13.

Cohen M (1998): Gonococcal arthritis. *Bull Rheum Dis;* 47(1): 4-6.

Coremans IE, Hagen EC, Daha MR, van der Woude FJ, van der Voort EA, Kleijburg-van der Keur C, et al (1992): Antilactoferrin antibodies in patients with rheumatoid arthritis are associated with vasculitis. *Arthritis Rheum.* Dec;35(12):1466-75.

Cron RQ, Sharma S, Sherry DD (1999) : Current treatment by United States and Canadian pediatric rheumatologists. *J Rheumatol.*;26:2036-2038

Cron RQ (2005) : A signal achievement in the treatment of arthritis. *Arthritis Rheum*;52(8):2229-32.

Dalton JA, Coyne P (2003): Cognitive-behavioral therapy: tailored to the individual. *Nurs Clin North Am.* Sep;38(3):465-76

Dana MR, Merayo-Llodes J, Schaumberg DA, Foster CS (1997): Visual outcomes prognosticators in juvenile rheumatoid arthritis-associated uveitis. *Ophthalmology.* Feb;104(2):236-44.

Davies DJ, Moran JE, Niall JF, Ryan GB (1982): Segmental necrotising glomerulonephritis with antineutrophil antibody: possible arbovirus aetiology? *Br Med J (Clin Res Ed).* Aug 28-Sep 4;285(6342):606.

Dhib M, Prieur AM, Courville S, Niaudet P, Francois A, Godin M, et al (1996): Crescentic glomerulonephritis in juvenile chronic arthritis. *J Rheumatol.* Sep;23(9):1636-40.

Drenth JP, van der Meer JW (2001): Hereditary periodic fever. *N Engl J Med*;345(24):1748– 57.

Duffy CM, Tucker L, Burgos-Vargas R (2000): Update on functional assessment tools. *J Rheumatol*;27(Suppl 58):11 –4.

Emery HM, Bowyer SL, Sisung CE (1995): Rehabilitation of the child with a rheumatic disease, *Pediatr Clin North Am*;42:1263–1283.

Emery HM, Bowyer SL (1991) : Physical modalities of therapy in pediatric rheumatic diseases. *Rheum Dis Clin North Am*;17:1001–1014.

Falcini F, Cimaz R (2000): Juvenile rheumatoid arthritis. *Curr Opin Rheumatol*. Sep;12(5):415-9.

Fawcett PT, Rose CD, Gibney KM, Emerich MJ, Athreya BH, Doughty RA (1999): Use of ELISA to measure antinuclear antibodies in children with juvenile rheumatoid arthritis. *J Rheumatol*. Aug;26(8):1822-6.

Feldman BM, Birdi N, Boone JE, Dent PB, Duffy CM, Ellsworth JE, et al (1996): Seasonal onset of systemic-onset juvenile rheumatoid arthritis. *J Pediatr*. Oct;129(4):513-8.

Fernandez-Vina MA, Fink CW, Stastny P (1990): HLA antigens in juvenile arthritis. Pauciarticular and polyarticular juvenile arthritis are immunogenetically distinct. *Arthritis Rheum*;33(12):1787–94.

Flato B, Sorskaar D, Vinje O, Lien G, Aasland A, Moum T, Forre O (1998): Measuring disability in early juvenile rheumatoid arthritis: evaluation of a Norwegian version of the childhood Health Assessment Questionnaire. *J Rheumatol.* Sep;25(9):1851-8.

Foell D, Kucharzik T, Kraft M, Vogl T, Sorg C, Domschke W, Roth J (2003): Neutrophil derived human S100A12 (EN-RAGE) is strongly expressed during chronic active inflammatory bowel disease. *Gut*, 52:847-853.

Foster BJ, Duffy CM, Sharma AK (1998): Systemic juvenile rheumatoid arthritis complicated by two different renal lesions. *Pediatr Nephrol.* Feb;12(2):113-6.

Foster CS (2003): Diagnosis and treatment of juvenile idiopathic arthritis-associated uveitis. *Curr Opin Ophthalmol.* Dec;14(6):395-8.

Gabay C, Prieur AM, Meyer O (1993): Occurrence of antiperinuclear, antikeratin, and anti-RA33 antibodies in juvenile rheumatoid arthritis. *Ann Rheum Dis*; 52: 785-789.

Gaskin G, Savage CO, Ryan JJ, Jones S, Rees AJ, Lockwood CM, et al (1991): Anti-neutrophil cytoplasmic antibodies and disease activity during long-term follow-up of 70 patients with systemic vasculitis. *Nephrol Dial Transplant.*;6(10):689-94.

Gedalia A, Barash J, Press J, Buskila D (1993) : Sulphasalazine in the treatment of pauciarticular-onset juvenile chronic arthritis. *Clin Rheumatol.*; 12:511-514

Gedalia A, Mendez EA, Craver R, Vehaskari M, Espinoza LR (2001) : Renal involvement in juvenile rheumatoid arthritis: report of two cases. *Clin Rheumatol.*;20(2):153-6.

Gedalia A, Molina JF, Garcia CO, Doggett S, Espinoza LR, Gharavi AE (1998): Anticardiolipin antibodies in childhood rheumatic disorders. *Lupus.*;7(8):551-3.

Giannini EH, Lovell DJ, Ilowite NT (2004): Safety outcomes from a Phase IV Pediatric Registry: etanercept therapy in children and adolescents with juvenile rheumatoid arthritis. *Arthritis Rheum*;50(9):S90-1.

Glass DN, Giannini EH (1999): Juvenile rheumatoid arthritis as a complex genetic trait. *Arthritis Rheum*;42(11):2261-8.

Gordon LK, Eggena M, Holland GN, Weisz JM, Braun J (1998): pANCA antibodies in patients with anterior uveitis: identification of a marker antibody usually associated with ulcerative colitis. *J Clin Immunol.* Jul;18(4):264-71.

Guillaume S, Prieur AM, Coste J, Job-Deslandre C (2000): Long-term outcome and prognosis in oligoarticular-onset juvenile idiopathic arthritis. *Arthritis Rheum.* Aug;43(8):1858-65.

Guillevin L, Lhote F, Amouroux J, Gherardi R, Callard P, Casassus P (1996) : Antineutrophil cytoplasmic antibodies, abnormal angiograms and pathological findings in polyarteritis nodosa and Churg-Strauss syndrome: indications for the classification of vasculitides of the polyarteritis Nodosa Group. *Br J Rheumatol.* Oct;35(10):958-64.

Gunton JE, Stiel J, Clifton-Bligh P, Wilmshurst E, McElduff A (2000): Prevalence of positive anti-neutrophil cytoplasmic antibody (ANCA) in patients receiving anti-thyroid medication. *Eur J Endocrinol.* Jun;142(6):587.

Hashkes PJ, Balistreri WF, Bove KE, Ballard ET, Passo MH (1997) : The longterm effect of methotrexate therapy on the liver

in patients with juvenile rheumatoid arthritis. *Arthritis Rheum.*;40:2226–2234

Henrickson M (2004): Efficacy of anakinra in refractory systemic arthritis. *Arthritis Rheum*;50(9):S438.

Hochberg MC: The epidemiology of juvenile rheumatoid arthritis: Review of current status and approaches for future research. In: **Lawrence RC (1984).** editor. *Current Topics in Rheumatology: Epidemiology of the Rheumatic Diseases*. New York: Gower Medical Publishing Ltd., p. 220–30.

Hull RG (1988): Outcome in juvenile arthritis. *Br J Rheumatol*;27:66-71

Irdesel J (2001): Physical therapy and rehabilitation in juvenile chronic arthritis. Kemer- Antalya, Turkey, , pp 99–103.

Jarosov. K, Vencovsky J, Nemcov. D (1999): Juvenile chronic arthritis – new classification (Juveniln. chronick. artritida - nov. klasifikace). *Cs Revmatol*; 1: 33-37

Jarvis JN, Petty HR, Tang Y, Frank MB, Tessier PA, Dozmorov I, et al (2006): Evidence for chronic, peripheral

activation of neutrophils in polyarticular juvenile rheumatoid arthritis. *Arthritis Res Ther*;8(5):R154.

Jarvis JN, Solomon G, Meniffee L. (2000) : Juvenile rheumatoid arthritis in Native Americans in Oklahoma, *Arthritis Rheum*;43:5324.

Jennette JC, Falk RJ (1997): Small-vessel vasculitis. *N Engl J Med* 337: 1512–1523,

Jennette JC, Flak R (1990): Antineutrophilic cytoplasmic antibodies and associated disease: A review. *Am J Kidney Dis*;15:517–29.

Kallenberg M, Brouwer E, Weening JJ, Cohen-Tervaert JN (1994): Antineutrophil cytoplasmic antibodies: current diagnostic and pathophysiological potential. *Kidney Int*;46:1–15.

Kilic ZM, Tunc B, Ayaz S, Filik L, Aktas S, Parlak E, et al(2004) : Antineutrophil cytoplasmic autoantibodies and anti-*Saccharomyces cerevisiae* antibodies in inflammatory bowel diseases. *Turk J Gastroenterol*. Dec;15(4):238-42.

Kirkland GS, Savige JA, Wilson D (1997) : Classical polyarteritis nodosa, and microscopic polyarteritis with medium vessel involvement—a comparison of the clinical and laboratory features. *Clin Nephrol*; 47:176–180.

Kodsi SR, Rubin SE, Milojevic D, Ilowite N, Gottlieb B (2002) : Time of onset of uveitis in children with juvenile rheumatoid arthritis. *J AAPOS*, , 6:373–376

Kremer JM, Alarco'n GS, Lightfoot RW Jr (1994): Methotrexate for rheumatoid arthritis: suggested guidelines for monitoring liver toxicity. *Arthritis Rheum.*;37:316–328

Kremer JM, Dougados M, Emery P, Durez P, Sibilia J, Shergy W, et al (2005): Treatment of rheumatoid arthritis with the selective costimulation modulator abatacept: twelve-month results of a phase iib, double-blind, randomized, placebo-controlled trial. *Arthritis Rheum*;52(8):2263-71.

Lang BA, Finlayson LA (1994): Naproxen-induced pseudoporphyria in patients with juvenile rheumatoid arthritis. *J Pediatr.*;124:639–642

Lawrence III JM, Moore TL, Osborn TG, Nesher G, Madson KL, Kinsella MB (1993): Autoantibody studies in juvenile rheumatoid arthritis. *Semin Arthritis Rheum*; 22: 265-74.

Lawrence RC, Helmick CG, Arnett FC, Deyo RA, Felson DT, Giannini EH, et al (1998): Estimates of the prevalence of arthritis and selected musculoskeletal disorders in the United States. *Arthritis Rheum*; 41(5):778– 99.

Levinson JE, Wallace CA (1992): Dismantling the pyramid. *J Rheumatol*; 33:6– 10.

Lindsley CB, Petty RE (2000): Overview and report on international registry of sarcoid arthritis in childhood. *Current Rheum Report*; 2:343– 8.

Lindsley CB (1987): Seasonal variation in systemic onset juvenile rheumatoid arthritis. *Arthritis Rheum*; 30:838– 9.

Lomater C, Gerloni V, Gattinara M, Mazzotti J, Cimaz R, Fantini F (2000): Systemic onset juvenile idiopathic arthritis: a retrospective study of 80 consecutive patients followed for 10 years. *J Rheumatol*; 27(2):491– 6.

Lovell RN, Ruperto N, Goodman S (2004) : Preliminary data from the study of adlimumab in children with juvenile idiopathic arthritis. *Arthritis Rheum*;50(9):S436-7.

Manners PJ, Diepeveen DA (1996): Prevalence of juvenile chronic arthritis in a population of 12-year old children in urban Australia. *Pediatrics*;98(1):84– 90.

McGhee JL, Burks FN, Sheckels JL, Jarvis JN (2002): Identifying children with chronic arthritis based on chief complaints: absence of predictive value for musculoskeletal pain as an indicator of rheumatic disease in children. *Pediatrics*. Aug;110(2 Pt 1):354-9.

Miller ML, Kress AM, Berry CA (1999): Decreased physical function in juvenile rheumatoid arthritis. *Arthritis Care Res*. Oct;12(5):309-13.

Minden K, Niewerth M, Listing J, Biedermann T, Bollow M, Zink A, et al (2002) : Long-term outcome in patients with juvenile idiopathic arthritis. *Arthritis Rheum*;46:2392 – 401.

Modesto C, Woo P, Garcia-Consuegra J, Merino R, Garcia-Granero M, Arnal C, et al (2001) : Systemic onset juvenile

chronic arthritis, polyarticular pattern and hip involvement as markers for a bad prognosis. Clin Exp Rheumatol;19(2):211– 7.

Moroldo MB, Tague BL, Shear ES, Glass DN, Giannini EH (1997): Juvenile rheumatoid arthritis in affected sibpairs. Arthritis Rheum;40 (11):1962–6.

Mulder AH, Horst G, Van Leeuwen MA, Limburg PC, Kallenberg CG (1993): Anti-neutrophil cytoplasmic antibodies in rheumatoid arthritis: characterization and clinical correlation. Arthritis Rheum 36:1054±1060

Mulder L, van Rossum M, Horst G, Limburg P, de Graeff-Meeder ER, Kuis W, et al (1997): Antineutrophil cytoplasmic antibodies in juvenile chronic arthritis. J Rheumatol,; 24: 568-75.

Murray K, Thompson SD, Glass DN (1997) : Pathogenesis of juvenile chronic arthritis: genetic and environmental factors. Arch Dis Child;77(6):530– 4.

Murray KJ, Moroldo MB, Donnelly P, Prahalad S, Passo MH, Giannini EH, et al (1999): Age-specific effects of juvenile rheumatoid arthritis-associated HLA alleles. Arthritis Rheum;42(9):1843– 53.

Mustila A, Korpela M, Mustonen J (1997): Perinuclear antineutrophil cytoplasmic antibody in rheumatoid arthritis: a marker of severe disease with associated nephropathy. *Arthritis Rheum*;40:710–17.

Nassberger L, Truedsson L, Svantesson H (1991) : Occurrence of autoantibodies against neutrophil granulocyte components in juvenile chronic arthritis. *Clin Exp Rheumatol*. Jan-Feb;9(1):79-83.

Niles JL, McCluskey RT, Ahmad MF, Arnaout MA (1989): Wegener's granulomatosis autoantigen is a novel neutrophil serine proteinase. *Blood*; 74: 1888–1893.

North AF Jr, Fink CW, Gibson WM, Levinson JE, Schuchter SL, Howard WK, et al (1970): Sarcoid arthritis in children. *Am J Med*;48(4):449 –55.

Oen K, Malleson PN, Cabral DA, Rosenberg AM, Petty RE, Cheang M (2002) : Disease course and outcome of juvenile rheumatoid arthritis in a multicenter cohort. *J Rheumatol*;29: 1989 – 99.

Oen K, Reed M, Malleson PN (2003) : Radiologic outcome and its relationship to functional disability in juvenile rheumatoid arthritis. *J Rheumatol*;30:832-40.

Oen K (2000) : Comparative epidemiology of the rheumatic diseases in children. *Curr Opin Rheumatol*;12(5):410 –4.

Ozcakar L, Ozcakar ZB (2004): Exercise in juvenile idiopathic arthritis: promise or passe. *Ann Rheum Dis. Jan*;63(1):112

Padeh S, Passwell JH (1998) : Intraarticular corticosteroid injection in the management of children with chronic arthritis. *Arthritis Rheum.*;41: 1210–1214

Parez N, Bader-Meunier B, Roy CC, Dommergues JP (1999): Paediatric Castleman disease; report of seven cases and review of the literature. *Eur J Pediatr*;158(8):631–7.

Passo M. (2006): Emerging therapies in juvenile rheumatoid/idiopathic arthritis. *Curr Probl Pediatr Adolesc Health Care*. 2006 Mar;36(3):97-103.

Pelucchi A, Lomater C, Gerloni V, Foresi A, Fantini F, Marazzini L (1994): Lung function and diffusing capacity for

carbon monoxide in patients with juvenile chronic arthritis: effect of disease activity and low dose methotrexate therapy. *Clin Exp Rheumatol*;12:675-679.

Peterson LS, Mason T, Nelson AM, O'Fallon WM, Gabriel SE (1997) : Psychosocial outcomes and health status of adults who have had juvenile rheumatoid arthritis: a controlled, population-based study. *Arthritis Rheum*;40(12): 2235-40.

Petty RE (1998): Classification of childhood arthritis: a work in progress. *Baillieres Clin Rheumatol a*;12(2):181 -90.

Picco P, Gattorno M, Buoncompagni A (1999): Interactions between prolactin and the proinflammatory cytokine network in juvenile chronic arthritis. *Ann NY Acad Sci*, 876:262-265.

Prahalad S, Ryan MH, Shear ES, Thompson SD, Giannini EH, Glass DN (2000): Juvenile rheumatoid arthritis: linkage to HLA demonstrated by allele sharing in affected sibpairs. *Arthritis Rheum*;43(10):2335- 8.

Pratsidou-Gertsis P, Kanakoudi-Tsakalidou F, Spyropoulou M, Germanis A, Adam K, Taparkou A, et al (1999): Nationwide collaborative study of HLA class II associations with distinct types

of juvenile chronic arthritis (JCA) in Greece. Eur J Immunogenet;26 (4):299–310.

Prieur AM (2001) : A recently recognised chronic inflammatory disease of early onset characterised by the triad of rash, central nervous system involvement and arthropathy. Clin Exp Rheumatol;19:103– 6.

Pugh MT, Southwood TR, Gaston JS (1993): The role of infection in juvenile chronic arthritis. Br J Rheumatol;32(9):838–44.

Rapoff MA, Belmont J, Lindsley C, Olson N, Morris J, Padur J (2002): Prevention of nonadherence to nonsteroidal anti-inflammatory medications for newly diagnosed patients with juvenile rheumatoid arthritis. Health Psychol. Nov;21(6):620-3.

Ravelli A, Viola S, Ramenghi B, Beluffi G, Zonta LA, Martini A (1998) : Radiologic progression in patients with juvenile chronic arthritis treated with methotrexate. J Pediatr.;133:262–265

Ritchie DM, Boyle JA, McInnes JM, Jasani MK, Dalakos TG, Grieveson P, Buchanan WW (1968): Clinical studies with an

articular index for the assessment of joint tenderness in patients with rheumatoid arthritis. *Q J Med.* Jul;37(147):393-406.

Rogoz S, Avramescu C, Silosi I, Drackoulogona O, Badea P, State A (2002) : [Immunopathologic mechanism in some ocular diseases] *Oftalmologia.*;54(3):51-5.

Rosenberg AM, Cordeiro DM, Knaus RP (1983) : Studies on the specificity of antinuclear antibodies in juvenile rheumatoid arthritis. *Arthritis Rheum*;26:S57.

Rosenberg AM (2002): Uveitis associated with juvenile idiopathic arthritis: envisioning the future. *J Rheumatol.* Nov;29(11):2253-5.

Ruperto N, Levinson JE, Ravelli A, Shear ES, Link Tague B, Murray K, et al (1997): Long-term health outcomes and quality of life in American and Italian inception cohorts of patients with juvenile rheumatoid arthritis. I. Outcome status. *J Rheumatol*;24(5):945-51.

Sakkas LI, Platsoucas CD (1995): Immunopathogenesis of juvenile rheumatoid arthritis: role of T cells and MHC. *Immunol Res.*; 14: 218-36

Savage J, Gillis D, Benson E (1999): International consensus statement on testing and reporting of antineutrophil cytoplasmic antibodies (ANCA). *Am J Clin Pathol*; 111: 507–513.

Savage J, Nassis L, Cooper (2002): Antineutrophil cytoplasmic antibody (ANCA)-associated systemic vasculitis after immunisation with bacterial proteins. *Clin Exp Rheumatol*; 20: 783–790.

Savolainen HA, Isomaki HA (1993): Decrease in the number of deaths from secondary amyloidosis in patients with juvenile rheumatoid arthritis. *J Rheumatol*;20(7):1201– 3.

Schaller JG (1997): Juvenile rheumatoid arthritis. *Pediatr Rev.*;18:337–349

Schwartz MM, Simpson P, Kerr KL, Jarvis JN (1997): Juvenile rheumatoid arthritis in African Americans. *J Rheumatol.* Sep;24(9):1826-9.. Juvenile rheumatoid arthritis in African Americans. *J Rheumatol* 1997;24 (9):1826 – 9.

Sediva A, Hoza J, Nemcova D, Pospisilova D, Bartunkova J, Vencovsky J (2001): Immunological investigation in children

with juvenile chronic arthritis. *Med Sci Monit.* Jan-Feb;7(1):99-104.

Sediva A, Kolarova I, Bartunkova J (1998): Antineutrophil cytoplasmic antibodies in children. *Eur J Pediatr.* Dec;157(12):987-91.

Serra CR, Rodrigues SH, Silva NP, Sztajnbok FR, Andrade LE (1999): Clinical significance of anticardiolipin antibodies in juvenile idiopathic arthritis. *Clin Exp Rheumatol.* May-Jun;17(3):375-80.

Seth V, Kabra SK, Semwal OP, Jain Y (1996): Clinico-immunological profile in juvenile rheumatoid arthritis--an Indian experience. *Indian J Pediatr.* May-Jun;63(3):293-300.

Short AK, Lockwood CM (1995): Antigen specificity in hydralazine associated ANCA positive systemic vasculitis. *QJM;* 8: 775-783.

Sĕdiva Ā A, BartuĚ nĕ kovaĀ J, JanatkovaĀ I, Hoza J (1996)
: ANCA in children (In Czech) *Cĕ s Pedit,* 51:283±286

Singh G, Athreya BH, Fries JF, Goldsmith DP (1994): Measurement of health status in children with juvenile rheumatoid arthritis. *Arthritis Rheum.* Dec;37(12):1761-9.

Singh S, Salaria M, Kumar L, Minz R, Data U, Sehgal S (1999): Clinico-immunological profile of juvenile rheumatoid arthritis. *Ind Pediatr* 36:449–454

Sobajima J, Ozaki S, Osakada F (1997): Novel autoantigens of perinuclear antineutrophil cytoplasmic antibodies (P-ANCA) in ulcerative colitis: non-histone chromosomal proteins, HMG1 and HMG2. *Clin Exp Immunol*; 107: 135–140.

Speckmaier M, Rother E, Terreri T, Reiff A, Metzger D, Schuchmann L, et al (1996): Prevalence of anti-neutrophil cytoplasmic antibodies (ANCA) in juvenile chronic arthritis. *Clin Exp Rheumatol.* Mar-Apr;14(2):211-6.

Specks U, Wheatley CL, McDonald TJ (1989). Anticytoplasmic autoantibodies in the diagnosis and follow up of Wegener's granulomatosis. *Mayo Clin Proc*; 64: 28–36.

Spiegel LR, Schneider R, Lang BA, Birdi N, Silverman ED, Laxer RM, et al (2000): Early predictors of poor functional

outcome in systemic-onset juvenile rheumatoid arthritis: a multicenter cohort study. *Arthritis Rheum.* Nov;43(11):2402-9.

Steinbrocker O, Traeger CH, Batterman RC (1949): Therapeutic criteria in rheumatoid arthritis. *JAMA.* 140: 659-662.

Svantesson H, Bjorkhem G, Elborgh R (1983): Cardiac involvement in juvenile rheumatoid arthritis. A follow-up study. *Acta Paediatr Scand;*72:345-50.

Targan SR, Landers CJ, Cobb L (1995): Perinuclear anti-neutrophil cytoplasmic antibodies are spontaneously produced by mucosal B cells of ulcerative colitis patients. *J Immunol;* 155: 3262-7

ten Holder SM, Joy MS, Jennette JC, Falk RJ (2002): Cutaneous and systemic manifestations of drug-induced vasculitis. *Ann Pharmacother* 36: 130–147,

Terjung B, Worman HJ (2001): Anti-neutrophil antibodies in primary sclerosing cholangitis. *Best Pract Res Clin Gastroenterol.* Aug;15(4):629-42.

Trapani S, Grisolia F, Simonini G, Calabri GB, Falcini F (2000): Incidence of occult cancer in children presenting with musculoskeletal symptoms: a 10-year survey in a pediatric rheumatology unit. *Semin Arthritis Rheum*;29(6): 348– 59.

Tur BS, Suldur N, Ataman S, Tutkak H, Atay MB, Duzgun N (2004): Anti-neutrophil cytoplasmic antibodies in patients with rheumatoid arthritis: clinical, biological, and radiological correlations. *Joint Bone Spine*. May;71(3):198-202.

Van der Woude FJ, Rasmussen N, Lobatto S (1985): Autoantibodies against neutrophils and monocytes: tool for diagnosis and marker of disease activity in Wegener's granulomatosis. *Lancet*; 1: 425–429.

van Rossum MA, Zwinderman AH, Boers M (2003): Radiologic features in juvenile idiopathic arthritis: A first step in the development of a standardized assessment method. *Arthritis Rheum*;48:507-15.

van Rossum MAJ, Fiselier TJW, Franssen MJAM (1998): Sulfasalazine in the treatment of juvenile chronic arthritis: a randomized, double-blind, placebo-controlled, multicenter study.

Dutch Juvenile Chronic Arthritis Study Group. Arthritis Rheum.;41:808–816

Vostrejs M, Hollister JR (1988): Muscle atrophy and leg length discrepancies in pauciarticular juvenile rheumatoid arthritis. Am J Dis Child;142:343-5.

Walco GA, Varni JW, Ilowite NT (1992): Cognitive-behavioral pain management in children with juvenile rheumatoid arthritis. Pediatrics.;89: 1075–1079

Wallace CA, Levinson JE (1991): Juvenile rheumatoid arthritis: outcome and treatment for the 1990s. Rheum Dis Clin North Am;17(4):891– 905.

Wallace CA, Sherry DD (1997): Trial of intravenous pulse cyclophosphamide and methylprednisolone in the treatment of severe systemic-onset juvenile rheumatoid arthritis. Arthritis Rheum.;40:1852–1855.

Wallace CA (2000) : Methotrexate: more questions than answers[editorial]. J Rheumatol.;27:1834–1835.

Wallen M, Gillies D (2006): Intra-articular steroids and splints/rest for children with juvenile idiopathic arthritis and adults with rheumatoid arthritis. *Cochrane Database Syst Rev.* Jan 25;(1):CD002824.

Walton AG, Welbury RR, Thomason JM, Foster HE (2000): Oral health and juvenile idiopathic arthritis: a review. *Rheumatology.*;39:550-555.

Washizawa K, Wakabayashi Y (1998): [A case of juvenile rheumatoid arthritis with MPO-ANCA associated nephritis] *Ryumachi.* Feb;38(1):29-33.

Wedderburn LR, Kwan JT, Thompson PW, Rudge SR (1992): Juvenile chronic arthritis and Wegener's granulomatosis. *Br J Rheumatol.* Feb;31(2):121-3.

Weiss AH, Wallace CA, Sherry DD (1998): Methotrexate for resistant chronic uveitis in children with juvenile rheumatoid arthritis. *J Pediatr.*; 133:266–268.

Wiik A (2005): Clinical and laboratory characteristics of drug-induced vasculitic syndromes. *Arthritis Res Ther.*;7(5):191-2.

Wiik A (2002): Neutrophil-specific autoantibodies in chronic inflammatory bowel diseases. *Autoimmun Rev*; 1: 67–72.

Woo P, Southwood TR, Prieur AM (2000) : Randomized, placebo controlled, crossover trial of low-dose oral methotrexate in children with extended oligoarticular or systemic arthritis. *Arthritis Rheum.*; 43:1849–1857

Yaney C, White P, Magilavy D (1993): Guidelines for ophthalmologic examinations in children with juvenile rheumatoid arthritis. *Pediatrics*;92 (2):295–6.

Yang JJ, Tuttle R, Falk RJ, Jennette JC (1996): Frequency of antibactericidal/permeability increasing protein (BPI) and antiazurocidin in patients with renal disease. *Clin Exp Immunol*; 105: 125–131.

Yuasa S, Hashimoto M, Yura T (1996): Antineutrophil cytoplasmic antibodies (ANCA)-associated crescentic glomerulonephritis and propylthiouracil therapy. *Nephrology*; 73: 701–703.

Zak M, Pedersen FK (2000): Juvenile chronic arthritis into adulthood: a long-term follow-up study. *Rheumatology (Oxford)*;39(2):198– 204.

Zholudev A, Zurakowski D, Young W, Leichtner A, Bousvaros A (2004): Serologic testing with ANCA, ASCA, and anti-OmpC in children and young adults with Crohn's disease and ulcerative colitis: diagnostic value and correlation with disease phenotype. *Am J Gastroenterol*. Nov;99(11):2235-41.