

References

REFERENCES

- **Abud-Mendoza C., Sturbaum A.K., Vazquez-Compagn R. et al (1993):** Methotrexate therapy in childhood lupus erythematosus. *J. Rheumatol.* 20: 731 -3.
- **Adachi J.D., Bensen W.G., and Fawcett P.D.(1994):** A randomized double-blind placebo controlled trial of medroxyprogesterone acetate in hysterectomized women on estrogen replacement therapy: changes in bone density and lipids over one year (Abstr). *Arthritis. Rheum.*; 37: 2888.
- **Alarcon- Segovia D., Abud-Mendoza C., Diaz-Jouanen E., Iglesias A., Delos Reyes V., and Hernandez-Ortiz J.(1988):** Deforming arthropathy of the hands in SLE. *J. Rheumatol.*; 15: 65.
- **Albright F., and Reifenstein, E.C.(1948) :** The parathyroid gland and, metabolic bone disease Baltimore: Williams and Willkins.; p45-2.
- **Alcocer-Varela J., Iglesias A., and Liorennet L.(1985):** Effects of L-conaraline on T cells may explain the induction of systemic lupus erythematosus by alfalfa. *Arthritis Rheum.*; 28: 52.
- **Alderman C.P., and Hill C.L.(1994):** Abnormal bone mineral metabolism after long -term anticonvulsant treatment. *Ann., Phrma*; 28 : 47 -8.
- **Al-Janadi M., Al – Balla S., and Raziuddin S. (1993) :** Cytokine profil in SLE, RA, and other rheumatic diseases . *J. Clin . Immunol .*; 13 : 58 – 67 .
- **Aloia J.F., Vaswani A., and Yeh J.K.(1994):** Calcium supplementation with and without hormone replacement. therapy to prevent postmenopausal bone loss . *Ann. Intern. Med.*; 120: 97 -103.

- **Alvarez- Nemegyei J., Cobarrubias – Cobos A., Escalante – Triay F., Sosa – Munoz J., Miranda J.M., and Jara L.J.(1998) :** Bromocriptine in systemic lupus erythematosus : a double – blind randomized placebo – controlled study.Lupus; 7 : 414- 419 .
- **Anonymous (1983) :**Osteoporosis and activity. Lancet.;2:1365-1366.
- **Arden N.K., Liloyd M.E., Spector T.D., et al.(1994):**Safety of hormone replacement therapy (HRT) in SLE. Lupus; 3:11 -14.
- **Asherson R.A., and Oakley C.M.(1986) :**Pulmonary hypertension and systemic lupus erythematosus. J. Rheumatol.; 13: 1 - 5.
- **Avioli L.V.(1987):**Osteoporosis in rheumatoid arthritis (editorial). Arthritis Rheum.; 30: 830 -831.
- **Baart de la Faille H. and Baart de la Faille-Kuyper E.R.(1969) :** In vivo nuclear localization of immunoglobulins in clinically normal skin in systemic and procinamide induced lupus. Nether: J.Med .; 139: 49.
- **Babini S.M., Arturi A., Marcos J.C., Babini J.C., Iniguez A.M., and Morteo,O.G.(1988) :**Laxity and rupture of the patellar tendon in systemic lupus erythematosus. Association with secondary hyperparathyroidism.J. Rheumatol.;15: 1162. -5.
- **Bachrach K., Gujdo D., and Katzman D.(1990) :**Decreased bone density in adolescent girls with anorexia nervosa.Pediatrics; 86: 440-7.
- **Barada F.A. Jr., Andrews B.S., and Davis J.S.IV.(1981):** Antibodies to sm in patients with Systemic lupus erythematosus. Arthritis Rheum.; 24: 1236 -1244.
- **Barnett E. and Nordin B.E.C.(1960) :**The radiological diagnosis of osteoporosis: a new approach. Clin. Radiol.; 11: 166 -174.
- **Bauss F., Minnie H.W. ,Sterz H., Weng U., Wesch H., and Ziegler R.(1985):** Comparative bone analysis via inflammation-mediated osteopenia (IMO) in the rat. Caicif. Tissue Int.; 37: 539 -546.
- **Bergenudd H., Nilsson B., Uden A., and Willner S. 1989 :** Bone mineral content, gender, body posture and build in relation to back Pain in middle age . J.Bone Miner.Res. ;14: 577-9.

- **Bhattoa H., Balogh A., Szegedi G., and kiss E (2002) :** Bone mineral density in women with SLE . Clin. Rheumatol.; 21:135 – 141.
- **Biller B.M.K., Saxe V., Herzog D.B., Rosenthal D.I., Holzman S., and Klibanski A.(1989) :**Mechanisms of osteoporosis in adult and adolescent women with anorexia nervosa. J. Clin. Endocrinol. Metab.; 68: 548 -551.
- **Black D.M., Bauer D.C.,Lu Y.,Tabor H., Genant H.K., and Cummings S.R.F.(1995) :**Should BMD be measured at multiple sites to predict fracture in elderly women? J.Bone Miner.;10:72-75.
- **Bloomfield S., Williams N., and Lamb D. (1993):** Non weight bearing exercise may increase lumbar spine bone mineral density in healthy postmenopausal women. Am. J. Physical .Med . Rehab.; 72:204.
- **Bombardier C. , Gladman D.D., Urowitz M.B., Caron D., and Chang C.H. (1992) :** Derivation of the SLEDAI . A disease activity index for SLE patients . The committee on prognosis studies in SLE . Arthritis Rheum .; 35 : 630 – 640 .
- **Bonjour J., Carrie A., Clavien H., et al.(1995) :**Calcium-fortified aliments selectively increase radial and femoral bone mass in prepubertal girls: A double-blind, placebo-controlled randomized trial. J. Bone Miner.Res.; 10:152.
- **Boumpas D.T.,Tsokas G.C., and Mann D.L.(1986) :**Increased prot-oncogene expression in peripheral blood lymphocytes from patients with systemic lupus erythematosus and other autoimmune diseases. Arthritis Rheum.; 29: 755.
- **Boumpas D. T., Austin H.A., Fessler B.J.,Balow J.E., Klippel J.H., and Lockshiu M.D.(1995) :**Systemic lupus erythematosus: renal, neuropsychiatric, cardiovascular, pulmonary and hematologic disease. Ann. Intern.Med.; 122: 940 -950.

- **Boyanov M., Robeva R., and Popivanov P. (2003)** : Bone mineral density changes in women with SLE .
Clin. Rheumatol.; 22:318 – 323 .
- **Bresnihan B.(1989)** : Outcome and survival in systemic lupus erythematosus. Ann. Rheum.Dis.;48:443-445.
- **Buchbinder R., Littlejohn G.O., Hall S. and Ryan P.F.J.(1988):** Neuropsychiatric manifestations of systemic lupus erythematosus. Aust. NZ. J. Med. ;18: 679 -684.
- **Budman D.R. and Steinberg A.D.(1976)** :Hypertension and renal disease in SLE. Arch. Int. Med. ;136: 1003 -6.
- **Burlingame R. W. and Rubin R.L.(1991)** :Drug induced anti-histone antibodies display two patterns of reactivity with substructures of chromatin. J. Clin. Invest.; 88: 680.
- **Buyon J.P. and Zukerman J.D.(1987)** :Articular manifestations of systemic lupus erythematosus. In Lahita R.G. (ed): Systemic lupus erythematosus. New York, John Wiley and Sons.;p115-117.
- **Buyon J.P., Ben-Chetrit E., Krap S., Roubey R.A., Pompeo L., Reeves W.H., Tan E.M. and Winchester R.(1989)** : Acquired Congenital heart block. Pattern of maternal antibody response to biochemically defined antigens of the SSA/Ro -SSB/La systemic neonatal lupus. J. Clin. Invest.;84:627.
- **Cameron J.H. and Sorenson J.(1964)** :Measurements of bone mineral in vivo: an improved method. Science.; 142: 230 -232.
- **Canalis E.(1983)** : Effect of glucocorticoids on type I collagen synthesis "alkaline phosphatase activity and deoxyribonucleic acid content in cultured rat calvariae" Endocrinology;112: 931 -939.
- **Chapman J.A.(1990)** : Randomized controlled trial to determine the effects of weight-bearing non aerobic exercise programme on the BMD and morbidity on postmenopausal women with osteoporosis.Physiotherapy. Canada ;42 (3): P14.

- **Cheng.C.L., Ma J., Wu P.C., Mason R.S., and Posen S.(1989):** Ostoemalacia secondary to osteosarcoma. *J. Bone Joint Surg.*; 71: 288-292.
- **Colditz G.A., Hankinson S.E., Hunter D.J., et al.(1995) :** The use of estrogens and progestins and the risk of breast cancer in postmenopausal women. *N .Engl. J. Med.*; 332 : 1589 -1593.
- **Cooper C, Atkinson E.J. and Wahner H.W.(1992) :**Is caffiene consumption a risk factor for osteoporosis . *J. Bone Min. Res.* ;7: 465 -472.
- **Cunnane G., and lane N. (2000) :** Steroid – induced osteoporosis in SLE . *Rheum . Dis. North . Am .* ; 26 (2) : 311 – 329 .
- **Dawson-Hughes B., Dallal G.E., Krall E.A., Sadowski L., Sahyoun N., and Tanenbaum S.A.(1990) :** A controlled trial of the effect of calcium supplementation on bone density in postmenopausal women . *N. Engl. J. Med.*; 323: 878 -883.
- **Dempster B.W.(1989) :** Bone histomorphometry in glucocorticoid-induced osteoporosis . *J. Bone Miner. Res.*; 4: 137 -141.
- **Dequeker J., Nijs F., Vestraeten A., and Geusens G.(1987) :** Genetic determinans of bone mineral content at the spine and radius .A twin study.*J. Bone Miner.Res.*; 8: 207-9.
- **Dhillon B., Davies M., Hall M. et al . (1990) :** Assessment of the effect of oral corticosteroids on bone mineral density in SLE . *Ann. Rheum. Dis .* ; 49 : 624 – 6 .
- **Dimunno O., Delle A., Mosca M., and Bombardieri S.(2004) :** Risk factors for osteoporosis in female patients with SLE . *Lupus* ; 13 (9) : 724-730 .

- **Dominiquez J.H. and Munday G.R.(1980) :**Monocytes mediate osteoclastic bone resorption by prostaglandins production. *Calcif. Tissue. Int .;* 31:29-34.
- **Donaldson C.L., Hulley S.B., Vogel J.M., Houttmer R.S., Bayers J.H., and Mc Milan E.(1970):** Effect of prolonged bed rest on bone mineral metabolism. *N.Engl.J.Med.;* 19: 1071 -84.
- **Dreyer E.B., and Morgan C.M. (1991):** The Canadian hydroxychloroquine study group.: A randomized study of the effect of withdrawing hydroxychloroquine sulfate in SLE. *N. Engl. J. Med.;* 324: 150 -154.
- **Dubois E.L. and Wallace D.J.(1987) :** Clinical and laboratory, manifestations of systemic lupus erythematosus. In Dubois E.L., ed. *Lupus erythematosus. Philadelphia: Lee and Febiger,*p 413.
- **Duda R.J., Brien J.F., Katzmann J.A., Peterson J.M., Mann J.G., and Riggs B.L.(1988) :** Concurrent assays of circulating bone Gla-protein and bone alkaline phosphatase.Effects of sex and age on metabolic bone disease. *J. Clin. Endocrinol. Metab.;* 66:951- 7.
- **Dykman T.R., Gluck O.S., Murphy W.A., Hahn T.J., and Han B.H. (1985) :**Evaluation of factors associated with glucocorticoid-induced osteopenia in patients with rheumatic diseases. *Arthritis Rheum.;* 28: 361 -368.
- **Ebrahim S., Thompson P.W., Baskaran V. and Evans K.(1997):** Randomized placebo-controlled trial ,effect of walking in the prevention of postmenopausal osteoporosis.*J.Bone Miner.Res.;* 26(4):253 -260.
- **Eisenberg H.(1982) :**Interstitial lung disease associated with collagen disorders. *Clin. Chest. Med;* 3: 365 -578.

- **EI-Hajj Fuleihan G., Testa M.A., Angell J.E., Porrino N., and Le Boff M.S.(1995)** :Reproducibility of DEXA absorptiometry : A model for bone loss estimates. *J.Bone Miner.Res.*;10:1004-1014.
- **Englert H.J. and Hughes G.V(1988)** :Danazol and discoid lupus. *Br. J. Dermatol.*; 119: 407 -9.
- **Ettinger B., Block J.E., Smith R., et al (1988)** :An examination of the association between vertebral deformities, physical disabilities and psychological problems. *J.Bone Miner.Res.* ;10: 283 -296.
- **Esadaile J. M., Joseph , and Mackenzie T. (1996)**: Predictor of disease exacerbation SLE Arthritis Rheum.; 39:360-378 .
- **Feber J., Cochat P., and Braillon P.(1994)** :Bone mineral density, after renal transplantation in children. *J. Pediatr.*; 125 : 870 -5.
- **Felson D.T. and Anderson J.(1984)** :Evidence for the superiority of immunosuppressive drugs and prednisone over prednisone alone in lupus nephritis: Results of a pooled analysis. *N. Engl. J. Med.*; 311: 1528 -1533.
- **Felson D.T., Zhang, Y., Hannan M.T., et al.(1993)** :The effect of postmenopausal estrogen therapy on bone density in elderly women.*N. Engl. J. Med.*; 329: 1141 -1146.
- **Finkelstein J.S., Klisbanski A., Schaeffer E.H., et al.(1994)**: Parathyroid hormone for the prevention of bone loss induced by estrogen deficiency. *N. Engl.J. Med.*; 331: 1618-1623.
- **Formiga F., Moga I., Nalla J., and Pac M. (1995)** : Loss of bone mineral density in premenopausal women with SLE . *Ann . Rheum. Dis.* ; 54 : 274 – 6 .
- **Franchimaont N. and Canalis E. (2003)** : Mangement of glucocorticoid induced osteoporosis in premenopausal women with autoimmune disease .*Autoimmunity Reviews* . ; 2 (4) : 224 – 4.

- **Freni-Titular L.W.J., Kelley D.B., Grow A.G., Mekinley T.W., Arnett F.C., and Hochberg M.C.(1989)** :Connective tissue disease in southeastern Georgia: A case control study of etiologic factors. *Am.J. Epidemiol.*; 130: 404 -9.
- **Fresco R.(1970)**:Virus-like particles in SLE. *N. Engl. J. med.*; 283: 1231.
- **Furukawa F., Kashiara-Sawani M.,Lyons M.B.; and Norris D.A.(1990)** :Binding of antibodies to extractable nuclear antigens SS-A/Ro and SS-B/La is induced on the surface of human keratinocytes by ultraviolet light (UV): implications for the pathogenesis of photosensitive cutaneous lupus. *J. Invest. Dermatol.*; 94: 77.
- **Gallo G.R., Caulin-Glaser T., and Lamm M.E.(1981)** :The charge of circulatory immune complexes is a factor in glomerular basement membrane localization in mice. *J. Clin. Invest.*; 67: 1305.
- **Gevers G., Devos P., DeRoo M., and Lequeker J.(1986)** :Increased levels of osteocalcin (serum Gla protein) in rheumatoid arthritis . *J. Rheumatol.*; 25: 260 -262.
- **Giannini S., D'Angelo A.,and Malvasi L.(1993)** :Effects of one-year cyclical treatment with clodronate on postmenopausal bone loss. *J.Bone Miner.Res.*; 14: 137 -141.
- **Gilboe I., Kvein T., and Husby G. (2000)** : Bone mineral density in SLE . *Ann . Rheum . Dis.*; 59 : 110 – 115 .
- **Gilliam J.N.(1987)** :Systemic lupus erythematosus and the skin. In Lahita R.G. (ed): *Systemic lupus erythematosus*. New York; John Wiley, Sons.;p114-117.
- **Gladman D.D. and Urowitz M.B.(1980)** :Venous syndromes and pulmonary embolism in SLE.*Ann. Rheum. Dis.*; 39: 340.
- **Gladman D.D. and Urowitz M.B.(1998)** :Systemic lupus erythematosus (2nd edition) edited by Klippel J.H. and Dieppe P.A. 7:11 - 18.

- **Gohill J., Cary P.D., and Couppez M.(1985)** :Antibodies from patients with drug-induced and idiopathic lupus erythematosus react with epitopes restricted to amino and carboxyl termini of histone. *J. Immunol.*; 135: 311-317.
- **Greisman S.G., Thayaparon R.S., Goodwin T.A., And Lockshin, M.D.(1991)**:Occlusive vasculopathy in SLE. Association with anticardiolipin antibody. *Arch. intern. Med.*; 151: 389.
- **Grob J.J. and Bonerandi J.J.(1986)** :Cutaneous manifestations associated with the presence of lupus anticoagulants. *J.Am. Acad. Dermatol.*; 15: 211 -219.
- **Guglielmi G., Grimston S., Fischer K., et al ., (1994)** : Diagnosis of Osteoporosis with dual X-ray absorptiometry compared with CT. *Radiology* ; 192 : 845 .
- **Hahn T.J., Halsted L.R., Teitelbaum S.L., and Hahn B.H.(1979)**:Altered mineral metabolism in glucocorticoid-induced osteopenia : Effect of 25-hydroxyvitamin D. administration . *J. Clin. Invest.*; 64: 655 -665.
- **Hahn T.J.(1993)** :Steroid and drug -induced osteopenia. In: Favus M.J. (ed) : *Primer of the metabolic diseases and disorders of mineral metabolism* . 2nd Ed, New York, Raven Press ,p.250 -255.
- **Hahn B.H. (1997)** : Management of systemic lupus erythematosus in Kelley W.W., Harris E.D., Ruddy S., and Sledge C.B. (eds) : *Text book of Rheumatology* . Philadelphia , W.B. Saunders company, 5th edition, P. 1040 – 1056 .
- **Hanly.D.A.(1996)** :Osteoporosis Introduction. *J. Rheumatol* .;44: 1-22.
- **Hansen M., Halberg, P., Kollerup G., Pedersen B., Horslev-Petersen K., Hyldstrup L., and Lorenzen I.(1998)** :Bone metabolism in patients with systemic lupus eryhtematosus. Effect of disease activity and glucocorticoid treatment. *Scand. J. Rheumatol.*; 27: 197 -206.

- **Hardin J.A. and Thomas J.O.(1983)** :Antibodies to histones in systemic lupus erythematosus, Localization of prominent autoantigens on histones H1 and H2B.Proc. Nat. Acad. Sci. U.S.A.; 80: 7410.
- **Hardin J.A.(1986)** :The lupus autoantigens and the pathogenesis of systemic lupus erythematosus.Arthritis Rheum.; 29:457.
- **Heaney R., Recker R. and Saville P.(1978)** :Menopausal changes in calcium balance performance.J. Lab. Clin. Med.; 92: 953 -963.
- **Hernandez-Avila M., Colditz G.A., and Stampfer M.J.(1991)** : Caffeine, moderate alcohol intake and risk of fractures of the hip and forearm in middle-age women . Am. J. Clin. Nutr.; 54: 157 -163.
- **Hochberg M.C.(1990)** :Systemic lupus erythematosus. Rheum. Dis. Clin. North. Am.; 16: 613 -639.
- **Hodgkinson A. and Thompson T.(1982)** : Measurement of the fasting urinary hydroxyproline: creatinine ratio normal adults and its variation with age and sex. J.Clin.Path.; 35:807-11.
- **Hoet R.M.A., Kornneef L., and De Rooij D.J.(1992)**: Changes in anti UI RNA antibody levels correlate with disease activity in patients with systemic lupus erythematosus overlap syndrome. Arthritis Rheum.; 9: 1202 -10.
- **Hopper J.L. and Seeman E.(1994)** : The bone density of female twins discordant for tobacco use .N. Engl. J. Med.; 30: 387 -392.
- **Houssiau F.A., Lefebvre C., Depresseux G., Lambert M., and Devogelaer J.P.(1996)** : Trabecular and cortical bone loss in systemic lupus erythematosus. Br.J. Rheumatol.; Mar. 35 (3): 244 - 7.
- **Inman R.D., Javanovic L., Markenson J.A., Longcope C., Dawood M.Y., and Lockshin,M.D.(1982)** :Systemic lupus erythematosus in men: genetic and endocrine features. Intern. Med.; 142: 1813 -15.
- **Isenberg D.A.(1993)** : Mechanisms of autoimmunity. J.Immunol.; 4: 121 -127.

- **Jensen G.F., Christiansen C., Boesen H., et al (1982):** Epideniology of postmenopausal spinal and long bone fractures . Clin. Orthop. Rel. Res.; 75 -81.
- **Jergas M. and Genant J.K.(1993) :** Review current methods and recent advances in the diagnosis of osteoporosis. Arthritis Rheum.; 36: 1649 -1662.
- **Johansen J.S., Hassager C., Podenphant J., et al (1989) :** Treatment of postmenopausal osteoporosis: is the anabolic steroid nandrelone a candidate? J.Bone Miner.Res.; 6: 77 -86.
- **Johnston C.C., Melton L.J., Lindsay R.,and Eddy D.M.(1989) :** Clinical indications for bone mass measurements. J.Bone Miner. Res. 4 (2):112-115.
- **Johnston C.C., Slemenda C.W., and Melton L.J.(1991) :** Clinical use of bone densitometry . N. Engl. J. Med.; 324: 1105 -1109.
- **Johnston C.C., Miller J.Z., Slemenda C.W., et al.(1992) :** Calcium supplementation and increase in BMD in children. N. Engl. J. Med.; 327: 82 -87.
- **Kalla A.A., Kotze, Tjv W., and Meyers O.L.(1992) :** Metacarpal bone mass in SLE. Clin. Rheumatol.; 11 : 1 -8.
- **Kalla A.A., Fataar A.B., Jessop S.J., and Bewerunge L.(1993) :** Loss of trabecular bone mineral density in systemic lupus erythematosus. Arthritis Rheum. ;12: 1726 -1734.
- **Kallenberg C. G.M., Klasen R.J.L. and Bellen J.M.(1985) :** HLA-D8/R3 phenotype and the primary immune responses. Clin. Immunol. Immunopathol.; 34: 135.
- **Kanis J.A., Melton K.L., Christiansen C., Jonston C.C., and Khaltaeu N.(1994) :** The diagnosis of osteoporosis.J.Bone Miner.Res.; 9:1137-1141.

- **Kaplan A.P.(1987):**kinnis and bone resorption in rheumatic disease (editorial).*Arthritis Rheum.*;30:589-592.
- **Karsh J., Kimberly R.P., Stahl N.I., Plotz P.H., and Decker J.L.(1980) :** Comparative effects of aspirin and ibuprofen in the management of SLE. *Arthritis Rheum.*; 23: 1401 -4.
- **Kaufman J.J. and Einborn T.A.(1993) :** Ultrasound assessment of bone. *J. Bone Miner .Res.*; 8: 515 -517.
- **Keith B.E.(1998) :** Autoantibodies in SLE: Systemic lupus erythematosus (2nd edition) edited by Klippel J.H. and Dieppe P .A.; p11- 18.
- **Kelley C.(1989) :** Pulmonary features of rheumatic diseases. *J.Rheumatol.*;10:1105-1109.
- **Kelly P., Pocock N., Sambrook P. and Eisman J.(1990) :** Dietary calcium, sex hormones and bone mineral density in men *Br. Med. J.*; 300: 1361 -4 .
- **Kenneth G.F., Claus C.G., Sharmila M., et al (1991) :** Noninvasive measurements of bone mass, structure and strength: current methods and experimental techniques. *A.J.R.*; 157: 1229 -1237.
- **Kimberly R.P.(1988) :** Treatment. Corticosteroids and anti-inflammatory drugs. *Rheum. Dis. Clin. North. Am.*; 14: 203-221.
- **Kipen Y., Buchbinder R., Forbes A., Strauss B., Little John G., and Marand,E.(1997) :** Prevalence of reduced bone mineral density in SLE and the role of steroids. *J. Rheumatol.*; 24:1922 -1929.
- **Kleerekoper M.,Ibels L.S., Ingham J.P., et al (1975) :** Hyperparathyroidism after renal transplantation. *Br. Med. J.*; 2: 680-682.
- **Klinkoff A.V., Thompson C.R., Reid G.D., and Tomlinson C.N.(1985) :** M-mode two dimensional echocardiographic abnormalities in SLE. *JAMA.*; 253: 273.

- **Klinman D.M.(1991)** : B.cell. In Steinberg. AD, moderator. Systemic lupus erythematosus. Ann. Intern. Med.; 115:520 -2.
- **Klippel J.H.(1990)** : Systemic lupus erythematosus: treatment related complications Superimposed on chronic disease. JAMA.; 263: 1812 - 1815.
- **Klippel J.H., Weyand C.M., and Wortmann R.L.(1997)** : Systemic lupus erythematosus. In Primer on rheumatic diseases. Atlanta, Arthritis Foundation, 11th edition,p. 246 -257.
- **Klippel J.H.(1998)** : Systemic lupus erythematosus: Management (2nd edition) edited by Klippel J.H. and Dieppe P.A.;7: 81 -89.
- **Koffler D., Agnello, V., and Carr R.I.(1969)** : Anti-DNA antibodies and the renal lesions of patients with systemic lupus erythematosus. Transplant. Proc.; 1: 93-96.
- **Kollerup G., Thamsbarg G., Bhatia H., and Sorenson O.H.(1992)** : Quantitation of urinary hydroxypyridinium cross-links from collagen by high -performance liquid chromatography. Scan. J. Clin. Lab. Invest.; 52: 657 -662.
- **Korczowska I., Lacki J., and Lezzezynski J. (2001)** : Bone tissue metabolism in SLE patients treated with glucocorticoids . Pol . Arch . Med .; 4 : 90-106 .
- **Korczowska I., Gawlik O., and lacki J. (2003)** : The effect of long – term glucocorticoids on bone metabolism in SLE . Yale J. Biol. Med .; 76 (2) : 45 – 54 .
- **Krane S.M. and Simon L.S.(1987)** : Metabolic consequences of bone turnover in Paget's disease of bone. Clin. Orthop. Rel. Res.; 217: 26 - 36.
- **Krieger N., Kelsey J.L. and Halford T.R.(1982)** : An epidemiologic study of the hip fracture in postmenopausal women Am. J. Epidemiol.;116: 141-149.

- **Laan R., Van Riel P., and Van de putte L. (1992)** : Bone mass in patients with rheumatoid arthritis . Ann . Rheum . Dis . ; 51 : 115-123.
- **La Croix A.Z., Wienpahl J., white L.R., et al (1990)**: Thiazide diuretic agents and the incidence of hip fracture N. Engl. J. Med.; 322: 286 -290.
- **Labowitz, R. and Schumacher,H.R.(1971)** : Articular manifestations of systemic lupus erythematosus. Ann. Intern. Med.; 74: 911 .
- **Lahita R.G.(1985)** : Sex steroid and rheumatic diseases. Arthritis Rheum.; 281: 121 -6.
- **Lahita R.G.(1997)** : Clinical presentation of systemic lupus erythematosus. In: Kelly W.W., Harris E.D., Ruddy S. and Sledge C.B. (eds): Textbook of Rheumatology. Philadelphia W.B. . Saunders company, 5th edition, P. 1028 -1039.
- **Lakshminarayanan S., Walsh S., and Rothfield N. (2001)** : Factors associated with low bone mineral density in female patients with SLE. J. Rheumatol.; 28(1) : 102-110 .
- **Lance N.J., Blaszak W., and Swartz T.J.(1991)**:Bullous skin lesions in SLE. Seminars in Arthritis Rheum.; 20: 369- 404.
- **Lawerence E.C.(1987)**:Systemic lupus erythematosus and the lung.In Lahita R.G. (ed):Systemic lupus erythematosus. New York, John,Wiley and Sons;p126-131.
- **Le Boff M.S. and Wade (1994)** : Osteoporosis and rheumatic disorders. In Weissman M.H., Weimblatt M. (eds): Drug therapy of rheumatic disease. Philadelphia, WB Saunders;p 588 -603.
- **Le Boff M.S.(1997)** : Metabolic bone diseases. In: Kelley, W.W., Harris E.D., Ruddy S. and Sledge C. B. (eds): Textbook of Rheumatology. Philadelphia W.B. Saunders company, 5th edition, p1563-1580.
- **Lemann J. (1990)** : The collection, preservation and analysis of urine in the evaluation of mineral metabolism, bone disease and nephrolithiasis. In: Favus M.J., ed. Primer on metabolic bone diseases and disorders of mineral metabolism. American Socceity for Bone and Mineral Rsearch;p 60-62.

- **Liang H.M., Soeher A.S., Larson M., and Schur P.(1989) :** Reliability and validity of six systems for the clinical assesment of disease activity in systemic lupus erythematosus. *Arthritis Rheum.*; 32: 107.
- **Liberman U.A., Wriss S.R., Broll J., et al(1995) :** Effect of oral alendronate on BMD and the incidence of fractures in postmenopausal osteoporosis. *N. Engl. J. Med.* ;333:1437 -1443.
- **Libman E. and Sacks B.(1924) :** A hitherto under described form of valvular and mural endocarditis .*Arch. Intern Med.*; 33 : 701 – 9 .
- **Lin C.Y. , Hsu H.C., and Chiang H.(1989) :** improvement of histological and immunological change in steroid and immunosuppressive drug-resistant nephritis by high-dose intravenous gamma globulin. *Nephron.*; 53: 303 -10.
- **Lindsay R. and Tohme J. F.(1990) :** Estrogen treatment of patients with established postmenopausal osteoporosis. *Obstet.Gynecol.* ; 76: 290 -295.
- **Linker-Israeli M., Deans R.J., Wallace D.J., et al (1991) :** Elevated levels of endogenous IL-6 in SLE. *J. Immunol.*; 147: 117 -123.
- **Lloyd T., Rollings N., Chinchilli V., et al(1995) :** The effect of starting calcium supplementation at age 12 or at age 14 on bone acquisition in teen age girls. *J. Bone Miner. Res.*; 10: 152.
- **Lloyd W. and Schur P.H.(1981) :** Complexes, complement and anti-DNA in exacerbations of SLE. *Medicine*; 60: 207 -8.
- **Litsey S.E., Noonan J.A., and O' Connor W.N.(1985) :** Maternal connective tissue disease and congenital heart block. It Demonstration of immunoglobulin in cardiac tissue. *N. Engl .J.Med.*; 312: 98 -100.
- **Lockshin M.D.(1990) :** Anticardiolipin antibodies and lupus anticoagulants. *J. Rheumatol.*; 2: 708.

- **Lu H., Zawel L., and Fisher L.(1992)** : Human general transcription factor II H phosphorylates the terminal domain of RNA polymerase II. *Intern.Med.*; 158: 1641-1645.
- **Lukert B.P. and Raisz L.G(1990)** : Glucocorticoid -induced osteoporosis: pathogenesis and management . *Ann. Intern. Med.*; 112: 352 -364.
- **Mac Donald B. R. and Growen M.(1992)** : Cytokines and bone. *Br. J. Rheumatol.*; 31: 149 -155.
- **Maddison P. J. and Reichlin M.(1977)** : Quantitation of precipitating antibodies to certain soluble nuclear antigens in systemic lupus erythematosus. *Arthritis Rheum.*;20: 819.
- **Maier W.P., Gordon D.S., Howard R.F., et al(1990)** : Intravenous immunoglobulin therapy in SLE-associated thrombocytopenia. *Arthritis Rheum.*;33:1233-9.
- **Mandell B. F.(1987)** : Cardiovascular involvement in systemic lupus erythematosus. *Seminars in Arthritis Rheum.*;17: 126 -141.
- **Masi L. and Bilezikian J.P.(1997)** : Osteoporosis: New hope for the future.*Int. J Fertil. Womens Med.*; 42 (4): 245 -254.
- **Matkovic V., Kostial K., Siminovic I., Buzina R., Brodarec A.,and Norden B.E.C.(1979)** : Bone status and fracture rates in two regions of Yugoslavia. *Am. J. Clin. Nutr.*; 32:540-9.
- **Matkovic V. , Jackson R.D., Mysiw W.J., Whitten R., and Dekanic D.(1990)** :Osteoporosis. In *Krusens. Handbook of Physical Medicine and Rehabilitation 4th (ed).* Kottke F.J. and Lehmann J.F. (eds). W.B. Saunders. 57: 1169 -1208.
- **Matthay R.A., Schwarz M.I., and Petty T.L.(1974)** : Pulmonary manifestations of SLE. Review of 12 cases of acute lupus pneumonitis. *Medicine*; 54: 397.

- **Mattioli P.J., Mogavero H., and Reichlin M.(1978)** : Patterns of clinical disease associated with antibodies to nuclear ribonucleoprotein. *J. Rheumatol.*; 5: 407 -11.
- **Mc Cue C.M., Mantakas M.E., and Tingelstand J.B.(1977)** : Congenital heart block in new born of a mothers with connective tissue disease. *Circulation* ;56: 82-90.
- **Mc Cune W.J., Golbus J., .Zeld W., et al (1988)** : Clinical and immunologic effects of monthly adminstration of intravenous cyclophosphamidein severe systemic lupus erythematosus. *N.Engl.J.Med.*318:1423-1431.
- **Mc Dougal J.S., Kennedy M.S., and Kalyanaraman V.S.(1985)** : Failure to demonstrate (cross-reaching) antibodies to human T lymphotropic viruses in patients with rheumatic diseases. *Arthritis Rheum.*; 28:1170.
- **Mc Neil P. and Edmonds J.(1982)** : Anti-Ro (SS-A) antibodies and congenital complete heart block. *Aust. NZ. J. Med.*; 15: 767-768.
- **Melton L.J., Kan S.H., and Frye M.A.(1989)** : Epidemiology of vertebral fractures in women. *Am. J. Epidemiol.*; 129: 1000 -11.
- **Melton L.J., Atkinson E.J., Ofallon W.M., Wahner H.W., and Riggs B.L.(1993)** : Long term fracture prediction by bone mineral assessed at different skeletal sites. *J. Bone Miner. Res.* 8 (10) : 1227-1233.
- **Miller M.H., Urowitz M.B., and Gladman D.D.(1983)** : The significance of thrombocytopenia in SLE. *Arthritis Rheum*;26:1181-6.
- **Mojik C.F. and Klippel J.H.(1996)** : End-stage renal disease and SLE. *Am. J. Med.*; 101:100 -7.
- **Monchik J.M. and Martin H.F.(1980)** : Ionized calcium in the diagnosis of primary hyperparathyroidism. *Surgery.* ; 88: 185 -192.

- **Montstier M. and Kotzin B.L.(1992)** :Antibodies to histone in systemic lupus erythematosus and drug-induced lupus syndromes. Clin. Rheum.; Dis. 18: 415.
- **Morton R.O., Steinberg A.D., and Gershwin M.E.(1976)** : The incidence of systemic lupus erythematosus in North American Indians. J. Rheumatol.; 3: 186.
- **Mymok V.T., Farewell D.A., and Isenberg I. (2000)** : Risk factors for a vascular necrosis of bone in patients with SLE . Ann . Rheum. Dis .; 59 : 462 – 469 .
- **National Osteoporosis Society (2002)** : Guideline Writing Group for Bone and Tooth Society : Glucocorticoid-induced osteoporosis .
- **Nelson M.E., Fiatarone M.A., Morganti C.M., et al (1994)** : Effects of high -intensity strength training on multiple risk factors for osteoporosis fractures: A randomized controlled trial. JAMA; 272: 1909 -1914.
- **Neuwelt C.M., lackks S., Kaye B.R., et al (1995)** : Role of intravenous cyclophosphamide in the treatment of severe neuropsychiatric SLE. Am.J. Med. ;98: 32 -41
- **Nevitt M.C.(1994)**:Epidemiology of osteoporosis .Osteoporosis.Int.; 20:535-554.
- **Nived O., Sturfelt G., and Wolheim F. (1985)**: Systemic lupus and infection: A controlled and prospective study including an epidemiologic group. Q.J.Med.;55:271.
- **Nossent H.C., Henzen-Logmans S.C.,Vroom T.M., Berden J.H.M.,and Swaak.T.J.G.(1990)** : Contribution of renal biopsy data in prediciting outcome in lupus nephritis. Analysis of 116 patients. Arthritis Rheum.; 33: 970.
- **Nossent J.C. and Swaak A.J.G.(1990)** : Pancytopenia in SLE related to azathioprine. J. Intern. Med.; 227: 69 -72.

- **Notman D.D., Kurata N., and Tan E.M.(1975)** : Profiles of antinuclear antibodies in systemic rheumatic diseases. *Ann. Intern. Med.*; 83: 464-469.
- **Orwell E.S., bauer D.C., and Vogt T.M.(1996)** : Axial bone mass in older women. *Ann Intern. Med.*; 124: 187 -196.
- **Paget S. (2002)** : Steroid cause osteoporosis . *Ann . Rheum . Dis .* ; 61: 1-3 .
- **Paiment G.D, Chevrier N., and Lorrain L.(1993)** :Osteoporosis a preventable consequence of menopause *J.Soc. Obst. Gynecol.*; 15:985-993.
- **Pak C.Y.C., Sakhaee K., Adams-Huet B., et al.(1995)** : Treatment of postmenopausal osteoporosis with slow -release sodium fluoride. *Ann. Intern. Med.*; 123: 401-408.
- **Pando J.A., Gourley M.F., Wilder R.L., and Crofford L.J.(1995)** : Hormonal supplementation as treatment for cyclical rashes in Patients with SLE. *J. Rheumatol .* ; 22: 2159 -2162.
- **Peat I., Healy S., and Reid D.M. (1995)** : Steroid induced osteoporosis . *Ann . Rheum . Dis .* ; 54 : 66 – 8 .
- **Peterson L.L.(1984)** : Hydralazine-induced SLE presenting as pyoderma gangrenosum-like ulcers. *J. Am Acad. Dermatol.* 10: 378 - 384.
- **Petri M. and Allbritton J.(1992)** : Hair product use in systemic lupus erythematosus. A case control study. *Arthritis Rheum.*; 35: 625 -629.
- **Petri M.(1995)** : Musculoskeletal complications of systemic lupus erythematosus in the Hopkins lupus cohort: An update. *Arthritis care Res.*; 8: 137-145.
- **Petri M. (1996)** : Osteoporosis in SLE : Prednisone affects lumbar spine more than other areas . *Arthr . Rheum.*; 39 : 667-669 .
- **Philips P.E. and Christian C.L.(1970)** : Myxovirus antibody increase in human connective tissue disease. *Science*, 168: 982.

- **Pineau C., Urowitz M., Fortin P., and Gladman D. (2004) :** Osteoporosis in SLE . lupus ; 13 (6) : 436 – 441 .
- **Pinto G.M., Cabecas M.A., Riscado M., and Goncalves H.(1991) :** Pyoderma gangrenosum associated with SLE. Response to pulse steroid therapy. J. Am. Acad. Dermatol.; 24: 808 -821.
- **Pisetsky D.S.(1993) :**Systemic lupus erythematosus: Epidemiology pathology and pathogenesis: in Primer on The Rheumatic Diseases (ed) by Schumacher Jr. H.R. and Klippel J.H.: Arthritis Foundation, Atlanta, Georgia: p100 -105.
- **Pocock N.A., Eisman J.A., Hopper J.I., Yeates M.G., Sambrook P.N., and Ebert S.(1987) :**Genetic determinants of bone mass in adults, a twin study. J. Clin Invest.; 80: 706-10.
- **Podenphant J., Johansen J.S., Thomsen K., Riis B.J., Leth A., and Christiansen C.(1987) :** Bone turnover in spinal osteoporosis. J. Bone Min. Res.; 2: 497 -503.
- **Pollak V.E.and Kant K.S.(1987) :**Systemic lupus erythematosus and the kidney. In Lahita R.G (ed):Systemic lupus erythematosus. New York, John Wiley, Sons.;p155-160.
- **Portale A.A.(1990) :**Blood calcium, phosphorous and magnesium. In: Favus MJ,ED. Primer on the metabolic bone diseases and disorders of mineral metabolism. American Society for Bone and Mineral Research; p62 -66.
- **Praet J.P., Peretz. A. and Rosenberg S.(1992) :** Risk of osteoporosis in men with chronic bronchitis. Osteoporosis Int.; 2 : 257 - 261.
- **Preble O.T., Black R.J., Friedman R.M., Klippel J.H., and vilcek J.(1982) :** Systemic lupus erythematosus. Presence in human serum of an unusual acid labile leukocyte interferon. Science; 23: 429.

- **Provost T.T. and Done N.(1983)** : Cutaneous manifestations. In Schur P.H. (ed): The clinical management of systemic lupus erythematosus. Orlando, Florida, Grune and Stratton.;p345-352.
- **Quismorio F.P. Sharma O., and Koss M.(1984)** : Immunopathologic and clinical studies in pulmonary hypertension associated with SLE. Semin. Arthritis Rheum.; 13: 349 -359.
- **Quismorio F.P. (1988)** : Clinical and pathologic features of lung involvement in SLE. Semin. Resp. Med.; 9: 297 -304.
- **Radhakrishnan J., Kunis C.L., D'Agati V. et al(1994)** : Cyclosporine treatment of lupus membranous nephropathy. Clin. Nephrol.; 42: 147 -154.
- **Rasiz L. G. and Kream B.E.(1983)** : Regulation or bone formation. N. Engl. J. Med.; 309: 29 -33.
- **Ray W., Griffin M., Downey W., and Melton L.J.(1989)**: Long term use of thiazide diuretics and risk of hip fracture . Lancet. 2:687 - 690.
- **Redlich K., Ziegler S., Kiener H., Kainberger F., and Grampp S. (2000)** : Bone mineral density and biochemical parameters of bone metabolism in SLE . Ann . Rheum . Dis .; 59 : 308 – 310.
- **Reeves W.H. and Lahita R.G.(1987)** : Clinical presentation of systemic lupus erythematosus. In : Lahita R.G.(ed): Systemic lupus erythematosus. New York, John Wiley and Sons.;p110-115.
- **Reeves W.H., Sthoeger Z.M., and Lahita R.G.(1989)** : Role of antigen-selectivity in autoimmune responses to the Ku [p7/p80] antigen. J. Clin. Invest.; 84: 562.
- **Reginster J. Y., Denis D., Albert A., et al(1987)**: 1 year controlled randomized trial of prevention of early postmenopausal bone loss by intranasal calcitonin. Lancet 11: 1481-1483.

- **Reid I.R. and Grey A.B.(1993)** : Corticosteroid osteoporosis. *Bailliere Clin. Rheumatol.*; 7: 573 -587.
- **Riggs. B.L., Hodgson S.F., O'Fallon W.M., et al(1990)** :Effect of fluoride treatment on fracture rate in postmenopausal women with osteoporosis. *N. Engl. J. Med.*; 327: 802 -9.
- **Riggs B.L. and Melton L.J.(1986)** : Involutional osteoporosis. *Engl.J. Med.*;314: 1676 -1686.
- **Riggs B.L. and Melton L.J.(1992)** : The prevention and treatment of osteoporosis. *N. Engl. J. Med.*; 327: 620 -627.
- **Robinson D.R., Tashjian A.H.Jr., and Levine L.(1975)** : Prostaglandin-stimulated bone resorbtion by rheumatoid synovia: a possible mechanism for bone destruction in rheumatoid arthritis. *J. Clin. Invest.*; 56: 1181 -1188.
- **Ross P.D., Davis J.W., Epstein R.S., and Wasnich R.D.(1991)** : Pre-existing fractures and bone mass predict vertebral fracture incidence in women . *Ann Intern Med.*; 114: 919 -923.
- **Rothfield N.F.(1979)** : Systemic lupus erythematosus: Clinical and laboratory aspects. *Arthritis and allied conditions. A Textbook of rheumatology*, edited by Daniel J. Mc Carthy, 9th edition, Lea and Febiger, Philadelphia. Published in Great Britian by Henry Kimpton Publishers, London: Chapter 6: p691.
- **Rothfield N.F.(1981)** : Clinical features of systemic lupus erythematosus. In Kelley W.N., Harris E.D., Ruddy S. and Sledge, C.B. (eds): *Textbook of Rheumatology*. Philadelphia, W.B., Saunders company.;p1052-1058.
- **Sambrook P.N., Dequeker J., Rasp H.H.(1998)** : Metabolic bone disease (2nd edition) .Edited by kippel J.H. and Dieppe P.A. (8) 361 - 369.

- **Sangle S., Khamashta M., and Hughes G. (2004)** : Antiphospholipid antibodies, SLE , and non – traumatic metatarsal fractures . *Ann . Rheum. Dis.*; 63 : 1241 – 1243 .
- **Schelberger T., Kekow J., and Gross W.L.(1986)** : Impaired T - cell independent B-cell maturation in systemic lupus erythematosus: coculture experimental experiments in monozygotic twins concordant for Kleinfelters syndrome, but discordant for systemic lupus erythematosus. *Clin. Immunol. Immunopathol.*; 40: 365.
- **Segal L.G and Lane. N.E.(1996)** : Osteoporosis and systemic lupus erythematosus: etiology and treatment strategies .*Ann.Med Intern.Paris.*;147(4):281-9.
- **Seibel M., Duncan A., and Robins S.P.(1989)** : Urinary hydroxypyridinium cross links provide indices of cartilage and bone involvement in arthritic diseases. *J. Rheumatol.*; 16: 964 -970.
- **Seitz M. and Hunstein W.(1985)** : Enhanced prostanoid release from monocytes of patients with RA and active SLE. *Ann. Rheum. Dis.*; 44: 438 -445.
- **Sen D. and keen R. (2001)** : osteoporosis in SLE : Prevention and treatment . *Lupus* ; 10 (3) : 227 –232 .
- **Shalev Y., Green L., and Pollak A.(1985)** : Myocardial infarction with central retinal artery occlusion in patient with anti-nuclear antibody negative systemic lupus erythematosus. *Arthritis Rheum.*; 28: 1185 -1187.
- **Shore R.M. and Pozanski A.K.(1996)** : Radiologic evaluation of bone mineral in children. In *Primer on the metabolic bone diseases and disorders of mineral metabolism.*, third edition. Favus M.J. editor. Lippiscott .Rawen.; p119 -134.

- **Sibley J.T., Olszynski W.P., Decoteau W.E., and Soundaram M.B.(1992)** :The incidence and prognosis of central nervous system disease in SLE. *Rheumatol.*; 19: 47 -52.
- **Sileghem A., Geusens P. and Dequeker J .(1992)** :Intranasal calcitonin for the prevention of bone erosion and bone loss In rheumatoid arthritis. *Ann. Rheum. Dis.*; 51: 761-4 .
- **Singer J. and Denberg J.A.(1990)** :Diagnostic criteria for neuropsychiatric systemic lupus erythematosus: The results of a consensus meeting. *J. Rheumatol.*; 17: 1379 -1402 .
- **Sinigaglia L., Binelli L., Gallazzi M., Zeni S., and Fantini F.(1999)**: Determinants of bone mass in SLE . *J. Rheumatol.*, 26(6) : 1280-4 .
- **Sinigaglia L., Binelli L., and Varenna M. (2000)** : Bone mass in SLE . *Clin . Exp . Rheumatol.*; 18 : 527 –534
- **Slovik D.M., Rosenthal D.I., Doppelt S.H., et al (1986)** : Restoration of spinal bone in osteoporotic men by treatment with human parathyroid hormone and 1,25-dihydroxyvitamin D. *J. Bone Miner. Res.*; 4: 377-381.
- **Spalton D.J., Verdon Roe G.M., and Hughes G.R.V.(1993)** : Hydroxychloroquine, dosage, parameters and retinopathy. *Lupus.*; 2: 355 -358.
- **Stahl J.I., Klippel J.H., and Decker J.L.(1979)** : Fever in systemic lupus erythematosus. *Ann. J. Med.*; 67: 933.
- **Steiger P., Spencer N.E., Black D.M., et al (1990)** : Bone mineral density in 6515 women over 65 years of age as measured by dual X ray and single photon absorptiometry. In Christiansen C., Overgaard K., eds. *Osteoporosis 1990*. Copenhagen: osteopress.
- **Steinbrocker O., Traeger C.H., and Bateerman R.C. (1949)**: Therapeutic criteria in rheumatoid arthritis . *JAMA* ; 140: 659 – 662 .

- **Steven M.B.(1987)** : Systemic lupus erythematosus and the cardiovascular system. In Lahita, R.G.(ed): Systemic lupus erythematosus, New York, John Wiley, Sons.; P 163-185.
- **Steven M.B.(1983)** : Musculoskeletal manifestations. In Schur P.H. (ed): The clinical management of SLE. Orlando, Florida, Gimie, Shalton. P 154-160.
- **Stewart A.(1994)** :Discriminitory ability of ultrasound to distinguish between hip fracture and controls. Calcif. Tissue Int.; 54: 466 -472.
- **Stoll D.M. and King L.E. Jr.(1989)** : Association of bulbous pemphigoid with SLE. Arch. Dermatol.; 120: 362 -366.
- **Storm T., Thamsborg G., Steinicke T., et al(1990)**: Effect of intermittent cyclical etidronate therapy on bone mass and fracture rate in women with postmenopausal osteoporosis. N. Engl. J. Med.; 322: 1265 -1271.
- **Stricker R.B., Davis J.A., Greshow J., Yamamoto K.S., and Kiprof D.D.(1992)** : Thrombotic thrombocytopenic purpura complicating SLE: case report and literature review from the plasmapheresis era. J. Rheumatol. ;19: 1469 -1473.
- **Strinberg A.D. and Klinmann D.M.(1988)** :Pathogenesis of systemic lupus erythematosus. Rheum. Dis. Clin. North. Am; 14: 25.
- **Studenski S., Allen N.B.,Gladwell D.S., Rice J.R., and Polisson R.P.(1987)** : Survival in SLE: a multivariate analysis of demographic factors. Arthritis Rheum.; 30: 1326 -1332.
- **Sturfelt G., Mousa F., Johnsson H., et at(1990)** : Recurrent cerebral infarction and the antiphospholipid syndrome: effect of intravenous gamma globulin in a patient with systemic lupus erythematosus. Ann. Rheum. Dis.; 49: 939 -941.

- **Symmons D.P.M., Van Hemert A.M., Vandenbroucke J.P., and Valkenburg H.A.(1991)** : A longitudinal study of back pain and radiological changes in the lumbar spine of middle- aged women. II. Radiographic findings. *Ann. Rheum. Dis.*; 50: 162 - 6.
- **Tan E.M.(1982)** :Autoantibodies to nuclear antigens (ANA): Their biology and medicine. *Adv. Immunol.*; 33: 167.
- **Tan E.M., Colen A.S., and Fries J.F. (1982)** : The 1982 revised criteria for the classification of systemic lupus erythematosus. *Arthritis Rheum .* ; (25) 1271 – 7 .
- **Tanaka^a S., Matsuyama T., and Steinberg A.D.(1989):** Antilymphocyte antibodies against CD4+ 2H4+ cell populations in patients with systemic lupus erythematosus. *Arthritis Rheum.*; 32: 398.
- **Tanaka^b Y., Watanabe K., Suzuki M., et al(1989)** :Spontaneous production of bone resorbing lymphokines by B cells in patients with SLE. *J. Clin. Immunol.*; 9: 415 -420.
- **Teichmann J., Iange V., and Stracke H. (1999)** : Bone metabolism and bone mineral density in SLE. *Rheumatol . Int.*; 18 (4) : 137- 140.
- **Tilyard M.W., Spoors GES, Thomson J., and Dovey S.(1992):** Treatment of postmenopausal osteoporosis with calcitrol calcium. *N. Engl. J. Med.*; 326: 357- 362.
- **Tokuda M., Kurata N., Mizoguchi A., et al (1994)** :Effect of low dose cyclosporine A on systemic lupus erythematosus. *Arthritis Rheum.*; 37: 551 -8.
- **Tsai K.S., Heath H.H., and Kumar R.(1984)** : Impaired vitamin D metabolism with aging in women: Possible role in the pathogenesis of senile osteoporosis. *J. Clin. Invest.*; 73: 1668 -1672.
- **Tuffanelli D.L. and Epstein J.H.(1987)** : Chronic cutaneous discoid lupus erythematosus. In Wallace., DJ., (ed5): *Dubois, lupus erythematosus* (ed 3). Philadelphia,P.A., Lea, Febiger.;p 283 -301.

- **Symmons D.P.M., Van Hemert A.M., Vandenbroucke J.P., and Valkenburg H.A.(1991)** : A longitudinal study of back pain and radiological changes in the lumbar spine of middle- aged women. II. Radiographic findings. *Ann. Rheum. Dis.*; 50: 162 - 6.
- **Tan E.M.(1982)** :Autoantibodies to nuclear antigens (ANA): Their biology and medicine. *Adv. Immunol.*; 33: 167.
- **Tan E.M., Colen A.S., and Fries J.F. (1982)** : The 1982 revised criteria for the classification of systemic lupus erythematosus. *Arthritis Rheum .* ; (25) 1271 – 7 .
- **Tanaka^a S., Matsuyama T., and Steinberg A.D.(1989):** Antilymphocyte antibodies against CD4+ 2H4+ cell populations in patients with systemic lupus erythematosus. *Arthritis Rheum.*; 32: 398.
- **Tanaka^b Y., Watanabe K., Suzuki M., et al(1989)** :Spontaneous production of bone resorbing lymphokines by B cells in patients with SLE. *J. Clin. Immunol.*; 9: 415 -420.
- **Teichmann J., Iange V., and Stracke H. (1999)** : Bone metabolism and bone mineral density in SLE. *Rheumatol . Int.*; 18 (4) : 137- 140.
- **Tilyard M.W., Spoors GES, Thomson J., and Dovey S.(1992):** Treatment of postmenopausal osteoporosis with calcitrol calcium. *N. Engl. J. Med.*; 326: 357- 362.
- **Tokuda M., Kurata N., Mizoguchi A., et al (1994)** :Effect of low dose cyclosporine A on systemic lupus erythematosus. *Arthritis Rheum.*; 37: 551 -8.
- **Tsai K.S., Heath H.H., and Kumar R.(1984)** : Impaired vitamin D metabolism with aging in women: Possible role in the pathogenesis of senile osteoporosis. *J. Clin. Invest.*; 73: 1668 -1672.
- **Tuffanelli D.L. and Epstein J.H.(1987)** : Chronic cutaneous discoid lupus erythematosus. In Wallace., DJ., (ed5): *Dubois, lupus erythematosus* (ed 3). Philadelphia,P.A., Lea, Febiger.;p 283 -301.

- **Symmons D.P.M., Van Hemert A.M., Vandenbroucke J.P., and Valkenburg H.A.(1991)** : A longitudinal study of back pain and radiological changes in the lumbar spine of middle- aged women. II. Radiographic findings. *Ann. Rheum. Dis.*; 50: 162 - 6.
- **Tan E.M.(1982)** : Autoantibodies to nuclear antigens (ANA): Their biology and medicine. *Adv. Immunol.*; 33: 167.
- **Tan E.M., Colen A.S., and Fries J.F. (1982)** : The 1982 revised criteria for the classification of systemic lupus erythematosus. *Arthritis Rheum.* ; (25) 1271 – 7 .
- **Tanaka^a S., Matsuyama T., and Steinberg A.D.(1989)**: Antilymphocyte antibodies against CD4+ 2H4+ cell populations in patients with systemic lupus erythematosus. *Arthritis Rheum.*; 32: 398.
- **Tanaka^b Y., Watanabe K., Suzuki M., et al(1989)** :Spontaneous production of bone resorbing lymphokines by B cells in patients with SLE. *J. Clin. Immunol.*; 9: 415 -420.
- **Teichmann J., Iange V., and Stracke H. (1999)** : Bone metabolism and bone mineral density in SLE. *Rheumatol . Int.*; 18 (4) : 137- 140.
- **Tilyard M.W., Spoors GES, Thomson J., and Dovey S.(1992)**: Treatment of postmenopausal osteoporosis with calcitrol calcium. *N. Engl. J. Med.*; 326: 357- 362.
- **Tokuda M., Kurata N., Mizoguchi A., et al (1994)** :Effect of low dose cyclosporine A on systemic lupus erythematosus. *Arthritis Rheum.*; 37: 551 -8.
- **Tsai K.S., Heath H.H., and Kumar R.(1984)** : Impaired vitamin D metabolism with aging in women: Possible role in the pathogenesis of senile osteoporosis. *J. Clin. Invest.*; 73: 1668 -1672.
- **Tuffanelli D.L. and Epstein J.H.(1987)** : Chronic cutaneous discoid lupus erythematosus. In Wallace., DJ., (ed5): *Dubois, lupus erythematosus* (ed 3). Philadelphia,P.A., Lea, Febiger.;p 283 -301.

- **Uaratanawong S., Lertmaharit S., and uaratanawong S. (2003) :** Bone mineral density in premenopausal women with SLE . J. Rheumatol.; 30 : 2365 – 8 .
- **Van Hemert A.M., Vavdenbrouck J.P. and Birkenhager J.C.(1990) :** Prediction of osteoporosis fractures in general population by a fracture risk score. Am. J. Epidemiol.; 123: 132 -135.
- **Vansant J., Woosley R.L., and John J.J.(1978) :** Normal distribution of acetylation phenotypes in systemic lupus erythematosus. Arthritis Rheum.; 21: 192.
- **Vanstaa T., laan R., Reid D., and Cooper C. (2003) :** Bone density threshold and other predictors of vertebral fracture in patients receiving oral glucocorticoid therapy . Arthritis Rheum .; 48 : 1224-9.
- **Vanvollenhoven R.F. (2000) :** Dehydroepiandrosterone in systemic lupus erythematosus . Rheum . Dis . Clin. North Am .; 26 : 349 – 362 .
- **Verhoeven A.C. and Boers M.(1997) :** Limited bone loss due to corticosteroids: A systemic review of prospective studies in rheumatoid arthritis and other diseases. J. Rheumatol.; 24: 495 -503.
- **Wahner H.W, Dunn W.L., Mazess R.B., et al(1985) :** Dual photon GD-153 absorptiometry of bone. Radiology ; 156:203 -6.
- **Wallace D.J. and Dubois E.L.(1987) :** Definition, classification and epidemiology of systemic lupus erythematosus. In **Wallace D.J. and Dubois E.L. (eds):** Lupus erythematosus 3ed. Philadelphia, Lea and Febiger. P 20-27.
- **Wallace D.J. (1995) :** The lupus handbook. A guide for patients and their families. New York Oxford University Press.
- **Ward M.M. and Polisson R.P.(1989) :** A meta-analysis of the clinical manifestations of older –onset systemic lupus erythematosus. Arthritis Rheum.; 32: 1226 -1232.

- **Weissman B.N., Rappoport A., and Schur P.H.(1978) :** Radiographic findings in the hands of patients with systemic lupus erythematosus .Radiography.; 126: 313.
- **West S.G.and Johnson S.C.(1988) :** Danazol for the treatment of refractory autoimmune thrombocytopenia in SLE. Ann. Intern. Med. J.; 8: 703 -710..
- **Wilson K. and Abeles M.A.(1994) :** A 2 year open ended trial of methotrexate in SLE. J. Rheumatol.; 21: 1674 -1677.
- **Wolfe F., Hawley D.J., and Cathey M.A.(1991) :** Clinical and health status measures over time: prognosis and outcome assessment in rheumatoid arthritis. J. Rheumatol.;18: 1290-1296.
- **Woods V.L. Jr.(1995) :** Pathogenesis of systemic lupus erythematosus. In Kelly W.N., Harris D.E., Ruddy S. : "Textbook of Rheumatology ".(eds) W.B. Saunders company: Philadelphia.p1011-7.
- **World Health Organisation (WHO) :** Assessment of fracture risk and its application to screening for postmenopausal osteoporosis , 1994 .
- **Wurtman R.J., Boum M.J., and Potts J.T.Jr.(1985) :** The medical and biological effects of light. Ann. N.Y. Acad. Sci.; 453: 1.
- **Yee C., Crabtree N., Amft N., and Gordon C. (2005) :** Prevalence and predictors of fragility fractures in SLE . Ann. Rheum . Dis .; 64 : 111-113 .
- **Yoshiki T., Mellors R.C., and Strand M.(1974) :** The viral envelope glycoprotein of murine leukemia virus and the pathogenesis of immune complex glomerulonephritis of New Zeland mice. J. Exp. Med.; 140: 145.
- **Zetterberg C., Mannius S., Mellstorm D., et al(1990) :** Osteoporosis and back pain in the elderly. A controlled epidemiologic and radiographic study. Spine; 15: 783 -6.