

References

- ***Agee JM, McCarroll HR, Tortosa RD et al., (1992):*** Endoscopic release of the carpal tunnel: a randomized prospective multicenter study. *J Hand Surg(Am)*;17(6):987-95.
- ***Badger SA, O'Donnell ME, Sherigar JM, Connolly P, Spence RAJ (2008):*** Open Carpal Tunnel Release – still a safe and effective operation. *Ulster Med J* 77(1):21.
- ***Bahou YG (2002):*** Carpal tunnel syndrome: a series observed at Jordan University Hospital (JUH), June 1999-December 2000. *Clin Neurol Neurosurg.* 2002 Jan;104(1):49-53.
- ***Biella G, Sotgio ML, Pellegata G, Paulesu E, Castiglioni I, Fazio F (2001):*** Acupuncture produces central activations in pain regions. *Neuroimage* 14:60-6.
- ***Banner R, Hudson EW (2001):*** Case report: acupuncture for carpal tunnel syndrome. Ultrasound assessment of adjunct therapy. *Can Fam Physician.* Mar;47:547-9.
- ***Becker J, Nora DB, Gomes I, Stringari FF, Seitensius R, Panosso JS et al., (2002):*** An evaluation of gender, obesity, age and diabetes mellitus as risk factors for carpal tunnel syndrome. *Clin Neurophysiol* 113(9):1429-34.

References

- ***Bland JD (2007):*** Treatment of carpal tunnel syndrome. Muscle Nerve. 2007;36:167–171.
- ***Bruske J, Bednarski M, Grzelec H, Zyluk A (2002):*** The usefulness of the Phalen test and the Hoffmann-Tinel Sign in the diagnosis of carpal tunnel syndrome. Acta Orthop Belg 68(2): 141-5.
- ***Chang MH, Ger LP, Hsieh PF, et al., (2002):*** A randomized clinical trial of oral steroids in the treatment of carpal tunnel syndrome along term follow up. J Neurol neurosurg Psychiatry. 73:710-714.
- ***Chernyak G, Sessler DI (2005):*** Preoperative acupuncture and related techniques. Anesthesiology;102:1031-49.
- ***Choi B, Kang j, Jo U (2005):*** Effects of electroacupuncture with different frequencies on spinal ionotropic glutamate receptor expression in complete Freud's adjuvant-injected rat. Acta Histochem 107:67-76.
- ***Chow JC (1989):*** Endoscopic release of the carpal ligament: a new technique for carpal tunnel syndrome. Arthroscopy;5(1):19-24.
- ***Chun-PY , Ching L H, Nai HW, Tsai CL, Kai LH, Shin CY, Ming HC (2009):*** Acupuncture in patients with carpal tunnel syndrome a randomized controlled trial. Clin J Pain 25;327-333.

References

- ***Cosgrove JL, Chase PM, Mast NJ (2002):*** Thenar motor syndrome: median mononeuropathy of the hand. *Am J Phys Med Rehabil* 81(6):421-3.
- ***Craig A, Chen K, Bandy D, Reiman E (2000):*** Thermosensory activation of the insular cortex. *Nat Neurosci*;3:184-90.
- ***Ebenbichler GR, Resch KL, Nicolakis P, Wiesinger GF, Uhl F, Ghanem AH, Fialka V (1998):*** Ultrasound treatment for treating the carpal tunnel syndrome: randomized "sham" controlled trial. *BMJ*. Mar 7;316(7133):731-5.
- ***El Miedany Y, Ashour S, Youssef S, Mehanna A, Meky FA (2008):*** Clinical diagnosis of carpal tunnel syndrome: old tests-new concepts. *Joint Bone Spine*. Jul;75(4):451-7.
- ***El Miedany YM, Aty SA, Ashour S (2004):*** Ultrasonography versus nerve conduction study in patients with carpal tunnel syndrome: Substantive or complementary tests? *Rheumatology (Oxford)*. 43(7):887-95.
- ***Freedman J (2002):*** Acupuncture for carpal tunnel syndrome. *Acupunct Med* Mar;20(1):39-40.
- ***George S, Phalen (1996):*** The Carpal-Tunnel Syndrome: Seventeen Years' Experience In Diagnosis And Treatment Of Six Hundred Fifty-Four Hands. *J Bone Joint Surg Am*; 48:211.

References

- ***Gooch C and Mitten D (2005):*** Treatment of carpal tunnel syndrome: is there a role for local corticosteroid injection? Neurology.
- ***Gerritsen AA, de Vet HC, Scholten RJ, Bertelsmann FW, de Krom MC, Bouter LM (2002):*** Splinting vs surgery in the treatment of carpal tunnel syndrome: a randomized controlled trial. JAMA. Sep 11;288(10):1245-51.
- ***Gray, Henry (1918):*** Anatomy of the human body. Bartelby.com, Philadilphia: Lea & Febiger.
- ***Guo GF, Tian JH, Wang X, Fang X, Fang Y, Hou Y, Han J (1996):*** Brain substrates activated by electroacupuncture of different frequencies. I. Comparative study on the expression of oncogen c-fos and genes coding for three opioid peptides. Brain Res Mol Brain Res ;43:157-66.
- ***Han JS (2003):*** Acupuncture: neuropeptide release produced by electrical stimulation of different frequencies. Neuroscience. 26:17-22.
- ***Han JS (2004):*** Acupuncture and endorphins. Neurosci Lett. 361:258-61.

References

- ***Han JS, Tang J, Huang BS (1979):*** Acupuncture tolerance in rats: antiopiate substrates antiopiate substrate implicated. Chin Med J;92:625-7.
- ***Hansen PA, Micklesen PJ, Robinson LR (2004):*** Clinical utility of the flick maneuver in diagnosing carpal tunnel syndrome. Am j Phys Med Rehabil 83:363-7.
- ***Hsieh JC, Tu CH, Chen FP (2001):*** Activation of the hypothalamus characterizes the acupuncture stimulation at the analgesic point in human: a positron emission tomography study. Neurosci Lett;307:105-8.
- ***Hui KKS, Liu J, Marina O, Napadow V, Haselgrove C, Kwong KK, Kenndy DN, Makris N (2005):*** The integrated response of the human cerebro-cerebellar and limbic systems to acupuncture stimulation at ST 36 as evidenced by Fmri. Neuroimage 27:479-96.
- ***Jablecki CK, Andry MT, Floeter MK (2002):*** Second AAEM literature review of the usefulness of nerve conduction studies and needle electromyography of the evaluation of patients with carpal tunnel syndrome. Muscle Nerve;26:S1-53.
- ***Jarvik JG, Comstock BA, Kliot M, Turner JA, Chan L, Heagerty PJ, Hollingworth W, Kerrigan CL, Deyo RA (2009):*** Surgery versus non-surgical therapy for carpal tunnel syndrome: a randomised parallel-group trial. Lancet. Sep 26;374(9695):1074-81.

References

- ***Johnson's (2007):*** Practical electromyography, William spease, Henry lew and Ernest Johnson editors, fourth edition, Lippincot Williams and wilkins Philadelphia.
- ***Kaufman MA (1996):*** Differential diagnosis and pitfalls in electrodiagnostic studies and special tests for diagnosing compressive neuropathies. Orthop Clin Norh Am;27(2):245-52.
- ***Kaul Mp, Pagel KJ (2002):*** Value of the lumbrical-interosseous techniques in carpal tunnel syndrome. Am J Phys Med Rehabil 81:691-5.
- ***Keles I, Karagulle Kendi AT, Aydin G, Zog SG, Orkun S (2005):*** Diagnostic precision of ultrasonography in patients with carpal tunnel syndrome. Am J Phys Med Rehabil 84(6):443-50.
- ***KeirPJ, Rempel DM (2005):*** Pathomechanics of peripheral nerve loading. Evidence in carpal tunnel syndrome. J Hand Ther 18:259-269.
- ***Kiylioglu N, Akyol A, Guney E, et al. (2005):*** Sympathetic skin response in idiopathic and diabetic carpal tunnel syndrome. Clin Neurol Neurosurg 108:1-7.
- ***Koyuncuoglu HR, Kutluhan S, Yesildag A, Oyar O, Guler K, Ozden A (2005):*** The value of ultrasonographic measurement in carpal tunnel syndrome in patients with negative electro diagnostic tests. Eur J Radiol 56(3): 365-9.

References

- **Kotani N, Hashimoto H, Sato Y, Sessler DI, Yoshioka H, Kitayama M, Yasuda T, Matsuki A (2001):** Preoperative intradermal acupuncture reduces postoperative pain, nausea and vomiting, analgesic requirement, and sympathoadrenal responses. *Anesthesiology*;95:349-56.
- **Kuschner SH, Ebrahimzadeh E, Johnson D, Brein WW, Sheran R (1992):** Tinel's sign and Phalen's test in carpal tunnel syndrome. *Orthopedics*;15(11):1279-302.
- **LaBan V, Friedman NA, Zemenick GA (1986):** Median nerve stress test in chronic carpal tunnel syndrome. *Arch Phys Med Rehabil*;67(11):803-4.
- **Langevin HM, Churchill DL, Fox JR, Badger GJ, Garra BS, Krag MH (2001):** Biomechanical response to acupuncture needling in humans. *J Appl Physiol*;91:2471-8.
- **Lew H, Wang L, Robinson LR (2000):** Test-retest of the combined sensory index: muscle nerve test-retest reliability of combined sensory index. Implications for diagnosis carpal tunnel syndrome. *Muscle Nerve* 23(8):1261-4.
- **Lin JG, LoMW, Wen YR, Hsieh CL, Tsai SK, Sun WZ (2002):** The effect of high and low frequency electroacupuncture in pain after lower abdominal surgery. *Pain*;99:509-14.
- **Liu G, Akira H (1994):** Basic principle of TCM. In Liu G, Akira H, eds. *Fundamentals of acupuncture and moxibustion*. Tianjin, China:

References

Tianjin science and technology translation and publishing corporation.

- ***Liu WC, Feldman SC, Cook DB, Hung DL, Xu T, Kalnin AJ, Komisaruk BR (2004):*** fMRI study of acupuncture-induced periaqueductal gray activity in humans. *Neuroreport*;15:1937-40.
- ***Ly-Pen D, Andreu JL, De Blas G, Sanchez-Olaso A, Millan I (2005):*** Surgical decompression versus local steroid injection in carpal tunnel syndrome: a one-year, prospective, randomized, open, controlled clinical trial. *Arthritis Rheum* 52(2):612-9.
- ***Mayer DJ (1977):*** Antagonism of acupuncture analgesia in man by the narcotic antagonist naloxone. *Brain Res*;121:368-72.
- ***Moghtaderi A, Izadi S, Sharafadinzadeh N (2005):*** An evaluation of gender, body mass index, wrist circumference and wrist ratio as independent risk factors for carpal tunnel syndrome. *Acta Neurol Scand* 112(6)375-9.
- ***Mondelli M, Giannini F , Giacchi M (2002):*** Carpal tunnel syndrome incidence in a general population. *Neurology* 58.(2):289-294.
- ***Mondelli M, Reale F, Pauda R and April I (2001):*** Clinical and neurophysiological outcome of surgery in extreme carpal tunnel syndrome. *Clin.Neurophysiol.* 112:237.

References

- **Mondelli V, Zeitlmann H (2006):** Carpal tunnel syndrome during pregnancy. *Second J Plast Reconstr Surg Hand Surg*;40(1):41-5.
- **Muller M, Tsui D, Schnurr R, et al. (2004):** Effectiveness of hand therapy interventions in primary management of carpal tunnel syndrome: a systematic review. *J Hand Ther* 17:210-228.
- **Naeser MA, Hahn KA, Lieberman BE, Branco KF (2002):** Carpal tunnel syndrome pain treated with low-level laser and microamperes transcutaneous electric nerve stimulation: A controlled study. *Arch Phys Med Rehabil*. Jul;83(7):978-88.
- **Naidu SH, Fisher J, Heistand M, Kothari MJ (2005):** Median nerve function in patients undergoing carpal tunnel release: pre- and post-op nerve conductions. *Electromyogr Clin Neurophysiol* 43(7):393-7.
- **Napadow V, Webb M, Hammerschlag R (2006):** Neurobiological correlations of acupuncture. *J Altern Complement Med* 12:931-5.
- **Nathan PA, Meadows KD, Doyle LS (1988):** Occupation as a risk factor for impaired sensory conduction of the median nerve at the carpal tunnel. *J Hand Surg (Br)*;13(2):167-70.
- **Newberg AB, Lariccia PJ, Lee BY, Farrar JT, Lee L, Alavi A (2005):** Cerebral blood flow effects of pain and acupuncture: a preliminary single-photon emission computed tomography imaging study. *J Neuroimaging* 15:43-9.

References

- **Okutsu I, Ninomiya S, Takatori Y et al., (1989):** Endoscopic management of carpal tunnel syndrome. *Arthroscopy*;5(1):11-8.
- **Oztas O, Turan B, Bora I, Karakaya MK (1998):** Ultrasound therapy effect in carpal tunnel syndrome. *Arch Phys Med Rehabil.* Dec;79(12):1540-4.
- **Palmer DH, Hanrahan LP (1995):** Social and economic costs of carpal tunnel surgery. *Instr Course Lect*;44:167-72.
- **Palmer KT, Harris EC, Coggon D (2007):** Carpal tunnel syndrome and its relation to occupation: a systemic literature review. *Ossup Med (Lond).* 57(1):57-66.
- **Pariante J, White P, Frackowiak RSJ, Lewith G (2005):** Expectancy and belief modulate the neuronal substrates of pain treated by acupuncture. *Neuroimage* 25:1161-7.
- **Park TA, Welshofer JA, Dzwierzynski WW, et al. (2001):** Median 'pseudoneurapraxia' at the wrist: reassessment of palmer stimulation of the recurrent median nerve. *Arch Phys Med Rehabil* 82:190-7.
- **Patterson JD, Simmons BP.(2002):** Outcomes assessment in carpal tunnel syndrome. *Hand Clin.* 18(2):359-63.viii.
- **Phalen CM (1966):** The carpal-tunnel syndrome. Seventeen years' experience in diagnosis and treatment of six hundred fifty-four hands. *J Bone Joint Surg Am.* 48(2):211-28.

References

- ***Piravej K, Boonhong J (2004):*** Effect of ultrasound thermotherapy in mild to moderate carpal tunnel syndrome. J Med Assoc Thai. Sep;87 Suppl 2:S100-6.
- ***Pomeranz B, Chiu D (1973):*** Naloxone blockade of acupuncture anal gesia: endophrin implicated. Life Sci;19:1757-62.
- ***Putz-Anderson, Vern B, Bernard B et al., (1997):*** Musculokeletal disorders and workplace factprs: A critical review of epidemiologic evidence for work related musculokeletal disorders of the neck, upper extremity and low back. U.S Department of Health and Human Services, Puplic Health Service, Centers for Disease Control and prevention, National Institute for Occupational Safety and Health.
- ***Racasan O, Dubert T (2005):*** The safest location for steroid injection in the treatment of carpal tunnel syndrome. J Hand surg (Br) 30(4):412-4.
- ***Radwin RG, Sesto ME, Zachary SV (2004):*** Functional tests to quantify recovery following carpal tunnel release. J Bone Joint Surg AM. 86-A(12):2614-20.
- ***Rampel D, Evanoff B, Amadio PC et al., (1998):*** Consensus criteria for the classification of carpal tunnel syndrome in epidemiologic studies. Am J Public Health;88(10):1447-51.

References

- **Raudino F (2000):** Tethered median nerve stress test in the diagnosis of carpal tunnel syndrome. *Electromyogr Clin Neurophysiol* 40(1):57-60.
- **Robert B and Emanuel WH (2001):** Acupuncture for carpal tunnel syndrome, *Canadian family physician*. 47:547-549.
- **Robinson LR, Micklesen PJ, Wang L (2000):** Optimizing the number of tests of carpal tunnel syndrome. *Muscle Nerve* 23:1880-2.
- **Sax TW, Rosenbaum RB (2006):** Neuromuscular disorders in pregnancy. *Muscle Nerve*. 34(5):559-71.
- **Schrijver HM, Gerritsen AA, Strijers RL, et al. (2005):** Correlating nerve conduction studies and clinical outcome measures on carpal tunnel syndrome: lessons from a randomized controlled trial. *J Clin Neurophysiol* 22(3):216-21.
- **Sjolund BH, Ericksson M (1977):** Increased cerebrospinal fluid levels of endorphins after electroacupuncture. *Acta Physiol Scand*;100:382-4.
- **Tay LB, Urkude R, Verma KK (2006):** Clinical profile, electrodiagnosis and outcome in patients with carpal tunnel syndrome: a Singapore perspective. *Singapore Med J*. Dec;47(12):1049-52.

References

- **Thoma A, Veltri K, Haines E, Duku E (2004):** A systemic reviews comparing the effectiveness of endoscopic and open carpal tunnel decompression. *Plast Reconstr Surg* 113(4):1184-91.
- **Ulett GA, Han S, Han JS (1998):** Electroacupuncture: mechanisms and clinical application. *Biol Psychiatry*. 44, 129–38.
- **Wang AA, Hutchinson DT, Vanderhooft JE (2003):** Bilateral simultaneous open carpal tunnel release: a prospective study of postoperative activites of daily living and patient satisfaction. *J Hand Surg [AM]* 28(5):845-8.
- **Wee AS (2002):** Needle electromyograpgy in carpal tunnel syndrome. *Electromyogr Clin Neurophysiol* 42(4):253-6.
- **Werner RA, Andary M (2002):** Carpal tunnel syndrome: pathophysiology and clinical neurophysiology. *Clin Neurophysiol* 113:1373-1381.
- **Wu MT, Sheen JM, Chaung KH, Yang P, Chin SL, Tsai CY, Chen CJ, Liao JR, Lai PH, Chu KA, Pan HB, Yang CF (2002):** Neuronal specificity of acupuncture response: an fMRI study with eletroacupuncture. *Neuroimage*;16:1028-37.
- **Yang CP, Hsieh CL, Wang NH, Li TC, Hwang KL, Yu SC, Chang MH (2009):** Acupuncture in patients with carpal tunnel syndrome: A randomized controlled trial. *Clin J Pain*. May;25(4):327-33.

References

- *Zhang W, Jin Z, Huang J, Ahang YW, Luo F, Chen AC, Han JS (2003):* Modulation of cold pain in human brain by electric acupoint stimulation: evidence from fMRI. *Neuroreport*;14:1591-6.
- *Zhang WT, Jin Z, Huang J, Ahang YW, Luo F, Chen AC (2003):* Relations between brain network activation and nalgestic effect induced by low vs. high frequency electrical response imaging study. *Brain Res*;289:168-78.