

REFERENCES

REFERENCES

- Adam, R. Hendy, G.M.A.; Moss, J.; Wild, S.R. and Gillespie, I. (1986):* Arthrosonography of the irritable hip in childhood : A review of 1 year's experience. Br. J. Radiol., 59 : 205 – 8.
- Aisen, A.M.; McCune, W.J.; MacGuire, A.; Carson, P.L.; Silver, T.M.; Jafri, S.Z. Martel, W. (1984):* Sonographic evaluation of the cartilage of the knee. Radiology, 153 : 781-4.
- Alarcon, G.S.; Lopez – Ben, R.; Moreland, L.W. (2002):* High resolutional ultrasound for the study of target joints in rheumatoid arthritis. Arthritis Rheum., 46 : 1969 – 81.
- Altun, S.; Kasapcopur, O.; Aslan, M.; Karaarslan, S.; Kamburoglu – Goksel, A.; Saribas, S.; Arisoy, N.; Kocazeybek, B. (2004):* Diagnostic accuracy of anti-cyclic citrullinated peptide antibodies in juvenile idiopathic arthritis. Ann Rheum Dis.; 63 : 1687 – 1689.
- Andre, M.; Hagelberg, S.; Sternström, C.H. (2001):* Education in the management of juvenile chronic arthritis: changes in self – reported competencies among adolescents and parents of young children. Scand J Rheumatol; 30: 323-327.
- Argyropoulou, M.I.; Fanis, S.L.; Tenakis, T.; Efremidis, S.C. and Simopoulou, A. (2002):* The role of MRI in the evaluation of hip joint disease in clinical subtypes of juvenile idiopathic arthritis. British Journal of Radiology, (75) : 229 – 233.

- Arnette, F.C. (1992):** Rheumatoid arthritis. In : Cecil Textbook of Medicine. Wyngaarden JB, Smith – L and Bennet JC, 19th ed., WB Saunders, Philadelphia, 1508.
- Bacon, M.C.; Nicholson, C.; Binder, H. et al. (1991):** Juvenile rheumatoid arthritis: aquatic exercise and lower extremity function. Arthritis care Res; 4: 102 –105.
- Balint, P. and Sturrock, R.D. (1997):** Musculoskeletal ultrasound imaging .Anew diagnostic tool for the rheumatologist. British Journal of Rheumatology, 36 : 1141 –2 .
- Balint, P.V. and Sturrock, R.D. (2001):** Intra-observer repeatability and interobserver reproducibility in musculoskeletal ultrasound imaging measurements. Clin Exp Rheumatol., 19 : 89 – 92.
- Banney, L.; Silva, B.; Uttley, S. and Luqmani, R. (2000):** Pseudoporphyria and non -steroidal anti -inflammatory agents in children with juvenile idiopathic arthritis. Pediatr. Dermatol., 17 : 480.
- Barbuti, D. ; Bergami, G. ; Vecchioliscaldazza, A. (1997):** Radiol Med. (Torino) 1997 Jan – Feb; 93 (1-2): 27 : 32.
- Barlow, J.W.; Shaw, S.L. and Wright, C.C. (2001):** Development and preliminary validation of a children's arthritis self efficacy scale. Arthritis Rhcum; 45 – 159.
- Barnes, L.W. (1988):**Physical therapy management of juvenile arthritis, in Banwell F. Gall V (eds). Physical therapy Management of Arthritis. New York, Churchill Livingstone, pp 159-194.

- Beighton, P.; De Paepe, A.; Steinmann, B. et al. (1998) :* Ehlers – Danlos syndrome : revised nosology, Villefranche(1997). Ehlers–Danlos National Foundation (USA) and Ehlers – Danlos support Group UK. Am J Med Genet. 77 : 31.
- Belay, E.; Bresee, J.S. and Holmann, R.C (1999):* Reye's syndrome in the United States from 1981 through 1997. N Engl J Med; 340 : 1377.
- Bell, J.M.; Ross, F.G.; Mackenzie, S. Goddard P.K. . (1985) :* The swollen leg: Ultrasonic demonstration of non- thrombotic causes. Postgrad Med J, 61: 23- 27.
- BenChetrit, E. and Levy, M. (1998):* Colchicine Up date. Semin Arthritis Rheum, 28 : 48 – 59.
- Benezra, D.; Cohen, E. and Maftzir G. (2001):* Pattern of intra- ocular inflammation in children. Bull Soc Belge Ophthalmol.;279: 35.
- Bianca, A.S.; Noralkoff, A.A. and Homermon, P. (1990):* Pathologic aspects of JRA. Arthritis Rheum.; 20: 271 –76.
- Bierma, S.M.A.; Bohnen, A.M.; Verhaar, J.A.N.; Prins, A.; Ginai – Karamat, A.Z. and Laméris, J.S. (2000):* Sonography for hip joint effusion in adults with hip pain. Ann Rheum Dis; 59 : 178 – 182.
- Bleyer, W.A. (1998):* Methotrexate induced lymphoma. J. Rheum;(25)- 404-7.
- Bresnihan, B. (2002):* Rheumatoid arthritis : principles of early treatment. J. Rheumatol., 29 (suppl. 66) : 9 – 12.

- Bresnihan, B. and Kane, D. (2004):* Sonography and subclinical synovitis. *Ann Rheum Dis.*; 63 : 333 – 334.
- Brewer, E.J.; Giannini, E.H.; Person, D.A. (1984):* Manifestações clínicas da artrite reumatóide juvenil . In : *Juvenile Rheumatoid Arthritis*. São Paulo, Manole, 1 – 59.
- Brooks, C.D. (2001):* Sulfasalazine for management of JRA. *J. Rheumatol.*; 28 : 845.
- Buehler, M. and bird, C.B. (1986):* Posterior leg sepsis associated with pyogenic arthritis of the knee. A report of two cases. *Clin Orthop Related Res*, 209 : 172 – 175.
- Calabro, J.J. (1989):* Juvenile rheumatoid arthritis. In : *A textbook of Rheumatology*. Calabro, JJ, 11th edition, W.B. Saunders, Philadelphia, 913.
- Canoso, J.J. (2000):* Ultrasound imaging – a rheumatologists’ dream. *J Rheumatol.*, 27 : 2063 – 4.
- Cassidy, J.T. (1997):* Juvenile rheumatoid arthritis. In : Ruddy, S. Harris, ED. Jr., Sledge, c.b.(eds). *Kelleys textbook of Rheumatology*. Philadelphia, W.B. Saunders Co.4th ed. Volume III. Chapter 74:1207.
- Cassidy, J.T. (1999):* Medical management of children with juvenile rheumatoid arthritis. *Drugs.*, 58 : 831 – 850.
- Cassidy, J.T. (2001):* Juvenile rheumatoid arthritis, in Ruddy, S. Harris, E.D. Jr., Sledge, C.B. (eds). *Kelley’s Textbook of Rheumatology*. Philadelphia, W.B. Saunders Co. 6th ed., 1297-1313.

- Cassidy, J.T. (2005):* Systemic lupus erythematosus, Juvenile Dermatomyositis, Scleroderma, and vasculitis. In Harris E.D, Budd R.C., Genovese M.C. et al. (eds): Kelley's Textbook of Rheumatology. 7th ed. Philadelphia, pp. 97 – 1616.
- Cassidy, J.T. and Petty, R.E. (2001):* Juvenile rheumatoid arthritis. In: Textbook of Pediatric Rheumatology, 4th ed., Philadelphia, Saunders, WB, pp. 218- 321
- Cassidy, J.T. and Petty R.E. (1995):* Juvenile rheumatoid arthritis in Textbook of Pediatric Rheumatology, third edition. Philadelphia, London, Toronto, Montreal, Sydney and Tokyo, W.B. Saunders Company, 133- 207.
- Cassidy, J.T.; Levinson, J.E.; Bass, J.C.; Cassidy, J.T.; Levinson, J.E.; Bass, J.C.; Baum, J.; Brewer, E.J. Jr., Fink, C.W.; Hanson, V. Jacobs, J.C.; Masi, A.T.; Schaller, J.G. et al. (1986):*a study of classification criteria for a diagnosis of juvenile rheumatoid arthritis. Arthritis Rheum; 29 : 274.
- Cassidy, J.T.; Medgood, R.Z.; Rose, L.M. and Ochs, H.D. (1989):* Pediatric rheumatic diseases. J Rheumatol.; 65; 2: 109 – 115.
- Celiker, R.; Bal, S. Bakkaloglu, A. et al. (2003):* Factors playing a role in the development of decreased bone mineral density in juvenile chronic arthiritis. Rheumatol Int ; 23 : 127 –129.
- Cellerini, M.; Salt, S.; D'Elia, G.; Villari, N. (1999) :* Correlation between clinical and ultrasound assessment of the knee in children with mono-articular or pauci- articular juvenile rheumatoid arthritis. Pediatr Radiol., 29 : 117 – 123.

- Charmley, P.; Nepom, B.S. and Cancannon, P. (1994):* HLA and T-cell receptor, B- chain DNA, polymorphisms identify a distinct subset of patients with pauciarticular onset JRA. *Arthritis Rheum*: 37 : 695.
- Chhem, R.K.; Kaplan, P.A. and Dussault, R.G. (1994):* Ultrasonography of the musculoskeletal system. *Radiologic Clinics of North America*. 32: 275- 289.
- Corbetti, F.; Schiavon, F. and Fiocco U. (1985) :* Unusual antefemoral dissecting cyst. *Br j Radiol*. 58 : 675 – 677.
- Creamer, P.; Keen, M.; Zananiri, F.; Waterton, J.C.; Maciewicz, R.A.; Oliver, C.; Dieppe, P. and Watt, I. (1997):* Quantitative magnetic resonance imaging of the knee : a method of measuring response to intrarticular treatment. *Ann Rheum Dis* ;56:378-381
- Cron, R.Q.; Sherry, D.D. and Wallace, C.A. (1998):* Methotrexate induced hypersensitivity pneumonitis in a child with JRA. *Journal of pediatrics*; 132 : 901 -2 .
- Curry, T.S.; Dowdey, J.E. and Murry, R.C. (1990):* Ultrasound in: Christensens Physics of Diagnostic Radiology, 4th ed. Philadelphia, Lea & Febiger.
- David, J. (1991):* Amyloidosis in juvenile chronic arthritis. *Clin Ep Rheumatol*; 9: 73 – 8.
- De Silva, M.; Kyle, V. and Hazelman, B. (1986):* Assessment of inflammation in the rheumatoid joint : Correlation between clinical, radioisotopic and thermographic methods. *Ann Rheum Dis*; 45 : 227 – 80.

- Deschênes, G.; Prieur, A.M.; Hayem, F.; Broyer, M.; Gubler, M.C. (1990):* Renal amyloidosis in juvenile chronic arthritis: evaluation after chlorambucil treatment. *Pediatr Nephrol*, 4: 463 – 9.
- Dillehay, G.L; Deschler, T.; Rogers, L.F (1984):* The ultrasonographic characterization of tendons. *Invest Radiol*. 19: 338 – 341.
- ECHO (2003):* Intraarticular steroids can control juvenile idiopathic arthritis. *Ann. Rheum. Dis.*, 62 : 889.
- Egund, N.; Wingstrand, H.; Forsberg, L.; Petterson, H. and Sunden, G.(1986):* Computed tomography and ultrasonography for diagnosis of hip joint effusion in children *Acta Orthop Scand.*, 57 : 211 – 215.
- El-Miedany, Y.M.; Housny, I.H.; Mansour, H.M.; Mourad, H.G. and Mehanna, A.M.N. (2001):* Ultrasound versus MRI in the evaluation of juvenile idiopathic arthritis of the knee. *Joint Bone Spine*; 68 : 222 – 30.
- Emery, H.M.; Bowyer, S.L. (1991):* Physical modalities of therapy in pediatric rheumatic diseases. *Rheum Dis clin North Am*; 17 : 1001 –1014.
- Emery, H.M.; Bowyer, S.L. and Sisung, C.E. (1995):* Rehabilitation of the child with a rheumatic disease, *Pediatr Clin North Am*, 42 : 1263 – 1283.
- Esselinckx, W.; Trigaux, J.P.; Maldague, B.. (1986):* Sciatic neuropathy at the popliteal fossa: Clinical, ultrasonographic and computed tomographic diagnosis. *Clin. Rheumatol*, 5: 107 – 111.

European League Against Rheumatism: EULAR Bulletin No. 4 (1977):

Nomenclature and classification of arthritis in children. Basel National Zeitung AG.

Falcini, F.; Trapani, S.; Turchini, S. et al. (1997): Immunological findings in Kawasaki disease : An evaluation in a cohort of Italian Children. Clin Exp Rheumatol 15 : 685 – 689.

Fedrizzi, M.S.; Ronchezel, M.V.; Hilario, M.O.E.; Lederman, H.M.; Sawaya, S.; Goldenberg, J. and Sole, D. (1997): Ultrasonography in the early diagnosis of hip joint involvement in juvenile rheumatoid arthritis. J. Rheumatol.; 24(9):1820– 25.

Fernandez - Vina, M.; Fink, C.W. and Stastny, P. (1990): HLA antigens in juvenile rheumatoid arthritis, pauciarticular and polyarticular juvenile arthritis are immunologically distinct. Arthritis Rheum., 33: 1787.

Fessel, W.J. (1988): Epidemiology of systemic lupus erythematosus. Rheum Dis Clin North. Am. 14 : 15 – 23.

Field, T.; Hernandez- Reif, M.; Seligman, S. et al. (1997): Juvenile rheumatoid arthritis: benefits from massage therapy. J pediatri psychol; 22: 607- 617.

Field, T.; Morrow, C.; Valdeon, C. et al. (1992): Massage reduces anxiety in child and adolescent psychiatric patients. J. Am. Acad Child Adolesc Psychiatry, 31 : 124 – 131.

Filippucci, E.; Unlu, Z; Farina, A. and Grassi, W.(2003): Sonographic training in rheumatology : a self teaching approach. Ann Rheum Dis; 62 : 565 – 567.

- Fiocco, U.; Cozzi, L.; Rubaltelli, L.; Rigon, C.; DeCandia, A. et al. (1996) :* Long-term sonographic follow-up of rheumatoid and psoriatic proliferative knee joint synovitis. *Br J Rheumatol*; 35 : 155 – 63.
- Foell, D.; Frosch, M.; Schulze Zur Wiesch, A.; Vogl, T.; Sorg, C. and Roth, J. (2004):* Methotrexate treatment in juvenile idiopathic arthritis : When is the right time to stop ? *Ann Rheum Dis*; 63 : 206 – 208.
- Fornage, B.D.; Rifkin, M.D. and Touché, D. (1984):* sonography of the patellar tendon : preliminary observations. *AJR*, 143 : 179 – 182.
- Friedmans, S. and Gruber, M.A. (2002):* Ultrasonography of the hip in the evaluation of children with seronegative juvenile rheumatoid arthritis. *J Rheumatol.*, 29 (3) : 629 – 32.
- Frosch, M., Foel, D.; Ganser, G.; Roth, J. (2003) :* Arthrosonography of hip and knee joints in the follow up of juvenile rheumatoid arthritis. *Ann Rheum Dis* ;62:242-244.
- Furst, D.E.; Breedveld, F.c.; Kalden, J.R.; Smolen, J.S.; Burmester, G.R.; BiJlsma, J.W. and Dougados, M. (2005):* Updated consensus statement on biological agents, specifically tumour necrosis factor α (TNF- α) blocking agents and interleukin-1 receptor antagonist [IL-1 ra], for the treatment of rheumatic diseases. *Ann Rheum Dis*.; 64 (Suppl -4): iv 2 – iv 14.

- Gaby, G.; Prieur, A.M. and Meyer, E. (1993):* Occurrence of antiperinuclear, antikeratin and ant.RA33 antibodies in JCA. *Ann Rheum Dis.*52:785-789.
- Gäre, B. A. and Fasth, A. (1995):* The natural history of juvenile chronic arthritis: a population based cohort study. II Outcome. *J Rheumatol*, 22: 308 –19.
- Gäre, B.A. (1998):* Epidemiology. *Baillieres Clin Rheumatol*. May.; 12 (2) : 141 – 208.
- Gäre, B.A.; Fasth, A.; Perez, G. and Blaser, M. (1992):* The natural history of juvenile rheumatoid arthritis. *J Rheumatol.*; 19, 3: 105 – 125.
- Gazarian, M.; Feldman, B.M.; Benson, L.N. et al. (1998):* Assessment of myocardial perfusion and function in childhood systemic lupus erythematosus. *J Pediatr.*, 132 : 109 – 116.
- Gedalia, A.; Preson, D.A.; Brewer, E.J. Jr et al. (1985):* Hypermobility of the joints in juvenile episodic arthritis. *J Pediatr* 107:873.
- Gerloni, V.; Pontikaki, I.; Desiati, F.; Lup, E.; Gattinara, M.; Fantini, F. (2000) :* Infliximab in the treatment of persistently active refractory juvenile idiopathic arthritis. *Ann Rheum Dis.*; 59 : abstract, 740.
- Germain, R.N. (1994):* MHC-dependent antigen processing and peptide presentation : providing ligands for T-lymphocytes activation: *Cell*; 76 : 287.



- Giannini, E.H. and Cawkwell, G.D. (1995):* Drug treatment in children with juvenile rheumatoid arthritis : post, present and future. *Pediatr Clin North Am.*; 42 : 1099 – 125.
- Giannini, E.H.; Malagon, C.N.; Van Kerckhove, C.; Taylor, J.; Lovell D.J. et al. (1991):* Longitudinal analysis of HLA associated risks for iridocyclitis in juvenile rheumatoid arthritis. *J Rheumatol*, 18 : 1394-7.
- GiboFsky, A. and Zabriskie, J. (2005):* Acute rheumatic fever and post streptococcal arthritis. In Harris ED, Budd RC, Genovese MC, et al. (eds): *Kelley's Textbook of Rheumatology*, 7th ed. Philadelphia, PP : 1684 – 1686.
- Goldstein, A.R.; White, R.H.; Akuse, R. et al. (1992):* Long term follow up of childhood Henoch-Schönlein nephritis. *Lancet*. 339 : 280 – 282.
- Gomples, B.M.; Darlington, L. G. (1982):* Evaluation of popliteal cysts and painful calves with ultrasonography: Comparison with arthrogrpahy. *Ann Rheum Dis*, 41 : 355 – 359.
- Gortmaker, S. (1984):* Chronic childhood disorders. Prevalence and impact *Ped Clin North. Am.*; 31 : 3 – 18.
- Grassi, W. and Cervini, C. (1998):* Ultrasonography in rheumatology : an evolving technique. *Ann. Rheum. Dis.*, 57 : 568 – 271.
- Grassi, W.; Core, P.; Mundo, A.; Cervini, C. (1996) :* Painful knee in rheumatology : role of ultrasound evaluation *Rev ESp Rheumatol.*, 23 : 252 – 7.

- Grateau, G. (2000):* The relation between Familial Mediteranean Fevr and amyloidosis. *Curr Opin Rheumatol.*, 12 : 61 – 64.
- Grom, A.A.; Murray, K.J. and Lyurink, L. (1996):* Pattern of expression of tumor necrosis factor alpha, tumor necrosis factor beta and their receptors in synovia of patients with JRA and juvenile. Spondyloarthropathy; 34 : 1703.
- Guesry, P.; Lenoir, G. and Broyer, M. (1977):* Effects of long term use of immunosuppressives on reproduction (proceedings). *Arch Fr Pediat*, 34 : 792 – 8 .
- Guillaume, S.; Prieur, A.M.; Coste, J.; JobDeslandre, C. (2000):* Long term outcome and prognosis in oligoarticular onset JIA. *Arthritis Rheum*, 43 : 1858 – 65.
- Hafner, R.; Truckenbrodt, H.; Spamer, M. et al. (1998):* Rehabilitation in children with juvenile chronic arthritis. *Ballieres clin Rheumatol*; 12: 329 –361.
- Hallé, F.; Marfil, F. and Sioufi, A. (1991):* Pharmacokinetics of pirprofen in children with juvenile chronic arthritis. *Eur J Drug Metab pharmacokinet*, 16: 29 – 34.
- Hamilton, M.L.; Schare, A. and Karen, G. (1999):* Juvenile Rheumatoid Arthritis. *Ann Rheum.Dis*, 49; 9 : 694 – 12.
- Hammer, M.; Mielke, H. and Wagener, P. (1986):* Sonography and NMR imaging in rheumatoid gonarthritis. *Scan J Rhematol*; 15: 157 – 164.

- Hannah, R.E.; Cottrill, S.D. (1985):* The Canadian collar: a new cervical spine orthosis. Am J occupy ther : 39: 171 –177.
- Harper, J.; Schubert, F. and Benson, M.D. (1982):* Ultrasound and arthrography in detection of ruptured Baker's cysts. Australas. Radiol. 26: 281- 283.
- HaSkès, P.J.; Balistreri, W.F.; Bove, K.E.; Ballard, E.T. and Passo, M.H. (1997):* The long term side effects of methotrexate therapy on the liver in patients with juvenile rheumatoid arthritis. Arthritis Rheum, 40 : 2226 – 34.
- Hervé-Somma, C.M.P.; Sebag, G.H.; Prieur, A.M.; Bonnerot, V. and Lallemand, D.P. (1992):* Juvenile rheumatoid arthritis of the knee : MR evaluation with Gd-Dota. Radiology, 182 : 93 – 98.
- Hoffman, G.S.; kerr, G.S. and Leavitt, R.Y. (1992):* Wegener granulomatosis: an analysis of 158 patients. Ann Int Med; 116 : 488 – 98.
- Hollister, J.R. (1997):* The pathology of cartilage in juvenile rheumatoid arthritis. In Miller JJ III, Ed. Juvenile rheumatoid arthritis. Littleton, Mass : PSG, P. 83 – 9.
- Horneff, G.; Forster, J.; Seyberth, H.W.; Michels, H. (2001):* Recommendations by the Pediatric and Adolescent Rheumatology Study Committee on therapy with Etanercept (p75 TNF-alpha receptor immunoglobulin fusion protein.. Z. Rheumatol.; 59 : 365 -9.

- Horneff, G.; Schmeling, H.; Biedermann, T.; Foeldvari, I. et al. (2004):* The german etanercept registry for treatment of juvenile idiopathic arthritis. *Ann Rheum Dis*; 63 : 1638 – 1644.
- Houri, J.M. and O'Sullivan, F.X. (1998):* Animal models in R.A. *Curr Opin Rheumatol.*, 7 : 201.
- Huppertz, H.I.; Karch, H. and Heisemann, J. (2000):* Diagnostic value of synovial fluid analysis in children with JRA. *J Rheumatol.*; 15; 4 : 167 – 70.
- Iagnocco, A.; Coari, G. and Zoppini, A. (1992):* Sonographic evaluation of femoral condylar cartilage in osteoarthritis and rheumatoid arthritis. *Scand J Rheumatol*, 21 : 201.
- Ilowite, N.T. (2002):* Current treatment of juvenile rheumatoid arthritis. *Pediatrics*, 109 (1) : 109 – 15.
- Irdesel, J. (2001):* Juvenil kronik artit'te fizik tedavi ve rehabilitasyon, XVIII : Ulusal Fiziksel Tıp ve Rehabilitasyon Kongresi Özet Kitapçığı. Kemer – Antalya, Turkey, PP. 99 – 103.
- Jacobson, J. A. and Van Holsbeeck, M.T. (1998):* Musculoskeletal ultrasonography. *Orthopedic clinics of North America* 29 : 135 – 165.
- Jacques, P.; Emmanuel, E.; Joël, C. and Francis, G. (2004):* Validity of the childhood health assessment questionnaire is independent of age in juvenile idiopathic arthritis. *Arthritis Rheum*. Vol. (51) :519–526.

- Joos, E. and Veys, E.M. (1991):* Sulfasalazine treatment in JRA : an open study. J Rheumatol.; 18 : 880.
- Kamel, M.; Eid,H. and Mansour, R. (2004):* Ultrasound detection of knee patellar enthesitis: a comparison with magnetic resonance imaging. Ann Rheum Dis; 63 : 213 – 214.
- Kaplen, E.L.; Hong, R. and Baehner, R.L. (1996):* Immunity, allergy and diseases of inflammation. In : Nelson Textbook of Pediatrics, Behrman RE, Kliegman RM and Jensen HB, 15th edition, WB Saunders, Philadelphia,675.
- Kaye, J.J. (1990):* Arthritis : roles of radiography and other imaging techniques in evaluation. Radiology, 177 : 601 – 608.
- Khaffash, F.A. and Majed H.A. (1988):* JRA among Arab children. J.Rheumatol.; 11; 4 : 393 – 7.
- Kimura, Y.; Fieldsten, E.; Li, S. and Imundo, L. (2000):* High dose, alternate day corticosteroids for systemic onset JRA. J. Rheumatol.; 27 : 2018.
- Klepper, S.E. (1999):* Effects of an eight-week physical conditioning program on disease signs and symptoms in children with chronic arthritis a care Re; 12: 52-60.
- Klippel, J.H. (1994):* Juvenile rheumatoid arthritis. In : Rheumatology, Klippel JH and Dieppe PA, 1st edition, Mosby, London, 200.
- Klippel, J.H. (ed). (1998):* Rheumatoid Arthritis: E pidemiology, pathology, and pathogenesis. In : Primer on the Rheumatic Diseases, 11th edition. Atlanta, Georgia: Arthritis Foundation, 1: 155 – 60 .

- Kloiber, R.; Pavlosky, W.; Portner, O. and Gartke. (1983):* Bone scintigraphy of hip joint effusion in children. *AJR*; 140: 995 –9.
- Kollias, G.; Douni, E.; Kassiotis, G. and Kontoyiannis, D. (1999) :* The function of tumour necrosis factor and receptors in model of multi-organ inflammation, rheumatoid arthritis, multiple sclerosis and inflammatory bowel disease. *Ann Rheum Dis*; 59 (suppl 1): 139 -9.
- Kotaniemi, K. ; Savolaninen, A. ; Karma, A. and Aho, K. (2003):* Recent advances in uveitis of juvenile idiopathic arthritis. Major review *Surv ophthalmol*, 48 : 489 – 502.
- Kotaniemi, K.; Kautiainen, M.A.; Heapsaari, J. and Repo, M.L. (2005):* Uveitis in young adults with juvenile idiopathic arthritis : a clinical evaluation of 123 patients. *Ann Rheum Dis*, 64 : 871 – 874.
- Kremer, J.M.; Alarcen, G.S.; Lightfoot, R.W. Jr. et al. (1994):* Methotrexate for rheumatoid arthritis : Suggested guidelines for monitoring liver toxicity. *American College of Rheumatology. Arthritis Rheum*. 31 : 316 – 328.
- Kvien, T.K.; Hoyeraal, H.M. and Sandstad, B. (1985):* Azathioprine versus placebo in patients with juvenile chronic arthritis. *J Rheumatol*, 13 : 113 – 23.
- Laiho, K.; Hannula, S.; Savolainen, A. and Kauppi, M. (2001):* Cervical spine in patients with juvenile chronic arthritis and ankylositis. *Clin Exp Rheumatol*., 19 (3) : 345 – 8.

- Laine, H.R.; Harjula, A. and Peltokallio, P. (1987):* Ultrasound in the evaluation of the knee and patellar regions. J Ultrasound Med., 6 : 33 – 6.
- Lang, B.A.; Schneider, R.; Reilly, B.J.; Silverman, E.D. and Laxer, R.M. (1995):* Radiologic features of systemic onset juvenile rheumatoid arthritis. J Rheumatol., 22 : 168 – 73.
- Lee, D.M. and Schur, P.H. (2003):* Clinical utility of the anti-CCP assay in patients with rheumatic diseases. Ann Rheum Dis.; 62 : 870 – 4.
- Lee, J.L.; Lee, S.K.; Suh, J.S.; Yoon, M.; Song, J.H. and Lee, C.H. (1997):* Magnetic resonance imaging of the wrist in defining remission of rheumatoid arthritis. J Rheumatol., 24 : 1303 – 8.
- Lehman, T.J. (2000):* Childhood rheumatic disease. In Paget S, Gibofsky A, Beary JF et al. (eds): Manual of Rheumatology and Outpatient orthopedic Disorders 4th ed. Philadelphia. Pp. 172 : 182.
- Lemp, M.A. (1995):* Report of the National Eye Institute / Industry Workshop on Clinical trial in dry eye. CLAO; 21 : 211 – 32.
- Leprone, L. and Kiren, V. (2000):* Autologous bone marrow transplantation versus alternative drugs in pediatric rheumatic diseases. Haematologica; 85 : 89.
- Levy, M.L.; Barron, K.S.; Eichenfield, A. and Honig, P.J. (1990):* Naproxen-induced pseudoporphyria: a distinctive photodermatitis. J Pediatr; 117(4):660-4

- Lewis, P.A.; O'Sullivan, M.M.; Rumfeld, W.R.; Coles, E.C.; Jessop, J.D. (1988):* Significant changes in Ritchie scores. *Br J Rheumatol*; 27 : 32 – 6.
- Liang, M.H. and Sturrock, R.D. (1994):* Evaluation of musculoskeletal symptoms in : *Rheumatology*, Klippel JH and Dieppe PA, 1st editon, Mosby, London; 603.
- Lie J.T. (1990):* American College of Rheumatology Subcommittee on Classification of Vasculitis: Illustrated histopathologic classification criteria for selected vasculitis syndromes. *Arthritis Rheum*, 33:1074-1087
- Lietmam, P.S. and Bywater, E.G.I. (1983):* Pediatric in juvenile rheumatoid arthritis. *Pediatrics*; 32 : 855.
- Lin, Y.T.; Tsai, M.J.; Wang, L.H. and Haung, M.T. (2000):* Efficacy and safety of methotrexate therapy for JRA. *J. Formos. Med. Assoc.*, 99 : 623.
- Livneh, A.; Langevitz, P. (2000):* Diagnostic and treatment concerns in Familial Mediteranean Fever. *Bailleres Best Pract Res Clin. Rheumato.*, 14 : 477 – 498.
- Lovell, D.J; Howe, S; Shear, A.; Hartner, S.; McGirr, G. et al. (1989):* Development of a disability measurement tool for juvenile rheumatoid arthritis: The Arthritis Functional Assessment Scale. *Arthritis Rheum*; 32:1390-5
- Loyer, E.M.; Libshit, Z.; Dubrow, R.A. and Charnsangavej, C.(1996):* Radiation change in normal organs: an over view of body imaging. *Eur Radiol*.6:786-95.

- Malleson, P.N. (1997):* Management of childhood arthritis, II : chronic arthritis. Arch Dis Child, 76 : 541 – 544.
- Manger, B. and Kalden, J.R.(1995):* Joint and connective tissue ultrasonography – a rheumatologic bedside procedure? A German experience. Arthritis Rheum.; 38 : 736 – 42.
- Marcelis, S.; Recht, M.P.; Pathria, M.N.; Trudell, D.; Hieghi, P. and Sartoris, D.J.(1993):* Abnormalities of articular cartilage in the knee: analysis of available MR technique. Radiology 187:473-8
- Martinez – Cordero, E.; Orozco, B.G. and Martinez, M.E. (1995):* Evaluation of disease activity by laboratory tests in juvenile rheumatoid arthritis. J. Invest. Allergol. Clin. Immunol., 5 : 216 – 20.
- Martinoli, C.; Derchi, L.E.; Pastorino, C.; Bertolotto, M. and Silvestri, E. (1993):* Analysis of echotexture of tendons with US. Radiology, 186 : 839 – 43.
- Massa, M.; De Benedetti, F.; Pignatti, P. et al. (1994) :* Anti-double stranded DNA, antihistone, and anti-nucleosome IgG reactivities in children with systemic lupus erythematosus. Clin Exp Rheumatol., 12 : 219 – 225.
- Masson, T.; Reed, A.M.; Nelson, A.M. and Thomas, K.B. (2005):* Radiographic progression in children with polyarticular juvenile rheumatoid arthritis. Ann Rheum Dis., 64 : 491 – 493.
- Mayer, V. (1985):* Ultrasound of the rotator cuff. J Ultrasound Med, 4: 608.

- McGhee, J.L.; Burks, F.N.; Scheckels, J.L. and Jarvis, J.V. (2002):* Identify children with chronic arthritis based on chief complaints: absence of predictive value for musculo-skeletal pain as an indicator of rheumatic disease in children. *Pediatrics*, Aug.; 110(2pt. 1): 354-9.
- Medwin, J.G. (2001):* Current developments in Juvenile arthritis. *Arthritis Research Campaign* (5).
- Meeder, E.D.R.; Van Der Zee, R. Rijker, G.T. and Schwarman, H.J (1991):* Recognition of human 60 KD heat shock protein by mononuclear cells from patients with juvenile chronic arthritis. *Lancet*; 337: 1368-1372
- Meholji (2005):* Complex functional test in juvenile rheumatoid arthritis. *Med. Arch.*; 59 (6): 373 – 5 (ISSN : 0350 – 199X).
- Merino, R.; Inocencio, J. and Consuegra, J.G. (2002):* Evaluation of ILAR classification criteria for iuvenile idiopathic arthritis in Spanish children. *J. Rheumatol.*, 29 : 2731 – 6.
- Mesihovi ? Dinarevi ? S and Ibrahimovi? J. (2005):* Modern approach to treatment of juvenile rheumatoid arthritis. *Med. Arch.*, 59 (3): 196 -8 (ISSN : 9359 – 199 X).
- Michael Miller (2005):* Juvenile rheumatoid arthritis with medicine specialities > pediatric > rheumatology last updated : January 4, w.w.w. google.Com.
- Michel, B.A.; Hunder, G.G.; Bloch, D.A. et al. (1992) :* Hypersensitivity vasculitis and Henoch Schönlein purpura : A comparison between the 2 disorders. *J Rheumatol.* 19 : 721 – 728.

- Mills, J.A.; Michel, B.A.; Bloch, D.A. et al. (1990):* The American college of rheumatology 1990 criteria for the classification of Henoch-Schönlein Purpura. *Arthritis Rheum.* 33 : 1114 – 1121.
- Minden, K.; Kiessling, U.; Listing, J.; Niewerth, M.; Doring, E.; Meincke, J. et al. (2000):* Prognosis of patients with juvenile chronic arthritis and juvenile spondyloarthropathy. *J Rheumatol.*; 27: 2256 -63.
- Mine, T.; Tanaka, H.; Ishida, Y.; Imamura, R.; Seki, K. and Taguchi, T. (2006):* Juvenile rheumatoid arthritis manifesting in only limping due to flexion contraction of the knee. *Clin. Rheumatol.* 27 : 1 – 3.
- Modesto, C.; Woo, P.; Garcia-Consuegra, J.; Merino, R.; Garcia-Granero, M. and Arnal, C. (2001):* Systemic onset juvenile chronic arthritis, polyarticular pattern and hip involvement as markers for a bad prognosis. *Clin Exp Rheumatol.*, 19 (2) : 211 – 7.
- Moore, T.L.; Ellisk, Z.K. and Hendrix, M.J.C. (2000a)* Reduced levels of testosterone and dehydroepiandrosterone sulphate in the synovial fluid of juvenile rheumatoid arthritis patients. *J. Rheumatol.* 27 (Suppl. 58)-25.
- Moore, T.L.; Noyes, B.E. and Albers, G.M. (2000 b):* Early pulmonary parenchymal disease associated with juvenile rheumatoid arthritis. *J Rheumatol.*, 27, Suppl. 58 : 17.

- Murray, I.G.; Ridley, N.T.; Mitchell, N. and Rooney, M. (1996):* Juvenile chronic arthritis of the hip .Value of contrast enhanced MR imaging Clin Radiol; 51(2) : 99-102
- Nakamura, Y.; Yanagawa, H.; Ojima, T. et al. (1998):* Cardiac sequale of kawasaki disease among recurrent cases. Arch Dis Child. 78 : 163 – 165.
- Naredo, E.; Möler, I.; Moragues, C.; Agustin, J.J. de; Scheel, A.K. and Grassi, W. (2006):* EULAR Working Group for Musculoskeletal Ultrasound. Ann Rhem Dis., 65 : 14 – 19.
- Oen, K.; Malleson, P.N.; Cabral, D.A. and Rosenberg, A.M. (2002):* Disease course and outcome of juvenile rheumatoid arthritis in a Multicentre Cohort. J Rheumatol.; 29:1989-99.
- Oguz,D.; Ocal, B.; Ertan, U.; Narin, H. et al.(2000) :* Left ventricular diastolic function in Juvenile rheumatoid arthritis. Pediatr. Cardiol.; 21 (4) : 374 – 377.
- Orlin, M.N. and McPoil T.G. (2000):* Plantar pressure assessment. Phys Ther; 80 : 399 - 409.
- Osborn, T. ; Lichenstein, J. ; Moore, T. et al. (1981) :* Ehlers Dan Los syndrome presenting as rheumatic manifestation in the child. J Rheumatol. 8 : 79.
- Ostensen, M.; Hoyeraa, H.M. and Kass, E. (1998):* Tolerance of cyclosporin A in children with refractory juvenile rheumatoid arthritis. J Rheumatol.; 15 : 1536 – 8.

- Pachman, L.M. (2002):* Juvenile dermatomyositis : Immunogenetics, pathophysiology, and disease expression. *Rheum Dis Clin. North Am.* 28 : 579 – 602.
- Pachman, L.M. and Ponsaski, A.K. (1997):* Juvenile rheumatoid arthritis in “Arthritis and allied conditions”. Textbook of Rheumatology, (13Th ed.) Volume 2..PP. 1115-76, Koopman WJ. A Waverly company.
- Packham, J.C. and. Hall,M.A (2002):* Long- term follow- up of 246 adults with juvenile idiopathic arthritis : functional outcome. *Rheumatology(Oxfor)*, 41 : 1428 – 1435.
- Paivonsalo – Heitanen, T.; Tuomnen, J. and Saari, K.M. (2000) :* Uveitis in children: population- based study in Finland. *Acta ophthalmol. Scand.*; 78(1):84-8.
- Panayi, G.S. (1993):* The immunopathogenesis of RA. *Br J Rheumatology*; 32:4.
- Pegg, S.J.; Lang, B.A.; Mikhail, E.L. and Hughes, D.H. (1994):* Total bronchiolitis obliterans in a patient with JRA receiving chrysotherapy. *J. Rheumatol.*, 21 :349.
- Pepmueller, P.H.; Lawrence, J.M.; McMurray , R.W. and Cassidy, J.T. (2000):* Prolactin deficiency in juvenile rheumatoid arthritis patients. *J Rheumatol.*; 27 (Suppl 58): 15).
- Peterson, L.S.; Mason, T. and Nelson, A.M. (1996):* JRA in Rochester, Minnesota 1960-1993, is the epidemiology changing? *Arthritis Rheumatol* ;39:1385

- Pettersson, H. and Rydholm, U. (1985):* Radiologic classification of joint destruction in juvenile chronic arthritis. *Acta Radiol*, 26 : 719.
- Petty, R.E. (1993):* Rheumatic disease of childhood. *J Rheumatol.*; 17; 3:710-5.
- Petty, R.E. (1999):* Prognosis in children with rheumatic diseases: Justification for consideration of new therapies. *Rheumatology*, 38:739-42.
- Petty, R.E. and the Task- Force for Classification Criteria (1998):* Revision for the proposed classification criteria for juvenile idiopathic arthritis: Durban 1997. *J Rheumatol.*; 25: 1991-4.
- Petty, R.E. Locktich, G. and Mahy, M. (1990):* Renal disease in chronic arthritis of childhood. *Arthritis Rheum.*; 33; 5: 1560-3.
- Phillips, P.E. (1988):* Evidence implicating infectious agent in RA and JRA. *Clin Exp Rheumatol.*; 6(1):87-94
- Picco, P.; Gattorno, M.; Sormani, M.P. and Vignola, S. (2002):* Involvement of the hypothalamic-pituitary-adrenal axis in children with oligoarticular-onset idiopathic arthritis. *Ann N Y Acad Sci.*; Jun.; 966: 369-72.
- Pinals, R.S.; Masi, A.T. and Larsen, R.A. (1981):* Preliminary criteria for clinical remission in rheumatoid arthritis. *Arthritis Rheum.*, 24 : 1308 – 15.
- Pisetsky, D.S. (2000):* Tumour necrosis factor blockers in rheumatoid arthritis. *N Engl J. Med.*; 342 : 810 – 811.

- Prahalad, S. Shear, E.S.; Thompson, S.D. and Giannini, E.H. (2002):** Increased prevalence of familial auto –immunity in simplex and multiplex families with juvenile rheumatoid arthritis. *Arthritis Rheum*: JUL.; 46 (7): 1851 –6.
- Prevo, M.L.L.; Van'tHof, M.A.; Kuper, H.H. et al. (1995):** Modified disease activity scores that include twenty eight joint counts. *Arthritis Rheum.*, 38 : 44 – 48.
- Prieur, A.M.; Balafrej, M.; Griscelli, C.; Mozziconacci, P. et al. (1979):** Resultats et risques a long term du traitement par chlorambucil dans le traitement des arthritides chroniques juveniles. A propos de 40 cas. *Rev Rhum Mal Osteoart*, 46: 85: 90..
- Prieur, A.M.F. (1998):** Juvenile Chronic Arthritis: Management. In *Rheumatology*, 2nd edition. Klippel. J. H and Dieppe P.A. (eds). London, Philadelphia, St. Louis, Sydney , Tokyo and Mosby. 1(5) : 21. 1 – 21.9.
- Raja, J. and Coovadia, H.M. (1984):** Juvenile chronic arthritis in Black and South African children. *S Afr Med J.*, 65; 3 50 – 4.
- Ramirez, F.; Godfrey, M. and Lee, B. (1995):** Linkage of Marfan syndrome and phenotypically related disorder to two different fibrillin genes. *Nature*. 25; 352(6333): 330-40
- Ramsey, S.E.; Bolaria, P.K.; Cabral, D.A.; Malleson, P.N. and Petty, R.E. (2000):** Comparison of criteria for the classification of childhood arthritis. *J Rheumatol.*; 27 : 1283 – 1286.



- Reed, A.M.; Pachman, L.M.; Hayford, J. et al. (1998):* Immunogenetic studies in families of children with juvenile dermatomyositis. J Rheumatol. 25 : 1000 – 1002.
- Richardson, M.L.; Selby, B.; Montana, M.A.; Mack L.A. (1988):* Ultrasonography of the knee. Radiologic clinics of North America. 26: 63 – 75.
- Ritchie, D.M.; Boyle, J.E.; McInnes, J.M. an Jsani M.K. (1968):* Clinical studies with an articular index for assessment of joint tenderness in patients with rheumatoid arthritis, Q J Med.; 147:393-406.
- Rohrschneider, W.K.; Fuchs, G. and Troger, J. (1996):* Ultrasonographic evaluation of the anterior recess in the normal hip : a prospective study on 166 asymptomatic children. Pediatr. Radiol.; 26 (9) : 629 – 34.
- Rowley, A.H.; Eckerley, C.A.; Jack, H.M. et al. (1997):* IgA plasma cells in vascular tissue of patients with Kawasaki syndrome. J Immunol. 159 : 5946 – 5955.
- Rowley, A.H.; Shulman, S.T. (1998):* Kawasaki syndrome. Clin. Microbiol. Rev. 11 : 405 – 414.
- Ruperto, N.; Levinson, J.E.; Raveii, A. and Shear, E.S. (1997):* Long term health outcomes and quality of life in American and Italian inception echorts of patients with juvenile rheumatoid arthritis I. Outcome status. J Rheumatol.; 24: 945-51.

- Schaller, J.G. (1984):* Chronic arthritis in children : Juvenile rheumatoid arthritis. Clin orthop Rel Res; 182: 79-89.
- Schaller, J.G. (1992):* Immunity, allergy and diseases of inflammation: In: Nelson Textbook of Pediatrics. Behrman RE and Kliegman RM(eds), 14th edition. W.B. Saunders, Philadelphia; 612.
- Schaller, J.G. (1997):* Juvenile rheumatoid arthritis. Pediatr Rev.; 18:337-49.
- Schellekens, G.A.; Visser, H.; deJong, B.A.; vanden Hoogen, F.H.; Hazes, J.M.; Breedveld, F.C. et al. (2000):* The diagnostic properties of rheumatoid arthritis antibodies recognizing a cyclic citrullinated peptide.Arthritis Rheumatism; 43 : 155 – 63.
- Schwartz, M.M. Simpson, P. and Kerr, K.L. (1997):* JRA in African Americans. J Rheumatol.; 24 : 1826.
- Scull, S.A. (1994):* Juvenile rheumatoid arthritis in Campbell SK (ed). Physical therapy for children. Philadelphia, WB Saunders Co., pp 207 –225.
- Sediva, A.; Hoza, J. Nemcova, D. and Pospisilova, D. (2001):* Immunological investigation in children with JRA. Med Sci Monit., 7:99.
- Selby, B.; Richardson, M.L. and Nelson, B.D. (1987):* Value of sonography in the detection of meniscal injuries of the knees: Evaluation in cadavers. AJR, 149 : 549 – 533.

- Seltzer, S.E.; Finberg, H.J. and Weissma, B.A.(1980):* Arthrosonography technique, sonographic anatomy and pathology. Invest Radiol; 15:19-28.
- Shaikov A.V.; Maximov, A.A.; Speransky, A.I. Lovell, D.J.; Giannini, E.H.; Solovyev, S.K.. (1992):* Repetitive use of pulse therapy with methylprednisolone and cyclophosphamide in addition to oral methotrexate in children with systemic juvenile rheumatoid arthritis. Preliminary results of a long term study. J Rheumatol, 19: 612 –16.
- Shapiro, J.R.; Bowe, D.; Sponseller, P. (2005):* Heritable disorders of structural proteins. In Harris. ED, Budd, RC, Genovese MC et al. (eds) : Kelley's text Book of Rheumatology 7th ed. Philadelphia, pp. 1547 – 1578.
- Silver, R. Lawton, S.; Ansell, B.M. (1982):* A comparison of Vitratheone moulded with Tweeklon ready made wrist work splints in juvenile chronic arthritis. Int rehabil Med,4:97 –100.
- Simon, A.; Van Der Meer, J.W.; Drenth, J.P. (2005):* Familial Autoinflammatory syndromes. In Harris ED, Budd RC, Genovese, MC et al. (eds): Kelley's Textbook of rheumatology. 7th ed. Philadelphia, pp : 1773 – 1788.
- Smerdel, A.; Ploski, R.; Flato, B.; El Musiej- Nowakowska, Thorsby, E. and Forre O. (2002):* Juvenile idiopathic arthritis (JIA) is primarily associated with HLA-DRB but not DQ 4 on the DR8 – DQ4 haplotype. Ann Rheum Dis., 61 : 354 – 357.

- Sohar, E.; Gafni, J.; Pras, M. and Heller, H. (1967):* Familial Mediterranean fever : a survey of 470 cases and review of the literature. *Am J med.*, 43 : 227 – 253.
- Spalton, D.J.; VerdonRoe, G.M. and Hughes, G.R.V. (1993):* Hydrochloroquine, dosage, parameters and retinopathy. *Lupus*; 2355-8.
- Steinbrocker, O.; Trager, G.H. and Buttermann, R.C. (1949):* Therapeutic criteria in juvenile rheumatoid arthritis. *JAMA*; 140: 659-662. Quoted fom Barbara NW and Donalds R (2001). IN : Kelly's Textbook of Rheumatology, Vol. 3, p. 1027-54.
- Steyaert, L. (1995a):* Pulsed Wave Doppler in: Color Doppler Sonography. Laison Europe, New York.
- Sureda, D.; Quiroga, S.; Arnal, C.; Boronat, M.; Andreu J. and Casa L. (1994):* Juvenile rheumatoid arthritis of the knee: Evaluation with US. *Radiology*, 190 : 403 – 6.
- Swen, W.A.; Jacobs, J.W.; Bussemaker, F.e.; deWaard, J.W. and Bijlsma, J.W. (2001):* Carpal tunnel sonography by the rheumatologist versus nerve conduction study by the neurologist. *J Rheumatol.*, 28 : 62 – 9.
- Symmons, D.P.; Sills, J.A. and Davis, S.M. (1995):* The incidence of juvenile dermatomyositis : Results from anation – wide study. *Br J Rheumatol.* 34 : 732 – 736.
- Tesser, J.; Fleischmann, R.M.; Michael, S.; Schechtman, J.; Burmester G.R. et al. (2006):* Safety of extended treatment with anakinra in patients with rheumatoid arthritis. *Ann Rheum Dis.* Jan 2006; doi : 10 – 1136 / ard 2005, 048371.

- Thomas, E.; Barrett, J.H. ; Donn, R.P.; Thompson,W.;; Southwood, T.R.(2000):* Subtyping of juvenile idiopathic arthritis using latent class analysis. British pediatric rheumatology Group. Arthritis Rheum, 43 : 1496 -503.
- Trompeter, R.S. Evans, P.R.; Barratt, T.H. (1981):* Gonadal function in boys with steroid responsive nephrotic syndrome treated with cyclophosphamide. Jancet, I : 1177-9.
- Van der Heijde, D.M.; van Leeuwen, M.A.; van Riel , P.L. and van de Putte, L.B. (1995):* Radiographic progression on radiographs of hands and feet during the first 3 years of rheumatoid arthritis measured according to Sharp's method (Van der Heijde modification). J Rheumatol ; 22 : 1792-6
- Van Holsbeeck, M.T.; Introcaso J.H. (1991c):* Sonography of large synovial joints. In Musculoskeletal Ultrasound. St. Louis, Mosby-Year Book.
- Van Holsbeeck, M.T. and Introcaso, J.H. (1991a):* Artifacts in musculoskeletal ultrasound. In Musculoskeletal Ultrasound. St. Louis, Mosby- Year Book.
- Van Holsbeeck, M.T. and Introcaso, J.H. (1992):* Musculoskeletal ultrasonography. Radiol Clin North Am.; 30 : 907- 25.
- Vandvik, I.H. and Eckbld, G. (1990):* Relationship between pain, disease severity and psychological function in patients with juvenile chronic arthritis. Scand J Rheumatol. 19: 295.

- Vieira, N.E.; Stuff J.E. and Yergey, A.L. (2000):* Classification criteria of JRA. J Rheumatol.; 20, 7: 1196- 200.
- Vinje, O.; UinJ, E.O.; Obiora, E. and Forre, O. (2000):* Juvenile chronic polyarthritis treated with infliximab. Ann. Rheum. Dis., 59 : 740 – 746 (September).
- Wagner, U.; Oppermann, J. and Glaser, C. (1987):* Significance of the genetics and haptoglobin types in the demarcation of subgroups of juvenile chronic arthritis. Z. Gesamte Inn Med.; 1; 42 (9) 233-5.
- Wakefield, R.J.; Green, M.J.; Marzo-Ortega, O.H.; McGonagle, D. et al. (2004):* Should oligoarthritis be reclassified? Ultrasound reveals high prevalence of subclinical disease. Ann Rheum Dis.; 63 : 382 -5.
- Wallace, C.A. (1998):* The use of methotrexate in childhood rheumatic diseases. Arthritis Rheum.; 41 : 381 -91.
- Wallace, C.A. (1999):* On beyond methotrexate treatment of severe juvenile rheumatoid arthritis. Clin Exp Rheum.; 17 : 499 – 504.
- Waller and Huppertz (2005):* The treatment of juvenile rheumatism : Pharmacotherapy. Z. Rheumatol., 64 (5) : 308- 16 (ISSN : 0340 – 1855).
- Ward, D.J. and Tidswell, M.E. (1985):* Rheumatoid arthritis and juvenile chronic arthritis, in Downie PA (ed). Cash's Textbook of orthopedics and Rheumatology for physiotherapists. New Delhi, Jaypee Brothers, pp 304-347.

- Wedderburn, L.R.; Varsani, H.; Patel, A. and Woo, P. (2001):* The role of RANK and RANKL in the pathogenesis of juvenile idiopathic arthritis. *Ann Rheum Dis.*, 60 (Suppl. II): ii 17 – ii 52 (October).
- Wihlborg, C.; Babyn, P.; Ranson, M. and Laxer, P. (2001):* Radiological mimics of JRA. *Pediatr. Radiol.*; 31: 315.
- Wilson, D.J.; Green, D.J. and Maclarnon, J.C. (1984):* Arthrosonography of the painful hip. *Clin. Radiol.*; 35: 17 – 19.
- Woo, P. and Wedderburn, L.R. (1998):* Juvenile chronic arthritis. *Lancet*; 351: 969 – 73.
- Work Group Recommendation (2003):* 2002 Exercise and Physical Activity conference, St Louis, Missouri. *Arthritis Rheumatol Arthritis Care Res* , 49: 453-454.
- Yanagawa, H.; Nakamura, Y.; Yashiro, M. et al. (1996) :* Update of the epidemiology of Kawasaki disease in Japan : From the results of 1993 – 94 nationwide survey : *J Epidemiol* 6 : 148 – 17.
- Zak, M. and Pederson, F.K. (2000):* Juvenile chronic arthritis into adulthood: Along-term follow-up study. *Rheumatology* 39: 198-204.
- Zhang, H.; Phang, D. and Laxer, R.M. (1997):* Evolution of the T-cell receptor beta repertoire from synovial fluid T-cells of patients with juvenile onset rheumatoid arthritis. *J Rheumatol*, 24: 1396.