

Reference

Anderson LD, Meyer FN: Fractures of the shaft of the radius and ulna. In Rockwood, CA, Jr., Green DP, and Bucholz RW (editors): Fractures in adults. Vol. Ib, 3rd ed . PP 679. Philadelphia, JB Lippincott, 1991.

Aronson J, Tursky A. External fixation of femur fracture in children. *J Pediatr Orthop* 12: 157-163, 1992 .

Babis GC, Papaglopoulos PJ, Tsarouchas. J, Zoubos AB, Sapkas G and Pantazopoulos T: Fixation of femoral shaft fractures with a flexible bundle-type nail. *Clin. Orthop.*, 380, 226-233. 2000.

Barry M, Paterson, JMH. Flexible intramedullary nails for fractures in children. *Journal of Bone and Joint Surgery*, Sep. 2004.

Beaty JH. Orthopaedic knowledge update 6 American Academy of orthopaedic surgeons, Rosemont, IL, PP. 129-138, 1999.

Beaty JH. Operative treatment of femoral shaft fractures in children and adolescents *Clin Orthop Relat Res.* (434): 114-22, May; 2005.

Beaty JH. Fractures of proximal humerus and shaft in children. *Inst. Course lectures* 41 : 369-372. 1992.

Behtold JE. Biomechanics of fracture fixation devices. In: Fracture and dislocations. Vol. Gustilo R.B., Richard F.K and Templement D.C. Mosby. 1993.

Bhandari, Mohit, Guyatt, Gordon H, Tong, Doris, Adili, Anthony, Shaughnessy, Stephen G. Reamed Versus Nonreamed Intramedullary Nailing of Lower Extremity Long Bone Fractures. *Journal of Orthopaedic Trauma*. 14(1):2-9, January 2000.

Blasier RD, Aronson J, Tursky EA. External fixation of pediatric femur fractures. *J Pediatr Orthop*,;17: 342-6, 1997.

Bosse MJ. Adult respiratory distress syndrome, pneumonia and mortality following thoracic injury and a femoral fracture treated either by intramedullary nailing with reaming or with a plate: a comparative study. *J Bone Joint Surg (Am)*; 79A: 799 – 809, 1997.

Bosse MJ. Adult respiratory distress syndrome, pneumonia and mortality following thoracic injury and a femoral fracture treated either by intramedullary nailing with reaming or with a plate: a comparative study. *J Bone Joint Surg [Am]*; 79A: 799—809, 1997.

Brumback RJ, Uwagie-Ero S, Lakatos RP. Intramedullary nailing of the femoral shaft fractures. Part II: Fracture healing with static interlocking femoral fixation. *J. Bone Joint Surg*. 70-A: 1453- 1462, 1988.

Buford D, Christensen K, Weatherall P. Intramedullary nailing of femoral fractures in adolescents. *Clinical Orthop*. 85-S9 1998.

Burstein AH, Wright TM. Mechanical behavior of material. *In fundamentals of orthopaedic Biomechanics, chapter 4. PP 97: 128-1996.*

Carey TP, Galpin RD. Flexible Intramedullary Nail Fixation of Pediatric Femoral Fractures. *Clinical Orthopaedics & Related Research*. 332:110-118, November 1996.

Chapman MW. The effect of reamed and non reamed ntramedullary nailing on fracture healing. *Clin. Orthop*. 355S: 230-238, 1998.

Chapman MW. The rod of intramedullary nailing in fracture mangment. In science & practice of intranedullary nailing 2nd edittion edited by *Browner B.D and Gossling G*. Philadelphia 1996.

Chapman, Michael W. The Effect of Reamed and Nonreamed Intramedullary Nailing on Fracture Healing. *Clinical Orthopaedics & Related Research. Fracture Healing Enhancement*. 355S Supplement:S230-S238, October 1998.

Chapman, Michael W. The Effect of Reamed and Nonreamed Intramedullary Nailing on Fracture Healing. *Clinical Orthopaedics & Related Research. Fracture Healing Enhancement*. 355S Supplement:S230-S238, October 1998.

Chiu, Fang-Yao, Chen, Chuan-Mu, Lin, Chien-Fu J, Lo, Wai-Hee, Huang, Yuan-Lung, Chen, Tain-Hsiung. Closed Humeral Shaft Fractures: A Prospective Evaluation of Surgical Treatment. *Journal of Trauma-Injury Infection & Critical Care*. 43(6):947-951, December 1997.

Claes, Lutz E, Heigele, Christa A, Neidlinger-Wilke, Cornelia, Kaspar, Daniela, Seidl, Walter, Margevicius, Kristen J, Augat, Peter . Effects of Mechanical Factors on the Fracture Healing Process. *Clinical Orthopaedics &*

Related Research. *Fracture Healing Enhancement*. 355S Supplement:S132-S147, October 1998.

Clement DA, Colton CL. Overgrowth of the femur after fracture in childhood. *J Bone Joint Surg Br.* 68 (4): 534-536. 1986. Closed nailing of femoral shaft fractures. *J Bone Joint Surg.* 54A. 534-455, 1972.

Clotworthy MG, Clark DI, Gray DH, Hardy AE. Reamed versus unreamed femoral nails. *J Bone Joint Surg. (80) Br.* 3485-89 1998. Cortical bone repair. *J Bone Surg.* 70A: 1067, 1988.

Court-Brown CM, Keating IF, MeQucen MM. Infection after intramedullary nailing of the tibia: incidence and protocol for management. *J Bone Joint Surg;* 74B: 770- 4, 1992.

Court-Brown CM, Will E, Christie J, MeQucen MM. Reamed or unreamed nailing for closed tibial fractures. A prospective study in Tscherne Cl fractures. *J.Bone Joint Surg;* 78B: 580-3, 1996.

Cullen MC, Roy DR, Crawford AH, Assenmacher J, Levy MS, Wen D. Open fracture of the tibia in children. *J Bone Joint Surg Am,* 78: 1039-47, 1996.

Darder-Garcia, A, Darder-Prats, A, Gomar-Sancho F. Nonreamed Flexible Locked Intramedullary Nailing in Tibial Open Fractures. *Clinical Orthopaedics & Related Research.* 350:97-104, May 1998.

Davids JR. Rotational deformity and remodeling after fracture of the femur in children. *Clin. Orthop.* 302: 27-35 1994.

Davis TJ, Topping RE, Blanco JS. External fixation of pediatric femoral fractures, *Clin. Orthop.* 318: 191-198 1995.

DePriester JA, Cole TJ, Bishop NJ. Bone growth and mineralisation in children aged 4 to 10 years. *Bone Miner*;15(1):85-7, Oct 1991.

Disegi JA, Wyss H. Implant Materials for Fracture Fixation. *Orthopedics*, 12:75-79, 1989.

Disegi JA, Wyss H. Implant Materials for Fracture Fixation. *Orthopedics*, 12:75-79, 1989.

Disegi JA. AO/ASIF Titanium- 6% Aluminum 7% Niobium Implant Material. *AO/ ASIF Materials Technical Commission*, 1993.

Duda GN, Mandruzzato F, Heller M, Goldhahn J, Moser R, Hehli M, Claes L, Norbert p, Haas. Mechanical boundary conditions of fracture healing: borderline indications in the treatment of unreamed tibial nailing. *J Biomechanics* 34: 639 – 650 2001.

Duwdius PJ, Huckfrldt R, Mullins RJ, Shiota T, Woll, Lindsey KM, Wheeler D. the effects of femoral intramedullary reaming on pulmonary function in a sheep model. *J Bone Joint Surg (Am)*; 79A: 194-202, 1997.

Duwdius PJ, Huckfrldt R, Mullins RJ, Shiota T, Woll 5, Lindsey KM, Wheeler D. the effects of femoral intramedullary reaming on pulmonary function in a sheep model. *J Bone Joint Surg [Am]*; 79A: 194-202, 1997.

Epps HR, Molenaar E, O'connor DP. Immediate spica cast application is the standard of care for young children with isolated femur fractures. : *J Pediatr Orthop.*;26 (4):491-496, July/August 2006.

Flynn JM, Hresko T, Reynold RA. Titanium Elastic Nails for pediatric femur fracture: A multicenter study of early results with analysis of complications. *J Pediatr Orthop* 21(1) 4:8 2001.

Flynn JM, Sarwark JF, Waters PM, Bae DS, lemke LP. The operative management of pediatric fractures of the upper extremity. *J Bone Joint Surg (Am)* 84:2078-2089 2002.

Flynn JM, Skaggs D, Sponseller PD, Ganley TJ, Kay RM. The Operative Management of Pediatric Fractures of the Lower Extremity. *The Journal of Bone and Joint Surgery (American)* 84:2288-2300, 2002.

Flynn JM, Hresko T, Reynolds RA, Blasier RD, Davidson R, Kasser J. Titanium elastic nails for pediatric femur fractures: a multicenter study of early results with analysis of complications. *J Pediatr Orthop*; 21: 4-8, 2001.

Flynn JM, Luedtke L, Ganley TJ, Pill SG. Titanium elastic nails for pediatric femur fractures: lessons from the learning curve. *Am J Orthop*;31: 71-4, 2002.

Flynn JM, Luedtke L, Ganley TJ, Pill SG. Titanium elastic nails for pediatric femur fractures: lessons from the learning curve. *Am J Orthop*; 31: 71-4, 2003.

Flynn JM, Hresko T, Reynolds RA, Blasier RD, Davidson R, Kasser J. Titanium elastic nails for pediatric femur fractures: a multicenter study of early results with analysis of complications. *S Pediatr Orthop* 21:4-8, 2001.

Flynn JM, Luedtke L, Gamley TJ, pill SG. Titanium elastic nails for pediatric femur fractures: lessons from the learning curve. *Am J Orthop*,31:71-4, 2002.

French B. and Torntta P. Treatment of complex fractures. *Othop Clinic North America*. 33(1) 2002.

Friedl HP, Stocker R, Czermak B, Sebmäl H, Trentz O. Primary fraction and delayed nailing of long bone fractures in severe trauma. *Tech Orthop*; 11: 59—66, 1996.

Friedl HP, Stocker R, Czermak B, Sebmäl H, Trentz O. Primary fraction and delayed nailing of long bone fractures in severe trauma. *Tech Orthop*; 11: 59 – 66, 1996.

Fyodorov I, Sturm PF, Robertson WW. Compression-plate fixation of femoral shaft fractures in children aged 8 to 12 years. *J Pediatr Orthop*, 19: 578-81, 1999.

Gole JD. The vascular response of bone to internal fixation. In the science and practice of intramedullary nailing. *Edited by Bruce D.B. Williams and Wilkiss* 1996.

Golpin RD, Willis RB, Sabano N. Intramedullary nailing of pediatric femoral fractures. *J. Pediatr Orthop*, 14:184-189. 1994.

Goodwin RC, Gaynor T, Mahar A, Oka R, Lalonde. Intramedullary flexible nail fixation of unstable pediatric tibial diaphyseal fractures. *J Pediatr Orthop.* -Oct;25(5):570-6, Sep 2005.

Green JK, Werner FW, Dhawan R, Evans PJ, Kelley S, Webster DA. A biomechanical study on flexible intramedullary nails used to treat pediatric femoral fractures. *J Orthop Res.* 2005 Nov;23(6):1315-20. Epub Jun 2005.

Gregory PR, Sander SR. Compression plating versus intramedullary fixation of humeral shaft fractures. *J Am Acad Orthop Surg.* 5:215-223. 1997.

Gwyn, David T, Olney, Brad W, Dart, Bradley R, Czuwala, Peter J. Rotational Control of Various Pediatric Femur Fractures Stabilized With Titanium Elastic Intramedullary Nails. *Journal of Pediatric Orthopaedics.* 24(2):172-177, March/April 2004.

Harkess JW, Ramsey WC. Principles of Fractures and Dislocations. In Rockwood, C.A., Green, D. P., And Bucholz. R.W. (eds): Fractures In Adults, ed; Vol. I, pp. 1-167, Philadelphia, J.B. Lippincott Company, 1991.

Harper MC. Fractures of the femur treated by open and closed intramedullary nailing. *J Bone Joint Surg* 67 (Am) 699-7 OS 1985.

Havey AR, Bowger GW, Clarke NMP. the management of paediatric femoral shaft fractures. *Current Orthop.* (16) 293-299 2002.

Heinrich SD. Fractures of the shaft of the tibia and fibula. In: Beaty JH, Kasser JR, editors. Rockwood and Wilkins' fractures in children. 5th ed. Philadelphia: Lippincott Williams and Wilkins. p 1077-119; 2001.

Herranz PG, Flores JB, Ropatz JM, Mondej JA, Ocete JG, Amaya S. Intramedullary nailing of the femur in children. J Bone. Joint surg. (B) vol. 77- B.262-6.

Herscovici DJ, Ricci WM, McAndrews P, DiPasquale T, Sanders R. Treatment of Femoral Shaft Fracture Using Unreamed Interlocked Nails. Journal of Orthopaedic Trauma. 14(1):10-14, January 2000.

Ho CA, Skaggs DL, Tang CW, Kay RM. Use of flexible intramedullary nails in pediatric femur fractures. J Pediatr Orthop.; 26(4) : 497-504, Jul Aug 2006.

Hunter J, Slongo TF. The principles of elastic stable intramedullary nailing in children. Complications and failures of the ESIN technique. Injury; volume 36, supplement 1, February.

Hupel TM, Aksenov SA, Schemitsch EH. Effect of limited and standard on reaming on cortical bone blood flow and early strength of union following segmental fracture. J Orthop Trauma 12:400- 406, 1998.

Huth A, Lewis GB. Current concepts in fracture healing. Clin. Orthop. No 249. 265-287, 1989.

Infante AF, Michael CA, Jennings WB, Lehner JT, Immediate hip spica casting for femur fracture in pediatric patients. *Clinic Orthop.* 376. 106-112 2000.

Jones K, Weiner DS. the mangrnt of forarm fractures in children: Aplea for conservatism. *Jpediatr Orthop.* 19 : 811-815, 1999.

Joseph A, Buckwalter, Regineld R, Cooper . Bone structure and function. Instructional course lectures, American Academy of orthopaedic Surgeons., VoL 36. St. Louis, C.V. Mosby, PP. 27-47, 1987.

Jubel A, Andermahr J, Isenberg J, Schiffer G, Prokop A, Rehm KE. Experience with elastic stable intramedullary nailing of shaft fractures in children. *Orthopade, Aug; 33(8):* 928-35, 2004.

Jubel A, Andermaher J, Isenberg J, Issavand A, Prokop A, Rehm E K. *Pediatr Orthop B*, sep 14:375-80, 2005

Jubel A, Andermahr J, Prokop A, Bergmann H, Isenberg J, Rehm K E. Pitfalls and complications of elastic stable intramedullary nailing (ESIN) of femoral fractures in infancy. *Unfallchirurg.;107:744-9.*2004..

Kalenderer O, Agus H, Sanli C. Open reduction and intramedullary fixation through minimal incision with Ender nails in femoral fractures of children aged from 6 to 16 years. *Acta Orthop Traumatol Turc;*36(4):303-9, 2002.

Kaplan FS, Hayes WC, Keaveney TM, Boskey A., Einhorn, TA, Formand function of bone. In orthopaedic basic scince. *American Academy of Orthopaedic Surgons*, 1994.

Keating JF, Orfily B, O'Brien PJ. Knee pain after tibial nailing. *J Orthop Trauma*; 11: 10—3, 1997.

Keating JF, Orfily B, O'Brien PJ. Knee pain after tibial nailing. *J Orthop Trauma*; 11: 10—3, 1997.

Kessler SB, Hallfeldt KK, Perren SM, Schweiberer L. The effects of reaming and intramedullary nailing on fracture healing. *Clin. Orthop.* 212 : 18-25, 1986.

Kevau I, Watters DAK. *PNG Med J*; 39: 143-151, 1996.

Kiely N. Mechanical properties of different combinations of flexible nails in a model of a pediatric femoral fracture. *J pediatric Orthop*; 22; 424-7, 2002.

Klein MPM, Rahn BA, Frigg R, Kessler, Perren SM. Reaming versus non-reaming in medullary nailing: interference with control of the circulation of the canine tibia. *Arch Orthop Trauma Surg*; 109: 314—6, 1990.

Kubiak EN, Egol KA, Scher D, Wasserman B, Feldman D, Koval KJ. Operative Treatment of Tibial Fractures in Children: Are Elastic Stable Intramedullary Nails an Improvement Over External Fixation. *The Journal of Bone and Joint Surgery (American)*; 87:1761-1768, 2005

Jeray KJ, Elliott CC, Davids JR. Greenville Hospital System, Greenville, SC. Open Reduction and Compression-Plate Fixation of Diaphyseal Femur Fractures in Children. *OTA* 2001.

Laing PG, Ferguson AB, Hodge ES. Tissue Reaction in Rabbit Muscle Exposed To Metallic Implants. *J. Biomed. Mater. Res.*, 1:135,1973.

Levy D. The fat embolism syndrome. *A review, Clin Orthop* 261:281-6 1990.

Lewallen RP, Peterson HA. Nonunion of long bone fractures in children. *J Pediatr Orthop.*; 5 (2) : 135- 142 1985.

Ligier J.N, Metazcau JP, Prevot J. Elastic stable intramedullary nailing of femoral shaft fractures in children. *Bone joint surg (Br)*: 70: 74:77 1998.

Lin J, Mou-Hou S. Unreamed locked tight fitting nailing for acute tibial fractures. *Orthop. Traumu-*, 15 : 40-46 2001.

Lottes JO. Intramedullary fixation for Fractures of the shaft of the tibia. *Clin Orthop.*; No. 332: 4:9 1996.

.

Mahar AT, Lee SS, Lalonde FD, Impelluso T, Newton PO, Biomechanical comparison of stainless steel and titanium nails for fixation of simulated femoral fractures. *J Pediatr Orthop.*;24(6):638-41, Nov-Dec 2004.

Mani US, Sabatino CT, Sabharwal S, Svach, DJ, Suslak A, Behrens FF. Biomechanical Comparison of Flexible Stainless Steel and Titanium Nails with External Fixation Using a Femur Fracture Model. *Journal of Pediatric Orthopaedics.* 26(2):182-187, March/April 2006.

McQueen MM, Christie J, Court-Brown CM. Compartment pressures after intramedullary nailing of the tibia. *J Bone Joint Surg*; 72B: 395—7, 1990.

Metaizeau JP. Stable elastic intramedullary nailing for fractures of the femur in children. *J Bone Joint Surg Br. Sep*; 86(7): 954-7, 2004.

Mireski RA, Garvin KL, Crosby LA. Avascular necrosis of the femoral head in an adolescent following intramedullary nailing of the femur. *J Bone Joint Surg Am H: 1706- 1708.* 1994.

Mohammad-Javad Zehtab MD, Keivan Ahadi MD, Mir-Mostafa Sadat MD. ender nail: is the old implant effective today. *Archives of Iranian Medicine, Volume 7, Number 3: 217 – 221,* 2004.

Muller Me, Allgower M, Schneider R, and Willenegger H: Manual of internal fixation. Techniques recommended by the AO/ASIF group. 3rd ed. New York, Springer- Verlag 1991.

Muller Me, Allgower M, Schneider R, and Willenegger H: Manual of internal fixation. Techniques recommended by the AO/ASIF group. 3rd ed. New York, Springer-Verlag, 1991.

NEIL E. Green and MARC f. Swiontkowski. Skelet. L trauma in children volume three, pp. 7-9, 2003.

Nowotarski PJ, Turen CH, Brumback RJ, Scarboro JM. Conversion of external fixation to intramedullary nailing for fractures of the shaft of the femur in multiply injured patients. *J Bone Joint Surg Am.*;82(6):781-8, Jun 2000.

O'Brien T, Weisman DS, Ronchetti P, Piller CP, Maloney M. Flexible titanium nailing for the treatment of the unstable pediatric tibial fracture. *J Pediatr Orthop* -Dec;24(6):601-9, Nov 2004.

O'Mally DE, Mazur JM, Cummings RJ. Femoral Head avascular necrosis associated with intramedullary nailing in an addeseent. *J pediatorthop* 15: 21-23 1995.

Oliver J. Muensterer, MD and Markus P. Regauer, MD. Closed Reduction of Forearm Refractures with Flexible Intramedullary Nails in Situ. *The Journal of Bone and Joint Surgery (American)* 85:2152-2155 , 2003.

Pankorich A.M; Flexible intramedullary nailing of femoral shall fractures. *Instr. Course Lect.* 36: 324-338, 1987.

Pape H-C, Regel G, Dwenger A, Sturm JA, Tscheme H. Influence of thoracic trauma and primary femoral intramedullary nailing on the incidence of ARDS in multiple trauma patients. *Injury*; 24 (3):82—103, 1993.

Pape H-C, Regel G, Dwenger A, Sturm JA, Tscheme H. Influence of thoracic trauma and primary femoral intramedullary nailing on the incidence of ARDS in multiple trauma patients. *Injury*; 24 (3):82 –103, 1993.

Pell AC, Christie J, Keating JF, Sutherland GR. The detection of fat embolism by transoesophageal echocardiography during reamed intramedullary nailing. *J Bone Joint Surg Br.* 75921-5 1993.

Peltier L.F; Effects of medullary nailing on the normal blood supply of diaphyseal context, *Clin. Orthop.* 350: 5-17, 1998.

Perry, C.R., Brueckmann, F.R., Pankovich. A.M., Sanders, R.W, and waddle, J.P.: Flexible Intramedullary Nailing of Long Bone Fractures A.A.O.S.: *Instructional Course Lectures*, 42:57-66, 1993.

Qidwai SA.Treatment of humeral shaft fractures by closed fixation using, multiple intramedullary kirschner wires. *J Trauma*.,49: 81-85, 2000.

Raney E.M., Ogden J.A., Denn-s P.G; Premature Greater Trochanteric epiphysiodesis secondary to intramedullary femoral rodding. *J pediatric orthop.* 13:516-520, 1993.

Raymond T. Morrissy and stuart L. Weinstein. LoveII & winteres pediatrics, *volume one*, PP. 24-27, 2000.

Reichert ILH, McCarthy ID, Hughes SPF. The acute vascular response to intramedullary tising: microsphere estimation of blood flow in the intact ovine tibia. *J Bone Joint Surg*; 77B: 490—3, 1995.

Rhineland, F.W. : Circulation of bone. Biochemistry and physiology of Bone. 2nd ed. P.2, New York, Academic Press, 1972.

Sadowski C, &hopfer A, Le Coultre B, Peter R. Reamed or unreamed intramedullary for closed and open grade 1 tibial shaft fractures. *Orthopaedic Trauma Association*, Louisville, 1997.

Salem KH, Lindemann I, Keppler P. Flexible Intramedullary Nailing in Pediatric Lower Limb Fractures. *J Pediatr Orthop.*;26(4):505-509, July/August 2006.

Sanders JO, Browne RH, Mooney JF, Raney EM, Horn BD, Anderson DJ, Hennrikus WL, Robertson WW. Treatment of femoral fractures in children by pediatric orthopedists: results of a 1998 survey. *J Pediatr Orthop*; 21: 436-41, 2001.

Sarmiento A, Zagorski JB, Zych GA, Latta LL. Functional bracing for the treatment of fractures of the humeral diaphysis. *J Bone Joint Surg Am.*; 82: 478 : 486 2000.

Schemitsch EH, Kowalski MJ, Swinthowski MF, Senft D. Cortical bone blood flow in reamed and unreamed locked intramedullary nailing. *J Orthop. Trauma*; 8: 373-382, 1994.

Schemitsch EH, Kowalski MJ, Swiontkowski MF, Senft D. Cortical bone blood flow in reamed and unreamed locked intramedullary nailing: a fractured tibia model in sheep. *J Orthop Trauma*; 8: 373—82, 1994.

Schnider E., Michel M.C, Genge M., Zuber K., Ganz R: load analysis with intramedullary nailing., *J Biomechanics*; 34: 849-857, 2001.

Shakeel Ahmad DOrth, MSOrth. Qidwai. This surgical technique is convenient, effective, and safe for treating displaced diaphyseal forearm fractures in children. *Journal of Trauma-Injury Infection & Critical Care.* 50(2):303-307, February 2001.

Shashank D Chitgopkar. Internal fixation of femoral shaft fractures in children by intramedullary Kirschner wires. *BMC Surgery*, 5:6 doi:10.1186 / 1471-2482-5-6, 2005.

Shoemaker S.O, Comstock C.P , Mubarak S.J. Winger D.R, Chambers H.G. Intramedullary kirschner wire fixation of open or unstable forearm fractures in children. *J Pediatr Orthop*; 10:329-337, 1999.

Simon AM, Manigrasso MB, Patrick O' Connor J. Cyclo-Oxygenase 2 Function Is Essential for Bone Fracture Healing. *Journal of Bone and Mineral Research*, 17:963-976 (doi: 10.1359/jbmr.2002.17.6.963). June 2002.

Skaggs D.L., Leet A.I, Michelle D., and Vernon T.T, secondary fractures associated with external fixation in pediatric femur fracture.

Smith VA, Goodman HJ, Strongwater A, Smith B. Treatment of pediatric both-bone forearm fractures: a comparison of operative techniques. *J Pediatr Orthop.* -Jun;25 (3):309-13, May 2005.

Sola J, Schoenecker P.L, and Gordon J.E. External fixation of femoral shaft fracture in children 19: 587- 591, 1999.

Solheim E. Growth factors in bone. *Int Orthop.*;22(6):410-6, 1998.

Stein Erik Utvg, Lars Korsnes, Dag Brox Rindal, Olav Reikers. Influence of flexible nailing in the later phase of fracture healing: strength and mineralization in rat femora. *Volume 6, Number 6 / November, 2001.*

Surmiento. A, Waddell. J, Latta L: Diaphyseal humeral fractures treatment options. *J Bone Joint Surg Am.*; 83: 1566: 1579, 2001.

Tancer, A.F. Johnson K.D., Jhohnston DW. Biomechanical comparison of various methods of stabilization of subtrochanteric fractures of the femur. *J Orthop Res* 2 (3): 297-305, 1984.

Tancer, A.F., Johnson, K.D., Kyle, R.F. and Fu, F.H Biomechanics of fracture and fracture fixation. *A.A.O.S., Instructional Course Lectures*, 42 : 34--55.1993.

Tetsuo Yamaji, Kenichi Ando, Toshiyasu Nakamura, Ohsuke Washimi, Nobuki Terada, Harumoto Yamada . Femoral shaft fracture callus formation after intramedullary nailing: a comparison of interlocking and Ender nailing. *Volume 7, Number 4 / July, 2002.*

Tingsted EM, Wolinsky PR, Shyr Y, Johnson KD. Effect of immediate weight - bearing on plated fractures of the humerus shaft. *J. Trauma*; 49:278-280, 2000.

Townsend D R, Hoffinger S. Intramedullary nailing of femoral shaft fractures in children via the trochanter Tip. *Clin orthop*; 376; 113-8 , 2000.

Vallamshetla VR, De Silva U, Bache CE, Gibbons PJ. Flexible intramedullary nails for unstable fractures of the tibia in children. An eight-year experience. *J Bone Joint Surg Br.*; 88(4):536-40, Apr 2006.

VERNON T. TOLO, M.D.1 , LOS ANGELES, CALIFORNIA. Treatment of Fractures of the Long Bones and Pelvis in Children Who Have Multiple Injuries. *The Journal of Bone and Joint Surgery* 82:272-80 , 2000.

Vittas D, Larsen E, Torp-pedersen S. Angular remodeling of midshaft forearm fractures in children. *Clin orthop*, 1991.

Versansky P, Bourdelat D, Al Faour A. Flexible stable intramedullary pinning technique in the treatment of pediatric fractures. *J Pediatr Orthop*;20:23-7, 2000.

Wyrsh B., Mencio G.A and Green N.E. Open reduction and internal fixation of pediatric forearm fractures. *J Pediatr Orthop*.16 : 644-650 1996.

Yandow S.M., Archibeck M.J, Sterens P.M., and Sheeltz R., Femoral-Shaft fractures in children: A comparison of immediate casting and traction. *J Pediatric Orthop*. 19 : 55-59 1999.

Yuan PS, Pring ME, Gaynor TP, Mubarak SJ, Newton PO. Compartment syndrome following intramedullary fixation of pediatric forearm fractures. *J Pediatr Orthop*.; 24(4):370-5, Jul-Aug 2004.

Zatti G., Teli M., Ferrario A and cherubino P. Treatment of closed humeral shaft fractures with intramedullary elastic nails. *Jornal of Trauma*, Vol 45 (6) 1046 : 1050, 1998.

Zinar D.M, Street. D, Wolgin. M. Intramedullary nailing of the forearm. In the science & practice of intramedullary nailing. 2nd Ed. Edited by B.D. Browner. Philadelphia, 1996.

Zionts LE, Zalavras CG, Gerhardt MB. Closed treatment of displaced diaphyseal both-bone forearm fractures in older children and adolescents. *J Pediatr Orthop.*;25(4):507-12, Jul-Aug 2005.

Zionts LE, Zalavras CG, Gerhardt MB. Closed treatment of displaced diaphyseal both-bone forearm fractures in older children and adolescents. *J Pediatr Orthop.*;25(4):507-12, Jul-Aug 2005.