
References

1. **Aartsen E J, and Sindram I S.** Repair of the radiation induced rectovaginal fistulas without or with interposition of the bulbocavernosus muscle (Martius procedure) Eur J Surg Oncol. 1988; 14:171–177.
2. **Abel M E, Chiu Y S, Russell T R, and Volpe P A.** Autologous fibrin glue in the treatment of rectovaginal and complex fistulas. Dis Colon Rectum. 1993; 36:447–449.
3. **Adams F, ed.** Hippocrates. On fistulae. In: The Genuine Works of Hippocrates: Translated From Greek with a Preliminary Discourse and Annotations (2007)
4. **Allen-Mersh TG, Wilson ET, Hope-Stone HF, and Mann CV.** The management of late radiation- induced rectal injury after treatment of carcinoma of the uterus. Surg Gynecol Obstet 1987; 164: 521-4.
5. **Andreani SM, Descos L, and Vignal J:.** Rectovaginal fistula in Crohn's disease. Diseases of the Colon and Rectum. 2007; 50: 2215.
6. **Beran SJ, and Rohrich RI.** The potential role autologous, injectable, dermal collagen (Autologen) and acellular dermal homograft (AlloDerm) in facial soft tissue augmentation. Aesth Surg J 1998 ;17:420—442.
7. **Borgstein ES, and Broadhead RL:** Acquired rectovaginal fistula. Arch Dis Child 70:165, 1994.
8. **Boronow RC.** Repair of the radiation-induced vaginal fistula utilizing the Martius technique. World J Surg 1986 (Apr);10(2):237–48.

-
9. **Bricker EM, and Johnston WD.** Repair of postirradiation rectovaginal fistula and stricture. Surg Gynecol Obstet. Apr 1979;148(4):499-506.
 10. **Browning A, and Menber B.** Women with obstetric fistula in Ethiopia: a 6-month followup after surgical treatment. BJOG. Nov 2008; 115(12) : 1564-9.
 11. **Burke C.** Rectovaginal fistulas. Clinical Journal of Oncology Nursing. 2005;9:295.
 12. **Carey JC:** A new method of diagnosing rectovaginal fistula: A case report. J Reprod Med 33:789, 1988.
 13. **Casadesus D, Villasana L, and Sanchez IM.** Treatment of rectovaginal fistula: a 5-year review. Aust N Z J Obstet Gynaecol. Feb 2006; 46(1):49-51.
 14. **Champagne B J, O'Connor L M, and Ferguson** Efficacy of anal fistula plug in closure of cryptoglandular fistulas: long-term follow-up. Dis Colon Rectum. 2006;49:1817–1821.
 15. **Chen YJ, Zhang TC, and Zhang JZ.** Transanal approach in repairing acquired rectovestibular fistula in females. World J Gastroenterol. 2004;10:2299–2230
 16. **Chihiro K. MD, Norio S. MD, and Yoshitaka K. MD.** Divisions of Colorectal (Pelvic) Surgery, and Plastic and Reconstructive Surgery, National Cancer Center Hospital East, Kashiwa; and the Department of General Surgery, Graduate School of Medicine ,Chiba University 2005
 17. **Clifford R. Wheeless, Jr., MD, Marcella L. and Roenneburg, MD.** 4th edition of Atlas of pelvic surgery, on line education sept. 2010.
 18. **Coats PM, Chan KK, and Wilkins M:** A comparison between midline and mediolateral episiotomies. Br J Obstet Gynecol 87:408, 1980

-
19. **Dana Taylor, MD, FACS**, Assistant Professor of Surgery, Graduate School of Medicine, University of Tennessee; Consulting Surgeon, University General Surgeons, PC (2009).
 20. **David E. Rivadeneira, M.D., Brett Ruffo, M.D., and Cynthia Salinas, M.D.** Division of Surgical Oncology and Colon and Rectal Surgery. 2007 May; 20(2): 96–101.
 21. **David T. Lee, B, and Gordon K. Lee, MD** Ann Plast Surg 2009;63: 650–653
 22. **DeLancy JO**: Anatomic aspects of vaginal eversion after hysterectomy. Am J Obstet Gynecol, 1992.
 23. **Drewes PG, Yanagisawa H, and Starcher B**: Pelvic organ prolapse in fibulin-5 knockout mice: pregnancy-induced changes in elastic fiber homeostasis in mouse vagina. Am J Pathol 170(2): 578-89, 2007
 24. **Dwarkasing S, Hussain SH, Hop WC, and Krestin GP**. Anovaginal fistulas: evaluation with endoanal MR imaging. Radiology. 2004;231:123–128
 25. **Dwyer PL, and O'Reilly BA**. Transvaginal repair of anterior and posterior compartment prolapse with Atrium polypropylene mesh. Bjog. 2004; 111:831-6.
 26. **Eykyn S, and Grace RH**: The relevance of microbiology in the management of anorectal sepsis. Ann R Coll Surg Engl 68:237, 1986.
 27. **Francois Y, Descos L, and Vignal J**: Conservative treatment of low rectovaginal fistula in Crohn's disease. Int J Colorectal Dis 5:12, 1990.
 28. **Giordano P, Drew PJ, Taylor D, and Duthie G**. Vaginography: investigation of choice for clinically suspected vaginal fistulas. Dis Colon Rectum 1996 ;39:568–572

-
-
29. **Gleeson NC, Baile W, and Roberts WS.** Pudendal thigh fasciocutaneous flaps for vaginal reconstruction in gynecologic oncology. *Gynecol Oncol* 1994 (Sep); 54(3):269–74.
 30. **Goldabar KG, Wendel PJ, McIntire DD, and Wendel GD.** Post-partum perineal morbidity after fourth degree perineal repair. *Am J Obstet Gynecol* 1993; 168:489-93.
 31. **Gordon P, and Nivatvongs S.** Principles and Practice of Surgery for the Colon, Rectum, and Anus. 2nd ed. London: Informa Health Care; 2002
 32. **Gordon P.** Rectovaginal fistula. In: Principles and Practice of Surgery for the Colon, Rectum and Anus. Quality Med. Pub Inc; 361-81, 1992
 33. **Greenwald JC, and Hoexter B.** Repair of rectovaginal fistulas. *Surg Gynecol Obstet* 1978; 146:443-5.
 34. **Halverson AL, Hull TL, Fazio VW, and Church J.** Repair of recurrent rectovaginal fistulas. *Surgery*. 2001;130:753–758.
 35. **Hayashi I, and Yonezawa TM.** The study on staunch clip for the treatment by endoscopy. *Gastroenterol Endoscopy* 1975;17
 36. **Hay-Smith J, Bo K, and Berghmans B,:** Pelvic floor muscle training for urinary incontinence in women. *Cochrane Database Syst Rev* (3): CD001407, 2008
 37. **Hsin YH, Chung RC, Jinn SC, Chien YY, and Rei PT.** Department of Colon and Rectal Surgery, Chang Gung Memorial Hospital, Linko, Taiwan. *J Soc Colon Rectal Surgeon (Taiwan)* September 2010;21:138-142
 38. **James N. Adams,** the Latin Sexual Vocabulary (Johns Hopkins, 1990)

-
-
39. **Joseph M. Novi, DO, and Gina M. Northington, MD** Journal of Pelvic medicine & surgery 2005;11:283–293
40. **Joseph VT.** Pudendal-thigh flap vaginoplasty in the reconstruction of genital anomalies. J Pediatr Surg. 1997; 32:62–65.
41. **Karam JA, Vazquez DV, Lin VK, and Zimmern PE:** Elastin expression and elastic fibre width in the anterior vaginal wall of postmenopausal women with and without prolapse. BJU Int 100: 346-50, 2007
42. **Khaled M, Mostafa S, and Hassan M.** Department of Surgery, Department of Obstetric and Gynecology, University of Alexandria, Egypt. Egyptian Journal of Surgery Vol. 29, No. 3, July, 2010
43. **Khanduja KS, Yamashita HJ, and Wise WE Jr.** Delayed repair of obstetric injuries of the anorectum and vagina. A stratified surgical approach. Dis Colon Rectum. Apr 1994;37(4):344-9
44. **Kimose HH, Fischer L, and Spjeldnaes N.** Late radiation injury of the colon and rectum: Surgical management and outcome. Dis Colon Rectum 32:684, 1989
45. **Kleeman SD:** Gynecologic anatomy. In Sokol AI and Sokol ER, eds. General Gynecology: The Requisites in Obstetrics and Gynecology. Philadelphia, PA: Mosby/Elsevier, 2007, pp 73-97
46. **Kodner I J, Mazor A, Shemesh E I, and Fry R D.** Endorectal advancement flap repair of rectovaginal and other complicated anorectal fistulas. Surgery. 1993;114:682–689.: 92-101
47. **Kozok LJ:** Surgical and non-surgical procedures associated with hospital delivery in the United States: 1980–1987. Birth 16:209, 1989

-
48. **Kridel RWH, Foda H, and Lunde KC.** Septal perforation repair with acellular human dermal graft. Arch Otolaryngol Head Neck Surg 1998;124:73-78
49. **Kudish B, Blackwell S, and Mcneeley SG:** Operative vaginal delivery and midline episiotomy: a bad combination for the perineum. Am J Obstet Gynecol. 2006;195(3):749-54
50. **Kumaran SS, Palanivelu C, and Kavalakat AJ.** Laparoscopic repair of high rectovaginal fistula: is it technically feasible. BMC Surg. 2005;5:20
51. **Lattari V, Jones LM, Varcelotti JR, and Lastenser BA.** The use of a permanent dermal allograft in fullthickness burns of the hand and foot. J Burn Care Rehab 1997;18:147-155
52. **Laura C. MD, Patricia A. MD, and Elizabeth R. MD.** of PELVIC MEDICINE & SURGERY Volume 15, Number 1 January/February 2009
53. **Laurent S, Barbeaux A, and Detroz B.** Development of adenocarcinoma in chronic fistula in Crohn's disease. Acta Gastroenterol Belg. Jan-Mar 2005;68(1):98-100
54. **Legino LJ, Woods MP and Rayburn WF:** Third and fourth degree perineal tears. 50 years' experience at a university hospital J Reprod Med 33:423, 1988
55. **Loungnarath R, Dietz D W, and Mutch M G.** Fibrin glue treatment of complex anal fistulas has low success rate. Dis Colon Rectum. 2004;47:432–436
56. **Lowder JL, Burrows LJ, and Krohn MA:** Risk factors for primary and subsequent anal sphincter lacerations: a comparison of cohorts by parity and prior mode of delivery. Am J Obstet Gynecol 2007;196(4):344.e1-5
57. **Mazier WP, Senagore AJ, and Schiessel EC.** Operative repair of anovaginal and rectovaginal fistulas. Dis Colon Rectum. 1999

-
58. **Meeks, G. Roth, T. Glob and Winfred L. Wiser** Professor of Gynecologic Surgery University of Mississippi Medical Center Jackson, Mississippi, USA, June 2008
59. **Michael S. Baggish and Mickey M. Karram.** Anatomy of the vagina 2002. (336-348)
60. **Miklos J. R. and N. Kohli** Northside Hospital, Atlanta, Georgia; Good Samaritan Hospital, Cincinnati, Ohio, USA *Int Urogynecol J* (1999) 10:405-406
61. **Mikolajczyk RT, Zhang J, and Troendle J:** Risk factors for birth canal lacerations in primiparous women. *Am J Perinatol.* 2008;25(5):259-64
62. **Moalli PA, Shand SH, and Zyczynski HM:** Remodeling of vaginal connective tissue in patients with prolapse. *Obstet Gynecol* 106(5 Pt 1): 953-63, 2005
63. **Monstrey S, Blondeel P, and VanLanduyt K.** The versatility of the pudendal thigh fasciocutaneous flap used as an island flap. *Plastic Reconstruction Surgery.* 2001; 107:719–725
64. **Muleta M, and Williams G.** Post coital injuries treated at the Addis Ababa Fistula hospital 1991–1997. *Lancet* 1999; 354: 2051–2
65. **Nezhat CH, Bastidas JA, Pennington E, and Nezhat FR:** Laparoscopic treatment of type IV rectovaginal fistula. *Am Assoc Gynecol Laparosc* 1998 , 5:297-9
66. **Nichols DG, and Milley PS:** Surgical significance of the retrovaginal septum. *Am J Obstet Gynecol* 108: 215, 1970
67. **Nichols DH, and Randall CL, eds.** Vaginal Surgery, 4th ed. Philadelphia: Williams & Wilkins; 1996:290–314
68. **Noll and Carlton M.** Procto-Basics. Medicus Publications, 1978, pp. 07-44

-
69. **Ozuner G, Hull T L, Cartmill J, and Fazio V W.** Long-term analysis of the use of transanal rectal advancement flaps for complicated anorectal/vaginal fistulas. *Dis Colon Rectum*. 1996;39:10–14
70. **Parks AG:** Anorectal incontinence. *Proc R Soc Med* 68: 21, 1975
71. **Pelosi MA:** Transvaginal repair of recurrent RVF with laparoscopic-assisted rectovaginal mobilization. *J Laparoendosc Adv Surg Tech A* 1997 , 7:379-83
72. **Poen AC, Felt-Bersma RJF, Cuesta MA, and Meuwissen SGM.** Vaginal endosonography of the anal sphincter complex is important in the diagnosis of faecal incontinence and perianal sepsis. *Br J Surg* 1998 ;85:359–363
73. **Pye PK, Dada T, Duthie G and Phillips K.** Surgisistrade mark mesh: a novel approach to repair of a recurrent rectovaginal fistula. *Dis Colon Rectum*. 2004;47:1554-6
74. **Radcliffe AG, Ritchie JK, and Jawley PR.** Anovaginal and rectovaginal fistulas in Crohn's disease. *Dis of Colon Rectum* 1988; 31:94-9
75. **Rahman MS, Al-Suleiman SA, and El-Yahia AR.** Surgical treatment of rectovaginal fistula of obstetric origin: a review of 15 years' experience in a teaching hospital. *J Obstet Gynaecol*. 2003;23:607–610
76. **Rankin GB, Watts HD, and Clifford S:** National cooperative Crohn's disease study: Extraintestinal manifestations and perianal complications. *Gastroenterology* 4:914, 1979
77. **Raphael C. Lee and Jacob** Rotmensch a Section of Plastic Surgery, Department of Surgery, Department of Obstetrics and Gynecology, The University of Chicago, Chicago, June 2004

-
-
78. **Ritchie JK, and Lennard-Jones JE:** Crohn's disease of the distal large bowel. *Scand J Gastroenterol* 11:433, 1976
79. **Saclarides TJ.** Rectovaginal fistula. *Surg Clin North Am.* 2002;82:1261–1272
80. **Saravanan S Kumaran, Chinnusamy P, and Alfie J Kk.** Department of Advanced Laparoscopic & Gastrointestinal Surgery, Gem Hosp. Coimbatore, India 2005
81. **Schilling M. C. JA, ed.** Diagnostic Tests. Philadelphia, Pa.: Lippincott Williams & Wilkins; 2007
82. **Schwenk W, Bohm B, Grundel K, and Muller J:** Laparoscopic resection of high rectovaginal fistula with intracorporeal colorectal anastomosis and omentoplasty. *Surg Endosc* 1997 , 11:147-9
83. **Smout CFV, Jacoby F, and Lillie EW:** Gynaecological and Obstetrical Anatomy. London: HK Lewis, 1969
84. **Sonoda T, Hull T, Piedmonte MR, and Fazio VW.** Outcomes of primary repair of anorectal and rectovaginal fistulas using the endorectal advancement lap. *Dis Colon Rectum.* 2002;45:1622–1628
85. **Steiner AK.** The problem of post-partum fistulas in developing countries. *Acta Tropica.* 1996;62:217–223
86. **Stepp KJ, Walters MD, and Karram MM,:** Anatomy of the lower urinary tract, rectum and pelvic floor. In Walters MD and Karram MM, eds. *Urogynecology and Reconstructive Pelvic Surgery.* Philadelphia, PA: Mosby/Elsevier, 2007
87. **Stoker J, Rociu E, Schouten WR, and Lameris JS.** Anovaginal and rectovaginal fistulas: endoluminal sonography versus endoluminal MR imaging. *AJR Am J Roentgenol.* 2002;178:737–741

-
88. **Sultan AH, Kamm MA, and Hudson CN:** Third degree obstetric anal sphincter tears: Risk factors and outcome of primary repair. *BMJ* 308:887, 1994
89. **Tanag MA, Kubo T, Yano K, Inoue Y, and Hosokawa K.** Simple repair of complex rectovaginal fistulas. *Scand J Plast Reconstr Surg Hand Surg.* 2004;38:121–124
90. **Tancer ML, Lasser D, and Rosenblum N.** Rectovaginal fistula or perineal and anal sphincter disruption or both after vaginal delivery. *Surg Gynecol Obstet.* 1990;171:43–46
91. **Toglia M.** Rectovaginal fistula repair: closure for a troubling condition. *OBG Management.* 2001; 13:1–5
92. **Toglia MR.** Rectovaginal, anovaginal, and colovesical fistulas. Accessed April 19, 2010.
93. **Tsang CB, and Rothenberger DA.** Rectovaginal fistulas: Therapeutic options. *Surg Clin North Am* (1997)
94. **Tsang C B, Madoff R D, and Wong W D.** Anal sphincter integrity and function influences outcome in rectovaginal fistula repair. *Dis Colon Rectum.* 1998;41:1141–1146
95. **Uba AF, Chirdan LB, and Ardill W:** Acquired rectal fistula in human immunodeficiency virus-positive children: a causal or casual relationship? *Pediatr Surg Int* 2004;20(11-12):898-901
96. **Upadhyaya VD, Gangopadhyay AN, and Pandey A.** Single-stage repair for rectovestibular fistula without opening the fourchette. *J Pediatr Surg.* 2008;43:775–779
97. **Venkatesh KS, Ramanyam PS, Larson DM, and Haywood MA.** Anorectal complications of vaginal delivery. *Dis Colon Rectum* 1989; 32:1039-41

-
98. **Veronikas DK, Nichols DH, and Spino C.** The Noble-Mengert-Fish operation revisited: a composite approach for persistent rectovaginal fistulas and complex perineal defects. *Am J Obstet Gynecol.* 1998; 179:1–10
99. **Watson SJ, and Phillips RK.** Non-inflammatory rectovaginal fistula. *Br J Surg.* 1995;82:1641–1643
100. **Wee JT, and Joseph VT.** A new technique of vaginal reconstruction using neurovascular pudendal-thigh flap: a preliminary report. *Plast Reconstr Surg.* 1989;83:701
101. **Welton ML.** Anorectum. In: Doherty GM. *Current Diagnosis & Treatment: Surgery.* 13th Ed. New York, N.Y.: McGraw-Hill Medical; 2010
102. **Williams JA Jr, Clarke D, and Dennis WA.** Department of Obstetrics and Gynecology, University of South Carolina, Columbia. *Am J Obstet Gynecol.* 1992 Aug;167(2):412-5; discussion 415-6
103. **Wiskind AK, and Thompson ill.** Fecal incontinence. In: Rock JA, Thompson ill, eds. *Telinde's operative gynecology.* Philadelphia:Lippincott-Raven, 1997:1223-1236
104. **White A J, Buchsbaum H J, Blythe J G, and Lifshitz S.** Use of the bulbocavernosus muscle (Martius procedure) for repair of radiation-induced rectovaginal fistulas. *Obstet Gynecol.* 1982;60:114–118
105. **Wollschlaeger K, Connell PP, Waggoner S, Rotmensch J, and Mundt AJ.** Acute problems during low-dose-rate intracavitary brachytherapy for cervical carcinoma. *Gynecol Oncol* 2000 (Jan);76(1):67–72.

106. **Yee LF, Birnbaum EH, Read TE, Kodner IJ, Fleshman JW.** Use of endoanal ultrasound in patients with rectovaginal fistulas. Dis Colon Rectum. 1999;42:1057–1064

107. **Zimmerman DD, Gosselink MP, Briel JW, Schouten WR.** The outcome of transanal advancement flap repair of rectovaginal fistulas is not improved by an additional labial fat flap transposition. Tech Coloproctol. 2002; 6:37–42