

REFERENCES

Abu-Amero, K.K., Bosley,T.M., 2006.Prothrombotic and atherosclerotic risk factors lack significance in NAION patients harboring mitochondrial DNA mutations.Br. J. Ophthalmol 90, 119–120.

Anderson, D.R.and Braverman,S.(1976),Re-evaluation of the optic disc vasculature.Am J Ophthalmo 82,165.

Anderson, D.R.and Hoyt, W.F. (1969) Ultrastructure of intraorbital portion of human and monkey optic nerve. Arch Ophthalmol,82,506.

Anthony J. Bron, Ramesh C. Tripathi, Branda J. Tripathi .,1997 .Wolf's Anatomy of the eye and orbit Eighth edition.Chapter15,489-534.

Arnold AC. Pathogenesis of Non Arteretic Anterior Ischemic Optic Neuropathy. J Neuro-Ophthalmol, 2003; vol.23,No2 ,157-63.

Arnold AC, Badr MA Hepler RS. Fluorescein angiography in non ischemic optic disc edema . *Arch Ophthalmol* 1996; 114:293–8.

Arnold AC, Hepler RS.,1994 . Fluorescein angiography in acute nonarteritic anterior ischemic optic neuropathy . *AmJ Ophthalmol* 1994; 117: 222–30.

Arnold AC, Hepler RS, Lieber M , et al. Hyperbaric oxygen therapy for nonarteritic anterior ischemic optic neuropathy. Am J Ophthalmol. 1996; 122(4):535--41

References

Arnold AC, Levin LA. Treatment of ischemic optic neuropathy. *Semin Ophthalmol*. 2002; 17(1):39--46

Atkins , Beau B. Bruce, Nancy J. Newman, and Vale´rie Biousse .Treatment of Nonarteritic Anterior Ischemic Optic Neuropathy. *Survey of Ophthalmology* , vo55, No1 , 2010.

Beck RW , Ferris FL. Does levodopa improve visual function in NAION? *Ophthalmology* . 2000;107(8):1431—3

Beck, R.W., Servais, G.E., Hayreh, S.S., 1987. Anterior ischemic optic neuropathy. IX. Cup-to-disc ratio and its role in pathogenesis. *Ophthalmology* 94, 1503–1508.

Beck , R.W., Hayreh, S.S., Podhajsky, P.A., Tan, E.-S., Moke, P.S., 1997. Aspirin therapy in nonarteritic anterior ischemic optic neuropathy. *Am. J. Ophthalmol* 123, 212–217.

Behbehani R, Mathews MK, Sergott RC, et al. Nonarteritic anterior ischemic optic neuropathy in patients with sleep apnea while being treated with continuous positive airway pressure. *Am J Ophthalmol*. 2005; 139(3):518-21.

Bendo , E., Gilbert, M., Foroozan, R., 2008. Can lightning strike twice? *Surv. Ophthalmol* 53, 296–300.

References

Bennett , J.L., Thomas, S., Olson, J.L., Mandava , N., 2007. Treatment of nonarteritic anterior ischemic optic neuropathy with intravitreal bevacizumab. *J. Neuroophthalmol* 27, 238–240.

Berggren , L., Thorburn, W., Fodstad, H., 1974 . Three cases of non-inflammatory ischemic optic neuropathy occurring in the same family . *Acta Ophthalmol . (Copenh.)* 52, 589–595.

Beri , M., Klugman , M.R., Kohler, J.A., Hayreh, S.S., 1987. Anterior ischemic optic neuropathy . VII. Incidence of bilaterality and various influencing factors. *Ophthalmology* 94, 1020–1028.

Biousse , V., Schaison , M., Touboul, P.J., D'Anglejan-Chatillon, J., Bousser , M.G., 1998. Ischemic optic neuropathy associated with internal carotid artery dissection. *Arch. Neurol* 55, 715–719.

Bonamour G. Apropos de pseudo-papillites vasculaire. *Bull Soc Ophtalmol Fr.* 1966;79:846.

Botelho , P.J., Johnson, L.N., Arnold, A.C., 1996. The effect of aspirin on the visual outcome of nonarteritic anterior ischemic optic neuropathy. *Am. J. Ophthalmol* 121, 450–451.

Burde RM. Optic disc risk factors for nonarteritic anterior ischemic optic neuropathy. *Am J Ophthalmol.* 1993; 116(6):759-64.

Burde RM, Savino PJ, Trobe JD., 1992. Clinical decision in neuroophthalmology. *Mosby year book*, 2nd ed.

References

Costello , F., Zimmerman , M.B., Podhajsky, P.A., Hayreh, S.S., 2004.Role of thrombocytosis in diagnosis of giant cell arteritis and differentiation of arteritic from non-arteritic anterior ischemic optic neuropathy. *Eur. J. Ophthalmol* 14, 245–257.

Dagenais, G.R., Yi, Q., Lonn, E., Sleight, P., Yusuf, S., HOPE Trial Investigators, 2005.Impact of cigarette smoking in high-risk patients participating in a clinical trial. A substudy from the Heart Outcomes Prevention Evaluation (HOPE) trial . *Eur . J. Cardiovasc. Prev. Rehabil* 12 , 75–81.

Danesh-Meyer, H.V., Savino , P.J., Sergott, R.C., 2001. The prevalence of cupping in end-stage arteritic and nonarteritic anterior ischemic optic neuropathy . *Ophthalmology* 108, 593–598.

Danesh-Meyer , H., Savino, P.J., Spaeth, G.L., Gamble, G.D., 2005. Comparison of arteritic and nonarteritic anterior ischemic optic neuropathies with the Heidelberg Retina Tomograph . *Ophthalmology* 112, 1104–1112.

Deramo VA, Sergott RC, Augsburger JJ, et al. optic neuropathy as the first manifestation of elevated cholesterol in young patients. *Ophthalmol.* 2003; 110(5):1041-6.

Eagling EM, Sanders MD, Miller SJ: Ischaemic papillopathy. Clinical and fluorescein angiographic review of forty cases . *Br J Ophthalmol* 1974 ; 58:990–1008.

References

Fazzone HE, Kupersmith MJ, Leibmann J. Does topical brimonidine tartrate help NAION? *Br J Ophthalmol*. 2003;87(9):1193-4.

Fineman , M.S., Savino, P.J., Federman, J.L., Eagle Jr., R.C., 1996. Branch retinal artery occlusion as the initial sign of giant cell arteritis . *Am. J. Ophthalmol* 122, 428–430.

Fingert, J.H., Grassi, M.A., Janutka, J.C., East, J.S., Howard, J.G., Sheffield, V.C., Jacobson, D.M., Hayreh, S.S., Stone, E.M., 2007. Mitochondrial variant G4132A is associated with familial non-arteritic anterior ischemic optic neuropathy in one large pedigree. *Ophthalmic. Genet*. 28, 1–7.

Flaharty PM , Sergott RC, Lieb W, Bosley TM, Savino PJ. Optic nerve sheath decompression may improve blood flow in anterior ischemic optic neuropathy. *Ophthalmology* 1993; 100:297–302.

Friedland S, Winterkorn JM, Burde RM. Luxury perfusion following anterior ischemic optic neuropathy. *J Neuro-Ophthalmol* 1996 ; 16:163–71.

Foulds WS. Visual disturbances in systemic disorders: optic neuropathy and systemic disease. *Trans Ophthalmol Soc UK*. 1970 ; 89:125-46.

Francois J, and Neetens A., 1954. Vascularization of the optic pathway: Lamina cribrosa and optic nerve. *Br J Ophthalmol* ,38,472.

Francois J, Verriest G, Neetens A, et al. Pseudo-papillites vasculaire. *Ann Ocul (Paris)*. 1962;195:830-85.

References

Fry CL, Carter JE, Kanter MC, Tegeler CH, Tuley MR. Anterior ischemic optic neuropathy is not associated with carotid artery atherosclerosis. *Stroke* 1993 ; 24:539–42.

Fuchs,E.1885.,Die periphere Atrophie des Sehnerven.Avon Graefes Arch Ophthalmol,31-137.

Fujikado T, Morimoto T, Matsushita K, et al. Effect of transcorneal electrical stimulation in patients with nonarteritic ischemic optic neuropathy or traumatic optic neuropathy. *Jpn J Ophthalmol.* 2006; 50(3):266-73.

Georgiades G, Konstas P, Stangos N. Reflexions issues de l'étude de nombreux cas de pseudo-papillite vasculaire. *Bull Soc Ophtal Fr.* 1966; 79:506-36.

Gomez R, Gonzalez-Izquierdo M, Zimmermann RC, et al. Lowdose dopamine agonist administration blocks vascular endothelial growth factor (VEGF)--mediated vascular hyperpermeability without altering VEGF receptor 2-dependent luteal angiogenesis in a rat ovarian hyperstimulation model. *Endocrinology.* 2006;147(11):5400--11

Hattenhauer , M.G., Leavitt, J.A., Hodge, D.O., Grill, R., Gray , D.T., 1997. Incidence of nonarteritic anterior ischemic optic neuropathy . *Am. J. Ophthalmol* 123, 103–107.

Hayreh, S.S., 1963. The central artery of the retina. its role in the blood supply of the optic nerve. *Br. J. Ophthalmol* 47, 651–663.

References

Hayreh, S.S., 1990. The role of optic nerve sheath fenestration in management of anterior ischemic optic neuropathy. *Arch. Ophthalmol* 108, 1063–1065

Hayreh, S.S., 1995. The 1994 Von Sallman Lecture. The optic nerve head circulation in health and disease . *Exp. Eye Res.* 61, 259–272.

Hayreh SS. Does Levodopa improve visual function in NAION? *Ophthalmology*. 2000; 107(8):1434--5

Hayreh, S.S., 2001. Risk factors in AION. *Ophthalmology* 108, 1717–1718.

Hayreh, S.S., 2008. Non-arteritic anterior ischemic optic neuropathy and thrombophilia. *Graefes Arch. Clin. Exp. Ophthalmol* 2008 Oct 29 [Epub ahead of print].

Hayreh, S.S., 2009. Ischemic optic neuropathy . *Progress in Retinal and Eye Research*. 28, 34-62.

Hayreh SS, Beach KW. [Discussion of: Flaharty PM, Sergott RC, Lieb W, Bosley TM, Savino PJ. Optic nerve sheath decompression may improve blood flow in anterior ischemic optic neuropathy]. *Ophthalmology* 1993; 100:303–5.

Hayreh, S.S., Zimmerman, B., 2003. Management of giant cell arteritis. Our 27-year clinical study: new light on old controversies. *Ophthalmologica* 217, 239–259.

References

Hayreh, S.S., Zimmerman, B., 2005. Visual field abnormalities in nonarteritic anterior ischemic optic neuropathy: their pattern and prevalence at initial examination. *Arch. Ophthalmol* 123, 1554–1562.

Hayreh, S.S., Zimmerman, M.B., 2007. Optic disc edema in non-arteritic anterior ischemic optic neuropathy. *Graefes Arch. Clin. Exp. Ophthalmol* 245, 1107–1121

Hayreh, S.S., Zimmerman, M.B., 2008. Nonarteritic anterior ischemic optic neuropathy: natural history of visual outcome. *Ophthalmology* 115, 298–305.

Hayreh, S.S., Joos, K.M., Podhajsky, P.A., Long, C.R., 1994. Systemic diseases associated with nonarteritic anterior ischemic optic neuropathy. *Am. J. Ophthalmol* 118, 766–780.

Hayreh, S.S., Podhajsky, P.A., Zimmerman, B., 1997. Nonarteritic anterior ischemic optic neuropathy: time of onset of visual loss. *Am. J. Ophthalmol* 124, 641–647.

Hayreh, S.S., Podhajsky, P.A., Zimmerman, B., 1998. Ocular manifestations of giant cell arteritis . *Am. J. Ophthalmol* 125, 509–520.

Hayreh, S.S., Podhajsky, P., Zimmerman, M.B., 1999. Role of nocturnal arterial hypotension in optic nerve head ischemic disorders. *Ophthalmologica* 213, 76–96.

References

Hayreh, S.S., Podhajsky, P.A., Zimmerman, B., 2001. Ipsilateral recurrence of nonarteritic anterior ischemic optic neuropathy. *Am. J. Ophthalmol* 132, 734–742.

Hayreh, S.S., Zimmerman, B., Kardon, R.H., 2002. Visual improvement with corticosteroid therapy in giant cell arteritis. Report of a large study and review of literature. *Acta Ophthalmol. Scand* 80, 355–367.

Hayreh, S.S., Jonas, J.B., Zimmerman, M.B., 2007. Nonarteritic anterior ischemic optic neuropathy and tobacco smoking . *Ophthalmology* 114, 804–809.

Hayreh, S.S., Fingert, J.H., Stone, E., Jacobson, D.M., 2008. Familial non-arteritic anterior ischemic optic neuropathy. *Graefes Arch. Clin. Exp. Ophthalmol* 246,1295–1305.

Hedges 3rd, T.R., Vuong, L.N., Gonzalez-Garcia, A.O., Mendoza-Santiesteban, C.E., Amaro-Quierza, M.L., 2008. Subretinal fluid from anterior ischemic optic neuropathy demonstrated by optical coherence tomography . *Arch. Ophthalmol* 126, 812–815.

Henkind P.,1967. Radial peripapillary capillaries of the retina. *Anatomy: human and comparative. Br J Ophthalmol* ,51,115 .

Henkind P, Charles NC, Pearson J. Histopathology of ischemic optic neuropathy. *Am J Ophthalmol* 1970; 69:78– 90.

References

Hunder, G.G., Bloch, D.A., Michel, B.A., Stevens, M.B., Arend, W.P., Calabrese, L.H., Edworthy, S.M., Fauci, A.S., Leavitt, R.Y., Lie, J.T., et al., 1990. The American College of Rheumatology 1990 criteria for the classification of giant cell arteritis . *Arthritis Rheum* 33, 1122–1128.

Ine's Contreras, Gema Rebolleda, Susana Noval, and Francisco J. Muñoz-Negrete¹. Optic Disc Evaluation by Optical Coherence Tomography in Nonarteritic Anterior Ischemic Optic Neuropathy(*Invest Ophthalmol Vis Sci.* 2007;48:4087–4092) DOI:10.1167/iovs.07- 0171

Ischemic Optic Neuropathy Decompression Trial Research Group, 1995. Optic nerve decompression surgery for nonarteritic anterior ischemic optic neuropathy (NAION) is not effective and may be harmful. *JAMA* 273, 625–632.

Jacobson, D.M., Vierkant, R.A., Belongia, E.A., 1997. Nonarteritic anterior ischemic optic neuropathy . A case-control study of potential risk factors . *Arch. Ophthalmol* 115, 1403–1407.

Johnson, L.N., Arnold, A.C., 1994. Incidence of nonarteritic and arteritic anterior ischemic optic neuropathy . Population-based study in the state of Missouri and Los Angeles County , California. *J. Neuroophthalmol* 14, 38–44.

Johnson LN, Guy ME, Krohel GB, Madson RW: Levodopa may improve vision loss in recent-onset, nonarteritic anterior ischemic optic neuropathy. *Ophthalmology* 2000; 107:521-526.

References

Jonas, J.B., Spandau, U.H., Harder, B., Sauder, G., 2007. Intravitreal triamcinolone acetonide for treatment of acute nonarteritic anterior ischemic optic neuropathy . Graefes Arch . Clin . Exp. Ophthalmol 245, 749–750.

Kaderli, B., Avci, R., Yucel, A., Guler, K., Gelisken, O., 2007. Intravitreal triamcinolone improves recovery of visual acuity in nonarteritic anterior ischemic optic neuropathy. J. Neuroophthalmol 27, 164–168.

Kearns, T.P., 1975. Collagen and rheumatic diseases: ophthalmic aspects. In: Mausolf, F.A. (Ed.), *The Eye and Systemic Disease*. Mosby, St. Louis, pp. 105–118.

Kelman, S.E., Elman, M.J., 1991. Optic nerve sheath decompression for nonarteritic ischemic optic neuropathy improves multiple visual function measurements. Arch. Ophthalmol 109, 667–671.

Kline LB. Progression of visual defects in ischemic optic neuropathy. *Am J Ophthalmol*. 1988; 106:199-203.

Knox, D.L., Kerrison, J.B., Green, W.R., 2000. Histopathologic studies of ischemic optic neuropathy. Trans. Am. Ophthalmol. Soc. 98, 203–220.

Kollarits CR, McCarthy RW, Corrie WS, et al. Norepinephrine therapy of ischemic optic neuropathy. J Clin Neuroophthalmol. 1981; 1(4):283-8.

References

Kosmorsky, G., Straga, J., Knight, C., Dagirmanjian, A., Davis, D.A., 1998. The role of transcranial Doppler in nonarteritic ischemic optic neuropathy . Am. J. Ophthalmol 126, 288–290.

Lam, B.L., Jabaly-Habib, H., Al-Sheikh, N., Pezda, M., Guirgis, M.F., Feuer, W.J., McCulley, T.J., 2007. Risk of non-arteritic anterior ischaemic optic neuropathy (NAION) after cataract extraction in the fellow eye of patients with prior unilateral NAION. Br. J. Ophthalmol 91, 585–587.

Lee AG, Newman NJ. Erectile dysfunction drugs and nonarteritic anterior ischemic optic neuropathy. Am J Ophthalmol.2005; 140(4):707-8.

Leiba H, Rachmiel R, Harris A, et al. Optic nerve head blood flow measurements in non-arteritic anterior ischemic optic neuropathy. *Eye* 2000;14:828–33.

Levitzky, M. and Hendkind, P.,1969.Angioarchitecture of the optic nerve and lamina cribrosa .Am. J. Ophthalmol,68-839.

Li, J., McGwin Jr., G., Vaphiades, M.S., Owsley, C., 2007. Non-arteritic anterior ischaemic optic neuropathy and presumed sleep apnoea syndrome screened by the Sleep Apnea scale of the Sleep Disorders Questionnaire (SA-SDQ). Br. J. Ophthalmol 91, 1524–1527.

Lieberman, M.F.,Maumenee,A.E.and Green,W.R.,1976.Histologic studies of vasculature of the anterior optic nerve. Am. J. Ophthalmol 82,405.

References

Lieberman, M.F., Shahi, A., Green, W.R., 1978. Embolic ischemic optic neuropathy. *Am. J. Ophthalmol* 86, 206–210.

Luneau K, Newman NJ, Biousse V. Ischemic optic neuropathies. *Neurologist*. 2008;14(6):341-54.

Mack HG, O'Day J, Currie JN (1991) Delayed choroidal perfusion in giant cell arteritis. *J Clin Neuroophthalmol* 11:221–227.

Manor, R.S., 1990. Nonarteritic ischemic optic neuropathy in identical female twins: improvement of visual outcome in one by optic nerve decompression. *Arch. Ophthalmol* 108, 1067–1068.

McLeod, D., Marshall, J., Kohner, E.M., 1980. Role of axoplasmic transport in the pathophysiology of ischaemic disc swelling . *Br. J. Ophthalmol* 64, 247–261.

Miller NR. Anterior ischemic optic neuropathy. In: Walsh and Hoyt's *Clinical Neuro-Ophthalmology*. Vol 1. 1982:212-226.

Minckler,D.S., Mclean,I.W.and Tso,M.O.M., 1976.Distribution of axonal and glial elements in the rhesus optic nerve head by electron microscopy. *Am j Ophthalmol* ,82,179.

Miyake Y, Yanagida K, Yagasaki K. [Clinical application of EER (electrically evoked response). (1) Analysis of EER in normal subjects (author's transl)]. *Nippon Ganka Gakkai Zasshi (Acta Soc Ophthalmol Jpn)*. 1980; 84(6): 354-60.

References

Mizener, J.B., Podhajsky, P., Hayreh, S.S., 1997. Ocular ischemic syndrome. *Ophthalmology* 104, 859–864.

Morimoto T, Miyoshi T, Fujikado T, et al. Electrical stimulation enhances the survival of axotomized retinal ganglion cells in vivo. *Neuroreport*. 2002; 13(2):227--30

Muller M, Kessler C, Wessel K, et al. Low-tension glaucoma: a comparative study with retinal ischemic syndromes and anterior ischemic optic neuropathy. *Ophthalmic Surg* 1993; 24:835–8.

Murphy, M.A., Murphy, J.F., 2005. Amiodarone and optic neuropathy: the heart of the matter. *J. Neuroophthalmol* 25, 232–236.

Newman, N.J., Scherer, R., Langenberg, P., Kelman, S., Feldon, S., Kaufman, D., Dickersin, K., 2002. The fellow eye in NAION: report from the Ischemic Optic Neuropathy Decompression Trial Follow-Up Study. *Am J. Ophthalmol* 134, 317–328.

Nguyen, L.T., Taravella, M.J., Pelak, V.S., 2006. Determining whether delayed nonarteritic ischemic optic neuropathy associated with cataract extraction is a true entity. *J. Cataract Refract. Surg* 32, 2105–2109 .

Olver JM, Spalton DJ, McCartney AC. Microvascular study of the retrolaminar optic nerve in man: the possible significance in anterior ischemic optic neuropathy. *Eye* 1990;4:7–24.

References

Onda E, Cioffi GA, Bacon DR, et al. Microvasculature of the human optic nerve. *Am J Ophthalmol* 1995; 120:92–102.

Oto S, Yilmaz G, Cakmakci S, Aydin P. Indocyanine green and fluorescein angiography in nonarteritic anterior ischemic optic neuropathy. *Retina* 2002; 22: 187–91.

Parikh, M., Miller, N.R., Lee, A.G., Savino, P.J., Vacarezza, M.N., Cornblath, W., Eggenberger, E., Antonio-Santos, A., Golnik, K., Kardon, R., Wall, M., 2006. Prevalence of a normal C-reactive protein with an elevated erythrocyte sedimentation rate in biopsy-proven giant cell arteritis . *Ophthalmology* 113, 1842–1845.

Petrig BL, Riva CE, Hayreh SS. Laser doppler flowmetry and optic nerve head blood flow. *Am J Ophthalmol* 1999; 127:413–25.

Preechawat, P., Bruce, B.B., Newman, N.J., Biousse, V., 2007. Anterior ischemic optic neuropathy in patients younger than 50 years. *Am. J. Ophthalmol* 144, 953–960.

Quigley,H.A., 1986.Pathophysiology of the optic nerve in glaucoma (eds J.A.McAllister andR.P.Wilson), Butterworth,London,p.30.

Rizzo JF III, Andreoli CM, Rabinov JD. Use of magnetic resonance imaging to differentiate optic neuritis and nonarteritic anterior ischemic optic neuropathy. *Ophthalmology*. 2002; 109: 1679-1684

Roth DB, Verma V, Realini T, et al. Long-term incidence and timing of intraocular hypertension after intravitreal triamcinolone acetonide injection. *Ophthalmology*. 2009; 116:455-60.

Saito, H., Tomidokoro, A., Tomita, G., Araie, M., Wakakura, M., 2008. Optic disc and peripapillary morphology in unilateral nonarteritic anterior ischemic optic neuropathy and age- and refraction-matched normals. *Ophthalmology* 115, 1585–1590.

Salomon, O., Huna-Baron, R., Kurtz, S., Steinberg, D.M., Moisseiev, J., Rosenberg, N., Yassur, I., Vidne, O., Zivelin, A., Gitel, S., Davidson, J., Ravid, B., Seligsohn, U., 1999. Analysis of prothrombotic and vascular risk factors in patients with nonarteritic anterior ischemic optic neuropathy. *Ophthalmology* 106, 739–742.

Salomon O, Rosenberg N, Steinberg DM et al (2004) Nonarteritic anterior ischemic optic neuropathy is associated with a specific platelet polymorphism located on the glycoprotein Iba gene. *Ophthalmology* 111:184–188

Salvarani, C., Cantini, F., Hunder, G.G., 2008. Polymyalgia rheumatica and giant-cell arteritis. *Lancet* 372, 234–245.

Sanderson, M., Kupersmith, M., Frohman, L., Jacobs, J., Hirschfeld, J., Ku, C., Warren, F., 1995. Aspirin reduces anterior ischemic optic neuropathy (AION) in the second eye (abstract 912). *Invest. Ophthalmol. Vis. Sci.* 36, S196.

References

Sergott, R.C., Cohen, M.S., Bosley, T.M., Savino, P.J., 1989. Optic nerve decompression may improve the progressive form of nonarteritic ischemic optic neuropathy. *Arch. Ophthalmol* 107, 1743–1754.

Siatkowski RM, Gass JD, Glaser JS, Smith, JL, Schatz NJ, Schiffman J: Fluorescein angiography in the diagnosis of giant cell arteritis . *Am J Ophthalmol* 1993; 115:57–63.

Singh (Hayreh), S., Dass, R., 1960. The central artery of the retina. I. Origin and course. *Br. J. Ophthalmol* 44, 193–212.

Spoor, T.C., Wilkinson, M.J., Ramocki, J.M., 1991. Optic nerve sheath decompression for the treatment of progressive nonarteritic ischemic optic neuropathy . *Am. J. Ophthalmol* 111, 724–728.

Slater BJ, Mehrabian Z, Guo Y, et al. Rodent anterior ischemic optic neuropathy (rAION) induces regional retinal ganglion cell apoptosis with a unique temporal pattern. *Invest Ophthalmol Vis Sci.* 2008; 49(8):3671-6.

Steele,E.J.and Blunt,M.J.,1956,The blood supply of the optic nerve and chiasm in man.*J Anat*,90-486.

Taban, M., Lewis, H., Lee, M.S., 2007. Nonarteritic anterior ischemic optic neuropathy and ‘visual field defects’ following vitrectomy: could they be related? *Graefes Arch. Clin. Exp. Ophthalmol* 245, 600–605.

References

Wang, M.Y., Sadun, F., Levin, L.B., LaBree, L., Feldon, S.E., 1999. Occurrence of familial nonarteritic anterior ischemic optic neuropathy in a case series . J. Neuroophthalmol 19, 144–147

Weyand, C.M., Goronzy, J.J., 2003. Medium- and large-vessel vasculitis. N. Engl. J. Med 349, 160–169.

Wilhelm B, Lu¨dtke H, Wilhelm H. BRAION Study Group. Efficacy and tolerability of 0.2% brimonidine tartrate for the treatment of acute non-arteritic anterior ischemic optic neuropathy (NAION): a 3-month, double-masked, randomised, placebo-controlled trial. Graefes Arch Clin Exp Ophthalmol . 2006; 244(5):551--8

Wolf E. anatomy of the eye and orbit. Lewis, K.H. and Co. Ltd. Seventh ed, 1976; P. 325-344.

Wood JP, DeSantis L, Chao HM, et al. Topically applied betaxolol attenuates ischaemia-induced effects to the rat retina and stimulates BDNF mRNA. Exp Eye Res. 2001; 72(1):79--86

Yaman A, Selver OB, Saatci AO, et al. Intravitreal triamcinolone acetone injection for acute non-arteritic anterior ischemic optic neuropathy. Clin Exp Optom. 2008; 91(6):561-4.