

References

Alexandraks G, Hubell RN, Aitken PA (2000): Nasolacrimal Duct Obstruction Secondary To Ectopic Teeth. *Ophthalmology*;107(1):189-92.

Arch Soc(2004): *Esp Oftalmol*; 79: 325-330.

Arie Y. Nemet .2007 Endoscopic Dacryocystorhinostomy with Adjunctive Mitomycin C for Canalicular Obstruction Endoscopic DCR with MMC for Canalicular Block, *Informa Healthcare May*: 804-5.

Anijeet D, Dolan L, MacEwen CJ(2011): Endonasal versus external dacryocystorhinostomy for nasolacrimal duct obstruction; *Cochrane Collaboration*, issue 1;7-8.

Ashok Verma, Mazin Al Khabori, Rajiv Zutshi (2006): Endonasal carbon-dioxide laser assisted dacryocystorhinostomy versus external dacryocystorhinostomy, *Indian Journal of Otolaryngology and Head & Neck Surgery* Vol. 58, No. 1, Jan-Mar,9-14.

Bakri SJ, Carney AS, Robinson K, Jones NS, Downes RN.(1999); *Quality of life outcomes following dacryocystorhinostomy: External and endonasal laser techniques compared. Orbit*;18(2):83–8.

Bartley GB (1993): Acquired Lacrimal drainage obstruction:an etiologic classification system, case report, and a review of literature.part2 *ophthalmic plastic reconstructive surgry*;9(1):11-26.

Ben Simon GJ, Joseph J, Lee S, Schwarcz RM, McCann JD, Goldberg RA.(2005): External versus endoscopic dacryocystorhinostomy for acquired nasolacrimal duct obstruction in a tertiary referral centre. *Ophthalmology*;112 (8):1464–8.

Bergin DJ (1995) *Anatomy of the eyelids, lacrimal system, and orbit., Oculoplastic Surgery [3rd ed].*21-27.

Bogler WE,(2001): *Anatomy of the para nasal sinuses. Diseases of the sinuses diagnosis and management (3rd ed).*35-8.

Boboridis KG, Bunce C, Rose GE(2005) Outcome of external dacryocystorhinostomy combined with membranectomy of a distal canalicular obstruction. *Am J Ophthalmol.* 2005;139 (6):1051-1055.

Bradbury ja, rennie ig, parsons ma(1988): Adrenalin dacrolith: detection by ultrasound examination of the nasolacrimal duct. *Br J Ophthalmol;* 72(12):935-7.

Bron A,tripathi R, tripathi B(1997):Wolffs Anatomy of the eye and orbit.8th ed,43-7.

Bu lent Yaziciand Zeynep Yazici (2003):Final Nasolacrimal Ostium After External Dacryocystorhinostomy *Arch ophthalmol*,vol 121;77.

Chastain JB ,Cooper MH, Sindwany R (2005) the maxillary line : anatomic characterization and clinical utility of an important land mark. *Laryngoscope;* jun;115 (6): 902.

Cokkeser Y, Evereklioglu C, Er H.(2000): Comparative external versus endoscopic dacryocystorhinostomy: Results in 115 patients (130 eyes). *Otolaryngology - Head & Neck Surgery* 2000; 123(4):488–91.

Cunha MC ,Veloudios A, Dantas PE, Eagle RC JR(1989):Obstruction Of The Nasolacrimal Duct By *Ascaris Lumbricoides*. *Ophthal plast reconst surg;* 5(2):141-3.

Chen D., Ge J., Wang L., Gao Q., Ma P., N Li, D-Q Li, Z Wang(2009). A simple and evolutionary approach proven to recanalise the nasolacrimal duct obstruction *Br J Ophthalmol* 2009; 93:1438–1443.

Dale D (1997):Emberiology ,Anatomy and physiology of the lacrimal drainage system . *Ophthalmic plastic reconstructive and orbital surgery* .

David T T,kevin R S(1997):the lacrimal system. In K W Wright (ed.): text book of ophthalmology3:11:2.

Davies Dv. and Davies F. (1988): Gray's anatomy, 3rd edition, London, Longmans, Green and Co.

Doane Mg. (1981) Blinking and mechanics of the lacrimal drainage system. Ophthalmology; 88:844.

Dolman PJ(2003):Comparison of external dacryocystorhinostomy with nonlaser endonasal dacryocystorhinostomy. Ophthalmology;110:78-84.

Dolman PJ(2006):Techniques in endonasal dacryocystorhinostomy. In: Guthoff R, Katowitz JA, editors. Oculoplastics and Orbit. Heidelberg: Springer-Verlag ; 2006. p. 71-82.

Duffy Mt (2000).Advances in lacrimal surgery. Curr Opin Ophthalmol 2000; 11:352–6.

Edison Bj Meyer Dr (2000): Nasolacrimal Duct Obstruction And Dacriocoele With Aconca Bullosa Mucocele.Ophthalmology ;107(7):1393-6.

Font RI (1986): Eyelids and lacrimal drainage system. In WH Spencer (ed): Ophthalmic pathology.Phldelphia: Sauders, 2312.

Francois Codere and David W. Rossman (2006): The Lacrimal System Diagnosis, Management, and Surgery Primary Endonasal Dacryocystorhinostomy 145-146.

Friedrich Paulsen (2007) Pathophysiological Aspects of PANDO . atlas of lacrimal surgry;17.

Gonnering Rs. ,Bosnaik SL(1989):Recognition and management of acute noninfectious dacriocystic retention. Ophthal plast recionst surg:5(1):27-33.

Guy J. Ben S., Ning C., Alan A. McNab,(2010): Delayed Epistaxis in External Dacryocystorhinostomy Rate and Risk Factors; Arh Otolaryngol head neck surg. Vol 136 No 2, 186.

Hafner Hm., Rocken M., Breuninger H. (2005): Epinephrine-supplemented local anesthetics for ear and nose surgery: clinical use without complications in more than 10,000 surgical procedures. J Dtsch Dermatol Ges;3(3):195-9.

Hart R.H., Powrie S., and G.E. (2006):Primary External DacryocystorhinostomyThe Lacrimal System Diagnosis, Management, and Surgery. 131-139.

Hartikainen jouko (1998):prospective randomized comparison of endonasal endoscopic dacryocystorhinostomy and external dacryocystorhinostomy.The laryngoscope 108; 1861-6.

Harvinder S, Gurdeep S, Mallina S, Philip R, Rosalind S(2008): Powered endoscopic dacryocystorhinostomy with mucosal flaps without stenting. Med J malasia; 63:237-238.

Henry Gray (1918):Anatomy of the Human Body. 1825–1861

Henson RD, Henson RG Jr, Cruz HL Jr, Camara JG.(2007): Use of the diode laser with intraoperative mitomycin C in endocanalicular laser dacryocystorhinostomy. Ophthalmic Plastic & Reconstructive Surgery; 23(2):134–7.

Hong-Ryul Jin, Je-Yeob Yeon, Mi-Young Choi.(2006):Endoscopic dacryocystorhinostomy. J Korean Med Sci 2006; 21: 719-23 ISSN 1011-8934.

Hornblass A, Jakobiec F A, Bosnaik s (1980):The Diagnosis And Management Of Epithelial Tumours Of The Lacrimal Sac.Ophthalmology;87:476.

Hu WX, Zhang XN, Bai M.(2004) The healing process in rabbits after performing highfrequency electric lacryocystoplasty and the effect of rhEGF eye drops. Chin J Optometry Ophthalmol;6:161–4.

Hurwitz JJ, Molgat Y (1993): Radiological test of lacrimal drainage. Diagnostic value versus cost-effectiveness. Lacrimal system. Symposium on the Lacrimal System, Brussels, 23–24 May, 1992, pp 15–26.

Ibrahim HA (2001): comparartive retrospective study,endonasal laser dacryocystorhinostomy and external dacryocystorhinostomy outcome profile in a general ophthalmic unit ,Ophthalmic surgry and lasers,May-Jun:32(3):220-227.

Iliadelis E, Karabatakis V, Sofoniou M (1999): Dacrioliths in chronic dacriocystitis ahn their composition(spectrophotometric analysis).Eur J Ophthalmol Oct.;9(4):266-8.

Ipek E, Esin K, Amac K, Mustafa G, Candan A.(2007): Morphological and morphometric evaluation of lacrimal groove. Anatomical Science International. December;82(4):207-10.

Jha and Ramalingam (2009):External Versus Endoscopic Dacryocystorhinostomy MJAFI; 65 : 23-25

Jones It, wobing jl.(1976): surgry of the eye lids and lacrimal system, birmengham, aesculapius publishing co.

Kao SC, Liao CL, Tseng JH, (1997): Dacryocystorhinostomy with intraoperative mitomycin C. Ophthalmology 1997; 104:86–91. 170.

Kermizakis DE,Lachanus VA ,Benakis AA,Velegrakis GA,Aslanides IM.(2005):Bilateral nasolabial cysts associated with recurrent dacryocystitis. J otol. May;119(5):412-4.

Kominek P, Cervenka S, Mullner K (2003): The lacrimal diseases. Diagnosis and treatment. 234-284.

Kominek.P, Della Rocca R.C., Rosenbaum S.(2007): Atlas of lacrimal surgry 53-54.

Lentp ma, wolfley de (1992) :physiology of the eye.The lacrimal apparatus ninth ed. 64-8.

Liao SL, Kao SC, Tseng JH, (2000): Results of intraoperative mitomycin C application in dacryocystorhinostomy. Br J Ophthalmol. 2000; 84:903–906.

Limberg j, mccormich s (1986): primary aquired nasolacrimal duct obstruction : a clinicopathological report and biopsy tiquique, ophthalmology; 93:1055:1063.

Linberg J,(1988) Anatomy onasolacrimal duct. Surgical anatomy of the lacrimal system.43-46.

MacEwen J, Young H (1991): Fluorescein disappearance test (FDT): An Evaluation Of Its Use IN Infants. *J Pediatr Ophthalmol Strabismus* 28:302.

Maini S, Raghava N, Youngs R, Evans K, Trivedi S, Foy C, (2007): Endoscopic endonasal laser versus endonasal surgical dacryocystorhinostomy for epiphora due to nasolacrimal duct obstruction: prospective, randomised. *Journal of Laryngology & Otology*; 121(2):1170–6.

Massaro BM, Gonnering RS, Harris GJ (1990). Endonasal laser dacryocystorhinostomy: a new approach to naso–lacrima duct obstruction. *Arch Ophthalmol*; 108:1172–6.

MASSEUR H, MASSEUR, ENRIC T and JUAN M. (2004): Endoscopic dacryocystorhinostomy: Modified technique. *Head Otolaryngology–and Neck Surgery J. Volume* 130; 218-22.

Mathew MR, McGuinness R, Webb LA, Murray SB, Esakowitz L (2004): Patient satisfaction in our initial experience with endonasal endoscopic non-laser dacryocystorhinostomy. *Orbit* 2004;23(2): 77–85.

Mccormic A, Linberg J (1988): pathology of nasolacrimal duct obstruction. in J Linberg: lacrimal surgery. New York, Churchill Living stone.

McLean CJ, Cree I, Rose GE. Rhinostomies (1999): an open and shut case; *Br J Ophthalmol*; 83:1300–1301.

Meral Yıldız, Bülent Yazıcı, Berna Akova, Ali Karataş (2011): A New and Simple Silicone Intubation Method for Dacryocystorhinostomy; *Eur J Gen Med*; 8(1):36-9.

Meyer DR, Linberg JV (1989): Acute Dacriocystitis: Diagnosis and Management. *Oculoplastic and Orbital Emergencies*. East Norwalk, ,29.

Mickelson S, Daniel K, Kim , and Ira M. Stein (1997): Endoscopic Laser-Assisted Dacryocystorhinostomy *American J. vol.* 18; pp:107-111.

Mirza S, Al-Barmani A, Douglas SA, Bearn MA, Robson AK (2002): A Retrospective comparison of endonasal KTP laser dacryocystorhinostomy

versus external dacryocystorhinostomy ,Clinic Otolaryng.sci.,Oct;27(5):347-351.

Muller KM, Busse H, Osmer F. (1978): Anatomy of the naso-lacrimal duct in new-borns: therapeutic considerations. Eur J Pediatr. Sep 8 ;129(2):83-92.

MUSCATELLO,GIUDICE M,SPRIANO G,TONDINI L.(2005): Endoscopic dacryocystorhinostomy: personal experience. ACTA OTORHINOLARYNGOL ITAL 25, 209-213.

Myron Tanenbaum and Clinton D. Mccord Jr(2006): Lacrimal Drainage System. Duane's Ophthalmology. vol 4 (13):315-317.

Neena M Peter and Andrew R Pearson (2010): External dacryocystorhinostomy for the treatment of epiphora in patients with patent but non-functioning lacrimal systems; Br J Ophthalmol 2010;94:233-235.

Olver J(2002): color atlas of lacrimal surgery. Butterworth Heinemann, Oxford.

Plaza, Guillermo (2007): Ophthalmic Plastic & Reconstructive Surgery. Acta Otorrinolaringol Esp May/June. Vol.23 (3):179-182.

Rice D H, Schaefer S D(2004): Anatomy of paranasal sinus.Endoscopic paranasal sinus surgry. 3rd ed;53.

Russell EJ, Czervionke L, Huckman M. (1985): CT of the inferomedial orbit and the lacrimal drainage apparatus: normal and pathologic anatomy. Am J Roentgenol. Dec ;145(6):1147-54.

Sevel D. (1981): Development and congenital abnormalities of the nasolacrimal apparatus. J Pediatr Ophthalmol Strabismus. Sep-Oct; 18(5):13-9.

Sharma BR (2008): Kathmandu University Medical Journal, Vol. 6, No. 4, Issue 24, 437-442.

Sunil S Nichlani, Mohan V Jagade, Arunprabhu Ganeshan(2010): A comparative study between endoscopic and external approach dacryocystorhinostomy: Bombay Hospital Journal, Vol. 52, No 2; 189-193.

Thiemo Hofmann, Andreas Lackner, Klaus Muellner, Wolfgang Luxenberger, Gerald Wolf (2003): Endolacrimal KTP Laser-Assisted Dacryocystorhinostomy. Arch otolaryngol surg. ;129:329-332.

Tucker NA, Tucker SM, Linberg JV. (1996): The anatomy of the common canaliculus. Arch Ophthalmol. 114(10):1231-4.

Tuker N., chow D., stockl F., codere F., burnier M. (1997): clinically suspected primary acquired nasolacrimal duct obstruction: clinicopathologic review of 150 patients. Ophthalmology 104(11):1882-6.

Vardy SJ, Rose GE. (2000): Prevention of cellulitis after open lacrimal surgery: a prospective study of three methods. Ophthalmology; 107:315–317.

Wang ZC, Chen D, Cheng PZ, (1994): Endolacrimal high-frequency electric cauter in treatment of chronic dacryocystitis. Chin J Ophthalmol; 30:230–1.

Watts p, Ram AR, Nair r, Williams H.(2001): comparison of external dacryocystorhinostomy and 5-fluorouracil augmented endonasal laser dacryocystorhinostomy. Indian J ophthalmol. sep; 49(3):169-172.

Watkins LM, Janfaza P, Tubin PA (2003): The evolution of endonasal dacryocystorhinostomy. *Surv Ophthalmol* 48:73–84.

Worlmad Pj, Kew J, Hasselt Av. (2000): intranasal anatomy of the nasolacrimal sac in endoscopic dacryocystorhinostomy. *otolaryn head &neck surg*;123:307-10.

Wormald PJ, Tsirbas A. (2004): Investigation and endoscopic treatment for functional and anatomical obstruction of the nasolacrimal duct system. *Clin Otolaryngol*; 29:352–356.

Xiaoxing Sun, Baosheng Shan. (2002) Treatment of chronic dacryocystitis by high frequency electric cautery. *J Preclin Med Coll Shangdong Univ* 16:303–4.

Yasar C., Cem E., Hamdi Er. (2000): Comparative external versus endoscopic dacryocystorhinostomy: Results of 115 patients (130 eyes). *Otolaryngol Head Neck Surg*; 123:488–91.

Yung MW, Logan BM. (1999): The anatomy of the lacrimal bone at the lateral wall of the nose: its significance to the lacrimal surgeon. *Clinical Otolaryngology and Applied Sciences*. August 1999; 24(4):262-5.

Zhao AZ, Yu QY.(1999):Recover the lacrimal duct obstruction by endolacrimal highfrequency electric cautery. *J Clin Ophthalmol*; 7:266–7.