

REFERENCE

- Achong, R.; Caroline, P. (1999):** Limbal stem cell deficiency I n a contact lens- related case. Clin Eye Vis care 11: 191 – 197; 1999.
- Acott, T S., Samples, J. R., (1989):** Trabecular repopulation by anterior Trabecular meshwork cells after laser trabeculoplasty. American Journal Ophthalmology 107: 1-6.
- Ali, R. And Swoden, J. (2003):** Therapy may yet stem from cells in the retina. British Journal of ophthalmology. 87: 1058-1059.
- Amit,M.,Carpenter,M.K.,(2000).**clonally derived human embryonic stem cell lines maintain pluripotency and proliferative potential for prolonged periods of culture .Dev biol 227:271-278.
- Ang, L.P.K.; Tan, D.T.H. (2004):** Ocular surface stem cells and disease: Current concepts and clinical application. Am Acad Med Singapore 33: 576- 580.
- Arai, S.; Thomas BB, Seiler MJ, Aramant RB, Qiu G, Mui C, Juan E de, Sadda SR (2004)** Restoration of visual responses following transplantation of intact retinal sheets in rd mice. Exp Eye Res 79:331–341
- Aramant, R. B. and Sieler, M.J. (2003):** Transplanted sheet of human retina and retinal pigment epithelium develop normally in nude rats. Experimental Eye Research. 75: 115-125.
- Ardjomand, N.; Berghold, A.; Reich, M.E. (1998):** Loss of corneal Langerhans cells during storage in organ culture medium, Optisol and McCarey-Kaufman medium. Eye 12: 134- 138.

- Banin, E.; Obolensky, A.; Idelson, M.; Hemo, I.; Reinhardt, E.; Pikarsky E, Ben Hur T, Reubinoff B (2006):** Retinal incorporation and differentiation of neural precursors derived from human embryonic stem cells. *Stem Cells* 24:246–257
- Bloomfield, S.E.; Jakobiec, F.A.; Theodore, F.H. (1984):** Contact lens induced keratopathy: a severe complication extending the spectrum of keratoconjunctivitis in contact lens wearers. *Ophthalmology* 91: 290- 294.
- Boulton, M. and Albon, J. (2004):** Stem cells in the eye. *The International Journal of Biochemistry & Cell Biology*. 36: 643-657.
- Brown, D.; Chwa, M.; Escobar, M.; Kenney, M.C. (1991):** Characterization of the major matrix degrading metalloproteinase of human corneal stroma. Evidence for an enzyme/ inhibitor complex. *Exp Eye Res* 52: 5-16.
- Budak, M.T.; Alpdogan, O.S.; Zhou, M.; Lavker, R.M.; Akinci, M.A.; Wolosin, J.M. (2005):** Ocular surface epithelial contain ABCG2-dependent side population cells exhibiting fetures associated with stem cells. *J Cell Sci* 118: 1715- 1724.
- Cairns, B.A.; deSerres, S.; Peterson, H.D. and Meyer, A.A. (1993):** Skin replacements. The biotechnological quest for optimal wound closure. *Arch Surg*; 128: 246-52.
- Callaerts, P. Halder, G.; Gerhring, W.J. (1997):** PAX-6 in development and evolution. *Annu Rev Neurosci* 1997, 20: 483- 532.

- Canola, K. and Arsenijevic, Y. (2007):** Generation of cells committed towards the photoreceptor fate for retinal transplantation. *Neuroreport* 18:851–855.
- Cayouette, M.; Poggi, L.; Harris, W.A. (2006)** Lineage in the vertebrate retina. *Trends Neurosci* 29:563–570.
- Cepko, C.L.; Austin, C.P.; Yang, X.; Alexiades, M.; Ezzeddine, D. (1996):** Cell fate determination in the vertebrate retina. *Proc Natl Acad Sci USA* 93:589–595.
- Challa, P., Gonzalez, P., Liton, P.B., Caballero, M., Epstein, D.L., (2003)** Gene Expression Profile in a Novel Cell Type in Primary Cultures of Human Trabecular Meshwork *Invest Ophthalmol Vis Sci Suppl.* 44.
- Chauhan, B.K.; Yang, Y.; Cveklova, K.; Cvekl, A. (2004):** Functional properties of natural human PAX6 and PAX6 (5a) mutants, *Invest Ophthalmol Vis Sci* 45: 385- 392.
- Chechelnitzsky, M.;mannis, M.J. and Schwab, I.R. (1999):** cultured corneal epithelia for ocular surface disease. *Cornea* 18, 257-261.
- Chen Z;de Paiva CS; Luo L;KretzerFL;PflugfelderSC,LiDQ.(2004):** Characterization of putative stem cell phenotype in human limbal epithelia. *Stem Cells* 2004; 22: 355–66
- Chiambaretta, F.; Blanchon, L.; Rabier, B. Kao, W.W.; Liu, J.J.; Dastugue, B. et al. (2002):** Regulation of corneal keratin -12 gene expression by the human Kruppel-like transcription factor 6. *Invest Ophthalmol Vis Sci* 43: 3422-3429.

Choumerianou, D. M.; Dimitriou, H., et al. (2008): Stem cells: promises versus limitations. *Tissue Eng Part B Rev* 14: 53-60.

Coles, B.L.; Angenieux, B.; Inoue, T.; Rio-Tsonis, K.; Spence, J.R.; McInnes, R.R.; Arsenijevic, Y.; Kooy, D. Van der (2004): Facile isolation and the characterization of human retinal stem cells. *Proc Natl Acad Sci USA* 101:15772–15777.

Collinson, J.M.; Hill, R.F.; West, J.D. (2000): Different roles for Pax6 in the optic vesicle and facial epithelium mediate early morphogenesis of the murine eye, *development* 127: 945-956.

Collinson, J.M.; Chanas, S.A.; Hill, R.E.; West, J.D. (2004): Corneal development, Limbal stem cell function, and corneal epithelial cell migration in the Pax6 ($\pm$) mouse. *Invest Ophthalmol Vis Sci* 45: 1101- 1108.

Coster D.J.; Aggarwal, R.K.; Williams, K.A. (1995): Surgical management of ocular surface disorders using conjunctival and stem cell allografts. *Br J Ophthalmol* 79: 977- 982.

Croasdale, C.R.; Schwartz, G.S.; Malling, J.V. (1999): Keratolimbal allograft: recommendations for tissue procurement and preparation by eye banks, standard surgical technique. *Cornea* 18: 52-58.

Croasdale, C.R.; Holland, E.J. and Mannis, M.J. (2002): conjunctival limbal autograft. In *ocular surface disease*: Holland HJ, Mannis MJ (eds). New York, springer- Verlag, PP 194-200.

- Daya, S.M.; Bell, R.W.; Habib, N.E. (2000):** Clinical and pathologic findings in human keratolimbal allograft rejection. *Cornea* 19: 443-450.
- Daya, S.M.; Watson, A.; Sharpe, J.R.; Giledi, O.; Rowe, A.; Martin, R.; James, E. (2005):** Cultured human ocular surface epithelium on therapeutic contact lenses. *Br J Ophthalmol* 91: 459- 464.
- Di Girolamo N, Chue J, Wakefield D, coroneo MT.(2007):**Cultured human ocular surface epithelium on therapeutic contact lenses.*Br J Ophthalmol* 91:459-464.
- Do, J. T.; Han, D. W., et al., (2006):** Reprogramming somatic gene activity by fusion with pluripotent cells. *Stem Cell Rev* 2: 257-264.
- Donisi, P.M.; Rama, P.; Fasolo, A.; Ponzin, D. (2003):** Analysis of limbal stem cell deficiency by corneal impression cytology. *Cornea* 22: 533-538.
- Dua, H.S.; Gomes, J.A.; Singh, A. (1994):** Corneal epithelial wound healing *Br. J. Ophthalmol* 78: 401- 408.
- Dua, H.S.; Azuara-Blanco, A. (2000):** Limbal stem cells of the corneal epithelium. *Surv Ophthalmol* 44: 451.
- Dua, H.S.; Saini, J.S.; Azuara-Blanco, A.; Gupta, P. (2000):** Limbal stem cell deficiency: concept, aetiology, clinical presentation, diagnosis and management. *Indian J Ophthalmol* 48: 83-92.
- Dua, H.S.; King, A.J.; Joseph, A. (2001):** A new classification of ocular surface burns. *Br J Ophthalmol* 85: 1379- 1383.

- Dueker, D. K.; Norberg, M., et al., (1990):*** Stimulation of cell division by argon and Nd-YAG laser trabeculoplasty in cynomolgus monkeys. Invest Ophthalmol Vis Sci 31: 115-124.
- Dunn, J. C., (2008):*** Tissue engineering and regenerative science in pediatrics. Pediatr Res 63: 459-460.
- Elder MJ, Bernauer W, Leonard J,Dart JK(2001):***progression of disease in ocular cicatricial pemphigoid. Br J Ophthalmol 80:95-100; 2001.
- Eric, E.G.; Samia, M.; Emanuelle , S.; Li, Y.;Thanh, H.; Mitchel, A.W.; Bart De, W.; Fabien, C.; Alain, M.; Suanne M. (2005):*** Multilayered amniotic membrane graft in deep corneal ulcer, Ain Shams University. Thesis:106- 108.
- Espana, E.M.; Raju, V.K.; Tseng, S.C.G. (2002):*** Focal limbal stem cell deficiency corresponding to an iris coloboma. Br j Ophthalmol 86: 1451-1452.
- Fatima, A.; Sangwan, V.S.; Iftekhar, G.; Reddy, P.; Matalia, H.; Balasubramanian, D.; Vemuganti, G.K. (2006):*** Technique of cultivating limbal derived corneal epithelium on human amniotic membrane for clinical transplantation. J Postgrad Med 52: 257-261.
- Fini, M.E. (1999):*** Keratocyte and fibroblast phenotypes in the repairing cornea. Prog Retin Eye Res 18: 529- 551.
- Foster, C.S.; Letko,E. (2007):*** (Cicatricial permphigoid). March 15; <http://www.emedicine.com/oph/topic83.htm>

- Foster, C.S.; Wilson, L.A.; Ekins, M.B. (1982):** Immunosuppressive therapy for progressive ocular cicatricial pemphigoid. *Ophthalmology* 89: 340- 353.
- Freed, C. R.; Greene, P. E., et al. (2001):** Transplantation of embryonic dopamine neurons for severe Parkinson's disease. *N Engl J Med* 344: 710-719.
- Friend, J.; Kinoshita, S.; Thoft, R.A. and Eliason, J.A. (1982):** corneal epithelial cell cultures on stromal carriers. *Invest Ophthalmol Vis Sci*; 23: 41-9.
- Fuchs, E.; Tumber, T., et al. (2004):** Socializing with the neighbors: stem cells and their niche. *Cell* 116: 769-778.
- Fulka, H.; St John, J. C., et al. (2008):** Chromatin in early mammalian embryos: achieving the pluripotent state. *Differentiation* 76: 3-14.
- Galal, A.; Perez-Santoja, J.J.; Rodrigues- Prats, J.L.; Abd, M.; Alio, J. (2007):** Human anterior lens capsule as a biologic substrate for the *ex vivo* expansion of limbal stem cells in ocular surface reconstruction. *Cornea* 26: 473-478.
- Geggel, H.S.; Friend, J.; Thoft, R.A. (1985):** Collagen gel for ocular surface. *Invest Ophthalmol Vis Sci* 26: 901-905.
- Gipson, I.K. (1989):** The epithelial basement membrane zone of the limbus. *Eye* 3: 132- 40.
- Gipson, I.K.; Friend, J. and Spurr, S.J. (1985):** Transplant of corneal epithelium to rabbit corneal wounds *in vivo*. *Invest ophthalmol Vis Sci*; 26: 425-33.

- Gonzalez, P.; Epstein, D. L., et al. (2006):** Characterization of free-floating spheres from human trabecular meshwork (HTM) cell culture in vitro. *Exp Eye Res* 82: 959-967.
- Goss, J. A.; Schock, A. P. et al. (2002):** Achievement of insulin independence in three consecutive type-1 diabetic patients via pancreatic islet transplantation using islets isolated at a remote islet isolation center. *Transplantation* 74: 1761-1766.
- Gruetrich, M>; Espana, E.M.; Tseng, S.C.G. (2003):** Modulation of keratin and connexin expression in limbal epithelium expanded on denueded amniotic membrane with and without a 3T3 fibroblast feeder layer. *Invest Ophthalmol Vis Sci* 44: 4230- 4236.
- Grueterich, M.; Espana, E.M. and Tseng, S.C.G. (2003):**Ex vivo expansion of limbal stem cells: amniotic membrane serving as a stem cell niche. *Surv. Ophthalmol.* In press.
- Grueterich, M.; Tseng, S.C.G. (2002):** Human limbal progenitor cells expanded on intact amniotic membrane ex vivo. *Arch Ophthalmol* 783-70.
- He, Y.G. and McCulley, J.P. (1991):** Growing human corneal epithelium on collagen shield and subsequent transfer to denuded cornea in vitro. *Curr Eye Res*; 10: 851-63.
- Hirsh, A.; Alhalel, A.; Weiss, A. (1990):** Bilateral total corneal epithelial erosion as a side effect of cytotoxic therapy. *Br J Ophthalmol* 74: 638.

- Holland, E.J. (1996):** Epithelial transplantation for the management of severe ocular surface disease. *Trans Am Ophthalmol Soc.* 94: 677-743.
- Holland, E.J.; De Ruyter, D.N.; Doubhman, D.J. (1987):** Langerhans cells in organ-cultured corneas. *Arch Ophthalmol* 105: 542-o 545.
- Holland, E.J.; Schwartz G.S. (1997):** Iatrogenic limbal stem cell deficiency. *Tr Am Ophthalmol Soc:* 95- 110.
- Huangfu, D.; Osafune, K. et al. (2008).** Induction of pluripotent stem cells from primary human fibroblasts with only Oct4 and Sox2. *Nat Biotechnol.* 3: 132- 40.
- Hudson, S. (1997):** Cultivating a cure for blindness. *Nature* 387: 449.
- Jahagirdar, B. N. and Verfaillie, C.M. (2005).** Multipotent adult progenitor cell and stem cell plasticity. *Stem Cell Rev* 1: 53-59.
- James, S.; Rowe, A.; Ilari, L.; Daya, S.; Martin, R. (2001):** The potential for eye bank limbal rings to generate cultured corneal epithelial allografts. *Cornea* 20 (5): 488- 494.
- Jenkins, C.; Tuft, S.; Lim, C. (1993):** Limbal transplantation in the management of chronic contact lens associated epitheliopathy. *Eye* 7: 529- 633.
- Kan, I.; Melamed, E. et al. (2007).** Autotransplantation of bone marrow-derived stem cells as a therapy for neurodegenerative diseases. *Handb Exp Pharmacol:* 219-242.

- Kelley, M.J.; Rose ,A.Y.; Keller, K.E.; Hessle, H.; Samples, J.R.; Acott, (2008) :** Stem Cells in the Trabecular Meshwork: Present and Future Promises. 10.1016 .exer.10.024
- Kenyon, K.R. and Rapopza, P.A. (1995):** Limbal allograft transplantation of ocular surface disorder. *Ophthalmology*; 102 (suppl): 101-2.
- Kevin, Y.H.; Chee, M.B. ; Anthony Kicic, P.h.D. and Steven, J. Wiffen Franzco (2006):** Limbal stem cells: the search for a marker *Clinical and Experimental Ophthalmology* 34: 64–73 .
- Kim, J.C.; Tseng, S.C.G. (1995):** Transplantation of preserved human amniotic membrane for surface reconstruction in severely damaged rabbit corneas. *Cornea* 14: 473- 484.
- Kim, Y.; Djalilian, R.; Schwartz, S. and Holland, J. (2003):** Ocular surface reconstruction: limbal stem cell transplantation *Ophthalmol Clin N Am* 16: 67- 77.
- Klassen HJ, Ng TF, Kurimoto Y, Kirov I, Shatos M, Coffey P, Young MJ (2004):** Multipotent retinal progenitors express developmental Markers, differentiate into retinal neurons, and preserve lightmediated Behavior. *Invest Ophthalmol Vis Sci* 45:4167–4173
- Klassen, H.; Kiilgaard, J.F.; Zahir, T.; Ziaieian, B.; Kirov, I.; Scherfig, E.; Warfvinge, K.; Young, M.J. (2007):** Progenitor cells from the porcine neural retina express photoreceptor markers after transplantation to the subretinal space of allorecipients. *Stem Cells* 25:1222–1230.

Koizumi, N.; Inatomi, T.; Sotozono, C.; Fullwood, N.J.; Quantock, A.J.; Kinoshita, S. (2000): Growth factor mRNA and protein in preserved human amniotic membrane. *Curr Eye Res* 20: 173-177.

Koizumi, N.; Inatomi, T.; Suzuki, T.; Sotozono, C.; Kinoshita, S. (2001): Comparison of intact and denuded amniotic membrane as a substrate for cell suspension culture of human limbal epithelial cells. *Graefe's Arch Clin Exp Ophthalmol* 108: 298-300.

Koizumi, N.; Rigby, H.; Fullwood, N.J.; Kawasaki, S.; Tanioka, H.; Koizumi, K.; Kockiok, N. Jousen, A.M.; Kinoshita, S. (2007): Comparison of intact and denuded amniotic membrane as a substrate for cell suspension culture of human limbal epithelial cells. *Graefe's Arch Clin Exp Ophthalmol* 245: 123- 134.

Kozak, J.; Trbolova, A.; Kolodzieski, L. et al. (2003): Experimental anterior lens capsule transplantation for chronic corneal ulcers-Bowman's layer replacement. *Cornea* 22:359-362.

Lavker R.M.; Dong, G.; Cheng, S.Z.; Kudoh, K.; Cotsarelis, G.; sun, T.T. (1991): Relative proliferative rates of limbal and corneal epithelia. Implications of corneal epithelial migration, circadian rhythm, and suprabasally located DNA-synthesizing keratinocytes. *Invest Ophthalmol Vis, Cci*; 32: 1864- 75.

Lavker, R. M.; Tseng, S. C. et al., (2004): Corneal epithelial stem cells at the limbus: looking at some old problems from a new angle. *Exp Eye Res* 78: 433-446.

LeBlanc, K. Gotherstrom, C. et. al. (2005). Fetal mesenchymal stem cell engraftment in bone after in utero transplantation in a patient with severe osteogenesis imperfecta. Transplantation 79: 1697-1614.

Lee, S.B.; Li, D.Q.; Tan, D.T.; Meller, D.C.; Tseng, S.C.G. (2000): Suppression of TGF-beta signaling in both normal conjunctival fibroblasts and pterygial body fibroblasts by aniotic membrane. Curr Eye REs 20: 325.

Lemp, M.A.; Dohlman,C.H. Kuwabara, T.; Holly, F.J.; Carroll, J.M. (1971): Dry eye secondary to mucus deficiency. Trans Am Acad Ophthalmol Otolayngol 75: 1223-1227.

Lensch, M. W.; Daheron, L. et al. (2006): Pluripotent stem cells and their niches. Stem Cell Rev 2: 185-201.

Lillien, L. and Cepko, C. (1992): Control of proliferation in the retina: temporal changes in responsiveness to FGF and TGF alpha. Development 115:253–266

Liton, P. B.; Challa, P. et al. (2005): Cellular senescence in the glaucomatous outflow pathway. Exp Gerontol 40: 745-748.

Lopez-Garcia JS, Garcia-Lozano I, Rivas L,Martinez-Garchitorena J.(2006):congenital aniridia kertopathy treatment. arch soc oftalmol 81:435-444;2006

Lovell-Badge, R. (2001): The future for stem cell research. Nature 414: 88-91.

MartenMJ, Muotri A, GageF, Varki A (2005):human embryonic stem cells express an immunogenic nonhuman sialic acid.Nat Med 11:228-32.

Martin, R. (2007): Corneal conjunctivalisation in long standing contact lens wearers. *Cin Exp Optometry* 90 (1): 26-30.

McAtteer, J.A.; Davis, J.M.; (2002): Basic cell culture technique and the maintenance of cell lines. In Davis JM, (ed): *Basic cell culture a practical approach*. 2nd ed. London: Oxford University Press 93-148.

McGowan, S. L.; Edelhauser, H. F. et al. (2007). Stem cell markers in the human posterior limbus and corneal endothelium of unwounded and wounded corneas. *Mol Vis* 13: 1984- 2000.

Meta, W.; Djojotubroto and Yvan Arsenijevic (2008): Retinal stem cells: promising candidates for retina transplantation *Cell Tissue Res*, 331:347–357

Mimeault, M. and Batra, S. K. (2008). Recent progress on tissue-resident adult stem cell biology and their therapeutic implications. *Stem Cell Rev* 4: 27-49.

Mohan, R.; Chintala, S.K. Jung, J.C.; Villar, W.V.; McCabe, F.; Russo, L.A. et al. (2002): Matrix metalloproteinase gelatinase B (MMP-9) coordinates and effects epithelial regeneration. *J. Biol Chem* 277: 2065-2072.

Mondino BJ ,ZaidmanGW, salamon SW(1982):Use of pressure patchingand soft contact lenses in superior limbic keratoconjunctivitis .*Arch Ophthalmol* 100:1932-1934;1982.

Moore, J.T. and Karasek, M.A. (1971): Isolation and properties of a germinative and a non-germinative cell population from

postembryonic mouse, rabbit, and human epidermis. *J Invest Dermatol*; 56: 318-24.

Morrison S J; Shah N M; Anderson D J.(1997):Regulatory mechanisms in stem cell biology. *Cell* 1997; **88**: 287–98.

Nakamura, T.; Inatomi, T.; Sotozono, C.; Amemiya, T.; Kanamura, N.; Kinoshita, S. (2004): Transplantation of cultivated autologous oral mucosal epithelial cells in patients with severe ocular surface disorders. *Br J Ophthalmol* 88: 1280- 1284.

Ndoye Roth, P.A.; de Medeiros, Quenum, M.E.; Wane, Khouma, A.M.; Dieng, M.; Ndiaye, P.A.; Diane, M.H. et al. (2005): Aniridia: five case studies. *J Fr Ophthalmol* 28: 845- 849.

Nelson, L.B.; Spaeth, G.L.; Nowinski, T.S.; Margo, C.E.; Jackson, L. (1984): Aniridia. A review. *Surv Ophthalmol* 28: 621-642.

Nguyen, Q.D.; Foster, C.S. (1996): Cicatricial permphigoid: diagnosis and treatment. *Int Ophthalmol Clin* 36: 41- 60.

Nishida, K.; Kinoshita, S.; Ohashi, Y.; Kuwayama, Y.; Yamamoto, S. (1995): Ocular surface abnormalities aniridia. *Am. J. Ophthalmol* 120: 368- 375.

Nishiwaki-Dantas, M.C.; Dantas, P.E.C.; Reggi, J.R. (2001): Ipsilateral translocation for treatment of partial limbal deficiency secondary to ocular alkali burn. *Br J Ophthalmol* 85: 031-1033.

Okabayashi, K. and Asashima, M. (2008) [Regenerative medicine: history and perspectives]. *Nippon Rinsho* 66: 825-830.

Pan, Z.; Zhang, W.; Wu, Y. Sun, B. (2002): Transplantation of corneal stem cellscultured on amniotic membrane for corneal burn:

experimental and clinical study. Chinese med J 115 no. 5 : 767-769.

Park , W.C.; Tseng, S.C. G. (2000): Modulation of acute inflammation and keratocyte death by suturing, blood, amniotic membrane in PRK. Invest ophthalmol Vis Sci 41: 2906- 2914.

Pellegrini, G.; Golisano, O.; Paternal P. et al. (1999): Location and clonal analysis of stem cells and their differentiated progeny in the human ocular surface. J Cell Biol 145: 769- 782.

Pires, R.T.F.; Chokshi, A.; Tseng, S.C.G. (2000): Amniotic membrane transplantation or limbal conjunctival autograft for limbal stem cell deficiency induced by 5-flourouracil in glaucoma surgeries. Cornea 2000.

Powell, K. (2005): Stem-cell niches: it's the ecology, stupid! Nature 435: 268-270.

Prelle, K.; Zink, N. et al. (2002): Pluripotent stem cells--model of embryonic development, tool for gene targeting, and basis of cell therapy. Anat Histol Embryol 31: 169-186.

Prentice, D.A. Ph. D. (2001): Congressional testimony February (2000) [http://www.stemcellresearch. org\ prentice. Htm](http://www.stemcellresearch.org/prentice.Htm)

Puangsricharen, V.; Tseng, S.C. (1995): Cytologic evidence of corneal disease with limbal stem cell deficiency. Ophthalmology 102: 1476-1485.

Quantock, A.J.; Koizumi, N.; Kinoshita, S. (2002): Limbal stem cell deficiencies and ocular surface reconstruction. Optom. Today 30: 27-30.

- Ramaesh, K.; Dhillon, B. (2003):** Ex vivo expansion of corneal limbal epithelial/ stem cells for corneal surface reconstruction. *Eur J Ophthalmol* 13: 515-524.
- Ramaesh, T.; Collinson, J.M.; Ramasesh, K.; Kaufman, M.H.; West, J.D.; Dhillon, B. (2003):** Corneal abnormalities in Pax6+/- small eye mice mimic human aniridia- related keratopathy. *Invest Ophthalmol Vis Sci* 44: 1871- 1878.
- Rapaport, D.H.; Wong, L.L.; Wood, E.D.; Yasumura, D.; LaVail, M.M. (2004):** Timing and topography of cell genesis in the rat retina. *J Comp Neurol* 474:304–324
- Raviola, G. (1982)** Schwalbe line's cells: a new cell type in the trabecular meshwork of *Macaca mulatta*. *Invest Ophthalmol Vis Sci* 22: 45-56.
- Reya, T.; Morrison, S.J.; Clarke, M.F.; Weissman I.L. (2001):** Stem cells, cancer, and cancer stem cells. *Nature* ; 414: 105- 11.
- Rheinwald, J.G. (1980):** Serial cultivation of normal human epidermal keratinocytes. *Methods Cell Biol*; 229-54.
- Rheinwald, J.G. and Green, H. (1975):** Serial cultivation of strains of human epidermal keratinocytes: the formation of keratinizing colonies from single cells. *Cell*; 6: 331-43.
- Rivas, L.; Murube, J.; Rivas, A.; Murube, E. (2003):** Estudio del ojo seco en pacientes con aniridia congenita, mediante citología de impresión. *Arch soc Esp Oftalmol* 78: 615-622.
- Roper-Hall, M. (1965):** Thermal and chemical burns. *Trans Ophthalmol Soc U K* 85: 631- 653.

- Sagdullaev, B.T.; Aramant, R.B.; Seiler, M.J.; Woch, G.; McCall, M.A. (2003):** Retinal transplantation-induced recovery of retinotectal visual function in a rodent model of retinitis pigmentosa. *Invest Ophthalmol Vis Sci* 44:1686–1695
- Samuelson, D.; Plummer, C., et al. (2001)** Schwalbe line's cell in the normal and glaucomatous dog. *Vet Ophthalmol* 4: 47-53.
- Sangwan, V.S. (2001):** Limbal stem cells in health and disease, *Bioscience reports*. 21: 385.
- Sangwan, V.S.; Vemuganti, G.K.; Iftexhar, G.; Bansal, A.K.; Rao, G.N. (2003):** Use of autologous cultured limbal and conjunctival epithelium in a patient with severe bilateral ocular surface disease induced by acid injury: A case report of unique application. *Cornea* 22: 478-81.
- Scadden, D. T. (2006):** The stem-cell niche as an entity of action. *Nature* 441: 1075-1079.
- Schofield, R. (1983):** The stem cell system *Biomed Pharmacother*; 37: 375- 80.
- Schwab, I.R. (1999):** Cultured corneal epithelia for ocular surface disease. *Trans Am Ophthalmol Soc* 97: 904-905.
- Schwab, I.R. Reyes, M. and Isseroff, R.R. (2000):** Successful transplantation of bioengineered tissue replacements in patients with ocular surface disease. *Cornea*; 19: 421-6.
- Shimazake, J.; Yang, H.Y.; Tsubota, K. (1996):** Limbal autograft transplantation for recurrent and advanced pterygia. *Ophtahal Surg Lasers* 27: 91-923.

- Shimmura, S.; Shimazaki, J.; Ohashi, Y.; Tsuboto, K. (2001):** Anti-inflammatory effects of amniotic membrane transplantation in ocular surface disorders. *Cornea* 20: 408-13.
- Sivak, J.M.; Fini, M.E.; (2002):** MMPs in the eye: emerging roles for matrix metalloproteinases in ocular physiology. *Prog retin Eye Res* 2: 1-14.
- Sridhar, M.S.; Vemuganti, G.K.; Bansal, A.K.; Rao, G.N. (2001):** Impression cytology- proven corneal stem cell deficiency in patients after surgeries involving the limbus. *Cornea* 20: 145- 148.
- Sudha, B.; Madhavan, G.; Sitalakshmi, G.; Malathi, J.; Krishnakumar, S.; Mori Y.; Yoshioka, H.; Abraham, S. (2006):** Cultivation of human corneal limbal stem cells in Mebiol gel-A thermo reversible geation polymer. *Indian J Med Res* 124: 655-664.
- Sutphin, J.E.; Chodosh, J.; Dana, M.R.; Fowler, W.C.; Reidy, J.J. Weiss, J.S.; Turgeon, P.W. (2004):** Basic and clinical science course, section 8 (External Disease and Cornea), Part 2 (Ocular surface disorders). San Francisco: American Academy of Ophthalmology. *The Eye M.D. Association*: 99- 100.
- Thomson, J. A.; Itskovitz-Eldor, J., et al. (1998):** Embryonic stem cell lines derived from human blastocysts. *Science* 282: 1145-1147.
- Tomita, M.; Mori, T.; Maruyama, K.; Zahir, T.; Ward, M.; Umezawa, A.; Young, M.J. (2006):** A comparison of neural differentiation and retinal transplantation with bone marrow-derived cells and retinal progenitor cells. *Stem Cells* 24:2270–2278

Tsai, R.J.F.; Tseng, S.C.G. (1994): Human allograft limbal transplantation for corneal surface reconstruction. *Cornea* 13: 389-400.

Tsai R J F, Li L M, Cen JK (20002). Reconstruction of damaged corneas by transplantation of autologous limbal epithelial cells *New Eng J Med* 343:86-93.

Tseng, S.C. (1989): Concept and application of limbal stem cells. *Eye* 3: 141- 57.

Tseng, S.C.G. (2007): (clinical services). January 20, http://www.ocularsurface.com/clinicalservices_ost.html.

Tseng, S.C.G.; Chen, J.J.Y.; Huang, A.J.W. et al. (1990): Classification of conjunctival surgeries for disease based on stem cell concept. *Ophthalmol Clin North Am* 3: 595- 610.

Tseng SC, Prahbasawat P, Barton K, Gray T an, Meller D (1998): Amniotic membrane transplantation with or without limbal allograft for corneal surface reconstruction in patient with limbal stem cell deficiency. *Arch Ophthalmology*; 116(4):431-41.

Tseng, S.C.G.; Li, D.Q.; Ma, X. (1999): Suppression of transforming growth factor- beta, TGF-beta receptro type II and myofibroblast differentiation in cultured human corneal and limbal fibroblasts by aminotic membrane matrix. *J Cell physiol* 179: 325.

Tseng, S.C.G.; Espana, E.M.; E.M. Di pasculale M.A. (2005): Stem cell transplantation for ocular surface diseases. In *Duane's clinical*

ophthalmology on CD-ROM (Tasman W and Jaeger EA). Vol. 6, chapter 34. Philadelphia: Lippincott Williams and Wilkins.

Tseng, S.G. (2007): The Kersley lecture: Ocular surface inflammation, Scarring and their management. Annual scientific meeting: 2003. the Medical Contact Lens and Ocular surface association, UK. January 20.

Tsubota, K.; Toda, I. and Saito, H. (1995): Reconstruction of the corneal epithelium by limbal allograft transplantation for severe ocular surface disorders. *Ophthalmology*; 102: 1486-95.

Tsubota, K.; Satake, Y.; Kaido, M.; Shinozaki, N.; Shimmura, S.; Bissen-Myajima, H. and Shimazaki, J. (1999): Treatment of severe ocular surface disorders with corneal epithelial stem-cell transplantation. *N Engl J Med*, 340: 1697-703.

Tsubota, K. and Dogru, M. (2005): Current concepts in Ocular Surface Reconstruction. *Seminars in Ophthalmology*, 20:75-93.

Turner, D.L.; Snyder, E.Y.; Cepko, C.L. (1990): Lineage-independent determination of cell type in the embryonic mouse retina. *Neuron* 4:833–845.

Waring, G.O. 3rd et al (1984): clinical and pathologic description of 17 cases of corneal intraepithelial neoplasia. *Am J Ophthalmol* ; 97: 547- 59.

Watanabe K, Nishida K, Yamato M, Yamato T, Sumide T, Yamamoto K (2004): human limbal epithelium contains side population cells expressing the ATP-binding cassette transporter ABCG2. *FEBS Lett* 565:6-10.

- Whikehart, D. R., Parikh, C. H. (2005):** Evidence suggesting the existence of stem cells for the human corneal endothelium. *Mol Vis* 11:816-824
- Wiley L, SundarRaj N, Sun TT, Thoft RA. (1991):** Regional heterogeneity in human corneal and limbal epithelia :an immunohistochemical evaluation. *Invest Ophthalmol Vis Sci* 1991; 32: 594–602
- Wilson, A. a. T., A., (2006):** Bone-marrow haematopoietic stem-cell niches. *Nat Rev Immunol* 6: 93-106.
- Wojciechowski, A.B.; Englund, U.; Lundberg, C.; Warfvinge, K. (2004):** Survival and long distance migration of brain-derived precursor cells transplanted to adult rat retina. *Stem Cells* 22:27–38
- Wolf, N. S. and Trentin, J. J. (1968):** Hemopoietic colony studies. V. Effect of hemopoietic organ stroma on differentiation of pluripotent stem cells. *J Exp Med* 127: 205-214.
- .Yang, P.; Seiler, M.; Aramant, R.; Whittemore. S. (2002):** Differential lineage restriction of rat retinal progenitor cells in vitro and in vivo. *Journal of Neuroscience Res.* 69: 466-476.
- Yoshioka H.; Mori, Y.; Shimizu, M. (2003):** Separation and recovery of DNA fragments by electrophoresis thorough a thermoreversible hydrogel composed of polyethylene oxide and polypropylene oxide. *Anal Biochem* 323: 218-222.
- Yu, D. and Silva, G. A., (2008):** Stem cell sources and therapeutic approaches for central nervous system and neural retinal disorders. *Neurosurg Focus* 24: E11.

Yuasa, S., and Fukada, K., (2008): Recent advances in cardiovascular regenerative medicine: the induced pluripotent stem cell era. Expert Rev Cardiovascul Ther 6: 803-810.

Zieske, J.D. (1994): Perpetuation of stem cells in the eye. Eye; 8: 163-9.

Zolog, I.; Belengeanu, V.; Marinca, S.; Soim, A. (1997): Familial congenital aniridia. Oftalmologia 41: 326-328.