Contents

Page

Acknowledgment	
List of figures	
List of abbreviation	
Aim of the work	
Review of the literature	
Introduction	1
I-Anatomy	5
Anatomy of the related structures to Accommodation	
1-Anatomy of the crystalline lens	8
2-Anatomy of the ciliary body	22
II-Physiology of accommodation	36
III-Spasm of accommodation	90
IV-Neurology of accommodation	133
Summary	
References	
Arabic summary	

List of Figures

Page

Figure (1)	Mid-sagittal section of the eye. (Wollf's anatomy ,1997)	5
Figure (2)	The lens (BronJ, etal, 1997)	9
Figure (3)	Lens capsule and zonular lamella (<i>Frans Worth</i> , 2006)	10
Figure (4)	Light from a single point of a distant object and light from a single point of a near object being brought to a focus by changing the curvature of the lens. (Wollf anatomy,1997).	13
Figure (5)	Schematic diagram of the human eye (Wollf anatomy,1997).	16
Figure (6)	The lens capsule	12
Figure (7)	Oblique section of the ciliary body (Roger, 1997)	12
Figure (8)	(A) in the unaccommodated state, all the zonules are under tension (B) According to the Schachar theory, in the accommodated state, the equatorial zonules are under increased tension and the anterior and posterior zonules are relaxed. (Gilbert et al., 2000)	15
Figure (9)	Interior of anterior half of bulb of eye. (Ciliary's process visible at upper right.) (Roger, 1997).	25
Figure (10)	Diagram of the blood vessels of the eye, as seen in a horizontal section. (Proc. ciliar. visible at center top.) (Roger,1997).	26
Figure (11)	parasympathetic and sympathetic pathways to the	
	ciliary muscle	29

Figure (12)	Depth of Focus	41
Figure (13)	Visual Acuity	42
Figure (14)	Convergence and accommodation	46
Figure (15)	Instrument for measuring the closest focus distance in diopters (D), the RAF ruler.	50
Figure (16)	Flip lenses	52
Figure (17)	Duane's standard curve of accommodation in diopters in relation to age (A: lowest values: B: average values; C: highest (values). (Von Helmholtz, 2002)	61
Figure (18)	Shcematic drawing shwing scheiener;s experiment. If the card is prefirated at E and E, the object, O, is brought to a focus on a screen, R at I, where one image will appear. If the screen is held at R' OR R". however, two images appear (E'F' and E"F") (Von Helmholtz, 2002).	64
Figure (19)	The ciliary muscle as described by Fincham. A and B indicate elastic tissue. (Brit. J. Ophthal).	64
Figure (20)	The ciliary muscle as described by Fincham. A and B indicate elastic tissue. (Brit. J. Ophthal).	79
Figure (21)	Illustrating the action of the circular fibers in relaxing tension in the Zonule.	77
Figure (22)	Illustrating Rohen and Rentsch concept of the structure of the zonular fibers. (a) The accommodated state. (b) The relaxed state. H are the holding fibres which split at the zonular fork, ZF. Branching from the holding fibres are the tension fibres, T, inserting into the ciliary epithelium. (After Rohen and	79

	Rentsch, v. Graefes Arch. Ophthal.)	
Figure (23)	Neural pathways involved in the light reflex and accommodation. Pathways and areas in the CNS (central nervous system) that are related to accommodation and vergence eye movements as described by Gamlin (2002).	137