

REFERENCES

- Abrahamsson M and Sjostrand J(1996):** Natural history of infantile anisometropia. Br J Ophthalmol; 80: 860-63.
- Agarwal A, Agarwal A, Agarwal T, et al. (2000):** Results of pediatric laser in situ keratomileusis. J Cataract Refract Surg.; 26:684-689.
- Agrawal R, Conner IP, Odom JV, Schwartz TL and Mendola JD(2006).** ." Relating binocular and monocular vision in strabismic and anisometropic amblyopia." Archives of ophthalmology; 124(6):844-50.
- Alexander RA and Rahi AH (1986):** Scrolls of Descemet's membrane as unusual giant nodules on the posterior cornea: histochemical and ultrastructural findings. Br J Ophthalmol;70:126-131.
- Alio J, Artola A, Claramonte P, et al. (1998):** PRK for pediatric myopic anisometropia. J Cataract Refract Surg; 24:327–30.
- Alio JL (2004).** “Advances in phakic intraocular lenses: indications, efficacy, safety, and new designs." Curr Opin Ophthalmol ; 15:350–357.
- Amaya L (2005).** Refraction changes in childhood. In Pediatric Ophthalmology and Strabismus. David Taylor and Creig S Hoyt. 3rd ed, section 1, chapter 7, Philadelphia, USA: Elsevier LTD; 57.
- American Association for Pediatric Ophthalmology and Strabismus (AAPOSIM),**
<http://www.aapos.org/displaycommon.cfm?an=1&subarticlenbr=63>.

Ambrosia R Jr, Periman LM, Netto MV and Wilson SE (2003). "Bilateral marginal sterile infiltrates and diffuse lamellar keratitis after laser in situ keratomileusis." J Refract Surg; 19: 154-158.

Arbelaez MC, Vidal C, Arba-Mosquera S (2008): Clinical outcomes of corneal vertex versus central pupil references with aberration-free ablation strategies and LASIK. Invest Ophthalmol Vis Sci.; 49(12): 5287-94.

Astle WF, Huang PT, Ells AL, et al. (2002): Photorefractive keratectomy in children. J Cataract Refract Surg; 28:932–41.

Astle WF, Rahmat J, Ingram AD et al. (2007): Laser-assisted subepithelial keratectomy for anisometropic amblyopia in children: outcomes at 1 year. J Cataract Refract Surg; 33:2028-2034.

Astle WF, Huang PT, Erefej I, Paszuk A (2010): Laser-assisted subepithelial keratectomy for bilateral hyperopia and hyperopic anisometropic amblyopia in children: one-year outcomes. J Cataract Refract Surg. Feb;36(2):260-7.

Autrata R and Rehurek J (2003): Clinical results of excimer laser photorefractive keratectomy for high myopic anisometropia in children: Four-year follow-up. J Cataract Refract Surg.;29:694-702.

Autrata R and Rehurek J (2004): Laser-assisted subepithelial keratectomy and photorefractive keratectomy versus conventional treatment of myopic anisometropic amblyopia in children. J Cataract Refract Surg; 30: 74–84.

Ayala MJ, Alio JL, Muellet ME and Hoz F (2008). "Treatment of Laser In Situ Keratomileusis Interface Epithelial ingrowth with Neodymium:Yttrium–Aluminum–Garnet Laser." *Am J Ophthalmol*; 145:630–634.

Azar DT and Primack JD (2000): Theoretical analysis of ablation depths and profiles in laser in situ keratomileusis for compound hyperopic and mixed astigmatism. *J Cataract Refract Surg*; 26(8): 1123-36.

Binder PS and Trattler WB (2010): Evaluation of a Risk Factor Scoring System for Corneal Ectasia After LASIK. *J Refract Surg*; 25: 1-10

Binnawi KH and Ali NAM (2010): Laser-assisted in situ keratomileusis (LASIK) surgery in the management of anisometropic amblyopia in Sudanese Children. *Sudanese Journal of Ophthalmology*; 1: 76 – 81.

Binnawi KH, Mursi S, Ali NA (2009): The use of laser in situ keratomileusis in the management of refractory anisometropic amblyopia in Sudanese adolescents. *Int J Ophthalmol*; 1: 21-24.

Bores LD, Smith RD, Barraquer JI (1993): Corneal topography. Blackwell scientific publications. Oxford, Chapter "O": pp i26-i73.

Bron AJ and Tripathi RC (1997): Wolff's anatomy of the eye and orbit, 8th ed. London Chapman and hall Medical, 1997: Chapter 7, pp 233-260.

Buratto L and Ferrari M (1997). "Indications, techniques, results, limits, and complications of laser in-situ keratomileusis." *Curr Opin Ophthalmol* Aug; 8(4):59-66.

Cahill M, Condon P, O'Keefe M (1999): Long term outcome of epikeratophakia. *J Cataract Refract Surg*;25:500–6.

Carones F, Vigo L, Scandola E. (2003): Laser in situ keratomileusis for hyperopia and hyperopic and mixed astigmatism With LADAR Vision Using 7- to 10-mm ablation diameters. *J Refract Surg*; 19: 548-554.

Çetinkaya A, Oto S, Akman A and Akova YA (2008)." Relationship between optokinetic nystagmus response and recognition visual acuity" *Eye*;22:77–81.

Chang GC and Pineda R 2nd (2010): Phakic intraocular lenses. *Int Ophthalmol Clin*. Winter; 50(1): 119-28.

Chang JS and Lau SY (2010): Conductive Keratoplasty to Treat Hyperopic Overcorrection After LASIK for Myopia. *J Refract Surg*. Feb 25: 1-7.

Chen PL, Chen JT, Tai MC, Fu JJ, Chang CC, and Lu DW(2007). "Anisometropic Amblyopia Treated with Spectacle Correction Alone: Possible Factors Predicting Success and Time to Start Patching" *Am J Ophthalmol*; 143:54–60.

Collins RS, McChesney ME, McCluer CA, et al. (2008): Occlusion properties of prosthetic contact lenses for the treatment of amblyopia. *J AAPOS.*; 12(6):565-8.

- Cools G, Houtman AC, Spileers W, Van Kerschaver E, Casteels I (2009):** Literature review on preschool vision screening. Bull Soc Belge Ophtalmol.; 313:49-63.
- Cooper J and Cooper R (2005):** All About Amblyopia. Optometrists Network, Strabismus. 2001-2005.
- Cotter SA, Edwards AR, Wallace DK, et al. (2006):** Treatment of anisometropic amblyopia in children with refractive correction. Ophthalmology; 113(6):895-903.
- Dada T (2001):** LASIK in pediatric eyes. J Cataract Refract Surg;27:8–9.
- Daoud YJ, Hutchinson A, Wallace DK, Song J, Kim T (2009):** Refractive surgery in children: treatment options, outcomes, and controversies. Am J Ophthalmol.; 147(4):573-582.e2.
- Davidorf JM (2000):** Pediatric refractive surgery. J Cataract Refract Surg; 26:1567–8.
- Dobson V.,Fulton A., Manning K (1981). :** Cycloplegic refractions of premature infants American Journal of Ophthalmology 91 , 490 – 495.
- Donahue SP(2005)." The relationship between anisometropia, patient age, and the development of amblyopia." Am Ophthalmol Soc. December; 103: 313–336. &J Ophthalmol 2006; 142:132–140.**
- Doshi N and Rodrigues M." Amblyopia (2007)" Am Fam Physician;75: 361-7, 368.**

Drack A, Alcorn D, Lingua R (2000): Potential use of LASIK in children. *J Pediatr Ophthalmol Strabismus.*; 37: 354-360.

Drack A . V ,Nucci P (2001):Refractive surgery in children.*J. Ophthalmol. Clin. North Am.*, 14 (3):457-466.

Durrie DS and Kezirian GM (2005). "Femtosecond laser versus mechanical keratome flaps in wavefront-guided laser in situ keratomileusis prospective contralateral eye study." *J CataractRefract Surg*;31: 120 .

Enrique M, Pedro A and Jorge L (2001). "Reversal of myopic anisometropic amblyopia with phakic intraocular lens implantation." *J Refractive surgery* 2001 17:460-462.

Fang JP, Hill W, Wang L, Chang V and Koch DD (2006). "Advanced Intraocular Lens Power Calculations" In T. Kohnen T and Koch DD, editors. "Cataract and Refractive Surgery" in the *Essentials in Ophthalmology series*.Ed illustrated Chapter 4, Springer,;31-45.

Fan-Paul NI, Li J, Miller JS, Florakis GJ (2002): Night vision disturbances after corneal refractive surgery. *Surv Ophthalmol.*; 47(6): 533-46.

Foster CS, Azar DT, Dohlman CH (2004): Smoiin and thoft's. *The cornea Scientific foundations and clinical practice*. 4th ed. Philadelphia. Pa: Lippincott Williams & Wilkins, 15: 389-400.

Friedman DS, Munoz B, Massof RW, Bandeen-Roche K and West SK (2002). "Grating visual acuity using the preferential-looking method in elderly nursing home residents." *Invest Ophthalmol Vis Sci.* ug;43(8):2572-8.

Frindly D.S:Development of vision in infants and young children.J. Pediatric Ophthalmology 40 (4):693-703 ,1993.

Georgoudis P and Tappin MJ (2010): Artisan phakic IOL for the correction of ametropia after deep anterior lamellar keratoplasty. J Refract Surg.; 26(2):87.

Gipson IK, Spurr-Michaud S, Tisdaie A, Keough M (1989): Reassembly of the anchoring structures of the corneal epithelium during wound repair in the rabbit. Invest Ophthalmol. Vis Sci.; 30(3): 425-34.

Greenwald, M.J. and Parks, M.M.: Treatment of amblyopia. In Tasman, W., (ed.): Duane's. Clinical ophthalmology. Lippincott, Philadelphia, J.B.; Pp. 1-3, 1994.

Groenewoud JH, Tjiam AM, Lantau VK, Hoogeveen WC, de Faber JT, Juttmann RE, de Koning HJ, Simonsz HJ (2010): Rotterdam AMblyopia Screening Effectiveness Study: detection and causes of amblyopia in a large birth cohort. Invest Ophthalmol Vis Sci. Jan 20. [Epub ahead of print].

Gordon R.A,Donzis P.B (1986):Refractive development of the human eye. Arch . Ophthalmol . 103: 785 – 789.

Hansraj R, Oduntan AO and Rasengane TA (2004)." Laser assisted in situ-keratomileusis -a literaturere review (Part1)" S Afr Optom; 63 (4): 147 – 155.

Hansraj R, Oduntan AO and Rasengane TA (2005)." Laser assisted in situ-keratomileusis -a literature review (Part2)" S Afr Optom; 64 (1): 5 – 10.

Harvey EM, Dobson V, Miller JM and Clifford-Donaldson CE(2007). "Amblyopia in Astigmatic Children: Patterns of Deficits." British journal of ophthalmology Vision Res. February; 47(3):315–326.

Haw WW and Manche EE (2001): Effect of preoperative pupil measurements on glare, halos, and visual function after photoastigmatic refractive keratectomy. J Cataract Refract Surg; 27: 907-916.

Haw WW, Alcorn DM, Manche EE (1999): Excimer laser refractive surgery in the paediatric population. J Pediatr Ophthalmol Strabismus; 36:173–7.

Hirsch A, Barequet IS, Levinger S (2006): Wavefront-guided Lasek after Intacs in eyes with stable keratoconus. Harefuah.; 145(3): 181-2, 247-8. Hebrew.

Hirsch M.J (1963): The Refraction of children . In Hirsch M.J. and Wicks J.E (eds). Vision of children . Philadelphia . Chilton , 1963.

Holmes JM, Kraker RT, Beck RW, et al. (2003): A randomized trial of prescribed patching regimens for treatment of severe amblyopia in children. Ophthalmology. Nov;110(11):2075-87.

Holmes JM, Beck RW, Kraker RT, et al. (2004): Risk of amblyopia recurrence after cessation of treatment. J AAPOS; 8: 420-8.

Hoyt CS, Stone RD, Fromer C, et al. (1981): Monocular axial myopia associated with neonatal eyelid closure in human infants. *Am J Ophthalmol*;91:197–200.

Ing M.R:Early surgical alignment for congenital esotropia , *Journal of Pediatric Ophthalmology and Strabismus* 20: 1-18,1983.

Kaufman SC (1999). "Post-LASIK interface keratitis, Sands of the Sahara Syndrome, and microkeratome blades (letter to the editor)". *J Cataract Refract Surg*; 25: 603-604.

Kim JH, Kim MS, Hahn TW, et al. (1997): Five year results of Photorefractive keratectomy for myopia. *J Cataract Refract Surg*; 23:731–5.

Kirwan C and O’keefe M (2009). “Comparative Study of Higher-Order Aberrations After Conventional Laser In Situ Keratomileusis and Laser Epithelial Keratomileusis for Myopia Using the Technolas 217z Laser Platform." *Am J Ophthalmol*;147: 77–83.

Kohnen T and Kasper T (2009). "Selecting phakic intra ocular lenses for the correction of refractive errors." In Kohnen T and Koch DD, editors. "Cataract and Refractive Surgery: Progress III." Springer-Verlag New York, LLC, 3rd Ed, chapter 11; 143 – 154.

Kozma P, Kovács I and Benedek G (2001)." Normal and abnormal development of visual functions in children" *Acta Biol Szeged*; 45(1-4):23-42.

- Kutscke PJ, Scott WE, Keech RV (1991):** Anisometropic amblyopia. *Ophthalmology*; 98:258–63.
- Lawless MA and Hodge C (2005):** Wavefront's role in corneal refractive surgery. *Clin Experiment Ophthalmol.*; 33(2):199-209.
- Leat S.J., Shute R.H., Westall C.A (1999):** Assessing children's vision , Reed Educational and professional Publicating Ltd , Oxford , Boston , Melbourne .
- Lee J, Bailey G, Thompson V (2007):** Amblyopia (Lazy Eye). All About Vision. Published in Aug 2003 issue of *Ophthalmology*
<http://www.allaboutvision.com/conditions/amblyopia.htm>
- Li H, Sun T, Wang M, Zhao J (2010):** Safety and effectiveness of thin-flap LASIK using a femtosecond laser and microkeratome in the correction of high myopia in Chinese patients. *J Refract Surg.*;26(2):99-106.
- Liesegang TJ (2007):** American Academy of Ophthalmology, Fundamentals and principles of Ophthalmology Chapter 3 pp 45-50.
- Lin JM and Tsai YY (2005):** Laser in situ keratomileusis for different degrees of myopia. *Acta Ophthalmol Scand.*; 83(1):40-5.
- Lin X, Yan X, Wang Z, et al. (2009):** Long-term efficacy of excimer laser in situ keratomileusis in the management of children with high anisometropic amblyopia. *Chinese Med J*; 122:813-817.

Lithander J and Sjostrand J (1991): Anisometropia and strabismic amblyopia in the age group two years and above; a prospective study of the results of treatment. Br J Ophthalmol;75:111–16.

Marg E, Freeman D.N,Peltzman P , Goldstein P.J: Visual acuity development in infants , evoked potentials in measurements Invest. Ophthalmol.15:150,1976.

Mathers WD and Lemp MA (1992): Morphology and movement of corneal surface cells in humans. Curr Eye Res; 11(6): 517-23.

McCarty TM and Hardten DR. “Preoperative Diagnostic Testing for Phakic Intraocular Lenses (2003)” In Hardten DR, Davis EA and Lindstrom RL. "Phakic Intraocular Lenses: Principles and Practice." Ed 2, chapter 4, SLACK, Incorporated,: 29-36.

Medcedeva NI and Sheludchenko VM (2003): Choice of surgical correction method in hypermetropic anisometropia in children. Vestn-Oftalmol; 119: 14-18.

Melki SA and Azar DT (2001)." LASIK Complications: Etiology, Management, and Prevention" Surv Ophthalmol Sep-Oct; 46(2):95-116.

Messmer JJ (2010): LASIK: a primer for family physicians. Am Fam Physician. Jan 1;81(1):42-7.

Müller LJ, Pels E, Vrensen GF (2001): The specific architecture of the anterior stroma accounts for maintenance of corneal curvature. Br J Ophthalmol; 85: 437-443.

Mulvihill A, MacCann A, Flitcroft I, et al. (2000): Outcome in refractive accommodative esotropia. Br J Ophthalmol;84:746–9.

Naidoo K and Govender P (2005)." A comparison of non-cyclopegic and cyclopegic autorefraction of African children aged 5-15years in Kwazulu - Natal" The South African Optometrist S Afr Optom 64 (1) 11 – 17.

Nano HD, Muzzin S, Fernandez I (1997): Excimer laser photorefractive keratectomy in pediatric patients. J Cataract Refract Surg; 23:736–9.

Nassaralla BR and Nassaralla JJ Jr. (2001): Laser in situ keratomileusis in children aged 8 to 15 years. J Refract Surg; 17:519–24.

Newsham D (2002): A randomised controlled trial of written information: the effect on parental non-concordance with occlusion therapy. Br J Ophthalmol.; 86:787–91.

Nixseaman DH (1970):" Amblyopia or the Lazy Eye" British Medical Journal, 279-281.

Nucci P and Drack AV (2001): Refractive surgery for unilateral high myopia in children. J AAPOS;5:348–51.

- O'Keefe M and Nolan L (2004):** LASIK surgery in children. Br J Ophthalmol.; 88:19-21.
- O'Keefe M and Kirwan C (2006):** Pediatric refractive surgery. J Pediatr Ophthalmol Strabismus.; 43(6):333-6.
- O'Rahilly, Müller LJ, Carpenter, Swenson R (2009):** Basic Human Anatomy – The Eye, nerve supply. Contributors: Brian Catlin, Arnold Fabricant, John Lyons, Dartmouth Medical School. Dartmouth College, Hanover, NH 03755 USA contact@dartmouth.edu URL: http://www.dartmouth.edu/~humananatomy/figures/chapter_46/46-8.HTM.
- Osama Ibrahim (2008):** Pediatric LASIK safe, effective, stable over 10 years. Refractive Surgery. Posted on the OSN SuperSite June 30. <http://www.osnsupersite.com/view.aspx?rid=29257#jump>
- Ottersen OP and Vegge T (1977):** Ultrastructure and distribution of the intercellular junctions in corneal endothelium. Acta Ophthalmol (Copenh). Feb; 55(1): 69-78.
- Paysse EA, Hussein M, Koch DD, et al. (2003a):** Successful implementation of a protocol for photorefractive keratectomy in children requiring anesthesia. J Cataract Refract Surg.; 29: 1744-1747.
- Paysse EA, Hammill MB, Koch DD, et al. (2003b):** Epithelial healing and ocular discomfort after photorefractive keratectomy in children. J Cataract Refract Surg.; 29:478-481.
- Paysse EA, Hamill MB, Hussein MA et al. (2004):** Photorefractive keratectomy for pediatric anisometropia: safety and impact on

refractive error, visual acuity, and stereopsis. *Am J Ophthalmol*; 138:70-78.

Paysse EA, Coats DK, Hussein MAW, et al. (2006): Long-term outcomes of photorefractive keratectomy for anisometropic amblyopia in children. *Ophthalmology*; 113: 169–176.

Paysse EA, Reddy Ak and Weikert MP (2009). "Refractive Surgery in Children." In Wilson EM, Saunders RA and Trivedi RH. "Pediatric Ophthalmology Current Thought and a Practical Guide." Illustrated Ed chapter 3, Springer-Verlag Berlin Heidelberg; 2009: 21- 32.

Pediatric Eye Disease Investigator Group (2002): A randomized trial of atropine vs. patching for treatment of moderate amblyopia in children. *Arch Ophthalmol.*; 120:268–78.

Pediatric Eye Disease Investigator Group (2003): The course of moderate amblyopia treated with patching in children: experience of the amblyopia treatment study. *Am J Ophthalmol.*; 136:620–9.

Peterseim M. W, Wilson M.E (2001):Bilateral intraocular lens implantation in pediatric.J.Ophthalmology,107:1261-1266,2001.

Piñero DP, Alio JL, Uceda-Montanes A, El Kady B, Pascual I (2009): Intracorneal ring segment implantation in corneas with post-laser in situ keratomileusis keratectasia. *Ophthalmology*. Sep; 116(9):1665-74.

Pingle T (2010): LASIK and Children. *EzineArticles.com* 25 Feb, 2010. <http://ezinearticles.com/?LASIK--and--Children&id=607060>.

Qian Y and Pineda R (2008): Safety and efficacy of PRK and LASIK in pediatric patients. *Int Ophthalmol Clin.* Spring; 48(2):193-208.

Rad AS, Jabbarvand M and Saifi N (2004). "Progressive keratectasia after laser in situ keratomileusis." *J Refract Surg* Sep-Oct;20(5 Suppl):S718-22.

Rahi J, Logan S, Timms C, Russell-Eggitt I, Taylor D (2002): Risk, causes, and outcomes of visual impairment after loss of vision in the non-amblyopic eye: a population-based study. *Lancet*; 360: 597–602.

Randleman JB, Trattler WB and Stulting RD (2008). "Validation of the Ectasia Risk Score System for Preoperative Laser In Situ Keratomileusis Screening." *Am J Ophthalmol*;145:813– 818.

Rashad KM (1999): Laser in situ keratomileusis for myopic anisometropia in children. *J Cataract Refract Surg*; 15:429–35.

Reinstein DZ, Asianides IM, Silverman RH, Asbeii PA, Coleman DJ (1994): High frequency ultrasound corneal pachymetry in assessment of corneal scars after therapeutic planning CLAO J.; 20(3): 198-203.

Repka MX, Beck RW, Holmes JM, et al. (2003): A randomized trial of patching regimens for treatment of moderate amblyopia in children. *Arch Ophthalmol.*;121:603-11.

Repka MX, Cotter SA, Beck RW, Kraker RT, Birch EE, Everett DF, et al. (2004): for the Pediatric Eye Disease Investigator Group. A randomized trial of atropine regimens for treatment of

moderate amblyopia in children. *Ophthalmology*; 111: 2076–85.

Repka MX, Wallace DK, Beck RW, Kraker RT, Birch EE, Cotter SA, et al. (2005): for the Pediatric Eye Disease Investigator Group. Two-year follow-up of a 6-month randomized trial of atropine vs. patching for treatment of moderate amblyopia in children. *Arch Ophthalmol.*;123:149–57.

Repka MX (2008): How much amblyopia treatment is enough?. *Arch Ophthalmol.*; 126(7):990-1.

Sakimoto T, Rosenblatt MI and Azar DT (2006). "Laser eye surgery for refractive errors" *Lancet* 2006; 367: 1432–47 Published Online March 7.

Salomão SR, Ejzenbaum F, Berezovsky A, Sacai PY and Pereira JM (2008)." Age norms for monocular grating acuity measured by sweep-VEP in the first three years of age." *Arq Bras Oftalmol.* Jul-Aug;71(4):475-9.

Selier T, Kaemerer M, Mierdel P and Krinke H (2000). "Ocular optical aberrations after photorefractive keratectomy for myopia and myopic astigmatism." *Arch Ophthalmol*;118 :17-21.

Schallhorn SC, Amesbury EC and Tanzer DJ (2006)." Avoidance, recognition, and management of LASIK complications." *Am J Ophthalmol*Apr; 141(4):733-9.

Schallhorn SC, Kaupp SE, Tanzer DJ, Tidwell J, Laurent J, Bourque LB (2003). Pupil size and quality of vision after LASIK. *Ophthalmology.* Aug;110(8):1606-14.

- Scheiman M, Mitchell GL, Cotter S, et al. (2005):** The Convergence Insufficiency Treatment Trial (CITT) Study Group. A randomized clinical trial of treatments for convergence insufficiency in children. *Archives of Ophthalmology*; 123:14-24.
- Scheiman MM, Hertle RW, Kraker RT, et al. (2008):** Patching vs atropine to treat amblyopia in children aged 7 to 12 years: a randomized trial. *Arch Ophthalmol.*; 126(12):1634-42.
- Schmucker C, Kleijnen J, Grosselfinger R, Riemsma R, Antes G, Lange S, Lagrèze W (2010):** Effectiveness of early in comparison to late(r) treatment in children with amblyopia or its risk factors: a systematic review. *Ophthalmic Epidemiol.*; 17(1): 7-17.
- Sher NA, Barak M, Daya S (1992):** Excimer laser photorefractive keratectomy in high myopia, a multicenter study. *Arch Ophthalmol*;110:935–43.
- Sherrard ES, Novakovic P, Speedwell L (1987):** Age related changes of the corneal endothelium and stroma as seen in vivo by specular microscopy. *Eye.*; 1(Pt2): 197-203.
- Simons K (1996).**" Preschool vision screening: rationale, methodology and outcome". *Surv Ophthalmol*; 41: 3 –30.
- Simons K (2005).**" Amblyopia Characterization, Treatment, and Prophylaxis. " *Surv Ophthalmol.* March-April; 50(2): 123-166.
- Singh D. (1995):** Photorefractive keratectomy in pediatric patients. *J Cataract Refract Surg*; 21:630–2.

Sitzman K (2006): LASIK eye surgery basics. AAOHN J. Feb; 54(2):92 .

Snip et al., 1980): RC, Thoft RA, Tolentino FI. Similar epithelial healing rates of the corneas of diabetic and nondiabetic patients. Am J Ophthalmol. 1980; 90(4): 463-8.

Studený P, Farkas A, Vokrojová M, Lisková P, Jirsová K (2009): Descemet's membrane endothelial keratoplasty with a stromal rim (DMEK-S) Br J Ophthalmol bjo.165134 Published Online First: 22 October 2009 doi:10.1136/bjo.2009.165134.

Subramaniam SV (2009): Binocular interaction in post-LASIK subjects with unsatisfactory outcome. Curr Eye Res.; 34(12):1030-5.

Taylor D and Hoyt C (1997). "History, examination and further investigations." In Taylor D and Hoyt C, editors. "Practical pediatric ophthalmology" Published by Wiley-Blackwell, Ed 4, Chapter 4 : 13- 22.

Trindade F and Pereira F (2000) "Exchange of a posterior chamber phakic intraocular lens in a highly myopic eye." J Cataract Refract Surg, 26:773-776.

Tsubota K, Yamada M, Naoi S (1992): Specular microscopic observation of normal human corneal epithelium. Ophthalmology; 99(1): 89-94.

Toda I, Asano-Kato N, Komai-Hori Y and Tsubota K (2001). "Dry eye after laser in situ keratomileusis." Am J Ophthalmol; 132:1–7.

Tychsen L, Packwoodand E and Berdy G (2005). "Correction of Large Amblyopiogenic Refractive Errors in Children Using the Excimer Laser" J AAPOS; 9:224-233.

Utine CA, Cakir H, Egemenoglu A, Perente I (2008): LASIK in children with hyperopic anisometropic amblyopia. J Refract Surg.; 24(5):464-72

Verweyen P (2004). "Measuring Vision in Children" J Comm Eye Health; 17(50): 27-29.

Von Noorden GK (1985). "Amblyopia: A Multifidisciplinary Approach." Invest Ophthalmol Vis Sci; 26:1704-1716.

Wallace DK, Chandler DL, Beck RW, et al. (2007): Treatment of bilateral refractive amblyopia in children three to less than 10 years of age. Am J Ophthalmol.; 144(4):487-96.

Wang MY and Maloney RK (2000). "Epithelial ingrowth after Laser in situ Keratomileusis." Am J Ophthalmol; 129:746-751.

Wang H, Yin ZQ, Chen L et al. (2003): LASIK for high myopia and high myopic astigmatism in children. Chinese J Strabismus Pediatr Ophthalmol; 11: 229–233.

Wang M, Abdelmalak H, Swartz T (2004): Peer-Reviewed Literature: Pediatric Refractive Surgery. Cataract & Refractive Surgery Today; pp: 21-23.

Wang H, Yin ZQ, Chen L, Ren Q (2007): Laser in situ keratomileusis for treatment of high hyperopic anisometropia in children. Zhonghua Yan Ke Za Zhi.; 43(2):112-7.

Wilson ME (2009). "The Art and Science of Examining a Child." In Wilson EM, Saunders RA and Trivedi RH, editors. "Pediatric Ophthalmology Current Thought and a Practical Guide." Springer-Verlag Berlin Heidelberg, Illustrated Ed chapter 1; 1- 6.

Yen KG, Cibis GW, Talavera F, Rowsey JJ (2008): Amblyopia: Treatment & Medication. Webmed, eMedicine Specialties, Ophthalmology, Neurologic Disorders. Updated: Dec 31, 2008. <http://emedicine.medscape.com/article/1214603-treatment>.

Yuen LH, Chan WK, Koh J, Mehta JS, Tan DT; SingLasik Research Group (S.L.R.G) (2010.): A 10-Year Prospective Audit of LASIK Outcomes for Myopia in 37,932 Eyes at a Single Institution in Asia. Ophthalmology. Feb 12 [Epub ahead of print].

Zaldivar R, Davidorf JM, Oscherrow S (1998): Posterior chamber phakic intraocular lens for myopia of -8 to -19 dioptres. J Refract Surg; 14:204-5.