

REFERENCES

- Allingham RR (2005):** Tonometer's and tonometry. In: Karin Danji, Sharon Freedom, Sayoko Moroi and George Shafranov (eds), shields textbook of glaucoma, 5th edition; Lippincot Williams and Wilkins, Philadelphia, 2: 41-44.
- Amr I. Sharawy, Osama El Nahrawy, Mohamed T. Higazy, Karem A Kolkaila:** Studying the effect of biomechanical properties of the cornea in measuring intra-ocular pressure by using the Ocular Response Analyser (ORA) in SC.J.Az.Med. Fac.(Girls) Vol 29 No 3,sep,2008 :1209-1215 (el azhar scientific journal)
- Anthory J, Reash C, Tripathi and Brendo J.:** Cornea and sclera. Wolff's anatomy of the eye and the orbit 7: 233-271. 2003
- Armstrong TA (1990):** Evaluation of the tonopen and pulsair tonometer. Am J Ophthalmol; 109: 716-720.
- Asrani S, Zeimer R, Wilensky J, Grieser D, Vitale S and Lindenmuth K (2000):** Large diurnal fluctuation in intraocular pressure are an independent risk factor in patients with glaucoma. J Glaucoma; 9: 134-142.
- Bafa M, Lambrinakis I, Dayain M and Birch M (2001):** Clinical comparison of the measurement of the IOP with the ocular blood flow tonometer, the tonopen XL and GAT. Acta Ophthalmol Scand; 79: 15-18.

REFERENCES

- Barleon L, Hoffman EM, Berres M, Pfeiffer N, and Grus F (2006):** Comparison of dynamic contour tonometry and GAT in glaucoma patients and healthy subjects. *Am J Ophthalmol*; 142: 583-590.
- Bedford MA (1987):** Method of examination. In: Bedford MA (ed): *A colour atlas of ophthalmological diagnosis*, 2nd edition. Wolfe Medical Publications, London; Ch 1: 8-32.
- Becker B and Shaffer R (1999):** Aqueous humor dynamics. In: Becker B and Shaffer R (eds). *Diagnosis and therapy of glaucoma*. 7th edition, Mosby, St. Louis, Missouri; Ch (3), P 19-65.
- Bhan A, Browning AC, Shah S, Hamilton R, Dave D, Dua HS.** Effect of corneal thickness on intraocular pressure measurements with the pneumotonometer, Goldmann applanation tonometer, and Tono- Pen. *Invest Ophthalmol Vis Sci* 2002;43:1389–92.
- Birk DE et al 1988:** Birk DE, Fitch JM, Babiarz JP and Linsenmayer TF.: Collagen type I and type V are present in the same fibril in the avian corneal stroma. *J Cell Biol.* 63:999-1000. 1988

REFERENCES

- Brandt JD, Beiser JA, Kass MA and Gorden MO (2001):** Central corneal thickness in the ocular hypertension treatment. Ophthalmology; 108 (10): 1779-88.
- Brencher HL, Kohl P, Reink AR and Yolton RL (1991):** Clinical comparison of air-puff and Goldmann tonometer. J Am Optom Assoc; 62: 395-402.
- Broman AT, et al 2007:** Broman AT, Congdon NG, Bandeen-Roche K, Quigley HA. Influence of corneal structure, corneal responsiveness, and other ocular parameters on tonometric measurement of intraocular pressure. J Glaucoma 2007 Oct-Nov;16(7):581-8.
- Cogan DG.1991:** Cogan DG.: Applied anatomy and physiology of the cornea. Trans Am Acad. Ophthalmol. Otolaryngol. 55:329-359. 1991
- Doughty MJ, Zaman ML.** Human corneal thickness and its impact on intraocular pressure measures: a review and metaanalysis approach. Surv Ophthalmol 2000 Mar-Apr;44(5): 367-408.
- Duba I and Wirthlin AC (2004):** Dynamic contour tonometry for post-LASIK. IOP measurement. Klin Monatsbl Augenheilkd; 221: 347-350.

REFERENCES

- Ehlers N; Bramsen T, and Serling S (1975):** Correlation between central corneal thickness. *Acta Ophthalmol*; 53 (1): 34-43. Quoted from: Kohlhaas M, Boehm AG, Spoerl E and Pursten A (2006): Effect of central corneal thickness, corneal curvature and axial length on applanation tonometry. *Arch Ophthalmol*; 124 (4): 471-6.
- Ehrlich JR, Haseltine S, Shimmyo M, Radcliffe NM.(2010)** Evaluation of agreement between intraocular pressure measurements using Goldmann applanation tonometry and Goldmann correlated intraocular pressure by Reichert's ocular response analyser. Title: Eye (London, England) Volume: 24 ISSN: 1476-5454 ISO Abbreviation: Eye (Lond) Publication Date: 2010 Oct.
- Eklund A, Hallberg P, Linden C and Lindahl OA (2003):** An applanation resonator sensor for measuring IOP using combined continuous force and area measurement. *Invest Ophthalmol Vis Sci*; 44: 3017-3024.
- Elmallah MK, Asrani SG.** New ways to measure intraocular pressure. *Curr Opin Ophthalmol* 2008; 19: 122–126.
- Feltgen N, Leifert D and Funk J (2001):** Correlation between central corneal thickness, applanation tonometry, and direct intracameral IOP readings. *Br J Ophthalmol*; 85 (1): 85-7.

REFERENCES

- Fick RA (1888):** Ein neues ophthalmotonometer. Verhandlungen der physikalisch-medizinischen Gesellschaft zu Würzburg; 22: 151. Quoted from: Stuckey GC, 2004. Application of physical principles in the development of tonometry. Clinical and Experimental Ophthalmology; 32: 633-636.
- Fisher J, Watson P and Spaeth S (1988):** A new handheld air-impulse Tonometer. Eye; 22: 238-42.
- Flower RW, McLeod DS and Pitts SM.: Reflection of light by small areas of the ocular fundus. Invest Ophthalmol Vis Sci. 10: 981-5. 1977**
- Francis BA, Hsieh A, Lai MY, Chopra V, Pena F, Azen S and Varma R (2007):** Effect of corneal thickness, curvature in IOP level on GAT and DCT. Ophthalmology; 114: 20-26.
- Fresco B (1998):** A new tonometer. The pressure phosphane tonometer: Clinical comparison with Goldmann tonometry. Ophthalmology; 105: 2123-2126.
- Friedenwald JS. (1949):** Clinical significance of ocular rigidity in relation to the tonometric measurement. Trans Am Acad Ophthalmol Otolaryngol 1949 Jan-Feb;53:262-4.

REFERENCES

- F Carbonaro et al (2010):** F Carbonaro, T Andrew, D A Mackey, T D Spector and C J Hammond. Comparison of three methods of intraocular pressure measurement and their relation to central corneal thickness. Eye 24, 1165-1170 (July 2010) | doi:10.1038/eye.2010.11
- Garcia Resua C, Ferrnandes MJ, Exposito AC, Perez JG, and Pimental EY (2005):** Clinical evaluation of the new (TGD-01) "PRA" palpebral tonometer: comparison with contact and non-contact tonometry. Optom Vis Sci; 82: 143-150.
- Georgopoulos GT, Diestelhorst M, Fisher R, Ruokenen P, and Krieglstein GK (2002):** The short-term effect of latamoprost on IOP and pusatile ocular blood flow. Acta Ophthalmol Scand; 80: 54-8.
- Gipson I. et al 1994.** Gipson I., Smolin G., Thoft R. and Little Brown: Anatomy of the conjunctiva, cornea, scientific foundations and clinical practice 3: 1-24. 1994
- Gobelt BT and Kaufman PL (2000):** Uveoscleral outflow decreases in old rhesus monkey. Invest ophthalmol Vis Sci, 40: 253-259.

REFERENCES

- Goldmann H (1955):** Un nouveau tonometre à applanation. Bull Soc France Ophtal; 67: 474-478. Quoted from: Moses RA, 1986. Tonometry. In: Cairns JE (ed). Glaucoma, Vol (1). Grune and Stratton, London, Ch (1), P 79-99.
- Goldmann H and Schmidt Th (1961):** Weiterer beitrage zur applaationstonometrie. Ophthalmologica; 141: 441-456. Quoted from: Moses RA, 1986. Tonometry. In: Cairns JE (ed). Glaucoma, Vol (1). Grune and Stratton, London, Ch (1), P 79-99.
- Gordon MO, Beiser JA and Brandt JD. (2002)** The ocular hypertension treatment study: Base line factors that predict the onset of primary open-angle glaucoma. Arch Ophthalmol 120: 714-720.
- Grieshaber MC, Schoetzau A, Zawinka C, Flammer J and Orgul S (2007):** Effect of CCT on dynamic CT and GAT in primary open-angle glaucoma. Arch Ophthalmol; 125: 740-744.
- Grolman B (1972):** A new tonometer system. Am J Optom and Arch Am Acad Optom; 49: 646-660. Quoted from: Moses RA, 1986. Tonometry. In: Cairns JE (ed).

REFERENCES

Glaucoma, Vol (1). Grune and Stratton, London, Ch (1),
P 79-99.

Haag-Streit. Goldmann Applanation Tonometer Instruction. 2003

Available at: www.haagstreit.com. Accessed on
December 1, 2005.visited 17-05-2010.10 pm.

Hahn S, Azen S, Ying-Lai M and Varma R (2003): Central corneal
thickness in Latinos. Invest Ophthalmol Vis Sci; 44 (4):
1508-112.

Hallberg P, Eklund A, Backlund T and Linden C (2007): Clinical
evaluation of applanation resonance tonometry, A
comparison with GAT. J Glaucoma; 16: 88-93.

Hamilton K (2007): Effect of contact lens-induced oedema on the
accuracy of Goldmann Tonometry in a mature
population. Br J Ophthalmol; 90: 205-10.

Herndon LW. Measuring intraocular pressure-adjustments for
corneal thickness and new technologies. Curr Opin
Ophthalmol 2006; 17: 115–119.

Herse P, Hanas A: Hall J and Markoulli M (2005): The proview
eye pressure monitor: influence of clinical factors on
accuracy and agreement with GAT. Ophthalmic Physiol
Opt; 25: 416-20.

REFERENCES

- Hithcing RA (1994): Primary glaucoma.** In: Spatton DJ, Hitchnigs RA and Hunter PA (eds). Atlas of clinical ophthalmology, 2nd edition, Wolf Publishing, London, Ch (7): P 72-85.
- Holladay JT, Allison ME and Prager TC (1983):** Goldman applanation tonometry in patients with regular astigmatism. Am J Ophthalmol; 96: 90-93.
- Iesrter M, Mermoud A, Achache F, and Roy S (2001):** New tonopen XL: Comparison with GAT. Eye; 15: 52-58.
- Imbert A (1885):** Théorie des ophtalmotonometers. Arch Ophthalmol; 5: 358. Quoted from: Stuckey GC, 2004. Application of physical principles in the development of tonometry. Clinical and Experimental Ophthalmology; 32: 633-636.
- Johnson CS, Mian SI, Moroi S(2007):** Role of corneal elasticity in damping intraocular pressure. Invest Ophthalmol Vis Sci Jun;48(6):2540-4.
- Junping Li, Herndon L, Asrani S, Stinnett S, and Allingham R (2004):** Clinical comparison of the proview eye pressure monitor with the GAT and the tonopen. Arch Ophthalmol; 122: 1117-1121.

REFERENCES

- Kanski J (2004):** Glaucoma. In: Kanski J (ed). Clinical ophthalmology, 5th edition. Butter Worth, Heinemann, London; Ch 9: 196-212.
- Katherine L, Bergwe K, Hollo K, Pewrfetti S and Sylvia R (1999):** Latex allergy associated with the latex cover on the tonopen. Am J Ophthalmol; 127: 91.
- Kaufman C, Bachman LM and Thiel MA (2003):** IOP measurement using dynamic contour tonometry after laser in situ kerato-mileusis. Invest Ophthalmol Vis Sci; 44: 3790-7.
- Kaufman PL and Alim A (2003):** The aqueous humor hydrodynamics. In: Kaufman Poul L and Alim A (eds). Adler physiology of the eye. Tenth edition. Mosby, St. Louis, Missouri; (1) Ch 8: 237-250.
- Kaufman C, Bachmann LM and Thiel MA (2004):** Comparison of dynamic contour tonometry with GAT. Invest Ophthalmol Vis Sci; 45: 3118-21.
- Kenyon KR 1988: Kenyon KR. :** The synthesis of basement membrane by the corneal epithelium in bullous keratopathy. Invest Ophthalmol 1: 146-54. 1988

REFERENCES

- Kida T, Liu JH, Weinreb RN.**Effect of 24-hour corneal biomechanical changes on intraocular pressure measurement. Invest Ophthalmol Vis Sci 2006;47:4422–6.
- Kirwan C, O’Keefe M, Lanigan B:** Corneal hysteresis and intraocular pressure measurement in children using the reichert ocular response analyzer. Am J Ophthalmol 142: 990--2, 2006
- Klyce SD, Beuerman RW., kaufman HE, Barton BA, McDonald MB and Waltman SR:** Structure and function of the cornea.Churchill Livingstone. New York 3:54-58. 1988
- Klyce SD, Jenison GL, Crosson CE and Beuerman RW.:** Distribution of sympathetic nerve in the rabbit cornea. ARVO abstract. Invest Ophthalmol Vis Sci 27 : 354. 1986.
- Kniestedt C, Nee M and Stamper RL (2004):** DCT comparative study on human coadver eye. Arch Ophthalmol; 122: 1287-93.

REFERENCES

- Koçak I, Orgül S, Saruhan A, Haefliger I, Hendrickson Ph, and Flammer J (1998):** Measurement of intraocular pressure with a modern non contact tonometer. *Ophthalmologica*; 212: 81-87.
- Kohlhaas M, Boehm AG, Spoerl E and Pursten A (2006):** Effect of central corneal thickness, corneal curvature and axial length on applanation tonometry. *Arch Ophthalmol*; 124 (4): 471-6.
- Kotecha A, Elsheikh A, Roberts CR, et al:** Corneal thickness and age-related biomechanical properties of the cornea measured with the ocular response analyzer. *Invest Ophthalmol Vis Sci* 47:5337--47, 2006
- Kothe AC (1994):** The effect of posture on intraocular pressure and pulsatile ocular blood flow in normal and glaucomatous eyes. *Surv Ophthalmol*; 35: 191-7.
- Ku JY, Meyer HV, Ramyo T and Craig JP (2005):** Comparison of IOP measured by PDCT and GAT. *Eye*; 20: 191-198.
- La Rosa FA, Gross RL and Orengo-Nania S (2001):** Central corneal thickness of Caucasians and African in glaucomatous and non glaucomatous. *Arch Ophthalmol*; 119 (1): 23-7.

REFERENCES

- Levy Y, Xodok D, Glavinsky Y, Krakowski D and Nemet D (1999):** Tonopen versus Goldmann tonometry after excimer laser photorefractive keratectomy. J Cataract Refract Surg; 25: 488-491.
- Li J, Herndon LW, Asrani SG, Stinnett S and Allingham RR (2004):** Clinical comparison of the proview eye pressure monitor with the GAT and the tonopen. Arch Ophthalmol; 122: 1117-21.
- Liu J and Roberts CJ (2005):** Influence of corneal biomechanical properties on intraocular pressure measurement. J Cataract Refract Surg; 31: 146-155.
- Luce DA. (2006)** Determining in vivo biomechanical properties of the cornea with an ocular response analyzer. J Cataract Refract Surg 2005; 31:156-162.
- Maklakoff C (1885):** L'Ophthalmotonometrie. Arch Ophthalmol; 5: 159-63. Quoted from: Moses RA, 1986. Tonometry. In: Cairns JE (ed). Glaucoma, Vol (1). Grune and Stratton, London, Ch (1), P 79-99.

REFERENCES

- Martinez-de-la-Casa JM, Garcia-Feijoo J and Fernandez-Vidal A.(2006)** Ocular response analyzer versus Goldmann applanation tonometry for intraocular pressure measurements. Invest Ophthalmol Vis Sci 47:4410-4414.
- Maurice DM.:** Maurice DM.: The structure and transparency of the cornea. J physiol. 2:263-286. 1987.
- McCaghrey GE and Matthews FE (2001):** The pulsaire 300 tonometer. How many reading need to be taken to ensure accuracy of the average? Ophthal Physiol Opt; 21 (4): 334-338.
- McLaughlin BJ, Caldwell RB, Sasaki Y and Wood TO.:** Freeze-fracture quantitative comparison of rabbit corneal epithelial and endothelial membranes. Curr Eye Res. 9: 951-61. 1985
- Medeiros FA, Weinreb RN(2006):** Evaluation of the influence of Corneal Biomechanical Properties on Intraocular Pressure Measurements Using the Ocular Response Analyzer. J of Glaucoma; 15(5):364-70

REFERENCES

- Meek KM and Fullwood NJ.2001:** Meek KM and Fullwood NJ.: Corneal and scleral collagens-a microscopic's perspective. *Micron*. 3:261-272. 2001.
- Michael Sullivan 2008** Understanding the role of ocular biomechanical properties may be key in the future of glaucoma management. *Review of optometry* October 2008
- Mishima S, Gasset A, Klyce Sd and Baum JL.:** Determination of tear volume and tear flow. *Invest Ophthalmol*. 3:264-276. 1966
- Mok KH, Wong OD and Lee VW (1999):** Tonopen tonometer and corneal thickness. *Eye*; 13: 35-37.
- Moses RA (1986):** Tonometry. In: Cairns JE (ed). *Glaucoma*; Vol (1). Grune and Stratton, London, Ch 1, P 79-99.
- Muller A, Lang GE and Kampmeier J (2003):** Prospective comparison of the tonometer (TGD-01) with the gat and the non contact tonometry. *Ophthalmology*; 100: 67.
- Netto MV, Mohan RR, Ambrossio R, Hutcheon AEK, Zieske JD, and Wilson SE (2005):** Wound healing in the cornea. *Cornea*. 24(5):509

REFERENCES

- Orssengo G and Pye DC (1999):** Determination of the true intraocular pressure and modulus of elasticity of the human cornea in vivo. *Bull Math Biol*; 61: 551-572.
- Pache M, Wilmsmeyer S, Lautebach S and Funk J (2005):** Dynamic contour tonometry versus Goldmann applanation tonometry. *Graef's Arch Clin Exp Ophthalmol*; 243: 763-767.
- Parker VA, Herrtage JI and Sarkies NJC (2001):** Clinical comparison of the keeler pulsair3000 with Goldmann applanation tonometry. *Br J Ophthalmol*; 85: 1303-1304.
- Pepose JS, Feigenbaum SK, Qazi MA, Sanderson JP and Roberts AJ (2007):** Changes in corneal biomechanics and IOP following LASIK using static, dynamic and non contact tonometry. *Am J Ophthalmol*; 143: 39-47.
- Perkins ES (1965):** Wand-held applanation tonometer. *Br J Ophthalmol*; 49: 591-593.
- Porges Y and Ophir A (2000):** Non contact tonometry in perforating corneal injuries. *Cornea*; 19 (3): 407-409.

REFERENCES

- Punjabi OS, Kniestedt C, Stamper RL and Lin SC (2006):**
Dynamic contour tonometry: Principle and use.
Clinical and Experimental Ophthalmology; 34: 837-840.
- Purslow PP and Karwatowski WS. (1996)** Ocular elasticity. Is engineering stiffness a more useful characterization parameter than ocular rigidity, Ophthalmology 103:1686-1692.
- Rai S, Moster MR and Kesen M (2005):** Level of disagreement between proview phosphene tonometer and GAT in intraocular pressure reading. J Glaucoma; 14: 120-3.
- Recep OF, Cagil N and Hasirip H (2000):** Correlation between intraocular pressure and corneal thickness after laser in situ keratomileusis. J Cataract Refract Surg; 26: 1480-1483.
- Richerts web site:** [http:// www.ocularresponseanalyzer.com/downloads.html](http://www.ocularresponseanalyzer.com/downloads.html). visited 6-09-2010. 5:00 pm
- Rombold F, Thiel MJ, Neubauer AS and Hirneiss C (2005):**
Evaluation of TGD-01 compared with GAT.
Ophthalmology; 102: 158-162.

REFERENCES

- Rozsa AJ and Beuerman RW 1982:** Density and organization of free nerve endings in the corneal epithelium of the rabbit 2:105-120. 1982
- Salvetat ML, Zeppieri M, Tosoni C, and Brusini P (2007):** Comparison between Pascal dynamic contour tonometry, tonopen and Goldmann applanation, tonometry in patients with glaucoma. *Acta Ophthalmol Scand*; 85: 272-279.
- Sander D, Bohm A, Kostov S and Pillunat L (2004):** Measurement of the IOP with the transpalpebral tonometer (IGD-01) in comparison with applanation tonometry and pneumotonometry. *Ophthalmology*; 100: 68-73.
- Sandhu SS, Chattopadhyay S, Birch MK and Ray Chaudhuri N (2005):** Frequency of GAT calibration error checks. *J Glaucoma*; 14: 215-218.
- Schiøtz HJ (1905):** Ein neuer. Tonometer. *Arch Augenheilk*; 52: 401-424. Quoted from: Moses RA, 1986. Tonometry. In: Cairns JE (ed). *Glaucoma*, Vol (1). Grune and Stratton, London, Ch (1), P 79-99.

REFERENCES

- Schlote T and Landerberger H (2005):** Intraocular pressure difference in Goldmann appla-nation tonometry versus a transpalpebral tonometry in glaucoma patient. *Klin Monatsbl Augenheilkd*; 222 (2): 123-31.
- Shah S, Laiquzzaman M, Cunliffe I, Mantry S. (2006):** The use of the Reichert ocular response analyser to establish the relationship between ocular hysteresis, corneal resistance factor and central corneal thickness in normal eyes. *Cont Lens Anterior Eye*. 2006; 29:257-262.
- Shemesh G, Man O, Michaeli A, Varssano D and Laser M (2007):** Pressure phosphene tonometry versus GAT for measuring IOP before and after LASIK. *J Refract Surg*; 23: 405-409.
- Siganos DS, Papastergiou GI and Moedas C (2004):** Assessment of the Pascal dynamic contour tonometer in monitoring IOP in un-operated eyes and eyes after LASIK. *J Cataract Refract Surg*; 30: 746-751.
- Singh RP, Goldberg I, Graham SL:.** Central corneal thickness, tonometry, and ocular dimensions in glaucoma and ocular hypertension. *J Glaucoma* 2001 Jun; 10(3): 206-10.

REFERENCES

- Smith DA and Trope GE (1990):** Effect of a beta-blocker on altered body position: induced ocular hypertension. Br J Ophthalmol; 74: 605-6.
- Smolek M., Tasman W., Jaeger E., Lippincott Co. and Klyce S.:** Cornea, duane's foundations of clinical ophthalmology. 1: 1-20. 1993
- Snell RS and Lemb MA 2003:** Snell RS and Lemb MA.: Cornea, Clinical anatomy of the eye, Blackwell science 5; 143-148. 2003
- Spyridon Eye news:** Jun/ Jul 2007
www.pinpointmedical.com/uploads/pdfs/278A.pdf. last visited june 15, 8 p.m.
- Stuckey GC (2004):** Application of physical principles in the development of tonometry. Clinical and Experimental ophthalmology; 32: 633-636.
- Sullivan-Mee M, Billingsley SC and Patel AD. 2008:** Ocular Response Analyzer in subjects with and without glaucoma. Optometry and Vision Science C.E. 6:463-470.

REFERENCES

- Sullivan-Mee M, Gerhardt G, Halverson KD.** Repeatability and reproducibility for intraocular pressure measurement by dynamic contour, ocular response analyzer, and Goldmann applanation tonometry. J Glaucoma. 2009 Dec;18(9):666-73.
- Thoft RA and Friend J.(1983):** Thoft RA and Friend J.: The X,Y,Z hypothesis of corneal epithelial maintenance. Invest Ophthalmol. Vis. Sci. 10:1442-1443. 1983
- Tonnu PA, Ho T, Sharma K, White W, Bunce C, and Garway-Heath D (2005):** Comparison of four methods of tonometry. Br J Ophthalmol; 89: 847-850.
- Tripathi RC, Butterworth, London and Washington.:** Ultrastructure of the normal cornea, in corneal grafting 2: 38-40. 1998
- Troost A, Yun SH, Specht K, Krummenauer F and Schwen O (2005):** Transpalpebral tonometry: reliability and comparison with Goldmann applanation tonometry and palpation in healthy volunteers. Br J Ophthalmol; 89 (3): 280-3.

REFERENCES

- Van der Jagt LH and Jansonius NM (2005):** Three portable tonometers, the TGDc-01, the ICARE and tonopen XL. Compared with GAT. *Ophthalmol Physiol Opt*; 25: 429-435.
- Vandewalle E, Vandenbroeck S, Stalmans I, et al.** Comparison of ICare, dynamic contour tonometer, and ocular response analyzer with Goldmann applanation tonometer in patients with glaucoma. *Eur J Ophthalmol*. 2009 Sep-Oct;19(5):783-9.
- Vernon SA (1989):** Non contact tonometry in the postoperative eye. *Br J Ophthalmology*; 73: 247-249.
- Vernon SA (1995):** Reproducibility with the keeler pulsair 2000 non contact tonometer. *Br J Ophthalmol*; 76: 554-7.
- Walker RE and Litowitz TL (1972):** An experimental and theoretical study of the pneumatic tonometer. *Exp Eye Res*; 13: 14-23. Quoted from: Moses RA, 1986. *Tonometry*. In: Cairns JE (ed). *Glaucoma*, Vol (1). Grune and Stratton, London, Ch (1), P 79-99.
- Wilson WS, Shahidullah M and Millar C (1993):** The bovine arterially perfused eye: an in vitro method for the study of drug mechanism on IOP, aqueous humor

REFERENCES

formation and uveal vasculature. Curr Eye Res; 12: 609-614.

Wittenberg S (1973): Reported applanation tonometry with the NCT. J Am Optometric; 44: 50-56. Quoted from: Moses RA, 1986. Tonometry. In: Cairns JE (ed). Glaucoma, Vol (1). Grune and Stratton, London, Ch (1), P 79-99.

Wessels IF, Oh Y. Tonometer utilization, accuracy, and calibration under field conditions. Arch Ophthalmol 1990;108:1709-1712.

Yamada R.: Quantitative analysis on the ultrastructure of human fetal cornea, Jpn. J. ophthalmol. Toyko 8:49-62. 1976

Zigman S, Datiles M and Torczynski E.: Sunlight and human cataracts. Invest ophthalmol Vis Sci. 5: 462-467. 1979