
REFERENCES

- **Ambrósio R, Alonso R, Luz A, et al:** Corneal Biomechanics, Pachymetric Progression Profile and Corneal Volume; Indices for Detecting Ectasia and Screening Refractive Candidates. *Poster, ASCRS, San Diego*. 2007.
- **Amm M, Hedderich J:** Trans-palpebral tonometry with a digital tonometer in healthy eyes and after penetrating keratoplasty. *Ophthalmology*. 2005; 102:70-6.
- **Azan E, Hoang-Xuan T, Gatinel D:** The normal biomechanical properties in relation to the level of myopia and corneal characteristics. *Poster, ESCRS, 08 Berlin*.
- **Bhan A, Browning AC, Shah S, et al:** Effect of corneal thickness on intraocular pressure measurements with the pneumotonometer, Goldmann applanation tonometer, and Tono-Pen. *Invest Ophthalmol Vis Sci*. 2002; 43:1389-1392.
- **Binder PS:** Analysis of ectasia after laser in situ keratomileusis: risk factors. *J Cataract Refract Surg*. 2007; 33:1530-1538.
- **Boehm AG, Weber A, Pillunat LE et al:** Dynamic contour tonometry in comparison to intra-cameral IOP measurements. *Invest Ophthalmol Vis Sci* 2008; 49: 2472-7.
- **Brandt JD, Beiser JA, Kass MA, Gordon MO:** Central corneal thickness in the Ocular Hypertension Treatment Study (OHTS). *Ophthalmology* 2001; 108: 1779-1788
- **Brik DE:** Type V collagen: heterotypic type I/V collagen interactions in the regulation of fibril assembly. *Micron* 2001; 32: 223-37.
- **Broman AT, Congdon NG, Bandeen-Roche K, Quigley HA:** Influence of corneal structure, corneal responsiveness, and other ocular parameters on tonometric measurement of IOP. *J Glaucoma* 2007; 16: 581-8.
- **Cabrera Fernández D, Niazy AM, Kurtz RM, et al:** Biomechanical Model of Corneal Transplantation. *J Refract Surg*. 2006; 22: 293-302.

-
-
- **Carbonaro F, Andrew T, Mackey DA, et al:** The Heritability of Corneal Hysteresis and Ocular Pulse Amplitude a Twin Study. *Ophthalmology*. 2008; 115: 834.
 - **Cline D, Hofstetter HW, Griffin JR:** Dictionary of Visual Science. 4th ed. Butterworth-Heinemann, Boston 1997.
 - **Davidson RS, Faberowski N, Noecker RJ, Kahook MY:** Comparison of the Diaton Trans-palpebral Tonometer Versus Goldmann Applanation. *Poster-130, ASCRS/ASOA* 2007.
 - **Deenadayalu C, Mobasher B, Rajan SD, Hall GW:** Refractive Change Induced by the LASIK Flap in a Biomechanical Finite Element Model. *J Refract Surg*. 2006; 22: 1-7.
 - **Del Buey MA, Cristóbal JA, Ascaso FJ, et al:** Biomechanical properties of the cornea in Fuchs' corneal dystrophy. *Invest Ophthalmol Vis Sci*. 2009; 50: 3199-3202.
 - **Doughty MJ:** Morphometric analysis of the surface cells of rabbit corneal epithelium by scanning electron microscopy. *Am J Anat* 1990; 189: 316.
 - **Dupps WJ, Roberts C:** Effect of acute biomechanical changes on corneal curvature after photokeratectomy. *J Refract Surg*. 2001; 17: 658-669.
 - **Edmund C:** Corneal rigidity and ocular rigidity in normal and keratoconic eyes. *Acta Ophthalmol*. 1988; 66:134–140.
 - **Edmund C:** Assessment of an elastic model in the pathogenesis of keratoconus. *Acta Ophthalmol*. 1987; 65: 545–550.
 - **Ehongo A, De Maertelaer V, Pourjavan S:** Effect of topical corneal anaesthesia on ocular response analyzer parameters. *Int Ophthalmol*. DOI 10.1007/s10792-008-9239-x
 - **El-Massry A, Abdelrazik T, Bessa A, El-Hennawy H:** Biomechanical changes in the cornea after LASIK with flap thickness 130 micron, thin flap LASIK, epiLASIK. *Poster, ESCRS*, 2008 Berlin.
 - **Elsheikh A, Wang D, Rama P, et al:** Experimental assessment of human corneal hysteresis. *Curr Eye Res*. 2008; 33: 205-13.
-
-

-
- **Emara B, Probst LE, Tingey DP, et al:** Correlation of intraocular pressure and central corneal thickness in normal myopic eyes and after laser in situ keratomileusis. *J Cataract Refract Surg* 1998; 24:1320-1325.
 - **Feltgen, N, Leifert, D, Funk, J:** Correlation between central corneal thickness, applanation tonometry, and direct intracameral IOP readings. *Br J Ophthalmol.* 2001; 85: 85-87.
 - **Fontes BM, Ambrósio R Jr, Alonso RS, et al:** Corneal Biomechanical Metrics in Eyes With Refraction of –19.00 to +9.00 D in Healthy Brazilian Patients. *J Refract Surg.* 2008; 24: 941-945.
 - **Francis BA, Hsieh A, Lai MY, et al:** Effects of corneal thickness, corneal curvature, and intraocular pressure level on Goldmann applanation tonometry and dynamic contour tonometry. *Ophthalmology* 2007; 114: 20-6.
 - **Friedenwald JS:** Clinical significance of ocular rigidity in relation to the tonometric measurement. *Trans Am Acad Ophthalmol Otolaryngol* 1949; 53: 262-4.
 - **Garzozzi HJ, Chung HS, Lang Y, et al:** Intraocular pressure and photorefractive keratectomy: a comparison of three different tonometers *Cornea.* 2001; 20: 33-36.
 - **Gatinel D, Chaabouni S, Adam PA, et al:** Corneal Hysteresis, Resistance Factor, Topography, and Pachymetry after Corneal Lamellar Flap. *J Refract Surg.* 2007; 23: 76-84.
 - **Gipson IK, Joyce NC:** Principles and Practice of ophthalmology. Anatomy and cell biology of the cornea, superficial limbus, and conjunctiva. WB Saunders Company. 2000; 612-629.
 - **Goldman H, Schmidt TH:** Uber Applanations-tonometrie. *Ophthalmologica.* 1957; 134: 221-242
 - **González-Méijome JM, Queirós A, Jorge J, et al:** Intra-office Variability of Corneal Biomechanical Parameters and IOP. *Optom Vis Sci.* 2008; 85: 457-62.
-

-
- **González-Méijome JM, Villa-Collar C, Queirós A, et al:** Pilot study on the influence of corneal biomechanical properties over the short term in response to corneal refractive therapy for myopia. *Cornea*. 2008; 27: 421-6.
 - **Hager A, Loge K, Füllhas M-O:** Changes in Corneal Hysteresis after Clear Corneal Cataract Surgery. *Am J Ophthalmol*. 2007; 144: 341- 346.
 - **Hamilton DR, Johnson RD, Lee N, Bourla N:** Differences in the corneal biomechanical effects of surface ablation compared with LASIK using a microkeratome or femtosecond laser. *J Cataract Refract Surg*. 2008; 34: 2049-2056.
 - **Hanna KD, David T, Resson J et al. :** Lamellar keratoplasty with the Barraquer microkeratorne. *Refract Corneal Surg* 1991; 7:177-181.
 - **John T, Taylor DA, Shimmyo M, Siskowski BE:** Corneal hysteresis following descemetorhexis with endokeratoplast (DXEK). *Ann Ophthalmol*. 2007; 39: 9-14.
 - **Johnson CS, Mian SI, Moroi S, et al:** Role of corneal elasticity in damping intraocular pressure. *Invest Ophthalmol Vis Sci* 2007; 48: 2540-4.
 - **Joyce NC:** proliferative capacity of corneal endothelium. *Prog Retin Eye Res* 2003; 22: 359-389.
 - **Kamiya K, Hagishima M, Fujimura F, Shimizu K:** Factors affecting corneal hysteresis in normal eyes. *Graefes Arch Clin Exp Ophthalmol*. 2008 ; 11: 211.
 - **Kamiya K, Shimizu K, Ohmoto F:** The changes in corneal biomechanical parameters after phototherapeutic keratectomy in eyes with granular corneal dystrophy. *Eye* 2009; 23:1790-5.
 - **Kamiya K, Shimizu K, Ohmoto F:** Time Course of Corneal Biomechanical Parameters after LASIK. *Ophthalmic Res*. 2009; 42:167-171.
 - **Kamiya K; Shimizu K; Ohmoto F:** Effect of Aging on Corneal Biomechanical Parameters Using the Ocular Response Analyzer. *J Refract Surg*. 2009; 25: 888-893.
-

-
- **Kaufmann C, Bachmann LM, Thiel M:** Comparison of Dynamic Contour Tonometry with Goldmann Applanation Tonometry. *Invest Ophthalmol and Vis Sci* 2004; 45: 3118-3121.
 - **Kemp EG, Lewis CJ:** Immunoglobulin patterns in keratoconus with particular reference to total and specific IgE levels. *Br J Ophthalmol.* 1982; 66: 717–720.
 - **Kerautret J, Colin J, Touboul D, Roberts C:** Biomechanical characteristics of the ectatic cornea. *J Cataract Refract Surg.* 2008; 34: 510–513.
 - **Kirwan C, O’Keefe M, and Lanigan B:** Corneal Hysteresis and Intraocular Pressure Measurement in Children. *Am J Ophthalmol* 2006; 142: 990 - 992.
 - **Kirwan C, O’Keefe M:** Corneal hysteresis using the Reichert ocular response analyser: findings pre- and post-LASIK and LASEK. *Acta Ophthalmol.* 2008; 86:215-8.
 - **Kirwan C, O’Keefe M:** Measurement of intraocular pressure in LASIK and LASEK patients using the Reichert Ocular Response Analyzer and Goldmann applanation tonometry. *J Refract Surg.* 2008; 24: 366-70.
 - **Kirwan C, O’Malley D, O’Keefe M:** Corneal hysteresis and corneal resistance factor in keratoectasia: findings using the Reichert ocular response analyzer. *Ophthalmologica.* 2008 ; 222: 334-7.
 - **Klyce SD and Beurmann RW:** Structure and function of the cornea in: *The cornea*, Kaufman H., Butter Worth Heinemann, 2nd edition, 1997; chapter 1: 3-50,.
 - **Kniestedt C, Nee M, Stamper RL:** Dynamic contour tonometry: a comparative study on human cadaver eyes. *Arch Ophthalmol* 2004; 122: 1287-93.
 - **Komai Y:** Three-dimensional organization of collagen fibrils in the human cornea and sclera. *Invest Ophthalmol Vis Sci* 1991; 32: 2244-2258.
 - **Korb DR, Craig J, Doughty M, et al:** The tear film: structure, function and clinical examination. *BCLA*; 2002.
-

-
- **Krueger RR, Dupps WJ Jr:** Biomechanical effects of femtosecond and microkeratome-based flap creation: prospective contralateral examination of two patients. *J Refract Surg.* 2007; 23: 800-807.
 - **Krueger RR:** Biomechanical Manipulation: The Next Frontier in Corneal Refractive Surgery. *J Refract Surg.* 2009; 25: 837-840.
 - **Ku JY, Danesh-Meyer HV, Craig JP, et al:** Comparison of intraocular pressure measured by Pascal dynamic contour tonometry and Goldmann applanation tonometry. *Eye* 2006; 20: 191-8.
 - **Kucumen RB, Yenerel NM, Gorgun E, et al:** Changes of corneal biomechanics after implantation of intracorneal ring segments. *Poster, ESCRS, 2008 Berlin.*
 - **Kucumen RB, Yenerel NM, Gorgun E, et al:** Evaluation of corneal biomechanical properties and IOP changes after micro-incisional phacoemulsification. *Poster, ESCRS, 2008 Berlin.*
 - **Laiquzzaman M, Bhojwani R, Cunliffe I, Shah S:** Diurnal variation of ocular hysteresis in normal subjects: relevance in clinical context. *Clinical and Experimental Ophthalmology* 2006; 34: 114–118.
 - **Latina MA, Shazly TA, Iospa R, Chynn EW :** Accuracy of Transpalpebral Tonometer Compared to Goldmann Applanation Tonometer in Normal and Glaucomatous Eyes. *ARVO Proceedings* 2009 May; 2843/A177.
 - **Lee DH, Seo S, Shin SC, et al:** Accuracy and predictability of the compensatory function of Orbscan II in intraocular pressure measurements after laser in situ keratomileusis. *J Cataract Refract Surg* 2002; 28: 259 –264.
 - **Li X, Rabinowitz YS, Rasheed K, Yang H:** Longitudinal study of the normal eyes in unilateral keratoconus patients. *Ophthalmology.* 2004; 111: 440 - 446.
 - **Lim L, Gazzard G, Yiong-Huak Chan Y-H, et al:** Cornea Biomechanical Characteristics and Their Correlates with Refractive Error in Singaporean Children. *Invest. Ophthalmol. Vis. Sci.* 2008; 49: 3852-3857.
-

- **Liu J, Roberts CJ:** Influence of corneal biomechanical properties on intraocular pressure measurement. *J Cataract Refract Surg.* 2005; 31: 146 –155.
- **Lu F, Xu S, Qu J, et al:** Central Corneal Thickness and Corneal Hysteresis during Corneal Swelling Induced by Contact Lens Wear With Eye Closure. *Am J Ophthalmol* 2007; 143: 616 - 622.
- **Luce DA:** Determining in vivo biomechanical properties of the cornea with an ocular response analyzer. *J Cataract Refract Surg.* 2005; 31:156 -162.
- **McPhee TJ, Bourne WM, Brubaker RF:** Location of the stress-bearing layers of the cornea. *Invest Ophthalmol Vis Sci* 1985; 26: 869-72.
- **Medeiros FW and Weinreb RN:** Evaluation of the Influence of Corneal Biomechanical Properties on Intraocular Pressure Measurements Using the Ocular Response Analyzer. *J Glaucoma* 2006; 15: 364-70.
- **Medeiros FW, Stapleton WM, Hammel J, et al:** Wavefront analysis comparison of LASIK outcomes with the femtosecond laser and mechanical microkeratomes. *J Refract Surg.* 2007; 23: 880-887.
- **Michelacci YM:** Collagens and proteoglycans of the corneal extracellular matrix. *Braz J Med Biol Res* 2003; 36:1037-1046.
- **Montard R, Kopito R, Touzeau O, et al:** Ocular response analyzer: feasibility study and correlation with normal eyes. *J Fr Ophtalmol.* 2007; 30: 978-84.
- **Moreno-Montañés J, Maldonado MJ, García N, et al:** Reproducibility and clinical relevance of the ocular response analyzer in nonoperated eyes: corneal biomechanical and tonometric implications. *Invest Ophthalmol Vis Sci.* 2008; 49: 968-74.
- **Muller LJ, Marfurt CF, Kruse F, et al:** Corneal nerves: structure, content and function. *Exp eye res* 2003; 76: 521-542.
- **Munger R, Hodge WG, Mintsoulis G, et al:** Correction of intraocular pressure for changes in central corneal thickness following photorefractive keratectomy. *Can J Ophthalmol* 1998; 33:159-165.

-
- **Ortiz D, Piñero D, Shabayek MH, et al:** Corneal biomechanical properties in normal, post-Lasik, and keratoconic eyes. *J Cataract Refract Surg.* 2008; 34:715.
 - **Ortiz D, Piñero D, Shabayek MH, et al:** Corneal biomechanical properties in normal, post-LASIK, and keratoconic eyes. *J Cataract Refract Surg.* 2007; 33: 1371-5.
 - **Pepose JS, Feigenbaum SK, Qazi MA, et al:** Changes in Corneal Biomechanics and IOP Following LASIK using static, dynamic, and non-contact tonometry. *Am J Ophthalmol* 2007; 143: 39 - 47.
 - **Pepose JS, Feigenbaum SK, Qazi MA, et al:** Changes in corneal biomechanics and IOP following LASIK using static, dynamic and non-contact tonometry. *Am J Ophthalmol.* 2007; 143: 39-47.
 - **Rabinowitz YS:** Keratoconus. *Surv Ophthalmol.* 1998; 42: 297–319.
 - **Rashad KM, Bahnassy AA:** Changes in intraocular pressure after laser in situ keratomileusis. *J Refract Surg* 2001; 17: 420-427.
 - **Reinhard T, Sundmacher R:** Determining real IOP values. *J Cataract Refract Surg* 1999; 25: 157-158.
 - **Robertson I:** A new aspect of keratoconus. *Aust J Ophthalmol.* 1974; 2: 144 -147.
 - **Rosa N, Cennamo G:** Goldmann applanation tonometry after PRK and LASIK. *Cornea* 2001; 20: 905-906.
 - **Roy AS, and Dupps WJ Jr:** Effects of Altered Corneal Stiffness on Native and Postoperative LASIK Corneal Biomechanical Behavior: A Whole-eye Finite Element Analysis. *J Refract Surg.* 2009; 25: 875-887
 - **Ruiz LA, Cepeda L, Fuentes V:** Intra-stromal correction of presbyopia with a femtosecond laser system. *J Refract Surg.* 2009; 25: 847-854.
 - **Seiler T, Quurke AW:** Iatrogenic keratoectasia after LASIK in a case of forme fruste keratoconus. *J Cataract Refract Surg.* 1998; 24: 1007-1009.
 - **Shah S, Laiquzzaman M, Bhojwani R, et al:** Assessment of the Biomechanical Properties of the Cornea in Normal and Keratoconic Eyes. *Invest Ophthalmol Vis Sci.* 2007; 48: 3026-3031.
-

-
- **Shah S, Laiquzzaman M, Cunliffe I, Mantry S:** The relationship between ocular hysteresis, corneal resistance factor and central corneal thickness in normal eyes. *Cont Lens & Anterior Eye* 2006; 29: 257–262.
 - **Shah S, Laiquzzaman M:** Comparison of corneal biomechanics in pre and post-refractive surgery and keratoconic eyes. *Cont Lens & Anterior Eye* 2009; 32: 129-32.
 - **Shah S:** Accurate intraocular pressure measurement. *Ophthalmology* 2000; 107: 1805 -1807
 - **Shen M, Fan F, Xue A, et al:** Biomechanical properties of the cornea in high myopia. *Vision Research* 2008; 48: 2167-71.
 - **Shimmyo M and Radcliffe NR:** Changes in Corneal Biomechanics metrics associated with acute changes in Intraocular Pressure before and After Glaucoma Surgery. *Poster, ASCRS* 2009.
 - **Song Y, Congdon N, Li L, et al:** Corneal hysteresis and axial length among Chinese secondary school children. *Am J Ophthalmol.* 2008; 145: 819-26.
 - **Sun L, Shen M, Wang J, et al:** Recovery of Corneal Hysteresis after Reduction of Intraocular Pressure in Chronic Primary Angle-Closure Glaucoma. Published online 27 March 2009.
 - **Teng C:** Electron microscope study of the pathology of keratoconus. *Am J Ophthalmol.* 1963; 55:18–47.
 - **Touboul D, Roberts C, Kerautret J, et al:** Correlation between corneal hysteresis, IOP, and corneal central pachymetry. *J Cataract Refract Surg* 2008; 34: 616-622.
 - **Touboul D, Roberts C, Kérautret J, et al:** Correlations between corneal hysteresis, intraocular pressure, and corneal central pachymetry. *J Cataract Refract Surg.* 2008; 34: 616-22.
 - **Troost A, Yun SH, Specht K, et al:** Trans-palpebral tonometry: reliability and comparison with Goldmann applanation tonometry and palpation in healthy volunteers. *Br J Ophthalmol.* 2005; 89: 280-3.
 - **Wang Z, Chen J, Yang B:** Posterior corneal surface topographic changes after LASIK are related to residual corneal bed thickness. *Ophthalmology.* 1999; 106: 406-409.
-

- **Wells AP, Garway-Heath DF, Poostchi A, et al:** Corneal Hysteresis but Not Corneal Thickness Correlates with Optic Nerve Surface Compliance in Glaucoma Patients. *Invest Ophthalmol Vis Sci*. 2008; 49: 3262-3268.
- **Whitacre MM, Stein R:** Sources of error with use of Goldmann-type tonometers. *Surv Ophthalmol* 1993; 38:1-30.
- **Wilhelmus KR,Hwang DG ,Parrish CM, et al:** External diseases and cornea. In basic and clinical sinence Course. The foundation of the American Acadmy of Ophthalmology. 2000; 11-3.
- **Wollensak G, Spoerl E, Seiler T:** Riboflavin/ultraviolet-A-induced collagen cross-linking for the treatment of keratoconus. *Am J Ophthalmol*. 2003; 135: 620-627.