

REFERENCES

1- Abe T, Nakajima A and Matsunaga M (2000).

Decreased tear lactoferrin concentration in patients with chronic hepatitis C. Br J Ophthalmol ;83:684-7.

2-Abelson MB, Nally L and Ousler GW (2002).

Dry eye, today and tomorrow. Review of Ophthalmology ;6:42-44.

3-Afonso AA, Monroy D and Stern ME (2006).

Correlation of tear fluorescein clearance and Schirmer's test scores with ocular irritation symptoms. Ophthalmology ;105:703–10.

4-Albietz JIM, Lenton LM and McLennan SG (2002).

Effect of laser in situ kerato leusis for hyperopia on tear film and ocular surface. J Refract S ; 18:113-123.

5-Albietz JM and Lenton LM (2004).

Management of the ocular surface and film before, during, and after laser in situ keratomileusis. J Ref Surg ; 20:62-71.

6-Amano S, Shimizu K and Tsubota K (1993).

Corneal epithelial changes after excimer laser photorefractive keratectomy. Am J Ophthalmol ;115:441-443.

7-Ambrósio R JR, Tervo T and Wilson SE (2008).

LASIK-associated dry eye and neurotrophic epitheliopathy: pathophysiology and strategies for prevention and treatment.

J Refract Surg. Apr; 24(4):396-407.

8-Ang RT, Dartt DA and Tsubota K(2001).

Dry eye after refractive surgery. Curr Opin Ophthalmol ; 12:318-322.

9-Arch Intern Med. 1999;159:174-181.

10-Argueso P. and Gipson I.K(2001).

Epithelial mucins of the ocular surface: structure, biosynthesis and function. *Exp Eye Res* ; 73:281-289.

11-Aupperlee MD, Wertz JT, Ingersoll KE and Ubels JL (2003).

Identification of androgen receptors in rabbit lacrimal gland immunohistochemistry. *Lacrimal Gland, Tear Film, and Dry Eye Syndromes: Basic Science and Clinical Relevance*. New York, NY: Kluwer Academic/Plenum Publishers; 137-141.

12-Awan KJ(1985).

Laser punctoplasty for the treatment of punctal stenosis. *Am J Ophthalmol* ;100:341-2.

13-Bacman S, Berra A, Sterin-Borda L and Borda E (2000).

Muscarinic acetylcholine receptor antibodies as a new marker of dry eye Sjogren syndrome. *Invest Ophthalmol Vis Sci* ;42:321-7.

14-Balazsi G, Mullie M and Lasswell L (2001).

Laser in situ keratomileusis with a scanning excimer laser for the correction of low to moderate myopia with and without astigmatism. *J Cataract Refract Surg* ;27:1942-1951.

15-Barraquer J. I (1987).

Results of myopic keratomileusis. *J Refract Surg* ;3:98-101.

16-Nejima R, Miyata K and Tanabe T (2005).

Corneal barrier function, tear film stability, and corneal sensation after photorefractive keratectomy and laser in situ keratomileusis. *Am J Ophthalmol* ;139:64 –71.

17-Battat L, Macri A, Dursun D and Pflugfelder SC (2001).

Effects of laser in situ keratomileusis on tear production, clearance, and the ocular surface. *Ophthalmology* ; 108:1230-1235.

18-BELQUIZ AMARAL NASSARALLA, MD, PHD, STEPHEN D. MCLEOD, MD, JOEL E. BOTEON, MD, PHD, AND JOÃO J. NASSARALLA JR, MD, PHD (2005).

The Effect of Hinge Position and Depth Plate on the Rate of Recovery of Corneal Sensation Following LASIK. *Am J Ophthalmol* ;139:118-124.

19-Bernauer W, de Cock R and Dart JKG (1996).

Phototherapeutic keratectomy in recurrent corneal erosions refractory to other forms of treatment. *Eye* ;10:561-564.

20-Boerner, CF; Honan, PR; Ambrósio JR; R (2002).

“Omega-3 Fatty Acid Therapy for Dry Eye: Clinical Results.”

Poster, American Society of Cataract and Refractive Surgery (ASCRS) Annual Meeting, June 1-4; Philadelphia, Pa.

21-Bowman RW, Dougherty JM and McCulley JP (1989).

Chronic. blepharitis and dry eyes. *Int Ophthalmol Clin* ; 27:27-35.

22-Bron A.J. and Tiffany J.M (1998).

The meibomian glands and tear film lipids. Structure, function, and control. *Adv Exp Med Biol* ; 438:281-295.

23-Bron AJ and Sci FM (2004).

disease to dry eye. *Ocul Surf* ; 2:149 -165.

24-Bron AJ, Evans VE and Smith JA(2003) .

Grading of corneal and conjunctival staining in the context of other dry eye tests. *Cornea* ;22:640-650.

25-Burnstein NL (1980).

Corneal cytotoxicity of topically applied drug, vehicles and preservatives. *Surv Ophthalmol* ;25:15.

26-Busin M and Meller D (1994).

Corneal epithelial dots following excimer laser photorefractive keratectomy. *Refract Corneal Surg* ;10:357-359.

27-Buzzard KA and Fundingsland BR (1999).

Excimer laser assisted in situ keratomileusis for hyperopia. *J Cataract Refract Surg* ;25:197-204.

28-Calonge M (2002).

The treatment of dry eye. *Survey Ophthalmol* ;45 (supp 2):s227-s239.

29-Calvillo MP, McLaren JW, Hodge DO and Bourne WM (2004).

Corneal reinnervation after LASIK: prospective 3-year longitudinal study. *Invest Ophthalmol Vis Sci* ;45(11):3991-3996.

30-Chandler PA (1945).

Recurrent erosion of the cornea. *Am J Ophthalmol* ;28:355-363.

31-Chayet AS, Magallanes R and Montes M (1998).

Laser in situ keratomileusis for simple myopic, mixed, and simple hyperopic astigmatism. *J Refract Surg* ;14: S 175-S176.

32-Christensen MT, Cohen S and Rinehart J (2002).

Clinical evaluation of an HP-guar gellable lubricant eye drop for the relief of dryness of the eye. *Curr Eye Res* Jan;28(1):55-62.

33-Chuck RS, Quiros PA, Perez AC and McDonnell PJ (2002).

Corneal sensation after laser in situ keratomileusis. J Cataract Refract Surg ;26:337-9.

34-Clinch TE, Benedetto DA, Felberg NT and Laibson PR (1983).
Schirmer's test. A closer look. Arch Ophthalmol ;101:1383-6

35-Corbett MC, O'Brart DPS, Warbuton FG and Marshall J (1996).
Biologic and environmental risk factors for regression after photorefractive keratectomy. Ophthalmology ;103:1381-1391 .

36-Craig JP and Tomlinson A (1997).
Importance of the lipid layer in human tear film stability and evaporation. Optom Vis Sci ;74(1):8-13.

37-Danjo Y, Lee M, Horimoto K and Hamano T (1994).
Ocular surface damage and tear lactoferrin in dry eye syndrome. Acta Ophthalmol (Copenh) ;72:433-7.

38-Dart DA and Sullivan DA (2002).
Wetting of the ocular surface. In: Albert DM, Jakobiec FA, eds.
Principles and Practice of Ophthalmology, vol 2. Philadelphia: W.B.

39-Deuschl G and Goddemeier C (1998).
Spontaneous and reflex activity of facial muscles in dystonia, Parkinson's disease, and in normal subjects. J Neurol Neurosurg Psychiatry ;64:320-4.

40-Dohlman CH (1978).
Punctal occlusion in keratoconjunctivitis sicca. Ophthalmology ;85:1277-81.

41-Donnenfeld ED, Solomon K and Perry HD (2005).
The effect of hinge position on corneal sensation and dry eye after

LASIK. Ophthalmology ;110:1023-1029 discussion by CJ Rapuano, 1029-1030.

42-Duke-Elder S, ed., St Louis, MO and Mosby (1965).

Diseases of the Outer Eye. System of Ophthalmology, vol 8, pt 2 ;694.

43-Dulaney DD, Barnet RW, Perkins SA and Kezirian GM (1998).

Laser in situ keratomileusis for myopia and astigmatism: 6 months results. J Cataract Refract Surg ;24:758-64.

44-El-Maghraby A, Salah T, Waring GO 3rd, Klyce S and Ibrahim O (1999).

Randomized bilateral comparison of excimer laser in situ keratomileusis and photorefractive keratectomy for 2.50 to 8.00 diopters of myopia. Ophthalmology ;106:447-57.

45-English FP and Nutting WB (1985).

Demodicosis of ophthalmic concern. Am J Ophthalmol ; 91:362-72.

46-Eric Donnenfeld, MD,1 and Stephen C. Pflugfelder, MD2 (2009).

Pharmacology and Clinical Uses Topical Ophthalmic Cyclosporine. Surv Ophthalmol ;54:321-338.

47-ExpertInsights TM March(2005).

Ocular Surface Disease Treatment: Focus on Optimizing Outcomes in Dry Eye Treatment . Part 6 of 6 James Thimons

48-Farris RL, Gilbard JP, Stuchell RN and Mandel ID (1983).

Diagnostic tests in keratoconjunctivitis sicca. Clao J ;9:23-8.

49-Feenstra RP and Tseng SC (1992).

Comparison of fluorescein and rose bengal staining. Ophthalmology ;99:605-17.

50-Foulks GN (1998).

The now and future therapy of non-Sjogren's dry eye. *Adv Exp Med Biol* ;438:959-64.

51-Fountain TR, de la Cruz Z and Green RW (1994).

Reassembly of corneal epithelial adhesion structures after excimer laser keratectomy in humans. *Arch Ophthalmol* ;112:967-972 .

52-Fox R.I (1996).

Systemic diseases associated with dry eye. *Int Ophthalmol Clin* ; 34:71-87.

53-Fraunfelder F.F.F (2001).

Drug-induced ocular side effects. Boston, Butterworth-Heinemann, 5th ed .

54-Fujihara T, Murakami T and Nagano T (2002).

INS365 suppresses loss of corneal epithelial integrity by secretion of mucin-like glycoprotein in a rabbit short-term dry eye model.

J Ocul Pharmacol Ther ;18:4:363-70.

55-Gamache DA (2001).

Preservation of Corneal Integrity by the Mucin Secretagogue 15(S)-HETE in a Rabbit Model of Desiccation-Induced Dry Eye.

Cornea ;19;6:S88.

56-Gary N and Foulks MD FACS (2007).

The Correlation Between the Tear Film Lipid Layer and Dry Eye Disease
Surv Ophthalmol ; 52: 369-374.

57-Gilbard J (1997). Dry eye disorders. In: Albert J., ed. *Principles and practice of ophthalmology*, Philadelphia: WB Saunders; 257-276.

58-Gilbard JP and Rossi SR (1990).

Tear film and ocular surface changes in a rabbit model of neurotrophic keratitis. *Ophthalmology* ; 97:308–12.

59-Gilbard JP, Carter JB and Sang DN (1999).

Morphologic effect of hyperosmolarity on rabbit corneal endothelium
Invest Ophthalmol Vis Sci Mar;28 (3):275-8.

60-Gilbard JP, Gray KL and Rossi SR (1986).

A proposed mechanism for increased tear-film osmolarity in contact lens wearers. *Am J Ophthalmol* ;102:505–7.

62-Gilbard JP, Rossi SR and Gray KL (1988).

Tear film osmolarity and ocular surface disease in two rabbit models for keratoconjunctivitis sicca. *Invest Ophthalmol Vis Sci* Mar;29(3):374-8.

63-Gilbard JP (1994).

Dry eye disorders. In *Principles and Practice of Ophthalmology-Clinical Practice*, ed Albert DM and Jakobiec FA, WB Saunders Co, Philadelphia , Vol 1, pp 257-276.

64-Gilbard JP (1999).

Dry eye, blepharitis and chronic eye irritation: divide and conquer. *J Ophthalmic Nurs Technol* ;18:109-115.

65-Gilbard JP (1994).

Human tear film electrolyte concentrations in health and dry-eye disease. *Int Ophthalmol Clin* ;34:27-36.

66-Gimbel HV, Penno EE, van Westenbrugge JA, Ferensowicz M and Furlong MT (2001).

Incidence and management of intraoperative and early postoperative complications in 1000 consecutive laser in situ keratomileusis cases. *Ophthalmology* ;105:1839-48.

67-Gimbel HV, van Westenbrugge JA, Penno EE, Ferensowicz M, Feinerman GA and Chen R (1998).

Simultaneous bilateral laser in situ keratomileusis. *Ophthalmology* ;106:1461-7.

68-Goren MB and Goren SB (1998).

Diagnostic tests in patients with symptoms of keratoconjunctivitis sicca. *Am J Ophthalmol* ;106:570-4.

69-Goto E, Shimazaki J and Monden Y (2002).

Low concentration homogenized castor oil eye drops for noninflamed obstructive meibomian gland dysfunction. *Ophthalmology* Nov;109(11):2030-5.

70-Hamano T (1998).

Dry eye treatment with eye drops that stimulate mucin production *Advances Exp Med Biol* 428: 965-968.

71-Helena MC, Baerveldt F, Kim W-J and Wilson SE (1998).

Keratocyte apoptosis after corneal surgery. *Invest Ophthalmol Vis Sci* ;39:276-283.

72-Henriquez AS and Korb DR (1981).

Meibomian glands and contact lens wear. *Br J Ophthalmol* ; 65:108-11.

73-Hirst LW, Fogle JA, Kenyon KR and Start WJ (1978).

Corneal epithelial regeneration and adhesion following chemical injury. ARVO abstract 8. *Invest Ophthalmol Vis Sci* ;17(suppl):142.

74-Holly FJ and Lamberts DW (1981).

Effect of nonisotonic solutions on tear film osmolality. Invest Ophthalmol Vis Sci ;20:236-45.

75-Hovanesian JA, Shah SS and Maloney RK (2001).

Symptoms of dry eye and recurrent erosion syndrome after refractive surgery. J Cataract Refract Surg ;27:577-584 .

76-Itescu S (1991).

Diffuse infiltrative lymphocytosis syndrome in human immunodeficiency virus infection--a Sjogren's-like disease. Rheum Dis Clin North Am ;17:99-115.

77-Jabbur NS, Sakatani K and O'Brien TP (2004).

Survey of complications and recommendations for management in dissatisfied patients seeking a consultation after refractive surgery. J Cataract Refract Surg ; 30:1867-1874.

78-Jack J. Kanski and Jay Menon (2002).

clinical Ophthalmology.5th edition, chapter 1.

79-Jack J. Kanski and Jay Menon (2006).

clinical Ophthalmology.6th edition, chapter 1.

80-Jackson RS, Van Dyken SJ, McCartney MD and Ubels JL (2003).

The eicosanoid, 15-(S)-HETE, stimulates secretion of mucin like glycoprotein by the corneal epithelium. Cornea ;20:5:516-21.

81-Janssen PT and van Bijsterveld OP (1983).

A simple test for lacrimal gland function: a tear lactoferrin assay by radial immunodiffusion. Graefes Arch Clin Exp Ophthalmol ; 220:171-4.

82-Jensen OL, Gluud BS and Birgens HS (1985).

The concentration of lactoferrin in tears during post-operative ocular inflammation. *Acta Ophthalmol (Copenh)* ; 63:341-5.

83-Jumblatt JE, Cunningham L and Jumblatt MM (2000).

Effects of 15(S)-HETE on Human Conjunctival Mucin Secretion. *Cornea* ;19:6:S97.

84-Jumblatt JE and Jumblatt MM (1998).

Regulation of ocular mucin secretion by P2Y2 nucleotide receptors in rabbit and human conjunctiva. *Exp Eye Res* ;67:3:341-6.

85-Jumblatt MM, McKenzie RW, Jumblatt JE (2000).

Mucins of the Ocular Surface. *Cornea* ;19:6:S97.

86-Kanellopoulos AJ, Pallikaris IG and Donnenfeld ED (2004).

Comparison of corneal sensation following photorefractive keratectomy in laser in situ keratomileusis. *J Cataract Refract Surg* ;23:34–8.

87-Kantor GR, Spielvogel RL and Yanoff M (1993).

Skin and lacrimal drainage system. In: Duane TL, ed. *Biomedical foundations of ophthalmology*, vol 3. Philadelphia: JB Lippincott,;1-45.

88-Kapadia MS, Genos JJ and Wilson SE (1999).

Epithelial scrape for photorefractive keratectomy overcorrection associated with induced regression. *Cornea* ;18:661663.

89-Kenyon KR (1999).

Recurrent corneal erosion: pathogenesis and treatment. *Int Ophthalmol Clin* ;19(2):169-195.

90-Kim JH, Kim MS and Hahn TW (1997). Five year results of photorefractive keratectomy for myopia. J Cataract Refract Surg ;23:731-735.

91-Kim W-S and Kim J-S (1999).

Change in corneal sensitivity following laser in situ keratomileusis.

J Cataract Refract Surg ;25:368-370 .

92-Knorz MC, Weisinger B and Liermann A (1998).

Laser in situ keratomileusis for moderate and high myopia and myopic astigmatism. Ophthalmology ;105:932-940.

93-Korb DR, Baron DF and Herman JP (1994).

Tear film lipid layer thickness as a function of blinking. Cornea ;13:354-359.

94-Kunert KS, Tisdale AS and Stern ME (2004).

Analysis of topical cyclosporine treatment of patients with dry eye syndrome: effect on conjunctival lymphocytes. Arch Ophthalmol ;118:1489-96.

95-Lahmiers W.J. and Hardten D.R (2003).

Microkeratomes and laser settings in: Azar D.T., Koch D.D., ed. LASIK: Fundamentals, surgical techniques and complications.

New York: Marcel Dekker, inc;189-198.

96-Lambiase A, Rama P and Aloe L, Bonini S (1999).

Management of neurotrophic keratopathy.

Curr Opin Ophthalmol ;10:270-6. 69.

97-Jordan A and Baum J (1980).

Basic tear flow. Does it exist? .Ophthalmology ;87:920-30.

98-Lee BH, McLaren JW and Erie JC (2002).

Reinnervation in the cornea after LASIK. Invest Ophthalmol Vis Sci ;43:3660-3664.

99-Lemp MA, Baudouin C and Baum J (2007).

The definition and classification of dry eye disease: report of the Definition and Classification Subcommittee of the International Dry Eye WorkShop. Ocular Surf ;5:75–92.

100-Lemp MA (1994).

Management of the dry-eye patient. Int Ophthalmol Clin ;101-13.

101-Lenton LM and Albietz JM (1999).

Effect of carmellose-based artificial tears on the ocular surface in eyes after laser in situ keratomileusis. J Ref Surg Mar-Apr;15(2 Suppl):S227-31.

102-Li Y, Kuang K and Wen Q (1999).

Rabbit Conjunctival Epithelium Transports Fluid. IOVS ;40:4:S90.

103-Lim KJ Lee JH (1996).

Measurement of the tear meniscus height using 0.25% fluorescein sodium. Korean J Ophthalmol ; 5:34-6.

104-Lindstrom RL, Hardten DR and Chu YR (1997).

Laser in situ keratomileusis (LASIK) for the treatment of low, moderate, and high myopia. Trans Am Ophthalmol Soc;95:285-296discussion, 296-306 .

105-Linna TU, Vesaluoma MH and Perez-Santonja JJ (2000).

Effect of myopic LASIK on corneal sensitivity and morphology of subbasal nerves. Invest Ophthalmol Vis Sci ;41:393-397.

106-Liu DT-Z, Di Pascuale MA and Sawai J (2005).

Tear film dynamics in floppy eyelid syndrome. Invest Ophthalmol Vis Sci ; 46:1188-1194.

107-Lohmann CP, Winkler von Mohrenfels C and Reischl U (2001).

Screening von myopen LASIK-Patienten mit einer gesteigerten epithelialen Wundheilung, Quantitative Bestimmung von EGF mRNA in den kornealen Epithelzellen. Ophthalmologe ;98:460-465.

108-Lubkin V US (2000).

"Drugs for topical application of sex steroids in the treatment of dry eye syndrome, and methods of preparation and application".

Patent 6,096,733 Aug 1

109-Macri A and Pflugfelder S (2000).

Correlation of the Schirmer and fluorescein clearance tests with the severity of corneal epithelial and eyelid disease. Arch Ophthalmol ;118:1632-8.

110-Macri A, Rolando M and Pflugfelder S (2001).

A standardized visual scale for evaluation of tear fluorescein clearance. Ophthalmology ;107:1338-43.

111-Maguen E, Alba SA and Burgeson RE (1997).

Alterations of corneal extracellular matrix after multiple refractive rocedures: a clinical and immunohistochemical study. Cornea ;16:675-682 .

112-Maloney RK, Thompson V and Ghiselli G (1998).

A prospective multicenter trial of excimer laser phototherapeutic keratectomy for corneal vision loss. Am J Ophthalmol ;122:149-160.

113-Manning FJ, Wehrly SR and Foulks GN (1995).

Patient tolerance and ocular surface staining characteristics of lissamine green versus rose bengal. *Ophthalmology* ;102:1953-7.

114-Marcella Q, Salomoa,MD and Steven E (2009).

Dry eye associated with laser in situ keratomileusis: Mechanical microkeratome versus femtosecond laser. *J Cataract Refract Surg* ; 35:1756–1760.

115-Marom Z, Shelhamer JH, Sun F and Kaliner M (1983).

Human airway monohydroxyeicosatetraenoic acid generation and mucus release. *J Clin Invest* ;72:122-27.

116-Marsh P and Pflugfelder SC (1999).

Topical nonpreserved methylprednisolone therapy for keratoconjunctivitis sicca in Sjögren syndrome. *Ophthalmology* ;106:811-816.

117-Mathers WD and Lane JA (1998).

Meibomian gland lipids, evaporation, and tear film stability. *Adv Exp Med Biol* ;438:349-60.

118-Mathers WD, Lane JA, Sutphin JE and Zimmerman MB (1996).

Model for ocular tear film function. *Cornea* ;15:110-9.

119-McCarty CA, Ng I and Waldron B (1999).

Relation of hormone and menopausal status to outcomes following excimer laser photorefractive keratectomy in women.

Aust NZ J Ophthalmol ;24:215-222.

120-McCollum CJ, Foulks GN and Bodner B (1994).

Rapid assay of lactoferrin in keratoconjunctivitis sicca. *Cornea* ; 13(6):505-8.

121-McCulley JP, Dougherty JM and Deneau DG (1988).

Classification of chronic blepharitis. *Ophthalmology* ; 89:1173-80.

122-McDonald MB, Carr JD and Frantz JM (2001).

Laser in situ keratomileusis for myopia up to -11 diopters with up to -5 diopters of astigmatism with the Summit Autonomous LADARVision excimer laser system. *Ophthalmology* ;108:3093-16.

123-Melki SA and Azar DT (2009).

LASIK complications: Aetiology, management, and prevention.

Surv Ophthalmol 46:95-116.

124-Morad Y, Haviv D and Zadok D (1998).

Excimer laser phototherapeutic keratectomy of recurrent corneal erosion. *J Cataract Refract Surg* ;24:451-455.

125-Mori A, Shimazaki J and Shimmura S (2003).

Disposable eyelid-warming device for the treatment of meibomian gland dysfunction. *Jpn J Ophthalmol* ; 47:578-586.

126-Murube J, Murube A and Zhuo C (1998).

Classification of artificial tears.11:additives and commercial formulas. *Adv Exp Med Biol* ;438:705-715.

127-Murube J, Paterson A and Murube E (1998).

Classification of artificial tears I composition and properties.

Adv Exp Med Biol ;438:693-704.

128-Murube J (1986).

History of Dacryology in The Preocular Tear Film in Health, Disease and Contact Lens Wear, ed Holly FJ. Dry Eye Institute, Lubbock, TX , p28.

129-Nelson JD and Gordon JF (1994).

Topical fibronectin in the treatment of keratoconjunctivitis sicca.

Am J Ophthalmol ;114:441-7.

130-Obata H., Yamamoto S., Horiuchi H. and Machinami R (1998).

Histopathologic study of human lacrimal gland. Statistical analysis with special reference to aging. Ophthalmology ; 102:678-686.

131-Ogawa Y, Okamoto S AND Wakui M (1999).

Dry eye after haematopoietic stem cell transplantation. Br J Ophthalmol ;83:1125-30.

132-Patel S, Perez-Santonja JJ, Alio JL AND Murphy PJ(2001).

Corneal sensitivity and some properties of the tear film after laser in situ keratomileusis. J Refract Surg ;17:17-24.

133-Patel S,Murray D and McKenzie A (1985).

Effects of fluorescein on tear breakup time and on tear thinning time.

Am J Optom Physiol Opt ; 62:188-90.

134-Perez-Santonja JJ, Sakla HF and Cardona C (1999).

Corneal sensitivity after photorefractive keratectomy and laser in situ keratomileusis for high myopia. Am J Ophthalmol ; 127:497-504.

135-Pflugfelder SC, Crouse CA and Monroy D (1993).

Epstein-Barr virus and the lacrimal gland pathology of Sjogren's syndrome. Am J Pathol ;143:49-64.

136-Pflugfelder SC, Solomon A and Stern ME (2000).

The diagnosis and management of dry eye. a twenty-five- year review.
cornea ;19:644-9.

137-Pflugfelder SC, Tseng SC and Sanabria O(1998).

Evaluation of subjective assessments and objective diagnostic tests for
diagnosing tear-film disorders known to cause ocular irritation.
Cornea ;17:38-56.

138-Pflugfelder SC, Tseng SC and Yoshino K (1997).

Correlation of goblet cell density and mucosal epithelial membrane
mucin expression with rose bengal staining in patients with ocular
irritation. Ophthalmology ;104:223-35.

139-Phyllis L. Rakow (2002).

Medical treatment of dry eye. Am J Ophthalmol ;100 :430-1

140-Pollard S, Stone RP and Christensen MT (2003).

Extensions in tear film break-up time after instillation of HP-guar
artificial tear substitute. ARVO Abstract #2489.

141-Prabhasawat P and Tseng SC (1998).

Frequent association of delayed tear clearance in ocular irritation.

Br J Ophthalmol ;82:666-675..

142-Puk DE, Probst LE and Holland EJ (1996).

Recurrent erosion after photorefractive keratectomy. Cornea ;15:541-542.

143- American Academy of Ophthalmology (1997).

Punctal occlusion for the dry eye. Three-year revision. Ophthalmology
;104:1521-4.

144-Reema Bansal,Vishali Gupta and Amod Gupta (2003).

Management of LASIK induced dry eye. Highlights of ophthalmology ;volume 31,number 2 ,page3.

145-Richard Lindstrom, MD Minneapolis, MN Douglas Weberling, OD Bristol, VA 1999.

146-Richard S. Snell, M.d., ph.D. and Michael A. Lemp, M.D (1997).

Clinical anatomy of the eye. Second edition ;143-148.

147-Rolando M and Zierhut M (2001).

the ocular surface and tear film and their dysfunction in dry eye disease.

Surv Ophthalmol ;45:s 203-10.

148-Salah T, Waring GO 3rd, El-Maghraby A, Moadel K and Grimm SB (1996).

Excimer laser in situ keratomileusis under a corneal flap for myopia of 2 to 20 diopters. Am J Ophthalmol ;121:143-55.

149-Savini G, Barboni P, Zanni M and Tseng SCG (2004).

Ocular surface changes in laser in situ keratomileusis-induced neutrophilic epitheliopathy. J Refract Surg ; 20:803-809.

150-Schaumberg D.A., Buring J.E., Sullivan D.A.and Dana M.R (2001).

Hormone replacement therapy and dry eye syndrome. JAMA ; 286: 2114-2119.

151-Schein OD, Tielsch JM and Munoz B (1997).

Relation between signs and symptoms of dry eye in the elderly. A population-based perspective. Ophthalmology ;104:1395-401.

152-Shimazaki J, Sakata M and Tsubota K (1995).

Ocular surface changes and discomfort in patients with meibomian gland dysfunction. Arch Ophthalmol . Oct;113(10):1266-70.

153-Shine WE, Silvany R and McCulley JP (1995).

Relation of cholesterol-stimulated Staphylococcus aureus growth to chronic blepharitis. Invest Ophthalmol Vis Sci ; 34:2291-6.

154-Shoja MR and Besharati MR (2007).

Dry eye after LASIK for myopia: Incidence and risk factors. Eur J Ophthalmol ; 17:1-6.

155-Siagris D, Pharmakakis N and Christofidou M (2002).

Keratoconjunctivitis sicca and chronic HCV infection. Infection ;30:229-33.

156-Siganos DS, Popescu CN, Siganos CS and Pistola G (2002).

Tear secretion following excimer laser in situ keratomileusis. J Refract Surg ;18:124-126.

157-Solomon A., Dursun D. and Liu Z. (2001).

Pro- and anti-inflammatory forms of interleukin-1 in the tear fluid and conjunctiva of patients with dry-eye disease. Invest Ophthalmol Vis Sci ; 42:2283-2292.

158-Solomon KD, Donnenfeld ED and Sandoval HP (2005).

Flap-thickness accuracy: comparison of 6 microkeratome models. In press, J Cataract Refract Surg. 95. J Cataract Refract Surg ; 31:1741-1749 Cc 2005 ASCRS and ESCRS.

159-Solomon KD, Holzer MP and Sandoval HP (2002).

Refractive surgery survey 2001. J Cataract Refract Surg ;28:346-355 .

160-Soong HK, Martin NF and Wagoner MD (1988).

Topical retinoid therapy for squamous metaplasia of various ocular surface disorders-a multicenter, placebo-controlled, doublemasked study. *Ophthalmology* ;95:1442-6.

161-Spadea L, Fasciani R, Necozone S and Balestrazzi E (2000).

Role of the corneal epithelium in refractive changes following laser in situ keratomileusis for high myopia. *J Refract Surg* ;16:133-139 .

162-Stephenson CG, Gartry DS and O'Brart DPS (1998).

Photorefractive keratectomy; a 6year follow-up study. *Ophthalmology* ;105:273-281.

163-Stern ME, Beuerman RW and Fox RI (1999).

The pathology of dry eye: the interaction between the ocular surface and lacrimal glands. *Cornea* ;11:594-9.

164-STEVEN C, SCHALLHORN MD and ERIC C (2006).

Avoidance, recognition and management of lasik complications .

Am J Ophthalmol ;141:733–739.

165-Stojanovic A and Nitter TA (2001).

200 Hz flying-spot technology of the LaserSight LSX excimer laser in the treatment of myopic astigmatism; six and 12 month outcomes of laser in situ keratomileusis and photorefractive keratectomy.

J Cataract Refract Surg ;27:1263-1277.

166-Stonecipher KG (1996).

Dry eyes and refractive surgery. *J Cataract Refract Surg* ;22:1130.

167-Stulting R.D., Lahners W.J. and Carr J.D (2000).

Advances in refractive surgery. *Cornea* ;19:741-753.

168-Sugar A, Rapuano CJ and Culbertson WW (2002).

Laser in situ keratomileusis for myopia and astigmatism: safety and efficacy. (Ophthalmic Technologies Assessment) A report by the American Academy of Ophthalmology. *Ophthalmology* ;109:175-187 .

169-Sullivan DA, Krenzer KL and Sullivan BD (1999).

Does androgen insufficiency cause lacrimal gland inflammation and aqueous tear deficiency?. *Invest Ophthalmol Vis Sci* ;40:1261-1265 .

170-Sullivan DA, Wickham LA, Rocha EM Krenzer KL Sullivan DA, Steagall R Cermak JM Dana MR Ullman MD Sato EH Gao J, Ono M Silveira LA Lamberts RW Kelleher RS, Tolls DB, Soda I "(1999).

Androgens and dry eye in Sjogren's syndrome". *Ann N Y Acad Sci* ; 876:312-24.

171-Takashi Kojima, Tatsuya Ongucci, Joelle Hallak, and Dimitri Azar (2008).

Year Classified review of the Peer Review Literature on Excimer Laser Refractive Complications ;19:4-7

172-Toda 1, Asano-Kato N, Komai-Hori Y and Tsubota K (2001).

Dry eye after laser in situ keratomileusis. *Am J Ophthalmol* ;132:1-7.

173-Toda 1, Yagi Y and Hata S (1996).

Excimer laser photorefractive keratectomy for patients with contact lens intolerance caused by dry eye. *Br J Ophthalmol* ;80:604-609.

174-Toda I, Asano-Kato N, Hori-Komai Y and Tsubota K (2002).

Laser assisted in situ keratomileusis for patients with dry eye. *Arch Ophthalmol* ;120:1024-1028.

175-Tseng SCG and Tsubota K (1997).

Important concepts for treating ocular surface and tear disorders. Am J Ophthalmol ;124:825-835.

176-Tsubota K, Goto E, Shimmura S and Shimazaki J (1999).

"Treatment of persistent corneal epithelial defect by autologous serum application" .Ophthalmology ;106:1984-9.

177-Ubels JL, Clousing DP and Van Haitsma TA (2006).

Pre-clinical investigation of the efficacy of an artificial tear solution containing hydroxypropyl-guar as a gelling agent. Curr Eye Res Jun;28(6):437-44.

178-Van bijsterveld OP (1974).

Standardization of the lysozyme test for a commercially available medium. Its use for the diagnosis of the Sicca syndrome. Arch Ophthalmol ;91:432-4.

179-Vrabec MP, McDonald M and Chase DS (1993).

Traumatic corneal abrasions after laser keratectomy. Am J Ophthalmol ;116:101-102 .

180-Wen Q, Li Y and Kuang K (2002).

Effects of P2Y2 Agonist on Lipid Secretion by cultured Rabbit Meibocytes. ARVO (Abstract #3146).

181-Whitcher JP (1987).

Clinical diagnosis of the dry eye. Int Ophthalmol Clin ; 27:7-24.

182-Willis RM, Folberg R, Krachmer JH and Holland EJ (1987).

The treatment of aqueous-deficient dry eye with removable punctal plugs. A clinical and impression-cytologic study. Ophthalmology ;94:514-8.

183-Wilson S and Perry HD (2007) .

Long-term resolution of chronic dry eye symptoms and signs after topical cyclosporine A treatment. *Eur J Ophthalmol* ;17:22-26.

184-Wilson SE, Liang Q and Kim WJ (2001).

Lacrimal gland HGF, KGF, and EGF mRNA levels increase after corneal epithelial wounding. *Invest Ophthalmol Vis Sci*. 1999;40:2185-2190. 132. Lohmann CP, Winkler von Mohrenfels C, Reischl U, et al. Screening von myopen LASIK-Patienten mit einer gesteigerten epithelialen Wundheilung, Quantitative Bestimmung von EGF mRNA in den kornealen Epithelzellen. *Ophthalmologie* ;98:460-465 .

185-Wilson SE (1998).

Keratocyte apoptosis in refractive surgery. *CLAO J* ;24:181-185.

186-Wilson SE (2002).

Laser In situ keratomileusis-induced (presumed) neurotrophic epitheliopathy. *Ophthalmology* ;108:1080-1084.

187-Xu KP, Yagi Y, Toda I and Tsubota K (1995).

Tear function index. A new measure of dry eye. *Arch Ophthalmol* ;113:84-8.

188-Yanoof and Duker (2009).

Ophthalmology. 3rd edition section 6 chapter 4-23

189-Yerxa BR, Douglass JG and Elena PP (2000).

Potency and Duration of Action of Synthetic P2Y2 Receptor Agonists on Schirmer Scores in Rabbits. *Cornea* ;19:6:S138.

190-Yerxa BR, Mundas M and Sylvester RN (2000).

A Double-Masked, Randomized, Placebo-Controlled, Rising-Dose Study of Multiple Ocular Instillations of INS365 Ophthalmic Solution in Patients with Mild to Moderate Dry Eye Disease. *Cornea* ;19:6:S138.

191-Yerxa, BR Jacobus Km, Pendergast W, Rideout JL (1999).

1997 US Patent 5,900,407 Method of treating dry eye disease by stimulating fluid secretion with the topical administration of uridine triphosphates and related compounds, May 4, 1999.

192-Yoshihide Nakai (2002) .

Surgical management of LASIK complications.

Highlights of ophthalmology ,volume 30 ,number 6 , page 9.

193-Yu EY, Leung A, Rao S and Lam DS (2002).

Effect of laser in situ keratomileusis on tear stability. *Ophthalmology* ;107: 2131–2135.