
REFERENCES

- **Adams RJ, Courage ML:** Using a single test to measure human contrast sensitivity from early childhood to maturity. *Vision Res.* 2002; 42: 1205-210.
- **Adoh TO, Woodhouse JM:** The Cardiff acuity test used for measuring visual acuity development in toddlers. *Vision Res.* 1994; 34: 555-560.
- **Ahn JH, Kim WS:** Surgical techniques and postoperative complications in pediatric cataract surgery. *J Korean Ophthalmol Soc.* 2006; 47:1049-1056.
- **Ali A, Packwood E, Lueder G, Tychsen L:** Unilateral lens extraction for high anisometropic myopia in children and adolescents. *J AAPOS.* 2007; 11:153-158.
- **Allen D, Bennett PJ, Banks MS:** The effects of luminance on FPL and VEP acuity in human infants. *Vision Res.* 1992; 32: 2005-2012.
- **Assil KK, Sturm JM, Chang SH:** Verisyse intraocular lens implantation in a child with anisometropic amblyopia: four-year follow-up. *J Cataract Refract Surg.* 2007; 33:1985-1986.
- **Astle WF, Fawcett SL, Huang PT, et al:** Long-term outcomes of photorefractive keratectomy and laser-assisted subepithelial keratectomy in children. *J Cataract Refract Surg.* 2008; 34: 411-416.
- **Astle WF, Huang PT, Ells AL, et al:** Photorefractive keratectomy in children. *J Cataract Refract Surg.* 2002; 28: 932-941.
- **Atkinson J, Braddick O, Robier B, et al:** Two infant vision screening programmes: prediction and prevention of strabismus and amblyopia from photo- and videorefractive screening. *Eye.* 1996; 10:189-198.
- **Atkinson J, Braddick O:** Assessment of visual acuity in infancy and early childhood. *Acta Ophthalmol Suppl.* 1983; 157: 18-26.
- **Attebo K, Mitchell P, Cumming R, et al:** Prevalence and causes of amblyopia in an adult population. *Ophthalmology.* 1998; 105: 154-159.

-
-
- **Autrata R, Rehurek J:** Laser-assisted subepithelial keratectomy and photorefractive keratectomy versus conventional treatment of myopic anisometropic amblyopia in children. *J Cataract Refract Surg.* 2004;30:74-84.
 - **Banks M, Salapatek P:** Acuity and contrast sensitivity in 1-, 2-, and 3-month-old human infants. *Invest Ophthalmol Vis Sci.* 1978; 17: 361-365.
 - **Beazley LD, Illingworth DJ, Jahn A, Greer DV:** Contrast sensitivity in children and adults. *Br J Ophthalmol.* 1980; 64: 863-866.
 - **BenEzra D, Cohen E, Karshai I:** Phakic posterior chamber intraocular lens for the correction of anisometropia and treatment of amblyopia. *Am J Ophthalmol.* 2000; 130: 292-296.
 - **Bhola R, Keech RV, Kutschke P, et al:** Recurrence of amblyopia after occlusion therapy. *Ophthalmology.* 2006; 113: 2097-100
 - **Birch EE, Cheng C, Stager DR, and Felius J:** Visual Acuity Development after the Implantation of Unilateral Intraocular Lenses in Infants and Young Children. *J AAPOS* 2005; 9: 527-532.
 - **Birch EE, Gwiazda J, Bauer JA Jr, et al:** Visual acuity and its meridional variations in children aged 7-60 months. *Vision Res.* 1983; 23:1019-1024.
 - **Birch EE, O'Connor AR:** Preterm birth and visual development. *Semin Neonatol* 2001; 6: 487–497.
 - **Birch EE, Stager DR:** The critical period for surgical treatment of dense congenital unilateral cataract. *Invest Ophthalmol Vis Sci.* 1996; 37: 1532-1538.
 - **Bohra LI, Weizer JS, Lee AG, Lewis RA:** Vision loss as the presenting sign in juvenile neuronal ceroid lipofuscinosis. *J Neuro-ophthalmol* 2000; 20:111.
 - **Boothe RG, Dobson V, Teller DY:** Postnatal development of vision in human and nonhuman primates. *Annu Rev Neurosci* 1985; 8: 495.
 - **Bradley A, Freeman RD:** Contrast sensitivity in children. *Vision Res.* 1982; 22: 953-959.
 - **Brown SM, Archer S, Del Monte MA:** Stereopsis and binocular vision after surgery for unilateral infantile cataract. *J AAPOS.* 1999; 3:109-113.
-
-

-
- **Brown SM:** Pediatric Refractive Surgery. *Arch Ophthalmol.* 2009; 127: 807-809.
 - **Brown SM:** Verisyse IOL implantation in a child with anisometropic amblyopia. *J Cataract Refract Surg.* 2008; 34: 1057-8.
 - **Caputo R, Frosini R, De Libero C, et al:** Factors influencing severity of and recovery from anisometropic amblyopia. *Strabismus.* 2007;15: 209-214.
 - **Chak M, Wade A, Rahi JS:** Long-term visual acuity and its predictors after surgery for congenital cataract: findings of the British congenital cataract study. *Invest Ophthalmol Vis Sci.* 2006; 47: 4262–4269.
 - **Chen PL, Chen JT, Tai MC, et al:** Anisometropic amblyopia treated with spectacle correction alone: possible factors predicting success and time to start patching. *Am J Ophthalmol.* 2007; 143: 54-60.
 - **Chung W, Hong S, Lee JB, Han SH:** Pattern VEP as a predictor of occlusion therapy for amblyopia. *Korean J Ophthalmol.* 2008; 22: 251-4
 - **Collins RS, McChesney ME, McCluer CA, et al:** Occlusion properties of prosthetic contact lenses for the treatment of amblyopia. *J APOS.* 2008; 12: 565-8.
 - **Cotter SA, Weakley DR Jr , Strauber SF, Beck RW:** Pharmacological plus optical penalization treatment for amblyopia. *Arch Ophthalmol.* 2009; 127: 22-30.
 - **Cotter SA, Edwards AR, Wallace DK, et al:** Treatment of anisometropic amblyopia in children with refractive correction. *Ophthalmology* 2006; 113: 895-903
 - **Daoud YJ, Hutchinson A, Wallace DK, et al:** Refractive surgery in children: treatment, outcomes, and controversies. *Am J Ophthalmol.* 2009; 147: 573-582.
 - **Daw NW:** Critical periods and strabismus. *Optom Vis Sci.* 1997; 74: 690-694.
 - **Daw NW:** Critical periods and amblyopia. *Arch Ophthalmol.* 1998; 116: 502-5.
-

-
- **Dawson DG, Grossniklaus HE, McCarey BE, Edelhauser HF:** Biomechanical and wound healing characteristics of corneas after excimer laser keratorefractive surgery: is there a difference between advanced surface ablation and sub-Bowman's keratomileusis? *J Refract Surg.* 2008; 24: S90-S96.
 - **De Vries-Khoe LH, Spekreijse H:** Maturation of luminance and pattern EPs in Man. *Doc Ophthalmol Proc Series.* 1982; 31: 461
 - **Dickmann A, Petroni S, Salerni A, et al:** Unilateral amblyopia: An optical coherence tomography study. *J AAPOS.* 2009; 13:148-50
 - **Dobson V, Teller DY:** Visual acuity in human infants: A review and comparison of behavioral and electrophysiological studies. *Vision Res.* 1978; 18: 1469-1483.
 - **Donahue SP, Olitsky SE, Paysse EA, et al:** Phakic IOLs in children. *Ophthalmology.* 2008; 115: 592-593.
 - **Donahue SP:** The relationship between anisometropia, patient age, and the development of amblyopia. *Trans Am Ophthalmol Soc.* 2005; 103: 313-336.
 - **Dubowitz LM, Mushin J, De Vries L, Arden GB:** Visual function in the newborn infant: is it cortically mediated? *Lancet.* 1986; 1: 1139-1141.
 - **Dvali ML, Tsintsadze NA, Mirtskhulava SI:** Features of hyperopic LASIK in children. *J Refract Surg.* 2005; 21(5)(suppl): S614-S616.
 - **Early Treatment For Retinopathy Of Prematurity Cooperative Group:** Revised indications for the treatment of retinopathy of prematurity. *Arch Ophthalmol* 2003; 121:1684-1694.
 - **Ellemberg D, Lewis TL, Hong Liu C, Maurer D:** Development of spatial and temporal vision during childhood. *Vision Res.* 1999; 39: 2325-2333.
 - **Flynn JT:** Amblyopia: its treatment today and its portent for the future. *Binocul Vis Strabismus Q.* Summer 2000; 15: 109.
 - **Flynn JT, Woodruff G, Thompson JR, et al:** The therapy of amblyopia: an analysis comparing the results of amblyopia therapy utilizing two pooled data sets. *Trans Am Ophthalmol Soc.* 1999; 97: 373-90.
-

-
- **Forbes BJ and Guo S:** Update on the Surgical Management of Pediatric Cataracts. *J Pediatr Ophthalmol Strabismus* 2006; 43:143-151.
 - **Foster A, Gilbert C, Rahi J:** Epidemiology of cataract in childhood: a global perspective. *J Cataract Refract Surg.* 1997; 23(Suppl 1): 601–604.
 - **Friedman, DS, Katz, J, Repka, MX, et al:** Lack of concordance between fixation preference and HOTV optotype visual acuity in preschool children: the Baltimore Pediatric Eye Disease Study. *Ophthalmology* 2008; 115:1796.
 - **Gimbel HV, DeBroff BM:** Posterior capsulorhexis with optic capture: maintaining a clear visual axis after pediatric cataract surgery. *J Cataract Refract Surg.* 1994; 20: 658–664.
 - **Goren CC, Sarty M, Wu PY:** Visual following and pattern discrimination of face-like stimuli by newborn infants. *Pediatrics* 1975; 56: 544.
 - **Gottlob I, Fendick MG, Guo S, et al:** Visual acuity measurements by swept spatial frequency visual-evoked cortical potentials (VECPs): Clinical application in children with various visual disorders. *J Pediatr Ophthalmol Strabismus.* 1990; 27: 40-47.
 - **Gouws P, Hussin HM, Markham RH:** Long term results of primary posterior chamber intraocular lens implantation for congenital cataract in the first year of life. *Br J Ophthalmol.* 2006; 90: 975–978.
 - **Gwiazda J, Brill S, Mohindra I, Held R:** Infant visual acuity and its meridional variation. *Vision Res.* 1978; 18: 1557-1564.
 - **Heersema DJ, van-Hof van-Duin J:** Age norms for visual acuity in toddlers using the acuity card procedure. *Clin Vis Sci.* 1990; 5:167-174.
 - **Heickell AG, Vesaluoma MH, Tervo TMT, et al:** Late traumatic dislocation of laser in situ keratomileusis flaps. *J Cataract Refract Surg.* 2004; 30: 253-256.
 - **Hevner RF:** Development of connections in the human visual system during fetal mid-gestation. *J Neuropathol Exp Neurol* 2000; 59: 385–392.
 - **Holmes JM, Beck RW, Kracker RT; et al:** Risk of amblyopia recurrence after cessation of treatment. *J AAPOS.* 2004; 8: 420-428.
-

-
- **Holmes JM, Kraker RT, Beck RW, et al:** A randomized trial of prescribed patching for treatment of severe amblyopia in children. *Ophthalmology*. 2003; 110: 2075-87.
 - **Holmes JM, Melia M, Bradfield YS, et al:** Factors associated with recurrence of amblyopia on cessation of patching. *Ophthalmology*. 2007; 114: 1427-32.
 - **Holmes JM; Beck RW; Kraker RT; et al:** Risk of amblyopia recurrence after cessation of treatment. *J AAPOS*. 2004; 8: 420-8.
 - **Hosny M, Rageh M, Samir K:** LASIK for juvenile anisometropia. *J Refract Surg*. 2004; 20: 838.
 - **Hoyt CS, Nickel BL, Billson FA:** Ophthalmological examination of the infant. Developmental aspects. *Surv Ophthalmol* 1982; 26: 177.
 - **Huang HM, Kuo HK, Fang PC, et al:** The effects of CAM vision stimulator for bilateral amblyopia of different etiologies. *Chang Gung Med J*. 2008; 31: 592-8.
 - **Huttenlocher PR:** Synapse elimination and plasticity in developing human cerebral cortex. *Am J Ment Defic*. 1984; 88: 488-496.
 - **Hyvarinen L:** Assessment of visually impaired infants. *Ophthalmol Clin North Am* 1994; 7: 219.
 - **Ioannidis AS, Speedwell L, Nischal KK:** Unilateral keratoconus in a child with chronic and persistent eye rubbing. *Am J Ophthalmol*. 2005; 139: 356-357.
 - **Jacobson SG, Mohindra I, Held R:** Development of visual acuity in infants with congenital cataracts. *Br J Ophthalmol*. 1981; 65: 727-735.
 - **Jeffrey BG, Birch EE, Stager DR Jr, et al:** Early binocular visual experience may improve binocular sensory outcomes in children after surgery for congenital unilateral cataract. *J AAPOS*. 2001; 5: 209-216.
 - **Johnson DA:** The use of the scanning laser ophthalmoscope in the evaluation of amblyopia. *Trans Am Ophthalmol Soc*. 2006; 104: 414-36.
 - **Kent D, Pennie F, Laws D, et al:** The influence of retinopathy of prematurity on ocular growth. *Eye*. 2000; 14: 23-29.
-

-
- **Khazaeni L, Quinn GE, Davidson SL, Forbes BJ:** Amblyopia treatment: 1998 versus 2004. *J Pediatr Ophthalmol Strabismus*. 2009; 46:19-22.
 - **Kim K, Ahn K, Chung ES, and Chung TY:** Clinical Outcomes of Surgical Techniques in Congenital Cataracts. *Korean J Ophthalmol*. 2008; 22: 87-91.
 - **Kirwan C, O'Keefe M:** Higher order aberrations in children with amblyopia. *J Pediatr Ophthalmol Strabismus*. 2008; 45: 92-6.
 - **Koc F, Ozal H, Yasar H, Firat E:** Resolution in partially accommodative esotropia during occlusion treatment for amblyopia. *Eye* 2006; 20: 325-8.
 - **Koch DD, Kohnen T:** Retrospective comparison of techniques to prevent secondary cataract formation after posterior chamber intraocular lens implantation in infants and children. *J Cataract Refract Surg*. 1997; 23 (Suppl 1): 657–663.
 - **Kohnen T:** Refractive surgery in children. *J Cataract Refract Surg*. 2007; 33: 2001.
 - **Kollias AN, Spitzlberger GM, Thureau S, et al:** Phototherapeutic keratectomy in children. *J Refract Surg*. 2007; 23: 703-708.
 - **Kushner BJ:** Amblyopia. In: Nelson LB, ed. *Harley's Pediatric Ophthalmology*. 1998:125-39.
 - **Lambert SR, Lynn M, Drews-Botsch C, et al:** Optotype acuity and reoperation rate after unilateral cataract surgery with or without IOL implantation during the first six months of life. *Br J Ophthalmol*. 2004; 88: 1387-1390.
 - **Lambert SR, Plager DA, Lynn MJ, Wilson ME:** Visual Outcome Following the Reduction or Cessation of Patching Therapy after Early Unilateral Cataract Surgery. *Arch Ophthalmol*. 2008; 126: 1071-1074.
 - **Lambert SR:** Treating amblyopia in aphakia and pseudophakic children. *Am Orthopt J*. 2007; 57: 35-40.
 - **Lauritzen L, Jorgensen MH, Michaelsen KF:** Test-retest reliability of swept visual evoked potential measurements of infant visual acuity and contrast sensitivity. *Pediatr Res*. 2004; 55: 701-708.
-

-
-
- **Leat SJ, Shute R, Westall C:** Assessing children's vision: A handbook. Oxford, Butterworth-Heinemann, 1999:171.
 - **Leat SJ, Yadav NK and Irving EL:** Development of VA and Contrast Sensitivity in Children. *J Optom* 2009; 2: 19-26
 - **Ledoux DM, Trivedi RH, Wilson ME Jr, Payne JF:** Pediatric cataract extraction with intraocular lens implantation: visual acuity outcome when measured at age four years and older. *J AAPOS*. 2007; 11: 218-24.
 - **Lempert P:** Correction of large amblyopiogenic refractive errors in children using the excimer laser. *J AAPOS*. 2007; 11: 316.
 - **Lempert P:** Retinal area and optic disc rim area in amblyopic, fellow, and normal hyperopic eyes. *Ophthalmology*. 2008; 115: 2259-61.
 - **Lengyel D , Valmaggia C:** Visual improvement of an amblyopic eye in an adult patient after vision loss in the non-amblyopic eye (German) *Klin Monatsbl Augrnheilkd*. 2006; 223: 462 - 464.
 - **Leon A, Donahue SP, Morrison DG, et al:** The age-dependent effect of anisometropia magnitude on anisometropic amblyopia severity. *J AAPOS*. 2008; 12: 150-6
 - **Lesueur LC, Arne JL:** Phakic intraocular lens to correct high myopic amblyopia in children. *J Refract Surg*. 2002; 18: 519-523.
 - **Leuba G, Garey LJ:** Evolution of neuronal numerical density in the developing and aging human visual cortex. *Hum Neurobiol*. 1987; 6: 11-18.
 - **Levartovsky S, Oliver M, Gottesman N, Shimshoni M:** Factors affecting long term results of successfully treated amblyopia: initial visual acuity and type of amblyopia. *Br J Ophthalmol*. 1995; 79: 225-8.
 - **Lewis TL, Maurer D:** Multiple sensitive periods in human visual development: Evidence from visually deprived children. *Dev Psychobiol*. 2005; 46:163-183.
 - **Lin LK, Uzcategui N, Chang EL:** Effect of surgical correction of congenital ptosis on amblyopia. *Ophthal Plast Reconstr Surg*. 2008; 24: 434-6.
 - **Ling B:** Genetic study of sustained fixation and associated behavior in the human infant from birth to six months. *J Genet Psychol* 1942; 61:227.
-
-

-
- **Lopes de Faria JM, Katsumi O, Arai M, Hirose T:** Objective measurement of contrast sensitivity function using contrast sweep visual evoked responses. *Br J Ophthalmol.* 1998; 82:168-173.
 - **Lundvall A, Kugelberg U:** Outcome after treatment of congenital bilateral cataract. *Acta Ophthalmol Scand.* 2002; 80: 593–597.
 - **Magnusson G, Abrahamsson M, Sjostrand J:** Changes in visual acuity from 4 to 12 years of age in children operated for bilateral congenital cataracts. *Br J Ophthalmol.* 2002; 86:1385–1389.
 - **Majmudar PA:** Surface ablation and mitomycin C. *Cataract & Refractive Surgery Today.* 2007: 89-90.
 - **Matta NS, Singman EL, Silbert DI:** Performance of the Plusoptix vision screener for the detection of amblyopia risk factors in children. *J AAPOS.* 2008; 12: 490-2.
 - **Mayer DL, Beiser AS, Warner AF, et al:** Monocular acuity norms for the teller acuity cards between ages one month and four years. *Invest Ophthalmol Vis Sci.* 1995; 36: 671-685.
 - **Mayer DL, Dobson V:** Visual acuity development in infants and young children, as assessed by operant preferential looking. *Vision Res.* 1982; 22: 1141-1151.
 - **Mirabella G, Kjaer PK, Norcia AM, et al:** Visual Development in Very Low Birth Weight Infants. *Pediatr Res* 2006; 60: 435–439.
 - **Morad Y, Werker E, Nemet P:** Visual acuity tests using chart, line, and single optotype in healthy and amblyopic children. *J AAPOS* 1999; 3: 94.
 - **Neu B, Sireteanu R:** Monocular acuity in preschool children: Assessment with the Teller and Keeler acuity cards in comparison to the C-test. *Strabismus.* 1997; 5: 185-201.
 - **Nilsson J, Baumann M, Sjöstrand J:** Strabismus might be a risk factor for amblyopia recurrence. *J AAPOS.* 2007; 11: 240-2.
 - **Norcia AM, Tyler CW, Hamer RD, Wesemann W:** Measurement of spatial contrast sensitivity with the swept contrast VEP. *Vision Res.* 1989; 29: 627-637.
-

-
- **Norcia AM, Tyler CW, Hamer RD:** Development of contrast sensitivity in the human infant. *Vision Res.* 1990; 30: 1475-1486.
 - **Norcia AM, Tyler CW, Piecuch R, et al:** Visual acuity development in normal and abnormal preterm human infants. *J Pediatr Ophthalmol Strabismus* 1987; 24: 70-74.
 - **Norcia AM, Tyler CW:** Spatial frequency sweep VEP: Visual acuity during the first year of life. *Vision Res.* 1985; 25: 1399-1408.
 - **O'Connor AR, Stephenson T, Johnson A, et al:** Long-term ophthalmic outcome of low birth weight children with and without retinopathy of prematurity. *Pediatrics* 2002; 109:12–18.
 - **O'Keefe M, Fenton S, Anigan B:** Visual outcomes and complications of posterior chamber intraocular lens implantation in the first year of life. *J Cataract Refract Surg.* 2001; 27: 2006-2011.
 - **O'Keefe M, Kirwan C:** Pediatric Refractive Surgery. *J Pediatr Ophthalmol Strabismus* 2006; 43: 333-336.
 - **O'Keefe M, Nolan L:** LASIK surgery in children. *Br J Ophthalmol.* 2004; 88: 19-21.
 - **Palmer EA, Hardy RJ, Dobson V, et al:** 15-year outcomes following threshold retinopathy of prematurity: final results from the multicenter trial of cryotherapy for retinopathy of prematurity. *Arch Ophthalmol* 2005; 3: 311–318.
 - **Paysse EA, Coats DK, Hussein MA, et al:** Long-term outcomes of photorefractive keratectomy for anisometropic amblyopia in children. *Ophthalmology.* 2006; 113: 169-176.
 - **Paysse EA, Hamill MB, Hussein MA, Koch DD:** Photorefractive keratectomy for pediatric anisometropia: safety and impact on refractive error, visual acuity, and stereopsis. *Am J Ophthalmol.* 2004;138: 70-78.
 - **Paysse EA:** Photorefractive keratectomy for anisometropic amblyopia in children. *Trans Am Ophthalmol Soc.* 2004;102: 341-371.
 - **Paysse EA:** Refractive surgery in children: is it ready for prime time? *Am Orthopt J.* 2007; 57: 79-88.
-

-
- **Paysse EA:** Unilateral lens extraction for high anisometropic myopia in children and adolescents: is this prudent? *J AAPOS*. 2007; 11: 111-112.
 - **Phillips AF, Hayashi S, Seitz B, et al:** Effect of diclofenac, ketorolac, and fluorometholone on arachidonic acid metabolites following excimer laser corneal surgery. *Arch Ophthalmol*. 1996; 114: 1495-1498.
 - **Pirouzian A, Bansal P, O'Halloran H:** Phakic IOL in children. *Ophthalmology* 2007; 114: 194-195.
 - **Prakash G, Sharma N, Chowdhary V, Titiyal JS:** Association between amblyopia and higherorder aberrations. *J Cataract Refract Surg*. 2007; 33: 901-904.
 - **Quinn, GE, Berlin, JA, James, M:** The Teller acuity card procedure. Three testers in a clinical setting. *Ophthalmology* 1993; 100: 488.
 - **Rabin J:** Visual improvement in amblyopia after visual loss in the dominant eye. *Am J Optometry and Physiological Optics*. 1984; 61: 334 - 337.
 - **Rahi JS, Dezateux C:** National cross sectional study of detection of congenital and infantile cataract in the United Kingdom: role of childhood screening and surveillance. *BMJ*. 1999; 318: 362-365.
 - **Randleman JB, Woodward M, Lynn MJ, Stulting RD:** Risk assessment for ectasia after corneal refractive surgery. *Ophthalmology*. 2008; 115: 37-50.
 - **Repka MX, Beck RW, Holmes JM, et al:** A randomized trial of patching regimens for treatment of moderate amblyopia in children. *Arch Ophthalmol*. 2003; 121: 603-11.
 - **Repka MX, Wallace DK, Beck RW, et al:** Two-year follow-up of a 6-month randomized trial of atropine vs patching for treatment of moderate amblyopia in children. *Arch Ophthalmol*. 2005; 123: 149-157.
 - **Repka MX:** How much amblyopia treatment is enough? *Arch Ophthalmol*. 2008; 126: 990-1.
 - **Repka MX, Cotter SA, Beck RW, et al:** A randomized trial of atropine regimens for treatment of moderate amblyopia in children. *Ophthalmology*. 2004; 111: 2076-85
-

-
- **Repka MX, Wallace DK, Beck RW, et al:** A randomized trial of atropine vs. patching for treatment of moderate amblyopia in children. *Arch Ophthalmol.* 2002; 120: 268-78.
 - **Repka MX, Wallace DK, Beck RW, et al:** Two-year follow-up of a 6-month randomized trial of atropine vs patching for treatment of moderate amblyopia in children. *Arch Ophthalmol.* 2005; 123:149-57.
 - **Riddell PM, Ladenheim B, Mast J, et al:** Comparison of measures of visual acuity in infants: Teller acuity cards and sweep visual evoked potentials. *Optom Vis Sci.* 1997; 74: 702-707.
 - **Roch-Levecq A-C, Brody BL, Thomas RG, Brown ST:** Ametropia, Preschoolers' Cognitive Abilities, and Effects of Spectacle Correction *Arch Ophthalmol.* 2008; 126: 252-258.
 - **Romano PE:** About aniseikonia and refractive surgery. *Binocul Vis Strabismus Q.* 2002; 17: 191.
 - **Rudanko SL, Fellman V, Laatikainen L:** Visual impairment in children born prematurely from 1972 through 1989. *Ophthalmology* 2003; 110:1639-1645.
 - **Ruth AL, Lambert SR:** Amblyopia in the phakic eye after unilateral congenital cataract extraction. *J AAPOS.* 2006; 10: 587-8.
 - **Sabri K, Knapp CM, Thompson JR and Gottlob I:** The VF-14 and Psychological Impact of Amblyopia and Strabismus. *Invest Ophthalmol Vis Sci.* 2006; 47: 4386 - 4392.
 - **Saxena R, van Minderhout HM, Luyten GPM:** Anterior chamber iris-fixated phakic intraocular lens for anisometropic amblyopia. *J Cataract Refract Surg.* 2003; 29: 835-838.
 - **Scheiman MM, Hertle RW, Beck RW, et al:** Randomized trial of treatment of amblyopia in children aged 7 to 17 years. *Arch Ophthalmol.* 2005; 123: 437-47.
 - **Scheiman MM, Hertle RW, Kraker RT, et al:** Patching vs atropine to treat amblyopia in children aged 7 to 12 years: a randomized trial. *Arch Ophthalmol.* 2008; 126: 1634-42.
-

-
- **Schwartz SR, Kodsi SR, Blei F, et al:** Treatment of capillary hemangiomas causing refractive and occlusional amblyopia. *J AAPOS*. 2007; 11: 577-83.
 - **Shamis DI:** Vision assessment techniques: Perils and pitfalls. *Am Orthopt J* 1996; 46:7.
 - **Shotton K, Elliott S:** Interventions for strabismic amblyopia. *Cochrane Database Syst Rev*. 2008; (2):CD006461.
 - **Shotton K, Powell C, Voros G, Hatt SR:** Interventions for unilateral refractive amblyopia. *Cochrane Database Syst Rev*. 2008; (4):CD005137.
 - **Simons K:** Visual acuity norms in young children. *Surv Ophthalmol* 1983; 28:84.
 - **Skoczinski AM, Norcia AM:** Development of VEP Vernier acuity and grating acuity in human infants. *Invest Ophthalmol Vis Sci* 1999; 40: 2411–2417.
 - **Sokol S, Moskowitz A, McCormack G:** Infant VEP and preferential looking acuity measured with phase alternating gratings. *Invest Ophthalmol Vis Sci*. 1992; 33: 3156-3161.
 - **Sommer A:** Misclassification: who really lives in this neighborhood? *Arch Ophthalmol*. 2008; 126: 265-266.
 - **Stewart CE, Stephens DA, Fielder AR, et al:** Objectively monitored patching regimens for treatment of amblyopia: randomized trial. *BMJ*. 2007; 335(7622):707.
 - **Stiers P, Vanderkelen R, Vandenbussche E:** Optotype and grating visual acuity in preschool children. *Invest Ophthalmol Vis Sci*. 2003; 44: 4123-4130.
 - **Stojanovic A, Ringvold A, Nitter T:** Ascorbate prophylaxis for corneal haze after photorefractive keratectomy. *J Refract Surg*. 2003;19: 338-343.
 - **Tacagni DJ, Stewart CE, Moseley MJ, Fielder AR:** Factors affecting the stability of visual function following cessation of occlusion therapy for amblyopia. *Graefes Arch Clin Exp Ophthalmol*. 2007; 245: 811-6.
-

-
- **Tarczy-Hornoch K, Varma R, Cotter S, et al:** Prevalence of Amblyopia and Strabismus in African American and Hispanic Children Ages 6 to 72 Months. *Ophthalmology* 2008; 115: 1229-1236.
 - **Teller DY, Morse R, Borton R, Regal D:** Visual acuity for vertical and diagonal gratings in human infants. *Vision Res.* 1974; 14: 1433-1439.
 - **Thompson DA, Moller H, Russell-Eggitt I and Kriss A:** Visual acuity in unilateral cataract. *Br J Ophthalmol.* 1996; 80: 794-798.
 - **Tierney, DW:** Vision recovery in amblyopia after contralateral subretinal hemorrhage. *J. American Optometric Assoc.* 1989; 60: 281 - 283.
 - **Traboulsi EI, Maumenee IH:** Ophthalmologic manifestations of X-linked childhood adrenoleukodystrophy. *Ophthalmology* 1987; 94: 47.
 - **Tychsen L, Hoekel J, Ghasia F, Yoon-Huang G:** Phakic intraocular lens correction of high ametropia in children with neurobehavioral disorders. *J AAPOS.* 2008; 12: 282-289.
 - **Tychsen L, Hoekel J:** Refractive surgery for high bilateral myopia in children with neurobehavioral disorders, 2: laser-assisted subepithelial keratectomy (LASEK). *J AAPOS.* 2006; 10: 364-370.
 - **Tychsen L, Packwood E, Hoekel J, Lueder GT:** Refractive surgery for high bilateral myopia in children with neurobehavioral disorders, 1: clear lens extraction and refractive lens exchange. *J AAPOS.* 2006; 10: 357-363.
 - **Tychsen L:** Refractive surgery for children: excimer laser, phakic intraocular lens, and clear lens extraction. *Curr Opin Ophthalmol.* 2008; 19: 342-348.
 - **Tychsen L:** Refractive surgery for special needs children. *Arch Ophthalmol.* 2009; 127: 810-813.
 - **Vaegan M, Taylor D:** Critical period for deprivation amblyopia in children. *Trans Ophthalmol Soc U K.* 1979; 99: 432–439.
 - **Vasavada A, Desai J:** Primary posterior capsulorhexis with and without anterior vitrectomy in congenital cataracts. *J Cataract Refract Surg.* 1997; 23(Suppl 1): 645–651.
-

-
- **Vishwanath M, Cheong-Leen R, Taylor D, et al:** Is early surgery for congenital cataract a risk factor for glaucoma? *Br J Ophthalmol.* 2004; 88: 905–910.
 - **von Noorden GK:** Binocular Vision and Ocular Motility: Theory and Management. 1996; 216-54.
 - **Wallace DK, Chandler DL, Beck RW, et al:** Treatment of bilateral refractive amblyopia in children three to less than 10 years of age. *Am J Ophthalmol.* 2007; 144: 487-96.
 - **Wallace DK, Edwards AR, Cotter SA, et al:** A randomized trial to evaluate 2 hours of daily patching for strabismic and anisometropic amblyopia in children. *Ophthalmology.* 2006; 113: 904-12.
 - **Wallace DK, Edwards AR, Cotter SA, et al:** Patching vs Atropine to Treat Amblyopia in Children Aged 7 to 12 Years: A Randomized Trial. *Arch Ophthalmol.* 2008; 126: 1634-42.
 - **Waring GO:** Pediatric Refractive Surgery Review. *Arch Ophthalmol.* 2009; 127: 814-815.
 - **Webber AL, Wood JM, Gole GA, Brown B:** Effect of amblyopia on self-esteem in children. *Optom Vis Sci.* 2008; 85: 1074-81.
 - **Webber AL:** Amblyopia treatment: an evidence-based approach to maximising treatment outcome. *Clin Exp Optom.* 2007; 90: 250-7.
 - **Weisberg OL, Sprunger DT, Plager DA; et al:** Strabismus in pediatric pseudophakia. *Ophthalmology.* 2005; 112: 1625-1628.
 - **Wensveen JM, Harwerth RS, Hung LF, et al:** Brief daily periods of unrestricted vision can prevent form-deprivation amblyopia. *Invest Ophthalmol Vis Sci.* 2006; 47: 2468-77.
 - **Wilson, HR:** Theories of infant visual development. In Simons K, editor. *Early visual development: Normal and abnormal.* New York: Oxford University Press, 1993:560-569.
 - **Xiao JX, Xie S, Ye JT, et al:** Detection of abnormal visual cortex in children with amblyopia by voxel-based morphometry. *Am J Ophthalmol.* 2007; 143: 489-93.
-

- **Yin ZQ, Wang H, Yu T, Ren Q, Chen L:** Facilitation of amblyopia management by laser in situ keratomileusis in high anisometropic hyperopic and myopic children. *J AAPOS*. 2007; 11: 571-576.
- **Yuodelis C, Hendrickson A:** A qualitative and quantitative analysis of the human fovea during development. *Vision Res*. 1986; 26: 847- 855.
- **Zaka-Ur-Rab S:** Evaluation of relationship of ocular parameters and depth of anisometropic amblyopia with the degree of anisometropia. *Indian J Ophthalmol*. 2006; 54: 99-103.
- **Zetterstrom C, Lundvall A, Kugelberg M:** Cataracts in children. *J Cataract Refract Surg*. 2005; 31: 824–840.
- **Ziylan S, Yabas O, Zorlutuna N, Serin D:** Isoametropic amblyopia in highly hyperopic children. *Acta Ophthalmol Scand*. 2007; 85: 111-3.