

References

1. Agudelo LM , Molina CA and Alvarez DL. Changes in intraocular pressure after LASIK for myopia , hyperopia , and astigmatism. *Refractive Surgery* 4: 472-474. 2002
2. Ambrosio R. Advances in anterior segment imaging and glaucoma. *Highlights of Ophthalmology* 35: 115-121. 2007
3. Ang GS, Bochmann F , Townend J and Azuara-Blanco A. Corneal biomechanical properties in primary open angle glaucoma and normal tension glaucoma. *J Glaucoma* . 17(4):259-62.2008
4. Anthory J , Reash C , Tripathy and Brendo J. : Cornea and sclera. *Wolff's Anatomy of the eye and the orbit* 7:233-271. 2003
5. Argus WA. Ocular hypertension and central corneal thickness. *Ophthalmology* 102: 1810-1812. 1995
6. Bayer A , Sahin A , Hümeric V , Ozge G. Intraocular pressure values obtained by ocular response analyzer , dynamic contour tonometry and Goldmann tonometry in keratoconic corneas. *J Glaucoma* . 19(8):540-5.2010

7. Bochmann F , Ang GS And Azuara-Blanco A. Lower corneal hysteresis in glaucoma patients with acquired pit of the optic nerve. Graef's Arch clin Exp Ophthalmol 246:735-738. 2008
8. Bohm A , Kohlhaas M and Lerche RC. Measuring intraocular pressure in Keratoconus. Effect of the changed biomechanics. Ophthalmologie 94:771-774.1997
9. Brandt JD, Beiser JA , Kass MA and Gordon MO. Central corneal thickness in the ocular hypertension treatment study (OHTS). Ophthalmology 108:1779-1788.2001
10. Broman AT , Congdon NG and Bandeen-Roche K. Influence of corneal structure , corneal responsiveness, and other ocular parameters on tonometric measurement on intraocular pressure. J Glaucoma 16:581-588. 2007
11. Brubaker RF. Tonometry and corneal thickness. Arch Ophthalmol 117:104-105.1999
12. Buck RC: Measurement of centripetal migration of normal corneal epithelial cells in the mouse. Invest Ophthalmol Vis Sic. 9:296-299. 1985

13. Carlos GV , Moraes D and Tiago S. Modalities of tonometry and their accuracy with respect to corneal thickness and irregularities. J Optom 1:43-49. 2008
14. Ceruti P, Morbio R and Marraffa M. Assessment of the Pascal dynamic contour tonometer in measuring intraocular pressure in keratoconic eyes. J Glaucoma 17:484-488. 2008
15. Chihara E. Assessment of true intraocular pressure: the gap between theory and practical data. Surv Ophthalmol. 3:203-218.2008
16. Cogan DG : Applied anatomy and physiology of the cornea. Trans Am Acad. Ophthalmol. Otolaryngol. 55:329-359.1991
17. Cohen EJ and Myers JS . Keratoconus and normal-tension glaucoma : a study of the possible association with abnormal biomechanical properties as measured by corneal hysteresis : 955-70.2010
18. Congdon NG , Broman MA and Bandeen-Roche K. Central thickness and hysteresis associated with glaucoma damage. Am J Ophthalmol 141:868-875. 2006

19. Danji KF and Munger R. Influence of central corneal thickness on applanation intraocular pressure. J Glaucoma. 9:205-207. 2000
20. David Luce and David Taylor . Reichert Ocular Response Analyzer measures corneal biomechanical properties and IOP. 2006
21. Detry-Morel M , Jamart J and Pourjavan S. Evaluation of corneal biomechanical properties with the Reichert Ocular Response Analyzer. Eur J Ophthalmol. Aug 2010.
22. Doughty MJ , Roberts CJ. Influence of corneal biomechanical properties on intraocular pressure measures: a review and a meta-analysis approach . surv ophthalmol 2000; 44:367-408
23. Doughty MJ and Zaman ML. Human corneal thickness and its impact on intraocular pressure measures: a review and meta-analysis approach. Surv Ophthalmol 44:367-408. 2000
24. Draeger J and Jessen K. Tonometry and tonography. Glaucoma: Contemporary International Concepts, 3rd ed. New York: Masson Publishing USA. Pp82. 1997

25. Duba I and Wirthlin AC. Dynamic contour tonometry for post-LASIK intraocular pressure measurements. *Klin Monatsbl Augenheilkd.* 221:347-350. 2004
26. Du toit R , Vega JA , Fonn D and Simpson T. Diurnal variation of corneal sensitivity and thickness 22:205-209. 2003
27. Edmund C. Assessment of an elastic model in the pathogenesis of Keratoconus. *Acta Ophthalmol* 65:545-550. 1987
28. Elrich JR, Hasetline S , Shimmyo M and Radcliffe NM. Evaluation of agreement between intraocular pressure measurements using Goldmann applanation tonometer and Goldmann correlated intraocular pressure by Reichert's ocular response analyzer. *Eye (Lond)* . 2010
29. Eugene Wolff . *Anatomy of the eye and orbit* . The seventh edition : 33 . 1976
30. Eisenberg DL , Sherman BG and M^cKeown CA. Tonometry in adults and children . *Ophthalmol* 105: 1173-1181. 1998

31. Emara B, Probst LE and Tingey DP. Correlation on intraocular pressure and central corneal thickness in normal myopic eyes and after laser in-situ keratomileusis. J Cataract Refract Surg 24: 1320-1325. 1998
32. Feltgen N , Leifert D and Funk J. Correlation between central corneal thickness, applanation tonometry and direct intracameral IOP readings. Br J Ophthalmol 85:85-87. 2001
33. Flower RW, M^cLeod DS and Pitts SM. Reflection of light by small areas of the ocular fundus. Invest Ophthalmol Vis Sci. 10:981-985. 1977
34. Francis BA , Hsieh A and Lai M-Y. Effect of corneal thickness, corneal curvature and intraocular pressure level on Goldmann applanation tonometry and dynamic contour tonometry. Ophthalmology 114:20-26. 2007
35. Friedenwald JS. Contribution to the theory and practice of tonometry. Am J Ophthalmol 20:985-1024. 1977
36. Gartry DS , Kerr MG and Marshall J. Photorefractive laser keratectomy: 18 months follow up. Ophthalmol 99:1209-1219. 1992

37. Gentle A, Liu Y , Martin J , Conti G and M^cBrein N. Collagen gene expression and the altered accumulation of scleral collagen during the development of high myopia. The journal of Biological Chemistry. 278:16587-26594. 2003
38. Gipson I, Smolin G and Thoft R. Anatomy of the conjunctiva , cornea, scientific foundations and clinical practice. 3:1-24. 1994
39. Gordon MO , Beiser JA and Brandt JD. The ocular hypertension treatment study. Base line factors that predict the onset of primary open angle glaucoma. Arch Ophthalmol. 120:714-720. 2002
40. Green K. Techniques of Intraocular pressure determination. Lens Eye Toxic Res. 3-4:485-489. 1990
41. Gunvant P , O'Leary DJ and Baskaran M. Evaluation of tonometric correction factors. J Glaucoma 14:337-343. 2005
42. Hager A , Schroeder B and Sadeghi M. The influence of corneal hysteresis and corneal resistance factor on the measurement of intraocular pressure. Ophthalmology 104:484-489. 2007

43. Hjortdal JO. Regional elastic performance of the human cornea. J Biomech 29:931-942. 1996
44. Holladay JT, Allison ME and Prager TC. Goldmann applanation tonometry in patients with regular corneal astigmatism. Am J Ophthalmol 96:90-93. 1983
45. Jaycock PD, Lobo L , Ibrahim J , Tyer J and Marshall J. Interferometric technique to measure biomechanical changes in the cornea induced by refractive surgery . J Cataract Refract Surg. 1:175-184.2005
46. Jester JV, Budge A , Fisher S and Huang J. Corneal keratocytes phenotypic and species differences in abundant protein expression and in-vitro light scattering. Invest Ophthalmol Vis. Sci. 7:2369-2378. 2005
47. Kamppeter BA and Jonas JB. Dynamic contour tonometry for intraocular pressure measurement. Am J Ophthalmol. 140:318-320. 2005
48. Karim F , Damji and Rajeev HM. Therapeutics and techniques in influence of corneal variables on accuracy of intraocular pressure measurement. J Glaucoma. 12:69-80. 2003

49. Kass MA, Heur DK, Higginbotham EJ, et al. The Ocular Hypertension Treatment Study: a randomized trial determines that topical ocular hypotensive medication delays or prevents the onset of primary open-angle glaucoma. *Arch Ophthalmol* 2002;120:701-13.
50. Kaufmann C, Bachmann LM, Thiel MA, Intraocular Pressure Measurements Using Dynamic Contour Tonometry after Laser In Situ Keratomileusis. *Invest Ophthalmol and Vis Sci*;44:3790-3794. 2003
51. Kaufman HE , Wind CA and Waltman SR. Validity of McKay-Marg electronic applanation tonometer in patients with scarred irregular corneas. *Am J Ophthalmol* 69:1003-1007. 1990
52. Kenyon KR. The synthesis of basement membrane by the corneal epithelium in bullous keratopathy. *Invest Ophthalmol* 1:146-154. 1988
53. Klyce SD, Beuermann RW, Kaufmann HE , Barton BA , McDonald MB and Waltman SR. Structure and function of the cornea. Churchill Livingstone. New York. 3:54-58. 1988

54. Klyce SD , Jenison GL , Crosson CE and Beuerman RW. Distribution of sympathetic nerve in the rabbit cornea. ARVO abstract. Invest Ophthalmol Vis Sci. 27:354. 1986
55. Kneiestedt C , Lin S and Choe J. Clinical comparison on contour and applanation tonometry and their relationship to pachymetry. Arch Ophthalmol. 123: 1532-1537. 2005
56. Kohlhaas M , Boehm AG and Spoerl E. Effect of central corneal thickness, corneal curvature and axial length on applanation tonometry. Arch Ophthalmol. 124:471-476. 2006
57. Kotecha A, Elsheikh A and Roberts CR. Corneal thickness and age related biomechanical properties of the cornea measured with the ocular response analyzer. Invest Ophthalmol Vis Sci. 47:5337-5347. 2006
58. Kotecha A , White ET and Shwery JM. The relative effects of corneal thickness and age on Goldmann applanation tonometry and dynamic contour tonometry. Br J Ophthalmol. 89:1572-1575. 2005

59. Kynigopoulos M , Scholte T and Kotecha A. Repeatability of intraocular pressure and corneal biomechanical properties measurements by the ocular response analyzer. *Klin Monatsbl Augenheilkd.* 225:357-360. 2008
60. Leite MT , Alencar LM, Gore C , Weinreb RN , Sample PA , Zangwill LM , Medeiros FA. Comparison of corneal biomechanical properties between healthy blacks and whites using the ocular response analyzer. *Am J Ophthalmol.* 150(2):163-168. 2010
61. Leske MC , Heijl A , Hussein M , Bengtsson B , Hyman L , Komaroff E . Early manifest glaucoma trial group. Factors for glaucoma progression and the effect of treatment: the early manifest glaucoma trial . *Arch Ophthalmol* 2003 ; 121:48-56
62. Liu R, Chu RY , Zhou XT , Qu XM , Dai JH and Wang L. A compare study on corneal biomechanical properties in normal and keratoconic eyes. *Zhonghua Yan Ke Za Zhi.* 45(6):509-13. 2009
63. Liu J and Roberts CJ. Influence of cornea biomechanical properties on intraocular pressure measurement. Quantitative analysis. *J cataract Refract Surg.* 31:146-155. 2005

64. Luce DA. Determining in-vivo biomechanical properties of the cornea with an ocular response analyzer. J refract Cataract Surg. 31:156-62. 2005
65. Luce D and Taylor D. Reichert Ocular Response Analyzer measures corneal biomechanical properties and IOP. 11:634-647. 2006
66. Manchester PT. Hydration of the cornea . Trans Am Ophthalmol Soc. 68:425-461. 1971
67. Mark HH. Corneal curvature in applanation tonometry. Am J Ophthalmol. 76:223-234. 1983
68. Martinez-de-la-Casa JM , Garcia-Feijoo J and Fernandez-Vidal A. Ocular response analyzer versus Goldmann applanation tonometry for intraocular pressure measurements. Invest Ophthalmol Vis Sci. 47:4410-4414. 2006
69. Maurice DM. The structure and transparency of the cornea. J Physiol. 2:263-286. 1987

70. M^cBrein N and Gentle A. Role of the sclera in the development and pathological complications of myopia. *Progress in Retinal and eye research*. 22:307-338. 2003
71. M^cLaughlin BJ, Caldwell RB , Sasaki Y and Wood TO. Freeze-fracture quantitative comparison of rabbit corneal epithelial and endothelial membranes. *Curr Eyes Res*. 9:951-961. 1985
72. Medeiros FA and Weinreb RN. Evaluation of the influence of corneal biomechanical properties on intraocular pressure measurements using the ocular response analyzer. *J Glaucoma*. 15:364-370. 2006
73. Mishima S , Gasset A , Klyce SD and Baum JL. Determination of tear volume and tear flow. *Invest Ophthalmol*. 3:264-276. 1966
74. Moses RA. Fluorescein in applanation tonometry. *Am J Ophthalmol*. 49:1149. 1990
75. Moses RA. The Goldmann applanation tonometer . *Am J Ophthalmol*. 46: 865-869. 1985
76. Muller LJ, Pels E and Vrensen GFJM. The specific architecture of the anterior stroma accounts for the maintenance of corneal curvature. *Br J Ophthalmol*. 85: 437-443. 2001

77. Ogbuehi KC and Almubrad TM. Evaluation of the intraocular pressure measured with the ocular response analyzer. 2010
78. Orssengo GJ and Pye DC. Determination of the true intraocular pressure and modulus of elasticity of the human cornea in vivo. Bull Mathematical Biol. 61:551-572. 1999
79. Pache M, Wilmsmeyer S and Lautebach S . Dynamic contour tonometry versus Goldmann applanation tonometry: a comparative study. Graefes Arch Clin Exp Ophthalmol. 8:763-767. 2005
80. Paranhos A, Paranhos FR and Prata JA. Influence of keratometric readings on comparative intraocular pressure measurements with Goldmann , Tono-Pen and non-contact tonometers. J Glaucoma 9:317-312. 2000
81. Phelps CD and Phelps GK. Measurement of intraocular pressure: A study of its reproducibility. Graefes Arch Clin Exp Ophthalmol. 198:39. 1976
82. Punjabi OS , Kniestedt C and Stamper RL. Dynamic contour tonometry: principle and use. Clinical and experimental Ophthalmology. 34:837-840. 2006

83. Purslow PP and Karwatowski WS. Ocular elasticity. Engineering stiffness a more useful characterization parameter than ocular rigidity , Ophthalmology. 103:1686-1692. 1996
84. Quigley HA , Dorman-Pease ME and Brown AE. Quantitative study of collagen and elastin of the optic nerve head and sclera in human and experimental monkey glaucoma. Curr Eye Res. 10:877-888. 1991
85. Rozsa AJ and Beuerman RW . Density and organization of free nerve endings in the corneal epithelium of rabbit. 2:38-40.1998
86. Rootman DS,Insler MS and Thompson HW. Accuracy and precision of the Tono-Pen in measuring intraocular pressure after keratoplasty and epikeratophakia and in scarred corneas. Arch Ophthalmol 106:1697.1988
87. Schipper I , Senn P and Thomann U. Intraocular pressure after excimer laser photorefractive keratectomy for myopia. J Refract Corneal Surg. 11:366-370. 1995
88. Schmidt T. The clinical application of the Goldmann applanation tonometer. Am J Ophthalmol. 49:967-978. 1980

89. Schmidt T. the use of the Goldmann applanation tonometer.
Trans Ophthalmol Soc UK. 79:737-650. 1995
90. Schmidt KG , Von Rückmann A and Mittag TW. Ocular pulse
amplitude in ocular hypertension and open angle glaucoma.
Ophthalmologica 212:5-10. 1998
91. Schneider E, Krieglstein GK and Weinreb RN: Dynamic contour
tonometry. 8:247-256. 2006
92. Shah S. Accurate intraocular pressure measurement , the myth of
modern ophthalmology. Ophthalmology 107:1805-1807. 2000
93. Shah S, Chatterjee A and Mathai M . The relationship between
corneal thickness and measured intraocular pressure in a general
ophthalmology clinic. Ophthalmology 106:2154-2160. 1999
94. Shah S, Laiquzzaman M and Cunliffe I. The use of the Reicherts
ocular response analyzer to establish the relationship between
ocular hysteresis , corneal resistance factor and central corneal
thickness in normal eyes. Cont Lens Anterior Eye. 29:257-262.
2006

95. Smolek M , Tasman W, Jaeger E, Lippincott CO and Klyce S. Cornea, Duane's foundations of clinical ophthalmology. 1:1-20. 1993
96. Snell RS and Lemb MA. Cornea , clinic anatomy of the eye, Blackwell Science. 5:143-148. 2003
97. Sullivan-Mee M , Billingsley SC and Patel AD. Ocular Response Analyzer in subjects with and without glaucoma. Optometry and Vision Science . 6:463-470. 2008
98. Thoft RA and Friend J. The X,Y,Z hypothesis of corneal epithelial maintenance . Invest Ophthalmol. Vis. Sci. 10:1442-1443. 1983
99. Touboul D , Roberts C , Kerautret J, Garra C , Maurice-Tison S, Saubuesse E and Colin J. Correlations between corneal hysteresis , intraocular pressure and corneal central pachymetry. J Cataract Refract Surg. (34(4):616-22. 2008
100. Tripathi RC, Butterworth, London and Washington. Ultrastructure of the normal cornea , in corneal grafting 2:38-40.1998