

## **REFERENCES**

**Abràmoff MD.**, Kalmann R., Mieke EL., et al: Rectus Extraocular Muscle Paths and Decompression Surgery for Graves Orbitopathy: Mechanism of Motility Disturbances. *Investigative Ophthalmology and Visual Science*, 43: 300-30, 2002.

**Alio JL**, Azar DT: Management of complications in refractive surgery. Springer-Verlag Berlin Heidelberg, Ch 18.3: 325- 327, 2008.

**Ashenhurst ME.**, Hill VE., Keyhani K.: Restrictive strabismus following Jones tube insertion: a case series of 8 patients. *Can J Ophthalmol*, 42: 613-6, 2007.

**Avilla CW**, Mazow ML: Restrictive Vertical Strabismus Following Orbital Decompression. Board of Regents of the University of Wisconsin System, *Am. Orthoptic J*, Volume 51: 24:28, 2001.

**Bahn RS**: Clinical review 157. Pathophysiology of Graves' ophthalmopathy: the cycle of disease. *J Clin Endocrinol Metab*, 88: 1939-46, 2003.

**Ball SF**, Ellis GSJr, Herrington RG, Liang K: Brown's superior oblique tendon syndrome after Baerveldt glaucoma implant. *Arch Ophthalmol*, 110: 1368, 1992.

**Bhola R**, Velez FG, Rosenbaum AL: Isolated superior oblique tucking, an effective procedure for superior oblique palsy with profound superior oblique underaction. *JAAPOS*, 9: 243-249, 2005.

**Boxer-Wachler BS**. Holds JB: The missing muscle syndrome in blowout fractures: An indication for urgent surgery. *Ophthal Plast Reconstr Surg*, 14:17-18, 1998.

**Burton TC**, in discussion of Wolff, S.M.: Strabismus after retinal detachment surgery. *Trans. Am. Ophthalmol. Soc*, 81: 191, 1983.

**Campolattaro BN**, Wang FM, : Anatomy and Physiology of the Extraocular Muscles and Surrounding Tissues. Ch 11.1 in Yanoff & Duker: *Ophthalmology*, Elsevier Inc. 3rd ed, 1302-1308, 2009.

**Capo' H**, Roth E, Johnson T, Munˆoz M, Siatkowski RM: Vertical strabismus after cataract surgery. *Ophthalmology*, 103:918–921, 1996.

**Carlson BM**, Rainin K: Extraocular muscle regeneration in primate: Local anesthetic-induced lesion. *Ophthalmology*, 99: 582, 1992.

**Chaudhuri Z**, Pandey PK. Sensory deviations subsequent to senile cataract. *J Pediatr Ophthalmol Strabismus*, 37(3):159–162, 2000.

**Chaudhuri Z**: Clinical management of strabismus. 1<sup>st</sup> edition. Jaypee brothers medical publisher: 359-363, 2008.

**Christmann LM**, Wilson ME: Motility disturbances after Molteno implants. *J Pediatr Ophthalmol Strabismus*, 29:44–48, 1992.

**Chung SA**. et al: Change in ocular alignment after topical anesthetic cataract surgery. *Graefes Arch Clin. Exp. Ophthalmol.* DOI, 10.1007/s00417:1084-1088, 2009.

**Coats DK**, Paysse EA, Orenga-Nania S: Acquired pseudo-Brown's syndrome immediately following Ahmed valve glaucoma implant. *Ophthalmic Surg Lasers*, 30: 396–397, 1999.

**Coats DK.**: Diplopia After Cataract Surgery. *Medscape Ophthalmology*, 4: (1,2,3), 2003.

**Cogen MS**, and Roberts BW: Combined superior oblique tuck and adjustable suture recession of the ipsilateral superior rectus for long-standing superior oblique palsy. *JAAPOS*, 7: 195-199, 2003.

**Cooper L**, Harrison S, Rosenbaum AL: Ocular torsion as a complication of scleral buckle procedures for retinal detachments. *JAAPOS*, 2:279–284, 1998.

**Dalman NE**, Velez FG, Rosenbaum AL.: Incomitant Esotropia Following Pterygium Excision Surgery. *Arch Ophthalmol.*, 125(3):369-373, 2007.

**Damji K**, Freedman S, Moroi S, Shafranov G: Drainage implant surgery. In: Allingham R, Damji K, et al. *Shield's Textbook of Glaucoma*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins :610-621, 2005.

**Dobler-Dixon AA**, Cantor LB, Sondhi N, Ku WS, Hoop J: Prospective evaluation of extraocular motility following double-plate Molteno implantation. *Arch Ophthalmol*, 117:1155–1160, 1999.

**Drummond S**, Weir C, Buchan D, Dutton GN: Cyclical esotropia following surgery for partially accommodative esotropia. *Br J Ophthalmol*, 88(6): 835–836, June 2004.

**Dutton J.J** :Orbital Surgery. Chapter (12) in Yanoff & Duker: *Ophthalmology*, Elsevier Inc. 3rd ed.:1466-1470, 2009.

**Esswein MB**, von Noorden GK: Paresis of a vertical rectus muscle after cataract extraction. *Am J Ophthalmol*, 116: 424–430, 1993.

**Fells P**: Orbital decompression for severe dysthyroid eye disease. *Brj Ophthalmol*, 71: 107-111, 1987.

**Frank JW**, Perkins TW, Kushner BJ. : Ocular motility defects in patients with the Krupin valve implant. *Ophthalmic Surg*, 26(3): 228-232, 1995.

**Freedman SF**: Strabismus Associated with Glaucoma and Glaucoma Surgery. *Am. Orthoptic J*, Volume 51: 2-10, 2001.

**Friedman DS**, Bass EB, Lubomski LH, et al: Synthesis of the literature on the effectiveness of regional anesthesia for cataract surgery. *Ophthalmology*, 108: 519–29, 2001.

**Furr BA**, Archer SM, Del Monte MA: Strabismus Misadventures in Refractive Surgery. *Am Orthoptic J*, Volume 51: 11-15, 2001.

**Garg A**, Prost ME, Crouch ER, et al: Surgical and medical management of pediatric ophthalmology. Jaypee brothers, 1<sup>st</sup> edition: Ch 71: 729, 2007.

**Garrity JA**, Saggau DD, Gorman CA, et al: Torsional diplopia after transantral orbital decompression and extraocular muscle surgery associated with Graves' orbitopathy. *Am J Ophthalm*, 113:363–373, 1992.

**Goble RR.**, Franks WA., Avery D., Chignell AH.: Successful treatment of anisometropic amblyopia and strabismus following intravitreal silicone oil. *British Journal of Ophthalmology*, 77: 321-322, 1993.

**Godts D.** Trau R. Tassignon MJ: Effect of refractive surgery on binocular vision and ocular alignment in patients with manifest or intermittent strabismus. *Br J Ophthalmol*, 90:1410-1413, 2006 .

**Goel R**, Crewdson J, Chignell AH: Astigmatism following retinal detachment surgery. *Br J Ophthalmology*, 67: 327, 1983.

**Goldberg RA**, Perry JD, Hortaleza V, Torre V: Strabismus after balanced medial plus lateral versus lateral wall only orbital decompression for dysthyroid orbitopathy. *Ophthalmic Plast Reconstr Surg*, 16: 271-274, 2000.

**Golnik KC**, West CE, Kaye E, Corcoran KT, Cionni RJ: Incidence of ocular misalignment and diplopia after uneventful cataract surgery. *J Cataract Refract Surg*, 26:1205-1209, 2000.

**Gómez-Arnau JI**, Yangüela J, González A, et al: Anesthesia-related diplopia after cataract surgery. *Br J Anaesth*, 90: 189–92, 2003.

**Greenhalgh DL**: Anesthesia for Cataract Surgery. Chapter 5.6 In: Yanoff & Duker: *Ophthalmology*, Elsevier Inc. 3rd ed.: 441-446, 2009.

**Grimmett M.R.**, and Lambert S.R: superior rectus muscle overaction after cataract extraction. *American journal of ophthalmology* , 114:72-80 ,1992.

**Guyton DL**: Strabismus After Cataract Surgery. *Am Orthoptic J*, Volume 51: 29-32, 2001.

**Hakin KN** and Lee JP: Binocular diplopia in unilateral aphakia: The role of Botulinum toxin. *Eye*, 5: 447, 1991.

**Hamed, LM**: Strabismus presenting after cataract surgery. *Ophthalmology*, 98: 247, 1991.

**Hamed LM**, Mancuso A: Inferior rectus muscle contracture syndrome after retrobulbar anesthesia. *Ophthalmology*, 98:1506–1512, 1991.

**Hamed, LM**: Clinical Strabismus Management: Principles and Surgical Techniques, editors: Rosenbaum AL, and Santiago AP: Philadelphia, WB Saunders Company, p. 371-373-376, 1999.

**Hamilton SM**, Elsas FJ, Dawson TL: A cluster of patients with inferior rectus restriction following local anesthesia for cataract surgery. *J Pediatr Ophthalmol Strabismus*, 30: 288– 291, 1993.

**Harting F**, Koornneff L, Peeters HJF, Gillissen JPA: Fourteen years of orbital decompression in Graves' disease. *Orbit*, 5: 123-9, 1986.

**Hayashi H**, Hayashi K, Nakao F, Hayashi F: Corneal shape changes after sclera buckling surgery. *Ophthalmology*, 104: 831-837, 1997.

**Heuer DK**, Lloyd MA, Abrahms DA, et al: Which is better – one or two randomized clinical trials of single plate versus double plate Molteno implants. *Ophthalmology*, 99:1512-15119, 1992 .

**Hwang JM**, Wright KW: Combined study on the causes of strabismus after the retinal surgery. *Korean J. ophthalmol*, Vol.8: 83-91, 1992.

**Jang GJ**, Park MR, Park SC: Bilateral Lateral Rectus Resection in Patients with Residual Esotropia. *Korean J Ophthalmol*, Vol.18: 161-167, 2004.

**Jenkins PF**, Stavis MI, Jenkins DE III: Esotropia following pterygium surgery. *Binocul Vis Strabismus Q*, 17:227-228, 2002.

**John ws**, Azay AA, Arlen VD, Amy KH, Scott EO, David AP: Introduction to strabismus, American Academy, Volume 6:9-10, 2009.

**Johnson DA**: Persistent vertical binocular diplopia after cataract surgery. *Am J Ophthalmol*, 132:831-835, 2001.

**Julie W**: (<http://www.atlasophthalmology.com/atlas/photo.jsfnode=5115&locale=en>) 07-13, 2006.

**Kanski JJ**: Clinical Ophthalmology. Elsevier Science limited, sixth edition: 170-173, 735-739, 848-851, 2007.

**Khan AO**: Persistent diplopia following secondary intraocular lens placement in patients with sensory strabismus from uncorrected monocular aphakia. *British Journal of Ophthalmology*, 92:51-53, 2008.

**Kim CY**, Chung SH, Kim TI, Cho YJ, Yoon G, Seo KY: Comparison of higher-order aberration and contrast sensitivity in monofocal and multifocal intraocular lenses. *Yonsei Med J*, 31;48(4):627-33, Aug. 2007

**Kim HS**, et al : Consecutive Esotropia in Intermittent Esotropia Patients with Immediate Postoperative Overcorrection More Than 17 Prism Diopters. *Korean J Ophthalmol*, 21(3): 155–158, September 2007.

**Kim JH**, Hwang JM: Initial overcorrection of 20PD or more after surgery of exotropia. *J Korean Ophthalmol Soc*, 44:121–127, 2003.

**Kim YH**, and Choi MY: Clinical Analysis of Reoperation for Strabismus after Strabismus Surgery in Childhood. *J Korean Ophthalmol Soc*, 47(6): 954-959. Jun 2006.

**Kinsella F**, Kyle P, Stansfield A,: Bilateral failure of adduction following orbital decompression. *Br. J. Ophthalmol*, 74(4): 239–241, April 1990.

**Koide R**, Honda M, Kora Y, Ozawa T: Diplopia after cataract surgery. *J Cataract Refract Surg*, 26: 1198–204, 2000.

**Koo NK**, Lee YC, Lee SY: Clinical Study for the Undercorrection Factor in Intermittent Exotropia. *Kor J Ophthalmol*, Vol.20, No.3:182-187, 2006.

**Kooner KS**, Cavanagh HD, Zimmerman CF: Eye movement restrictions after Molteno implant surgery. *Ophthalmic Surg*, 24: 498–499. 1993.

**Kowal L**, Battu R, Kushner B: Refractive surgery and strabismus. Clin Experiment Ophthalmol, 33: 90-95, 2005.

**Krupin T**, Waltman SR: Orbital Surgery. In: Complications in Ophthalmic Surgery. 2<sup>nd</sup> edition. J.B. Lippincott Company: 262, 1984.

**Krzizok T**: Botulinum toxin injections for the treatment of strabismus, which indications are still useful today. (article in German). Ophthalmologe, 104(9): 759-62, Sep 2007.

**Kushner BJ**: Fixation switch diplopia. Arch Ophthalmol, 113:896, 1995.

**Kutschera E.** and Antlanger H: Influence of retinal detachment surgery on eye motility and binocularity. Mod. Probl. Ophthalmol. 20: 354, 1979.

**Kwon JH**, Moon JH, Kwon MS, Cho JH: The Differences of Blowout Fracture of the Inferior Orbital Wall Between Children and Adults. Arch Otolaryngol Head Neck Surg, 131:723-727, 2005.

**Kwon JH**, Kim JK, Moon JH, Cho J.H.: Clinical Analysis of Surgical Approaches for Orbital Floor Fractures. Arch Facial Plast Surg, 10(1):21-24, 2008.

**Langer PD**: Repair of Internal Orbital Floor Fractures Ch 76. of basic techniques of ophthalmic surgery. AAOBTOS, P07: 539-547, 2009.

**Lanigan LP**, Hammond DM : Anaesthesia-related diplopia after cataract surgery British Journal of Anaesthesia, Vol. 91, No. 1: 152-153, 2003.

**Lee HB**, Nunery WR.: Orbital adherence syndrome secondary to titanium implant material. Ophthal Plast Reconstr Surg, -Feb 25(1): 33-6. Jan 2009.

**Lee JY**, Choi DG. The clinical analysis of recurrence after surgical correction of intermittent exotropia. J Korean Ophthalmol Soc, 43:2220-6, 2002.

**Leibovitch I**, Crompton J, Selva D: New onset diplopia: 14 years after retinal detachment surgery with a hydrogel scleral buckle. Br J Ophthalmol, 89(5): 640, May 2005.

**Liao SL**, Kao SCS, Hou PK, et al: Results of orbital decompression in Taiwan. Orbit, 20:267-74, 2001.

**Liao SL**, Shih MJ, Chang TH, Lin LL: Transforniceal Lateral Deep Bone Decompression—A Modified Technique to Prevent Postoperative Diplopia in Patients with Disfiguring Exophthalmos Due to Dysthyroid Orbitopathy. J Formos Med Assoc, Vol 105 ; No 8: 611:616, 2006.

**Lim C**, Martin P, Bengner R, Kourt G, Ghabrial R: Lacrimal canalicular bypass surgery with the Lester Jones tube. *Am J Ophthalmol*, 137:101-8, 2004.

**Lou D**, Xu Y, Li Y: Sensory exotropia subsequent to senile cataract. *J Zhejiang Univ Sci B*, 6(12): 1220–1222, December 2005.

**Lowry JC**, Bartley GB: Complications of blepharoplasty. *Surv Ophthalmol*, 38: 327, 1994.

**Marrakchi S**, Malek I, Allagui I, Sellami D, Nacef L, Daghfous F, Ayed S: Spontaneously detached extraocular rectus muscles following scleral buckling with soft silicone sponges (a report of two cases). *Binacul Vis Strabismus Q*, 17: 223-226, 2002.

**Mataftsi A**, Strickler J, Klainguti G: Vertical and torsional correction in congenital superior oblique palsy by inferior oblique recession. *Eur J Ophthalmol*, 16: 3-9, 2006.

**McCord Jr. CD**: Eyelid Surgery: Principles and Technique. Philadelphia, New York: Lippincott-Raven Publisher: 154,229, 1995.

**Merino P, et al**: Diplopia after sub-Tenon's anesthesia for cataract surgery. (original article in Spain). *Arch SOC ESP Oftalmol*, 81: 141-146, 2006.

**Merino P**, Gomez-De-Liano P, Gil MR., Fernandez AI, Yanez J, Cortes C: Strabismus and Congenital Cataracts.(original article in Spain).*Arch SOC ESP Oftalmol*, 82: 623-628, 2007.

**Merino P et al**: Overcorrection after surgery for unilateral superior oblique palsy.(original article in Spain). *Arch SOC ESP Oftalmol*, 83: 653-658, 2008.

**Mets MB**, Wendell ME, and Gieser RG: Ocular deviation after retinal detachment surgery. *Am. J. Ophthalmol*, 99:667-672, 1985.

**Metz HS**, Jampolsky A: Alternate day esotropia. *J Pediatr Ophthalmol Strabismus*,16: 40–2, 1979.

**Meyer DR**: Complications of Oculoplastic and Orbital Surgery. In: Chariton JF and Weinstien GW: *Ophthalmic Surgery Complications, Prevention and Management*. Philadelphia: J.B. Lippincott Company, 283, 302-309, 1995.

**Min EJ**, Lee MK, Park BI: A clinical study on strabismus in children. *J Korean Ophthalmol Soc*, 32: 379-388, 2001.

**Miyai T**, Hara R, Nejima R, Miyata K, Yonemura T, Amano S: Limbal allograft, amniotic membrane transplantation, and intraoperative mitomycin C for recurrent pterygium. *Ophthalmology*, 112:1263-1267, 2005.

**Muchnick RS**, Sanfillippo S, Dunlap EA: Cyclic esotropia developing after strabismus surgery. *Arch Ophthalmol*, 94: 459–60, 1976.

**Munoz M**, Rosenbaum AL: Long-term strabismus complications following retinal detachment surgery. *J Pediatr Ophthalmol Strabismus*, 24: 309, 1987.

**Munoz M**, Parrish R: Strabismus following implantation of Baerveldt drainage devices. *Arch Ophthalmol*, 111:1096–1099, 1993.

**Nabie R**, Gharabaghi D, Rahimloo B: Bilateral Medical Rectus Advancement versus Bilateral Lateral Rectus Recession for Consecutive Exotropia. *J Ophthalmic Vis Res*, 3: 114-117. 2008.

**Nassaralla JJ**, Amaral BR: Refractive changes after scleral buckling surgery. *Arq Bras Oftalmol*, 66: 575-8, 2003.

**Nuzzi G**, Rossi S: Buckle removal in retinal detachment surgery. Consecutive case series. *Acta Biomed*, 79: 128-132, 2008.

**Oestreicher J**: The Complications of Blepharoplasty Surgery – Part 1. In *Ophthalmology Rounds, Faculty Of Medicine. University of Toronto*, volume 3 issue 1, January and February 2005.

**Okada Y**, Nakamura S, Kubo E, Oishi N, Takahashi Y, Akagi, Y: Analysis of changes in corneal shape and refraction following scleral buckling surgery. *Jpn J Ophthalmol*, 44:132-8, 2000.

**Otori N**, Haruna S, Moriyama H: Endoscopic endonasal or transmaxillary repair of orbital floor fracture, a study of 88 patients treated in our department. *Acta Otolaryngol*, 123(6):718-723, 2003.

**Paridaens D**, Hans K, van Buitenen S, Mourits MP: The incidence of diplopia following coronal and translid orbital decompression in Graves' orbitopathy. *Eye*, 12: 800-805, 1998.

**Parks MM**: Extraocular muscles. In "Ocular motility and strabismus". Harper and Row, Publisher Inc: pp 2-3, 1975.

**Parks MM**: in discussion of Wright KW: The fat adherence syndrome and strabismus after retinal surgery. *Ophthalmology*, 1993: 415, 1986.

**Patney SA:** Strabismus resulting from ocular surgery *Inte Ryc*, vol 2, pp 12 – 22, 2000.

**Phillips PH,** Hunter DG: Evaluation of ocular torsion and principles of management. In: Rosenbaum A, Santiago P, eds. *Clinical Strabismus Management*. Philadelphia, PA: WB Saunders Co: 52-72, 1999

**Poland PJ,** Hiatt RL: The correction of diplopia after cataract extraction, *Ann. Ophthalmol*, 25:110, 1993.

**Prata JAJ,** Minckler DS, Green RL: Pseudo- Brown's syndrome as a complication of glaucoma drainage implant surgery. *Ophthalmic Surg*, 24:608–611, 1993.

**Price RL,** Pederzoli A: Strabismus following retinal detachment surgery. *Am Orthopt J*, 32: 9, 1982.

**Raab EL,** Metz HS, Ellis FD: Medial rectus injury after pterygium excision. *Arch Ophthalmol*, 107:1428, 1989.

**Rab SZ,** Shukla M, Zubair F, Saleem A, Sami MS,: Medial Rectus Dehiscence following Buckling. *JK Science.*, Vol. 10 No. 1, 34:36, January-March 2008.

**Rainin EA,** Carlson BM: Postoperative diplopia and ptosis. *Arch Ophthalmol*, 102:1337– 1339, 1985.

**Rao VK,** Kavatra VK: Ocular myotoxic effects of local anesthetics, *Can J Ophthalmol*, 23:171, 1988.

**Rees TD:** Postoperative considerations and complications. In: *Aesthetic Surgery*. Philadelphia: Saunders: 562–564, 1980.

**Riodan Eva P,** Vickers S, McCarry B, et al: Cyclic strabismus without binocular function. *J Pediatr Ophthalmol Strabismus*, 30:106–8, 1993.

**Roizen A,** Ela-Dalman L, et al: Surgical Treatment of Strabismus Secondary to Glaucoma Drainage Device. *Arch Ophthalmol*, 126(4):480-486, 2008.

**Rosenbaum A,** Santiago P: Strabismus after glaucoma implant procedures. In: Rosenbaum A, Santiago P, eds. *Clinical Strabismus Management*. Philadelphia, PA: WB Saunders Co 304-307, 1999.

**Rosenbaum AL:** Strabismus Following Retinal Detachment Surgery. *Am. Orthoptic J*, Volume 51, 47:53, 2001.

**Roth A**, Desmangles PH, Rossillion B: Early treatment of oculomotor restriction due to orbital blow-out fractures (article in French). *Journal Français d'Ophthalmologie*, 22: 645, 1999.

**Rubin RM**, Sadun AA: Ocular Myopathies, Ch(9.17) In: Yanoff & Duker: *Ophthalmology*, Elsevier Inc. 3rd ed, 1035, 2009.

**Sang Hun Lee**, Lew H, Yun YS: Ocular Motility Disturbance in Orbital wall Fracture Patients. *Yonsei Medical Journal*, Vol. 46(3): 359-367, 2005.

**Saxena S**: Ophthalmic surgery, the cutting edge. Jaypee brothers medical publisher, ch. 18: 567-568, 2006.

**Scott AB**: Botulinum treatment of strabismus following retinal detachment surgery. *Arch Ophthalmol*, 108: 509, 1990.

**Sharkey JA**, Sellar PW. Acquired central fusion disruption following cataract extraction. Acquired central fusion disruption following cataract extraction. *J Pediatr Ophthalmol Strabismus*. 31(6): 391-393, 1994.

**Shorr N**, Neuhaus RW, Baylis HI: Ocular motility problems after orbital decompression for dysthyroid ophthalmopathy. *Ophthalmology*, 89:323–328, 1982.

**Shorr N**, Henry BI, Goldberg RA, Perry JD: Transcaruncular approach to the medial orbit and orbital apex. *Ophthalmology*, 107: 1459-1463, 2000.

**Skov CM**, Mazow ML: Diplopia following Jones tube placement. *Ophthalmic Surg*, 15: 932-3, 1984.

**Smiddy WE**, Loupe D, Michels RG, et al: Extraocular muscle imbalance after scleral buckling surgery. *Ophthalmology*, 96: 1485–1490, 1989.

**Smith SL**, Starita RJ, Fellman RL, Lynn JR: Early clinical experience with the Baerveldt 350-mm<sup>2</sup> glaucoma implant and associated extraocular muscle imbalance. *Ophthalmology*, 100: 914–918, 1993.

**Snell RS**, Lemp MA: Cranial Nerves – Part 1: The nerves directly associated with the eye and orbit. Ch 10 in : *Clinical anatomy of the eye*. 2nd editin Blackwell Science, Inc. pp 299-312. 2006.

**Spielmann AC**, Maalouf T, George JL: Oculomotor risk after trans-palpebral bony decompression for thyroid-related orbitopathy. *J Fr Ophthalmol*, 21: 425–434, 1998.

**Stiglmayer N**, Mladina R, Tomiæ M, et al: Endonasal Endoscopic Orbital Decompression in Patients with Graves' Ophthalmopathy. *Croat Med J*, 45:318-322, 2004.

**Taylor D**, Hoyt C: *Pediatric ophthalmology and strabismus*. 3rd edition, Elsevier Sanders Edinburgh: 962-986, 2005.

**Taylor G**, Devys JM, Heran F, and Plaud B: Early exploration of diplopia with magnetic resonance imaging after peribulbar anaesthesia *British Journal of Anaesthesia*, Vol. 92, No. 6: 899-901, 2004.

**Tejedor J**, and Rodríguez JM: Management of Non-resolving Consecutive Exotropia Following Botulinum Toxin Treatment of Childhood Esotropia. *Arch Ophthalmol*, 125(9): 1210-1213, 2007.

**Theodossiadis G**, Nikolakis S, Apostolopoulos M: Immediate postoperative muscular disturbance in retinal detachment surgery. *Mod. Probl. Ophthalmol*, 20: 367, 1979.

**Ugrin MC**, Molinari A: Disinsertion of the medial rectus following pterygium surgery: signs and management. *Strabismus*, 7:147-152, 1999.

**Ventura MP**, Viana RN, Souza Filho JP, Solari HP, Curi RL: Acquired Brown's syndrome secondary to Ahmed valve implant for neovascular glaucoma. *Eye*, 19(2):230-232, 2005.

**von Noorden GK**: *Binocular Vision and Ocular Motility*. 4th ed. St Louis, MO, CV Mosby: 450–2, 1990.

**von Noorden GK**, Jenkins RH, Chu MW: Horizontal transposition of the vertical rectus muscles for cyclotropia. *Am J Ophthalmol*, 122: 325, 1996.

**Vrabec MP**, Weisenthal RW, Elsing SH: Subconjunctival fibrosis after conjunctival autograft. *Cornea*, 12:181-183, 1993.

**Walland MJ**, Stevens JD, Steele AD: The effect of recurrent pterygium on corneal topography. *Cornea*, 13: 463-464, 1994.

**Watson D**: Hyaluronidase. *Br J Anaesth*, 71: 422–5, 1993.

**Wilhelmi BJ**, Mowlavi A, Neumeister MW: Upper Blepharoplasty with Bony Anatomical Landmarks to Avoid Injury to Trochlea and Superior Oblique Muscle Tendon with Fat Resection. *Plastic and Reconstructive Surgery*, Vol. 108, No. 7: 2137-2140, December 2001.

**Wilkinson CP**, and Bhavsar AR: *Retina and vitreous surgery*. Elsevier Inc. first published, 13, 2010 .

**Wolff SM:** Strabismus after retinal detachment surgery. *Trans Am Ophthalmol Soc*, 81: 182, 1983.

**Wong DHW:** Regional anesthesia for intraocular surgery. *Can J Anaesth*, 40: 653–7, 1993.

**Wright KW:** *Handbook of Pediatric Strabismus and Amblyopia*. Springer Science and Business Media, Inc. 3rd edition, pp: 24-67, 334-336, 2006.

**Wright KW:** *Color Atlas of Strabismus Surgery. Strategies and Techniques*. 3rd edition. Springer Science and Business Media: 49-51, 2007.

**Wu TE, Rosenbaum AL, Demer JL:** Severe strabismus after scleral buckling, multiple mechanisms revealed by high resolution magnetic resonance imaging. *Ophthalmology*, 112: 327-36, 2005.

**Xia Q, Huang Z, Shen DA, Dai H:** Clinical analysis of the diplopia and strabismus after ophthalmic surgeries. *Zhonghua Yan Ke Za Zhi*, 39:727-730, 2003.

**Yamada M, Shinoda K, Hatakeyama A, Nishina S, Mashima Y:** Fat adherence syndrome after retinal surgery treated with amniotic membrane transplantation. *Am J Ophthalmol*, 132(2):280–282, 2001.

**Zilelioglu G, Gunduz K:** Conjunctivo-dacryo-cysto-rhinostomy with Jones tube. Ten years study. *Doc Ophthalmol*, 92:97-105, 1996.