

References

Abrams GW, Azen SP, McCuen II BW, et al. (1997): Vitrectomy with silicone oil or long-acting gas in eyes with severe proliferative vitreoretinopathy: results of additional and long term follow-up. Silicone Study Report 11. Arch Ophthalmol; vol. 115: 335-344.

Adachi K, Yamauchi K, Bernaudin J-F, et al. (1988): Evaluation of fibronectin gene expression by in situ hybridisation: differential expression of the fibronectin gene among populations of human alveolar macrophages. Am J Pathol; vol. 133: 193-203.

Aguayo J, Glaser B, Mildvan A, et al. (1985): Study of vitreous liquefaction by NMR spectroscopy and imaging. Invest Ophthalmol Vis Sci; vol. 26: 692.

Alitalo K, Tapani H, and Vaheri A. (1980): Fibronectin is produced by human macrophages. J Exp Med; vol. 151: 602-13.

Almond A, Brass A and Sheehan JK. (1998): Deducing polymeric structure from aqueous molecular dynamics simulations of oligosaccharides: predictions from simulations of hyaluronan tetrasaccharides compared with hydrodynamic and X-ray fibre diffraction data. J Mol Biol; vol. 284: 1425-1437.

Ando F, Yasui O, Hirose H, and Ohba N. (2004): Optic nerve atrophy after vitrectomy with indocyanine green-assisted internal limiting membrane peeling in diffuse diabetic macular oedema. Adverse effect of ICG-assisted ILM peeling. Graefes Arch Clin Exp Ophthalmol; vol. 242: 995-999.

Antoniou J, Steffen T, Nelson F, et al. (1996): The human lumbar intervertebral disc: evidence for changes in the biosynthesis and denaturation of the extracellular matrix with growth, maturation, ageing, and degeneration. J Clin Invest; vol. 98: 996-1003.

Armand G and Chakrabarti B. (1987): Conformational differences between hyaluronates of gel and liquid human vitreous-Fractionation and circular dichroism studies. Curr Eye Res; vol. 6: 445.



Asakura A. (1985): Histochemistry of hyaluronic acid of the bovine vitreous body as studied by electron microscopy. *Acta Soc Ophthalmol Jpn*; vol. 89: 179.

Asami T, Terasaki H, Kachi S, et al. (2004): Ultrastructure of internal limiting membrane removed during plasmin-assisted vitrectomy from eyes with diabetic macular edema. *Ophthalmology*; vol. 111: 231-237.

Azzolini C, D'Angelo A, Maestranzi G, et al. (2004): Intracavitary plasmin enzyme in diabetic macular edema. *Am J Ophthalmol*; vol. 138: 560-566.

Badrinath SS, Gopal L, Sharma T, et al. (1999): Vitreoschisis in Eales' disease: pathogenic role and significance in surgery. *Retina*; vol. 19: 51-54.

Balazs EA and Delinger JL. (1982): Aging changes in the vitreous. In *Aging and Human Visual Function* (eds. N. Dismukes and R. Sekular). Alan R. Liss, New York: pp. 45-57.

Balazs EA, Toth LZ, Eckl EA, et al. (1964): Studies on the structure of the vitreous body. XII. Cytological and histochemical studies on the cortical tissue layer. *Exp Eye Res*; vol. 89: 57-71.

Balazs EA, Toth LZ, and Ozanics V. (1980): Cytological studies on the developing vitreous as related to the hyaloid vessel system. *Graefes Arch Clin Exp Ophthalmol*; vol. 213: 71.

Balazs EA. (1975): Fine structure of the developing vitreous. *Int Ophthalmol Clin*; vol. 15: 53.

Balazs EA. (1984): Functional anatomy of the vitreous. In Duane TD, Jaeger EA, eds. *Biomedical Foundation of Ophthalmology*, Vol. 1. Philadelphia: Harper and Row: 14.

Balazs EA. (1960): Physiology of the vitreous body. In *Importance of the vitreous body in Retinal Surgery with special Emphasis on Re-operation* (ed. C. L. Schepens). C. V. Mosby, St Louis: pp. 29-57.

Balazs EA. (1973): The vitreous. In: Zinn K (ed) *Ocular fine structure for the clinician* (International Ophthalmology Clinics Vol 13 No 3). Little Brown, Boston: pp. 169-187.



Baramova E and Foidart J-M. (1995): Matrix metalloproteinase family. *Cell Biol Int*; vol. 19: 239-42.

Barishak YR. (1992): Embryology of the eye and its adnexae. *Dev Ophthalmol*; vol. 24: 1-142.

Bhavsar A, Grillone L, McNamara T, et al. (2008): Predicting response of vitreous hemorrhage and outcome of photocoagulation after intravitreal injection of highly purified ovine hyaluronidase in patients with diabetes. *Invest Ophthalmol Vis Sci*; vol. 49: 4219–4225.

Bishop PN, Crossman MV, McLeod D, et al. (1994b): Extraction and characterization of the tissue forms of collagen types II and IX from bovine vitreous. *Biochem J*; vol. 299: 497-505.

Bishop PN, McLeod D, and Reardon A. (1999): Effects of hyaluronanlyase, hyaluronidase, and chondroitin ABC lyase on mammalian vitreous gel. *Invest Ophthalmol Vis Sci*; vol. 40: 2173-2178.

Bishop PN, Reardon AJ, McLeod D, et al. (1994a): Identification of alternatively spliced variants of type II procollagen in vitreous. *Biochem Biophys Res Commun*; vol. 203: 289-295.

Bishop PN. (2000): Structural Macromolecules and Supramolecular Organisation of the Vitreous Gel. *Progresss in Retinal Eye Research*; vol. 19, No. 3, pp. 323-344.

Boldt HC, Munden PM, Folk JC, et al. (1996): Visual field defects after macular hole surgery. *Am J Ophthalmol*; vol. 122: 371-381.

Brown DJ, Bishop P, Hamdi H, et al. (1996): Cleavage of structural components of mammalian vitreous by endogenous matrix metalloproteinase-2. *Curr Eye Res*; vol. 15: 439–445.

Brown D, Hamdi H, Bahri S, et al. (1994): Characterization of an endogenous metalloproteinase in human vitreous. *Curr Eye Res*; vol. 13: 639-647.

Burton TC. (1982): Recovery of visual acuity after retinal detachment involving the macula. *Trans Am Ophthalmol Soc*; vol. 80: 475-82.



Campochiaro P, Jerdan J, and Glaser B. (1986): The extracellular matrix of human retinal pigment epithelial cells in vivo and its synthesis in vitro. *Invest Ophthalmol Vis Sci*; vol. 27: 1615-21.

Campochiaro PA, Jerdan JA, Glaser BM, et al. (1985): vitreous aspirates from patients with proliferative vitreoretinopathy stimulate retinal pigment epithelial cell migration. *Arch Ophthalmol*; vol. 103: 1403-1405.

Chakrabarti B and Hultsch E. (1976): Owl monkey vitreous- a novel model for hyaluronic acid structural studies. *Biochem Biophys Res Commun*; vol. 71: 1189.

Chakrabarti B and Park JW. (1980): Glycosaminoglycans structure and interaction. *CRC Crit Rev Biochem*; vol. 8: 225.

Chang S, Lincoff H, Zimmerman NJ, et al. (1989): Giant retinal tears: surgical techniques and results using perfluorocarbon liquids. *Arch Ophthalmol*; vol. 107: 761-766.

Chen JC. (1996): Sutureless pars plana vitrectomy through self-sealing sclerotomies. *Arch Ophthalmol*; vol. 114: 1273-5.

Chen SN, Yang TC, Ho CL et al. (2003): Retinal toxicity of intravitreal tissue plasminogen activator: case report and literature review. *Ophthalmology*; vol. 110(4): 704–708.

Chen W, Huang X, Ma XW, et al. (2008): Enzymatic vitreolysis with recombinant microplasminogen and tissue plasminogen activator. *Eye (Lond)*; vol. 22: 300-307.

Chen W, Mo W, Sun K, et al. (2009): Microplasmin degrades fibronectin and laminin at vitreoretinal interface and outer retina during enzymatic vitrectomy. *Curr Eye Res*; vol. 34: 1057-64.

Cherfan GM, El Maghraby A, Tabbara K, et al. (1991): Dissolution of intraocular fibrinous exudates by streptokinase. *Ophthalmology*; vol. 98(6): 870-874.

Chirila TV, Tahija S, Hong Y, et al. (1994): Synthetic polymers as materials for artificial vitreous body: review and recent advances. J Biomater; vol. 9: 121-137.

Clayman HM, Barron BA, Charles ST, et al. (1990): General posterior segment procedures. In: Atlas of contemporary ophthalmic surgery, 1st ed, The C. V. Mosby comp, st. Louis, Missouri; Ch 23: 441-469.

Courtoy PJ, Kanwar YS, Hynes RO, et al. (1980): Fibronectin localization in the rat glomerulus. J Cell Biol; vol. 87: 691.

Cullinane AB and Cleary PE. (2000): Prevention of visual field defects after macular hole surgery. Br J Ophthalmol; vol. 84: 372 – 7.

de Smet MD, Valmaggia C, Zarranz-Ventura J, et al. (2009): Microplasmin: ex vivo characterization of its activity in porcine vitreous. Invest Ophthalmol Vis Sci; vol. 50: 814-819.

Denlinger JL, Eisner G and Balazs EA. (1980): Age-related changes in the vitreous and lens of rhesus monkeys (Macaca mulatta). Exp. Eye Res; vol. 31: 67-79.

El Baha MS, Abou-Nazel WM, et al. (2003): The role of streptokinase in induction of posterior vitreous detachment: A scanning and transmission electron microscopic study of the retina in rabbits. Retina; vol. 23: 698-704.

Engelbert M and Chang S. (2009): Vitrectomy In: Ophthalmology, 3rd edition, edited by Yanoff M and Duker JS, Mosby, China; vol. II (part 6 section 2): 530-533.

Falk RJ, Scheinman JJ, Mauer SM, et al. (1983): Polyantigenic expansion of basement membrane constituents in diabetic nephropathy. Diabetes; vol. 32(suppl 2): 34.

Faulborn J, Conway BP, and Machemer R. (1978): Surgical complications of pars plana vitreous surgery. Ophthalmology; vol. 85: 116.

Feeney SA, Simpson DA, Gardiner TA, et al. (2003): Role of vascular endothelial growth factor and placental growth factors during



retinal vascular development and hyaloids regression. *Invest Ophthalmol Vis Sci*; vol. 44: 839.

Fine BS and Yanoff M. (1979): Ocular Histology: A Text and Atlas, 2nd ed., Hagerstown, MD, Harper and Row: pp. 131-145.

Fischer F and Gartner J. (1982): Morphometric analysis of basal laminae in rats with long-term streptozotocin diabetes. I. Vitreoretinal juncture. *Exp Eye Res*; vol. 34: 595.

Foos RY and Wheeler NC. (1982): Vitreoretinal juncture: Synchysis senilis and posterior vitreous detachment. *Ophthalmology*; vol. 12: 1502-1512.

Foos RY. (1972): Posterior vitreous detachment. *Trans. Am. Acad. Ophthalmol. Otolaryngol*; vol. 76: 480-497.

Foos RY. (1977): Vitreoretinal juncture over retinal vessels. *Albrecht Von Graefes Arch Klin Exp Ophthalmol*; vol. 204: 223-234.

Foos RY. (1972): Vitreoretinal juncture; topographical variations. *Invest Ophthalmol Vis Sci*; vol. 11: 801.

Foos RY. (1975): Ultrastructural features of posterior vitreous detachment. *Graefes Arch Clin Exp Ophthalmol*; vol. 196: 103.

Francois J. (1972): Biological factors in vitreous surgery. *Donders Lecture. Ophthalmologica*; vol. 171: 390-404 .

Freeman MI, Jacobson B, and Balazs EA. (1979): The chemical composition of vitreous hyalocyte granules. *Exp Eye Res*; vol. 29: 479-484.

Frenzel EM, Neely KA, Walsh AW, et al. (1998): A new model of proliferative vitreoretinopathy. *Invest Ophthalmol Vis Sci*; vol. 39: 2157-2164.

Fujii GY, De Juan E Jr, Humayun MS, et al. (2002): Initial experience using the transconjunctival sutureless vitrectomy system for vitreoretinal surgery. *Ophthalmology*; vol. 109(10): 181-420.



Fuller D, Machemer R, and Kington RW. (1978): Retinal damage produced by intraocular fiber optic light. *Am J Ophthalmol*; vol. 85: 519-537.

Gandorfer A, Putz E, Welge-Lüssen U, et al. (2001): Ultrastructure of the vitreoretinal interface following plasmin assisted vitrectomy. *Br J Ophthalmol*; vol. 85: 6–10.

Gandorfer A and Kampik A. (2005): Enzyme-assisted vitrectomy in enucleated pig eyes. *Curr Eye Res*; vol. 30: 821-822.

Gandorfer A, Priglinger S, Schebitz K, et al. (2002): Vitreoretinal morphology of plasmin-treated human eyes. *Am J Ophthalmol*; vol. 133: 156–159.

Gandorfer A, Rohleder M, Sethi C, et al. (2004): posterior vitreous detachment induced by microplasmin. *Invest Ophthalmol Vis Sci*; vol. 45: 641–647.

Gandorfer A, Ulbig M, and Kampik A. (2002): Plasmin-assisted vitrectomy eliminates cortical vitreous remnants. *Eye*; vol. 16: 95-7.

Gandorfer A. (2007): Pharmacological vitreolysis. *Dev Ophthalmol*; vol. 39: 149 – 156.

Gandorfer A. (2008): Enzymatic vitreous disruption. *Eye (Lond)*; vol. 22: 1273-1277.

Gartner J. (1986): Electron-microscopic study on the fibrillar network and fibrocyte-collagen interactions in the vitreous cortex at the ora serrata of the human eyes with special regard to the role of disintegrating cells. *Exp Eye Res*; vol. 42: 21-33.

Gass JDM. (1995): Reappraisal of biomicroscopic classification of stages of development of a macular hole. *Am J Ophthalmol*; vol. 119: 752-759.

Geller SF, Lewis GP, Anderson DH, et al. (1995): Use of the MIB-1 antibody for detecting proliferating cells in the retina. *Invest Ophthalmol Vis Sci*; vol. 36: 737–744.



Goldfinger LE, Stack MS, and Jones JC. (1998): Processing of laminin-5 and its functional consequences: role of plasmin and tissue-type plasminogen activator. *J Cell Biol*; vol. 141: 255-265.

Gomez DE, Alonso DF, Yoshiji H, et al. (1997): Tissue inhibitors of metalloproteinases: structure, regulation and biological functions. *Eur J Cell Biol*; vol. 74: 111-22.

Gottlieb JL, Antoszyk AN, Hatchell DL, et al. (1990): The safety of intravitreal hyaluronidase: a clinical and histologic study. *Invest Ophthalmol Vis Sci*; vol. 31: 2345–2352.

Green RL and Byrne SF. (1989): Diagnostic ophthalmic ultrasound. In Ryan SJ, ed. *Retina*. St. Louis: CV Mosby: 268.

Green WR and Sebag J. (2001): Vitreous and the vitreo-retinal interface. In: Ryan SJ (ed) *Retina*. Mosby, St. Louis; vol. III: pp. 1882-1960.

Greven CM, Sanders RJ, Brown GC, et al. (1992): Pseudophakic retinal detachments. Anatomic and visual results. *Ophthalmology*; vol. 99: 257-62.

Gribbon P, Heng BC and Hardingham TE. (1999): The molecular basis of the solution properties of hyaluronan investigated by confocal fluorescence recovery after photobleaching. *Biophys J*: 77, In Press.

Grisanti S, Heimann K, and Wiedemann P. (1993): Origin of fibronectin in epiretinal membranes of proliferative vitreoretinopathy and proliferative diabetic retinopathy. *British Journal of Ophthalmology*; vol. 77: 238-242.

Haddad A and Andre JC. (1998): Hyalocyte-like cells are more numerous in the posterior chamber than they are in the vitreous of the rabbit eye. *Exp Eye Res*; vol. 66: 709-18.

Hageman GS and Russell SR. (1994): Chondroitinase-mediated disinsertion of the primate vitreous body. *Invest Ophthalmol Vis Sci*; vol. 35: 1260.

Harbour JW, Smiddy WE, Flynn HW, et al. (1996): Vitrectomy for diabetic macular edema associated with a thickened

and taut posterior hyaloid membrane. *Am J Ophthalmol*; vol. 121 : 405 – 413.

Harooni M, McMillan T, and Refojo M. (1998): Efficacy and safety of enzymatic posterior vitreous detachment by intravitreal injection of hyaluronidase. *Retina*; vol. 18: 16–22.

Harooni M, McMillan T, and Refojo M. (1997): Enzymatic PVD by intravitreal injection of hyaluronidase. *Invest Ophthalmol Vis Sci*; vol. 38: S286.

Hasumura T, Yonemura N, Hirata A, et al. (2000): Retinal damage by air infusion during vitrectomy in rabbit eyes. *Invest Ophthalmol Vis Sci*; vol. 41: 4300-4304.

Heimann H, Bornfeld N, Friedrichs W, et al. (1996): Primary vitrectomy without scleral buckling for rhegmatogenous retinal detachment. *Graefes Arch Clin Exp Ophthalmol*; vol. 234: 561-568.

Hermel M, Prenner J, Dailey W, et al. (2009): Effect of intravitreal plasmin on vitreous removal through a 25-gauge cutting system in the rabbit in vivo. *Graefes Arch Clin Exp Ophthalmol*; vol. 247: 331–334.

Hermel M and Schrage N. (2006): Efficacy of plasmin enzymes and chondroitinase ABC in creating posterior vitreous separation in the pig: a masked, placebo-controlled in vivo study. *Graefes Arch Clin Exp Ophthalmol*; vol. 244: 1–8.

Hermel M and Schrage NF. (2007): Efficacy of plasmin enzymes and chondroitinase ABC in creating posterior vitreous separation in the pig: a masked, placebocontrolled in vivo study. *Graefes Arch Clin Exp Ophthalmol*; vol. 245: 399-406.

Hesse L, Chofflet J, and Kroll P. (1995): Tissue plasminogen activator as a biochemical adjuvant in vitrectomy for proliferative diabetic vitreoretinopathy. *Ger J Ophthalmol*; vol. 4: 323-327.

Hesse L, Nebeling B, Schroeder B, et al. (2000): Induction of posterior vitreous detachment in rabbits by intravitreal injection of tissue plasminogen activator following cryopexy. *Exp Eye Res*; vol. 70: 31-39.

Hesse L, Schmidt J. and Kroll P. (1999): Management of acute submacular hemorrhage using recombinant tissue plasminogen activator and gas. *Graefes Arch Clin Exp Ophthalmol*; vol. 237: 273-7.

Hikichi T, Kado M, and Yoshida A. (2000): Intravitreal injection of hyaluronidase cannot induce posterior vitreous detachment in the rabbit. *Retina*; vol. 20: 195–198.

Hikichi T, Yanagiya N, Kado M, et al. (1999): Posterior vitreous detachment induced by injection of plasmin and sulphur hexafluoride in the rabbit vitreous. *Retina*; vol. 19: 55-58.

Hillenkamp J, Surguch V, Framme C, et al. (2010): Management of submacular hemorrhage with intravitreal versus subretinal injection of recombinant tissue plasminogen activator. *Graefes Arch Clin Exp Ophthalmol*; vol. 248: 5-11.

Hines J, Vinorez SA, and Campochiaro PA. (1993): Evolution of morphologic changes after intravitreal injection of gentamicin. *Curr Eye Res*; vol. 12: 521–9.

Hirata A, Takano A, Inomata Y, et al. (2007): Plasmin-assisted vitrectomy for management of proliferative membrane in proliferative diabetic retinopathy: a pilot study. *Retina*; vol. 27: 1074–1078.

Hiscott P, Waller H, Grierson I, et al. (1992): Local production of fibronectin by ectopic human retinal cells. *Cell Tissue Res*; vol. 267: 185-92.

Hutton WL, Fuller DG, Snyder WB, et al. (1996): Visual field defects after macular hole surgery: a new finding. *Ophthalmology*; vol. 103: 2152-2158.

Hynes R and Destree A. (1977): Extensive disulfide bonding at the mammalian cell surface. *Proc Natl Acad Sci USA*; vol. 74: 2855-9.

Hynes RO. (1990): Fibronectins. Berlin: Springer-Verlag.

Immonen I, Tervo K, Virtanen I, et al. (1991): Immunohistochemical demonstration of cellular fibronectin and tenascin in human epiretinal membranes. *Acta Ophthalmol*; vol. 69: 466-71.



Jacobson B, Dorfman T, Basu PK, et al. (1985): inhibition of vascular endothelial cell growth and trypsin activity by vitreous. *Exp Eye Res*; vol. 41: 581.

Johnson MW, Olsen KR, and Hernandez E. (1992): Tissue plasminogen activator thrombolysis during surgical evacuation of experimental subretinal hemorrhage. *Ophthalmology*; vol. 99: 515-21.

Jorge R, Oyamaguchi EK, Cardillo JA, et al. (2003): Intravitreal injection of dispase causes retinal hemorrhages in rabbit and human eyes. *Curr Eye Res*; vol. 26: 107-12.

Ju KN, Yu GH, Yu SY, et al. (2004): Long-term effect of plasmin on the vitreolysis in rabbit eyes. *K J Ophthalmol*; vol. 18: 35-40.

Juan EJ and Hickingbotham D. (1990): Refinements in microinstrumentation for vitreous surgery. *Am J Ophthalmol*; vol. 109: 218-20.

Kakehashi A, Schepens CL, de Sousa-Neto A, et al. (1993): Biomicroscopic findings of posterior vitreoschisis. *Ophthalmic Surg*; vol. 24: 846-850.

Kakehashi A. (1996): Age related changes in the premacular vitreous cortex. *Invest Ophthalmol Vis Sci*; vol. 37: 2253.

Kamei M, Estafanous M, and Lewis H. (2000): Tissue plasminogen activator in the treatment of vitreoretinal diseases. *Semin Ophthalmol*; vol. 15: 44-50.

Kamei M, Tano Y, Maeno T, et al. (1996): Surgical removal of submacular hemorrhage using tissue plasminogen activator and perfluorocarbon liquid. *Am J Ophthalmol*; vol. 121: 267-75.

Kanski JJ. (1975): Complications of acute posterior vitreous detachment. *Am J Ophthalmol*; vol. 80: 44-46.

Katelyn ES and Nathan R. (2007): Recent advances in polymeric vitreous substitutes. *Expert Rev Ophthalmol*; vol. 2(2): 225-265.

Kerrison JB, Haller JA, Elman M, et al. (1996): Visual field loss following vitreous surgery. *Arch Ophthalmol*; vol. 114: 564-569.



Kim JY, Gum SN, Paik JK, et al. (2008): Effects of nattokinase on blood pressure: a randomized, controlled trial. *Hypertens Res*; vol. 31: 1583-1588.

Kishi S and Shimizu K. (1990): Posterior precortical vitreous pocket. *Arch Ophthalmol*; vol. 108: 979.

Kleiner DE and Stetler-Stevenson WG. (1993): Structural biochemistry and activation of matrix metalloproteinases. *Curr Opin Cell Biol*; vol. 5: 891-7.

Kleinman HK, Klebe RJ, and Martin GR. (1981): Role of collageneous matrices in the adhesion and growth of cells. *J Cell Biol*; vol. 88: 473.

Knupp C, Munro PM, Luther PK, et al. (2000): Structure of abnormal molecular assemblies (collagen VI) associated with human full thickness macular holes. *J Struct Biol*; vol. 129: 38.

Koenig SB, Mieler WF, Han DP, et al. (1992): Combined phacoemulsification, pars plana vitrectomy, and posterior chamber intraocular lens insertion. *Arch Ophthalmol*; vol. 110: 1101-1104.

Kohno T, Sorgente N, Goodnight R, et al. (1987): Alterations in the distribution of fibronectin and laminin in the diabetic human eye. *Invest Ophthalmol Vis Sci*; vol. 28: 515-521.

Kohno T, Sorgente N, Ishibashi T, et al. (1987): Immunofluorescent studies of fibronectin and laminin in the human eye. *Invest Ophthalmol Vis Sci*; vol. 28: 506.

Kohno T, Sorgente N, Patterson R, et al. (1983): Fibronectin and laminin distribution in bovine eye. *Jpn J Ophthalmol*; vol. 27: 496.

Kornblitt A, Vide-Pedersen K, and Baralle F. (1983): Isolation and characterization of cDNA clones for human and bovine fibronectins. *Proc Natl Acad Sci USA*; vol. 80: 3218-22.

Krebs I, Brannath W, Glittenberg C, et al. (2007): Posterior vitreomacular adhesion: a potential risk factor for exudative age-related macular degeneration? *Am J Ophthalmol*; vol. 144: 741-746.

Kuppersmann BD, Thomas EL, de Smet MD, et al. (2005): Safety results of two phase III trials of an intravitreal injection of highly purified ovine hyaluronidase (Vitrace) for the management of vitreal hemorrhage. *Am J Ophthalmol*; vol. 140: 585– 597.

Lapchak PA, Araujo DM, Pakola S, et al. (2002): Microplasmin: a novel thrombolytic that improves behavioral outcome after embolic stroke in rabbits. *Stroke*; vol. 33: 2279-2284.

Laurent UBG and Fraser JRE. (1934): Turnover of hyaluronate in aqueous humor and vitreal body of the rabbit. *Exp Eye Res*; vol. 36: 493.

Le Mer Y, Korobelnik JF, Morel C, et al. (1999): TPA-assisted vitrectomy for proliferative diabetic retinopathy: results of a double-masked, multicenter trial. *Retina*; vol. 19: 378-82.

Lee B, Litt M, and Buchsbaum G. (1994): Rheology of the vitreal body: Part 3. Concentration of electrolytes, collagen and hyaluronic acid. *Biorheology*; vol. 31: 339-351.

Lewis GP, Charteris DG, Sethi CS, et al. (2002): Animal models of retinal detachment and reattachment: identifying cellular events that may affect visual recovery. *Eye*; vol. 16: 375–387.

Lewis GP and Fisher SK. (2000). Mueller cell outgrowth after retinal detachment: association with cone photoreceptors. *Invest Ophthalmol Vis Sci*; vol. 41: 1542–1545.

Li X, Shi X, and Fan J. (2002). Posterior vitreal detachment with plasmin in the isolated human eye. *Graefes Arch Clin Exp Ophthalmol*; vol. 240: 56 – 62.

Lincoff H, Kreissig I, Jakobiec F, et al. (1986). Gas vitrectomy in a primate model. *Graefes Arch Clin Exp Ophthalmol*; vol. 224: 215–217.

Lindner B. (1966). Acute posterior vitreal detachment and its retinal complications. *Acta Ophthalmologica*; vol. 87: 1.

Liotta LA, Goldfarb RH, Brundage R, et al. (1981): Effect of plasminogen activator (urokinase), plasmin, and thrombin on

glycoprotein and collagenous components of basement membrane. *Cancer Res*; vol. 41: 4629–4636

Lister SW. (1922). Detachment of the vitreous. *Tr Int Cong Of Ophth*; vol. 18: 50-69.

Lopez-Lopez F, Rodriguez-Blanco M, et al. (2009): Enzymatic Vitreolysis. *Curr Diabetes Reviews*; vol. 5: 57-62.

Los LI. (2008): The rabbit as an animal model for post-natal vitreous matrix differentiation and degeneration. *Eye*; vol. 22: 1223-1232.

Malecaze F, Caratero C, Caratero A, et al. (1985): Some ultrastructural aspects of the vitreoretinal juncture. *Ophthalmologica*; vol. 191: 22.

Mann I. (1964): The vitreous and suspensory ligament of the lens. In the development of the human eye. New york: Grune and Stratton: 150.

Mann IC. (1928): The vitreous and suspensory ligament of the lens. In: The development of the human eye London: Cambridge University Press: 151-189.

Margherio AR, Margherio RR, Hartzel M et al. (1998): Plasmin enzyme-assisted vitrectomy in traumatic pediatric macular holes. *Ophthalmology*; vol. 105: 1617–1620.

Martin GR, Timpl R, and Kuhn K. (1988): Basement membrane proteins: Molecular structure and function. *Adv Protein Chem*; vol. 39: 1.

Massova I, Kotra LP, Fridman R, et al. (1998): Matrix metalloproteinases: structures, evolution and diversification. *FASEB J*; vol. 13: 1075-95.

Matrisian LM. (1992): The matrix-degrading metalloproteinases. [Review]. *Bioessays*; vol. 14: 455-463.

Matsumoto B, Blanks JC, and Ryan SJ. (1984): Topographic variations in the rabbit and primate internal limiting membrane. *Invest Ophthalmol Vis Sci*; vol. 25: 71.



Maumenee IH. (1979): Vitreoretinal degenerations as a sign of generalized connective tissue diseases. *Am J Ophthalmol*; vol. 88: 432-449.

Mayne R. (2001): The eye. In connective tissue and its heritable disorders. Wiley-Liss, inc: 131-141.

McLeod D and Leaver PK. (1977): Trampolines and tri-angles-The surgical pathology of the vitreous. *Trans Ophthal Soc UK*; vol. 97: 225-231.

McMenamin PG, Djano J, Wealthall R, et al. (2002): Characterization of the macrophages associated with the tunica vasculosa lentis of the rat eye. *Invest Ophthalmol Vis Sci*; vol. 43: 2076 .

Meeson A, Palmer M, Calfon M, et al. (1996): A relationship between apoptosis and flow during programmed capillary regression is revealed by vital analysis. *Development*; vol. 122: 3929 .

Menasche M, Dagonet F, Ferrari P, et al. (2001): Fibronectin in the vitreous body-distribution and possible functional role. *Pathol Biol*; vol. 49: 290-7.

Menasche M, Deguine V, Ferrari P, et al. (1997): Fibronectin in bovine vitreous. An immunochemical study. *CR Acad Sci Paris*; vol. 320: 601-5.

Meyer K and Palmer JW. (1934): The polysaccharide of the vitreous humor. *J Biol Chem*; vol. 107: 629.

Mitchell CA, Riasu W, and Drexler HC. (1998): Regression of vessels in the tunica vasculosa lentis is initiated by coordinated endothelial apoptosis: A role for vascular endothelial growth factor as a survival factor for endothelium. *Dev Dyn*; vol. 213: 322 .

Moorhead LC, Chu HH, and Garcia CA. (1983): Enzyme-Assisted Vitrectomy With Bacterial Collagenase: Time Course and Toxicity Studies. *Arch Ophthalmol*; vol. 101(2): 265-274.

Moorhead LC, Redburn DA, Kirkpatrick DS, et al. (1980): Bacterial collagenase. Proposed adjunct to vitrectomy with membranectomy. Arch Ophthalmol; vol. 98: 1829-39.

Murate T, Yamashita K, Isogai C, et al. (1997): The production of TIMPs in megakaryopoiesis: possible role of platelet- and megakaryocyte-derived TIMPs in bone marrow fibrosis. Br J Haematol; vol. 99: 181-9.

Murphy G and Knauper V. (1997): Relating matrix metalloproteinase structure to function: why the 'hemopexin' domain? Matrix Biol; vol. 15: 511-8.

Nagai N, Demarsin E , Van Hoef B, et al. (2003): Recombinant human microplasmin: Production and potential therapeutic properties. Thromb haemost; vol. 1: 307-313.

Nagase H. (1986): Matrix metalloproteinases. In: Hooper NM, ed. Zinc Metalloproteinases in Health and Disease. London: Taylor and Francis: 153-204.

Nagy AR, Goodnight R, and Ryan SJ. (1986): Conventional, freeze-fracture and immunoelectron microscopy of the vitreoretinal junction. ARVO Abstracts. Invest Ophthalmol Vis Sci; vol. 28(suppl): 24.

Nazari H, Modarres-Zadeh M, and Maleki A. (2010): Pharmacologic vitreolysis. J Ophthalmic Vis Res; vol. 5 (1): 44-52.

Nickerson CS. (2006): Engineering the Mechanical Properties of Ocular Tissues. Thesis, Doctor of philosophy, California Institute of Technology.

Nickerson CS, Karageozian HL, Park J, et al. (2005): Internal tension: a novel hypothesis concerning the mechanical properties of the vitreous humor. Macromol Symp; vol. 227: 183-189.

Nishikawa M and Sasaoka A. (1982): Appearance of fibronectin after experimental retinal photocoagulation; an immunohistochemical study. Nippon Ganka Gakkai Zasshi; vol. 86: 794.

Occleston NL, Tarnuzzer RW, Waters L, et al. (1996): Inhibition of matrix metalloproteinases inhibits anterior segment fibroblast

mediated collagen contraction [ARVO Abstracts]. Invest Ophthalmol Vis Sci; vol. 37(3): S1014. Abstract nr 4660.

Ogawa K. (2002): Scanning electron microscopic study of hyalocytes in the guinea pig eye. Arch Histol Cytol; vol. 65: 263-8.

Oliveira LB, Meyer CH, Kumar J, et al. (2002): RGD peptide-assisted vitrectomy to facilitate induction of a posterior vitreous detachment: a new principle in pharmacologic vitreolysis. Curr Eye Res; vol. 25: 333-340.

O'Neill R and Shea M. (1973): The effects of bacterial collagenase in rabbit vitreous. Can J Ophthalmol; vol. 8: 366.

Ozawa S, Katsura H, Betsuin Y, et al. (1999): Electrophysiological evaluation of visual field defect after vitrectomy (in Japanese). Folia Ophthalmol Jpn; vol. 50: 199-202.

Padgett LC, Lui GM, Werb Z, et al. (1997): Matrix metalloproteinase-2 and tissue inhibitor of metalloproteinase-1 in the retinal pigment epithelium and interphotoreceptor matrix: vectorial secretion and regulation. Exp Eye Res; vol. 64: 927-38.

Pennica D, Holmes WE, Kohr WJ, et al. (1983): Cloning and expression of human tissue-type plasminogen activator cDNA in E. coli. Nature; vol. 301: 214-21.

Perkins ME and Hynes RO. (1979): Cross-linking of fibronectin to sulfated proteoglycans at the cell surface. Cell; vol. 16: 941-52.

Pilcher BK, Wang M, Qin X-J, et al. (1999): Role of matrix metalloproteinases and their inhibition in cutaneous wound healing and allergic contact hypersensitivity. Ann NY Acad Sci; vol. 878: 12-24.

Pirie A, Schmidt G, and Waters W. (1948): Ox Vitreous humor. I. The residual protein. Br J Ophthalmol; vol. 32: 3211.

Pirie A. (1949): The effect of hyaluronidase injection on the vitreous humour of the rabbit. Br J Ophthalmol; vol. 33: 678.

Plantner JJ, Smine A, and Qhinn TA. (1998): Matrix metalloproteinases and metalloproteinase inhibitors in human interphotoreceptor matrix and vitreous. *Curr Eye Res*; vol. 17: 132-40.

Ponsioen TL, Van der Worp RJ, Van Luyn MJ, et al. (2005): Packages of vitreous collagen (typeII) in the human retina: an indication of postnatal collagen turnover? *Exp Eye Res*; vol. 80: 643-650.

Ponsioen TL, Van Luyn MJA, van der Worp RJ, et al. (2008): Collagen distribution in the human vitreoretinal interface. *Invest Ophthalmol Vis Sci*; vol. 49: 4089-4095.

Prince JH, Diesem CD, Eglitis I, et al. (1960): The pig. In: *Anatomy and histology of the eye and orbit in domestic animals*. Springfield, IL: Charles C Thomas: 210–33.

Quiram PA, Leverenz VR, Baker RM, et al. (2007): Microplasmin-induced posterior vitreous detachment affects vitreous oxygen levels. *Retina*; vol. 27: 1090-1096.

Reardon A, Heinegard D, Mcleod D, et al. (1998): The large chondroitin sulphate proteoglycans versican in mammalian vitreous. *Matrix Biol*; vol. 17: 325.

Ren ZX, Brewton RG and Mayne R. (1991): An analysis by rotary shadowing of the structure of the mammalian vitreous humor and zonular apparatus. *J Struct Biol*; vol. 106: 57-63.

Rhodes RH. (1982): An ultrastructural study of the complex carbohydrates of the mouse posterior vitreoretinal juncture. *Invest Ophthalmol Vis Sci*; vol. 22: 460-477.

Rizzo S, Pellegrini G, Benocci F, et al. (2006): Autologous plasmin for pharmacologic vitreolysis prepared 1 hour before surgery. *Retina*; vol. 26: 792-796.

Robert A, Miskulin M, Kern P, et al. (1978): Biopsy method for the exploration of the anomalies of matrix biosynthesis in diabetes. In *Cellular and Biochemical Aspects in Diabetic Retinopathy*, Regnault F and Duhault J, editors. Amsterdam, North-Holland Publishing Company, pp. 205-210.



- Rubin L. (1974):** Atlas of Veterinary Ophthalmoscopy, Philadelphia, Lea and Febiger.
- Ruoslahti E, Hayman EG, and Engvall E. (1980):** Molecular interactions of fibronectin. Prog Clin Biol Res; vol. 41: 821.
- Russel SR, Shepard JD, and Hageman GS. (1991):** Distribution of glyco-conjugates in the human retinal limiting membrane. Invest Ophthalmol Vis Sci; vol. 32: 1986-1995.
- Sakuma T, Tanaka M, Inoue J, et al. (2006):** Use of autologous plasmin during vitrectomy for diabetic maculopathy. Eur J Ophthalmol; vol. 16: 138-40.
- Sakuma T, Tanaka M, Mizota A, et al. (2005):** Safety of in vivo pharmacologic vitreolysis with recombinant microplasmin in rabbit eyes. Invest Ophthalmol Vis Sci; vol. 46: 3295-3299.
- Scheiffarth O, Kampik A, Gunther H, et al. (1988):** Proteins of the extracellular matrix in vitreoretinal membranes. Graefes Arch Clin Exp Ophthalmol; vol. 226: 357-61.
- Schepens CL, Hartnett ME, and Hirose T. (2000):** Schepens's Retinal Detachment and Allied diseases. 2nd edition. Butterworth-Heinemann; 333.
- Schepens CL and Neetens A, eds. (1987):** The Vitreous and Vitreoretinal Interface. New York: Springer Verlag; 20, with permission.
- Schonfeld CL. (1996):** Hyalocytes inhibit retinal pigment epithelium cell proliferation in vitro. Ger J Ophthalmol; vol. 5: 224-8.
- Schumann RG, Schaumberger MM, Rohleder M, et al. (2006):** Ultrastructure of the vitreomacular interface in full-thickness idiopathic macular holes: a consecutive analysis of 100 cases. Am J Ophthalmol; vol. 141: 1112-1119.
- Scott JE. (1992):** The chemical morphology of the vitreous. Eye; vol. 6 (Pt 6): 553-555.



Sebag J and Balazs EA. (1984): Pathogenesis of cystoid macular oedema: an anatomical consideration of vitreoretinal adhesions. Survey Ophthalmol; vol. 28(Suppl): 493-498.

Sebag J and Balazs EA. (1985): Human vitreous fibres and vitreoretinal disease. Trans. Ophthalmol. Soc. U. K; vol. 104: 123-127.

Sebag J, Ansari RR, and Suh KI. (2007): Pharmacologic vitreolysis with microplasmin increases vitreous diffusion coefficients. Graefes Arch Clin Exp Ophthalmol; vol. 245: 576-580.

Sebag J and Balazs EA. (1989): Morphology and ultrastructure of human vitreous fibers. Invest Ophthalmol Vis Sci; vol. 30: 1867-1871.

Sebag J, Gupta P, Rosen R, et al. (2007): Macular holes and macular pucker – the role of vitreoschisis as imaged by optical coherence tomography/scanning laser ophthalmology. Trans Am Ophthalmol Soc; vol. 105, (in press).

Sebag J and Hageman GS. (2000): Interfaces. Eur J Ophthalmol; vol. 10: 1-3.

Sebag J. (1993): Abnormalities of human vitreous structure in diabetes. Graef Arch Clin Exp Ophthalmol; vol. 231: 257-260.

Sebag J. (1987): Age-related changes in human vitreous structure. Graef's Arch Clin Exp Ophthalmol; vol. 225: 89-93.

Sebag J. (1992): Anatomy and pathology of the vitreo-retinal interface. Eye; vol. 6: 541.

Sebag J and Balazs EA. (1989): Morphology and ultrastructure of human vitreous fibers. Invest. Ophthalmol. Vis. Sci; vol. 30: 1867-1871.

Sebag J. (2004): Anomalous posterior vitreous detachment-A unifying concept in vitreo-retinal disease. Graef Arch Clin Exp Ophthalmol; vol. 242: 690-698.

Sebag J. (1996): Diabetic vitreopathy. Ophthalmology; vol. 103: 205–206.



Sebag J. (2002): Is pharmacologic vitreolysis brewing? Retina; vol. 22: 1.

Sebag J. (1998): Myopia effects upon vitreous-Significance in retinal detachments. In Stirpe M, ed. Anterior and Posterior Segment Surgery: Mutual Problems and Common Interests. Acta of the 5th International Congress on Vitreo-Retinal Surgery. New York: Ophthalmic Communications Society, Inc.: 366-372.

Sebag J. (1998): Pharmacologic vitreolysis. Retina; vol. 18 (1): 1-3.

Sebag J. (2009): Pharmacologic vitreolysis-premise and promise of the first decade. Retina; vol. 29: 871-874.

Sebag J. (1989): The vitreous structure, function, pathobiology. New York : Springer verlag.; Quoted from : **Sakuma T, Tanaka M, Mizota A, et al. (2005):** Safety of in vivo pharmacologic vitreolysis with recombinant microplasmin in rabbit eyes . Invest Ophthalmol and Vis Sci; vol. 46: 3295- 3299.

Sebag J. (1989): The vitreous: Structure, Function, and Pathobiology New York: Springer-Verlag: 1-173.

Sebag J. (2008): Vitreoschisis. Graefes Arch Clin Exp Ophthalmol; vol. 246: 329-332.

Seery CM and Davison PF. (1991): Collagens of the bovine vitreous. Invest Ophthalmol Vis Sci; vol. 32: 1540-1550.

Sethi CS, Bailey TA, Luthert PJ, et al. (2000): Matrix metalloproteinase biology applied to vitreoretinal disorders. Br J Ophthalmol; vol. 84: 654-666.

Sheehan JK, Atkins EDT, and Nieduszyński IA. (1975): X-Ray diffraction studies on the connective tissue polysaccharides. Two dimensional packing scheme for threefold hyaluronic chains. J Mol Biol; vol. 91: 153.

Snead MP, Snead DR, Richards AJ, et al. (2002): clinical, histological and ultrastructural studies of the posterior hyaloids membrane. Eye; vol. 16: 447-453.



Snead MP and Yates JRW. (1999): Clinical and molecular genetics of Stickler syndrome. *J Med Genet*; vol. 36: 353.

Snyder DM, Fitzgerald JE, Taylor DM, et al. (1990): Intracameral tissue plasminogen activator for treatment of excessive fibrin response after penetrating keratoplasty. *Am J Ophthalmol*; vol. 109: 483-4.

Staubach F, Nober V, and Janknecht P. (2004): Enzyme-assisted vitrectomy in enucleated pig eyes: a comparison of hyaluronidase, chondroitinase, and plasmin. *Curr Eye Res*; vol. 29: 261–268.

Stenn KS, Link R, Moellmann G, et al. (1989): Dispase, a neutral protease from *Bacillus polymyxa*, is a powerful fibronectinase and type IV collagenase. *J Invest Dermatol*; vol. 93: 287–290.

Takano A, Hirata A, Inomata Y, et al. (2005): Intravitreal plasmin injection activates endogenous matrix metalloproteinase-2 in rabbit and human vitreous. *Am J Ophthalmol*; vol. 140: 654–660.

Takano A, Hirata A, Ogasawara K, et al. (2006): posterior vitreous detachment induced by nattokinase (subtilisin NAT): a novel enzyme for pharmacologic vitreolysis. *Invest Ophthalmol Vis Sci*; vol. 47: 2075-2079.

Teng CC and Chi HH. (1957): Vitreous changes and the mechanisms of retinal detachment. *Am J Ophthalmol*; vol. 44: 335-356.

Terranova VP, Liotta LA, Russo RG, et al. (1982): Role of laminin in the attachment and metastasis of murine tumor cells. *Cancer Res*; vol. 42: 2265.

Terranova VP, Rohrbach HB, and Martin GR. (1980): Role of laminin in the attachment of PAM 212 (epithelial) cells to basement membrane collagen. *Cell*; vol. 22: 719.

Tezel TH, Del Priore LV, and Kaplan HJ. (1998): Posterior vitreous detachment with dispase. *Retina*; vol. 18: 7–15.

Trese MT, Williams GA, and Hartzler MK. (2000): A new approach to stage 3 macular holes. *Ophthalmology*; vol. 107: 1607 – 11.

Trese MT. (2000): Enzymatic vitreous surgery. *Semin Ophthalmol*; vol. 15: 116–121.

Trese MT. (2002): Enzymatic-assisted Vitrectomy. *Eye*; vol. 16: 365–368.

Tsukahara Y, Honda S, Imai H, et al. (2007): Autologous plasmin-assisted vitrectomy for stage 5 retinopathy of prematurity: a preliminary trial. *Am J Ophthalmol*; vol. 144: 139-141.

Uemura A, Nakamura M, Kachi S, et al. (2005): Effect of plasmin on laminin and fibronectin during plasmin-assisted vitrectomy. *Arch Ophthalmol*; vol. 123: 209-213.

Ueno N, Sebag J, Hirokawa H, et al. (1987): Effects of visible-light irradiation on vitreous structure in the presence of a photosensitizer. *Exp Eye Res*; vol. 44: 863-870.

Unal M and Peyman GA. (2000): The efficacy of plasminogen-urokinase combination in inducing posterior vitreous detachment. *Retina*; vol. 20: 69-75.

Valmaggia C, Willekens B, and de Smet M. (2003): Microplasmin induced vitreolysis in porcine eyes. *Invest Ophthalmol Vis Sci*; vol. 44: 3050.

Vartio T, Laitinen L, Narvanen O, et al. (1987): Differential expression of the ED sequence-containing form of cellular fibronectin in embryonic and adult human tissues. *J Cell Sci*; vol. 88: 419-30.

Vaughan-Thomas A, Gilbert SJ, and Duance VC. (2000): Elevated levels of proteolytic enzymes in the aging human vitreous. *Invest Ophthalmol Vis Sci*; vol. 41: 3299–3304.

Verstraeten TC, Chapman C, Hartzel M, et al. (1993): Pharmacologic induction of posterior vitreous detachment in the rabbit. *Arch Ophthalmol*; vol. 111: 849-854.

Voerhoeff FH. (1956): Are Moore's lightning streaks of serious portent. *Am J Ophthalmol*; vol. 41: 837.



Wallace RN, Streeten BW and Hanna RB. (1991): Rotary shadowing of elastic system microfibrils in the ocular zonule, vitreous and ligamentum nuchae. *Curr Eye Res*; vol. 10: 99-109.

Wang F, Wang Z, Sun X, et al. (2004): Safety and efficacy of dispase and plasmin in pharmacologic vitreolysis. *Invest Ophthalmol Vis Sci*; vol. 45: 3286-3290.

Wang ZL, Zhang X, Xu X, et al. (2005): PVD following plasmin but not hyaluronidase: implications for combination pharmacologic vitreolysis therapy. *Retina*; vol. 25: 38-43.

Weber BHF, Vogt G, Pruett RC, et al. (1994): Mutations in the tissue inhibitor of metalloproteinases-3 (TIMP3) in patients with Sorsby's fundus dystrophy. *Nat Genet*; vol. 8: 352-356.

Webster L, Chignell AH, and Limb GA. (1999): Predominance of MMP-1 and MMP-2 in epiretinal and subretinal membranes of proliferative vitreo-retinopathy. *Exp Eye Res*; vol. 68: 91-98.

Weller M, Heimann K, and Wiedemann P. (1990): Proliferative vitreoretinopathy – is it anything more than wound healing at the wrong place? *Int Ophthalmol*; vol. 14: 105-117.

Weller M, Wiedemann P, Bresgen M, et al. (1991): Vitronectin and proliferative intraocular disorders. II. Expression of cell surface receptors of fibronectin and vitronectin in periretinal membranes. *Int Ophthalmol*; vol. 15: 103-8.

Wilensky J, Goldberg MF, and Alward P. (1977): Glaucoma after pars plana vitrectomy. *Trans Am Acad Ophthalmol. Otolaryngol*; vol. 83: 114.

Wilkinson CP. (1981): Visual results following scleral buckling for retinal detachments sparing the macula. *Retina*; vol. 1: 113-6.

Williams JG, Trese MT, Williams GA, et al. (2001): Autologous plasmin enzyme in the surgical management of diabetic retinopathy. *Ophthalmology*; vol. 108: 1902–1905.

Wise GN. (1975): Relationship of idiopathic preretinal macular fibrosis to posterior vitreous detachment. *Am J Ophthalmol*; vol. 79: 358.

Wong HC, Sehmi KS and McLeod D. (1989): Abortive neovascular outgrowths discovered during vitrectomy for diabetic vitreous haemorrhage. *Graefe's Arch Clin Exp Ophthalmol*; vol. 227: 237-240.

Worst JGF and Los LI. (1995): Cisternal anatomy of the vitreous. In: Koninklijke Wohrmann (ed), *Cisternal Anatomy Of the Vitreous* Zutphen: Kugler Publications: 1-8.

Wu JJ, Woods PE and Eyre DR. (1992): Identification of cross-linking sites in bovine cartilage type IX collagen reveals an antiparallel type II-type IX molecular relationship and type IX to type IX bonding. *J Biol Chem*; vol. 267: 23007-23014.

Wu WC, Drenser KA, Lai M, et al. (2008): Plasmin enzyme-assisted vitrectomy for primary and reoperated eyes with stage 5 retinopathy of prematurity. *Retina*; 28(3suppl): S75-S80.

Wu WC, Drenser KA, Lai M, et al. (2007): Plasmin enzyme-assisted vitreoretinal surgery in congenital X-linked retinoschisis: surgical techniques based on a new classification system. *Retina*; vol. 27: 1079-1085.

Yamada KM, Akiyama SK, Hasegawa T, et al. (1985): Recent advances in research on fibronectin and other cell attachment proteins. *J Cell Biochem*; vol. 28: 79-97.

Yang C, Natbohm H, Acil Y, et al. (1995): In vitro fibrillogenesis of collagen II from pig vitreous humour. *Biochem J*; vol. 306: 871-875.

Zhidkova NI, Justice S, and Mayne R. (1995): Alternative in RNA processing occurs in the variable region of the pro-peptide. *J Biol Chem*; vol. 270: 9485.

Zhu D, Chen H, and Xu X. (2006): Effects of intravitreal dispase on vitreoretinal interface in rabbits. *Curr Eye Res*; vol. 31: 935-946.

Zhu Y, Oganessian A, Keene DR, et al. (1999): Type IIA procollagen containing the cysteine-rich amino propeptide is deposited in the



extracellular matrix of prechondrogenic tissue and binds to TGFbeta-1 and BMP-2. J Cell Biol; vol. 144: 1069.