
REFERENCES

- Aguirre JM, et al.** Warthin tumor: A New hypothesis concerning its development . Oral Sugr, Oral Med, Oral Pathol 1998; 85:60-63.
- Ahuja AT, King AD, et al.** Head and neck lipomas: ultrasound appearances. AJNR 1998;19:505–8.
- Ahuja AT, Richards PS, et al.** Accuracy of high-resolution sonography compared with magnetic resonance imaging in the diagnosis of head and neck venous vascular malformations. Clin Radiol 2003;58(11): 869–75.
- Ahuja AT, Richards PS, Wong KT, et al.** Kuttner tumour (chronic sclerosing sialadenitis) of the submandibular gland: sonographic appearances. Ultrasound Med Biol 2003;29:913–919.
- Ahuja AT, Ying M, et al.** Grey scale and power Doppler sonography of neck nodes in Kimura's disease. Am J Neuroradiol 2001;22(3):513–7.
- Auclair PL, Ellis GL, Gnepp DR, et al.** Salivary gland neoplasms. General considerations. In: Eliis G, Audair P, Gnepp D, editors. Surgical pathology of the salivary glands. Philadelphia, PA: WB Saunders Co.; 1991.
- Avrahami E, Englender M, Chen E, et al.** CT of submandibular gland sialolithiasis. Neuroradiology 1996;38:287–290.
- Baker LL, et al.** Hemangiomas and vascular malformations of the head and neck: MR characterization. AJNR 1993;14(2):307–14.

- Barnes L, Myers E, Prokopakis E.** Primary malignant lymphoma of the parotid gland. *Arch Otolaryngol Head Neck Surg.* 1998;124:573–577.
- Barrett A, Speight P.** Adenomatoid hyperplasia of oral minor salivary glands. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 1995; 79: 482–487.
- Basmojian JV.** *Grants atlas of anatomy* 9th ed. Anne M.R. Agur, Williams and Wilkins 1991; 564-570.
- Batsakis JG, McClatchey MD.** Cervical ranulas. *Laryngoscope* 1988; 97: 561-566.
- Becker M, Marchal F, Becker CD, et al.** Sialolithiasis and salivary ductal stenosis: diagnostic accuracy of MR sialography with a three-dimensional extended-phase conjugate-symmetry rapid spin-echo sequence. *Radiology* 2000;217:347– 358.
- Bell RB, Dierks EJ, Homer L, Potter BE.** Management and outcome of patients with malignant salivary gland tumors. *J Oral Maxillofac Surg.* Jul 2005;63(7):917-28.
- Bhattacharyya N, Fried MP.** Nodal metastasis in major salivary gland cancer: predictive factors and effects on survival. *Arch Otolaryngol Head Neck Surg* 2002;128:904–8.
- Bialek EJ, Jakubowski W, Karpinska G.** Role of ultrasonography in diagnosis and differentiation of pleomorphic adenomas: work in progress. *Arch Otolaryngol Head Neck Surg* 2003;129: 929–933.
- Bialek EJ, Osmo' lski A, Karpinska G, et al.** Us appearance of a Kuttner tumor resembling a malignant lesion: US-histopathologic correlation. *Eur J Ultrasound* 2001;14:167–170.

- Bialek FB, Wieslow F, Piotr Z, et al.** US of the Major Salivary Glands: Anatomy and Spatial Relationships, Pathologic Conditions, and Pitfalls. *RadioGraphics* 2006; 26:745–763.
- Boahene DK, Olsen KD, Lewis JE, et al.** Mucoepidermoid carcinoma of the parotid gland: the Mayo clinic experience. *Arch Otolaryngol Head Neck Surg.* Jul 2004;130(7):849-56.
- Brackrock S, Krull A, Roser K, et al.** Neutron therapy, prognostic factors and dedifferentiation of adenoid cystic carcinomas (ACC) of salivary glands. *Anticancer Res.* Mar-Apr 2005;25(2B):1321-6
- Bradley MJ.** Salivary glands. In: Anil Ahuja, Rhodri Evans, editors. *Practical head and neck ultrasound.* London: Greenwich Medical Media Ltd.; 2000. p. 19–31.
- Brook I.** Acute bacterial suppurative parotitis: microbiology and management. *J Craniofac Surg* 2003;14:37–40.
- Bruneton JN, Mourou MY.** Ultrasound of salivary gland disease. *ORL* 1993; 55:284-289.
- Candiani F, Martinoli C.** Salivary glands. In: Solbiati L, Rizzatto G, eds. *Ultrasound of superficial structures.* Edinburgh, Scotland: Churchill Livingstone, 1995; 125–139.
- Ching AS, Ahuja AT, King AD, et al.** Comparison of the sonographic features of acalculous and calculous submandibular sialadenitis. *J Clin Ultrasound* 2001;29:332–338.
- Chou YH, Tiu CM, Liu CY, et al.** Tuberculosis of the parotid gland: sonographic manifestations and sonographically guided aspiration. *J Ultrasound Med* 2004;23:1275–1281.

- Coit WE, Harnsberger HR, Osborn AG, et al.** Ranulas and their mimics: CT evaluation. *Radiology* 1987; 163:1211-1216.
- Curtin HD.** Detection of perineural spread: fat is a friend. *AJNR Am J Neuroradiol* 1998;19:1385–6.
- Curtin HD.** Imaging of the Salivary Glands. In: Eugene NM, Robert LF, eds. *Salivary gland disorders*. Berlin Heidelberg New York: Springer; 2007.p. 17-33.
- Davidson J, Khan Y, Gilbert R, et al.** Is selective neck dissection sufficient treatment for the N0/Np+ neck? [in process citation]. *J Otolaryngol.* 1997; 26: 229–231.
- Dequanter D, Lothaire P, Andry G.** Secondary malignant tumors of the parotid [in French]. *Ann Otolaryngol Chir Cervicofac* 2005;122:18–20.
- Diederich S, Wernecke K, Peters PE.** Sialographic and sonographic diagnosis of diseases of the salivary gland [in German]. *Radiologe* 1987; 27:255–261.
- Divi V, Fatt MA, Teknos TN, et al.** Use of cross-sectional imaging in predicting surgical location of parotid neoplasms. *J Comput Assist Tomogr* 2005;29:315–319.
- Dock w, Florian G, Metz V, et al.** Tumor vascularization: Assessment with duplex sonography. *Radiology* 1991; 181:241-244.
- Dubrulle F., Souillard. R.** Parotid Gland and Other Salivary Gland Tumors. In: Robert H, editor. *Head and Neck Cancer Imaging*. Germany: Springer; 2006. p. 219-43.
- Duff TB.** Parotitis, parotid abscess and facial palsy. *J Laryngol Otol* 1972;86:161–165.2003;14:37–40.

- Eisbruch A, Ship JA, Martel MK, et al.** Parotid gland sparing in patients undergoing bilateral head and neck irradiation: techniques and early results. *Int J Radiat Oncol Biol Phys.* 1996;36:469–480.
- Ellis G, Auclair P.** Atlas of Tumor Pathology: Tumors of the Salivary Glands. Washington, D.C.: Armed Forces Institute of Pathology; 1996:155–373 Third Series, Fascicle 17.
- Elnaggar AK, Bautina E.** Pathology consultation : Salivary gland tumors in children.. *Ann Otol Laryngol* 1991;100:869-871.
- Enamorado I, Lakhani R, Korkmaz H, et al.** Correlation of histopathological variants, cellular DNA content, and clinical outcome in adenoid cystic carcinoma of the salivary glands. *Otolaryngol Head Neck Surg.* Nov 2004;131(5):646-50.
- Fischer T, Muhler M, Beyersdorff D, et al.** Use of state-of-the-art ultrasound techniques in diagnosing sarcoidosis of the salivary glands (Heerfordt's syndrome) [in German]. *HNO* 2003;51: 394–399.
- Garcia CJ, Flores PA, Arce JD, et al.** Ultrasonography in the study of salivary gland lesions in children. *Pediatr Radiol* 1998;28:418–425.
- Gaughan R, Olsen K, Lewis J.** Primary squamous cell carcinoma of the parotid gland. *Arch Otolaryngol Head Neck Surg.* 1992;118:798–801.
- Gogus C, Kilic O, Tulunay O, et al.** Solitary metastasis of renal cell carcinoma to the parotid gland 10 years after radical nephrectomy. *Int J Urol* 2004;11:894–896.
- Gritzmam N, Hajek P, Karnel F, et al.** Sonography in salivary calculi: indications and status [in German]. *Rofo* 1985;142: 559–562.

- Gritzmann N, Rettenbacher T, Hollerweger A, et al.** Sonography of the salivary glands. *Eur Radiol* 2003;13:964–975.
- Hardee PS, Carter JL, Piper KM, et al.** Metachronous bilateral primary adenocarcinoma of the submandibular glands. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2001;91:455–461.
- Healey WV, Perzin KH, Smith L.** Mucoepidermoid carcinoma of salivary gland origin. *Cancer* 1970;26:368–88.
- Hladky JP, Lejeune JP, Singer B, et al.** Osteoblastoma of the odontoid process. *Pediatr Neurosurg* 1994;21:260–262.
- Holmes S, Gleeson MJ, Cawson RA.** Mycobacteria disease of the parotid gland. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2000;90:292–298.
- Howlett DC, Kesse KW, Hughes DV, et al.** The role of imaging in the evaluation of parotid disease. *Clin Radiol* 2002;57:692–701.
- Jäger L, Menauer F, Holzknecht N, et al.** Sialolithiasis: MR sialography of the submandibular duct—an alternative to conventional sialography and US? *Radiology* 2000;216:665–671.
- Kassel EE.** CT sialography. Part II. Parotid masses. *J Otolaryngol* 1982;12:11–24.
- Kind AD, Yeung DK, Ahuja AT, et al.** Salivary gland tumours at in vivo proton MR spectroscopy. *Radiology* 2005;237:563–9.
- Koischwitz D, Gritzmann N.** Ultrasound of the neck. *Radiol Clin North Am* 2000;38:1029–1045.
- Kontis TC, Johns Me.** Anatomy and Physiology of the Salivary Glands. *Head and Neck Surgery-Otolaryngology*, Second Edition, ed. Byron

- J. Bailey. Lippincott-Raven Publishers, Philadelphia, PA. 1998: 531-539.
- Koyuncu M, Sesen T, Akan H, et al.** Comparison of computed tomography and magnetic resonance imaging in the diagnosis of parotid tumors. *Otolaryngol Head Neck Surg.* Dec 2003;129(6): 726-32.
- Kumar K, Robbins.** Pathologic basis of the disease, Salivary glands. 5th ed. W.B. Saunders, Philadelphia 1994:748-753.
- Kumar V, Cotran RS, Robbins SL.** Disorders of the immune system. In: Basic pathology. 6th ed. Philadelphia, Pa: Saunders, 1997; 111–112.
- Landis SH, Murray T, Bolden S, et al.** Cancer statistics, 1998. *CA Cancer J Clin.* Jan-Feb 1998;48(1):6-29.
- Larsson SG, Lufkin RB, Hoover LA.** Computed tomography of the submandibular salivary glands. *Acta Radiologica* 1987; 28:693-695.
- Laskawi R, Schott T, Schröder M.** Recurrent pleomorphic adenomas of the parotid gland: clinical evaluation and long-term follow-up. *Br J Oral Maxillofac Surg* 1998;36:48–51.
- Leslie M, Dische S.** The early changes in salivary gland function during and after radiotherapy given for head and neck cancer. *Radiother Oncol.* 1994;30:26–32.
- Lev MH, Khanduja K, Morris PP, et al.** Parotid pleomorphic adenomas: delayed CT enhancement. *AJNR Am J Neuroradiol.* 1989;19:1835–1839
- Lomas DJ, Carroll NR, et al.** MR Sialography work in progress. *Radiology* 1996; 200:129-133.

- Lustmann J, Regev E, Melamed Y.** Sialolithiasis: a survey on 245 patients and a review of the literature. *Int J Oral Maxillofac Surg* 1990; 19: 135–138.
- Madani G, Beale T.** Tumours of the salivary glands. *Semin Ultrasound CT MRI* 2006;27:452–64.
- March DE, Rao VM, Zwillenberg D.** Computed tomography of salivary glands in Sjogren's syndrome. *Arch Otolaryngol Head Neck Surg* 1989 115:105–106
- Marchal F, Dulgerov P, Becker M, et al.** Submandibular diagnostic and interventional sialendoscopy: new procedure for ductal disorders. *Ann Otol Rhinol Laryngol* 2002; 111:27–35.
- Martinoli C, Derchi LE, Sobiati L, et al.** Color Doppler Sonography of the salivary glands. *AJR* 1994; 163:933-941.
- Martinoli C, Pretolesi F, et al.** Benign lymphoepithelial parotid lesions in HIV-positive patients: spectrum of findings at grey-scale and Doppler sonography. *AJR* 1995;165:975–9.
- Masaki Y, Sugai S.** Lymphoproliferative disorders in Sjogren's syndrome. *Autoimmun Rev* 2004;3:175–182.
- Mattes RD.** Physiologic Responses to Sensory Stimulation by Food: Nutritional Implications. *J Am Diet Assoc.* 1997; 97: 406-410, 413.
- McGuirt W. F. et al.** Preoperative identification of benign versus malignant parotid masses: A comparative study including PET, *Laryngoscope* 1995; 105:579-584.
- Merrit CRB.** Basic principles and physics in color doppler imaging. First edition. New York: Churchill Livingstone 1992;5-60.

- Mitchell DG.** Color doppler imaging: Principles. Limitations and artifacts
Radiology 1990; 177:1-10.
- Moore KL.** Clinically oriented anatomy .2nd ed. Baltimore:Williams and
Wilkins 1985;564-570.
- Moore KL.** Clinically Oriented Anatomy. Third Edition. Williams and
Wilkins. Baltimore, MD. 1992: 670-671, 751-752.
- Mukherji SK, Castillo M.** A Simplified approach to the spaces of the
suprahyoid neck. Radiol clinics of North AM 1998;36(5):761-779.
- Nelson TR, Pretorius DH.** The Doppler Signal: Where does it come from
and what does it mean? AJR 1998;151:439-447.
- Niemela RK, Takalo R, Paakko E, et al.** Ultrasonography of salivary
glands in primary Sjögren's syndrome: a comparison with magnetic
resonance imaging and magnetic resonance sialography of parotid
glands. Rheumatology (Oxford) 2004;43:875–879.
- Partridge M, Langdon J.D., Rankin S.** Diagnostic techniques for parotid
disease. British J of Oral and Maxillofac Surg 1985;24:311-322.
- Peel RZ, Gnepp DR.** Diseases of the salivary glands. In: Barnes L, editor.
Surgical Pathology of the head and neck, 1. New York, NY:Marcel
Dekker Inc.; 1985. p. 533–645.
- Rabinov JD.** Imaging of salivary gland pathology. Radiol Clin North Am
2000;38:1047–1057.
- Rabinov K, Kell T, Gordon P.** CT of salivary glands. Radiol Clinics of
North AM 1984; 22(1): 145-159.
- Rabinov K, Weber A.** Radiology of the Salivary Glands. Boston: G Hall;
1985:265–291.

- Rauch S, Gorlin RJ.** Disease of the salivary glands. In: Gorlin RJ, Goldmann HM, eds. Thomas' oral pathology. St Louis, Mo: Mosby, 1970; 997–103.
- Raut V, Sinnathuray AR, Primrose WJ.** Aggressive treatment of metastasis to the parotid. *Ulster Med J* 2004;73:85–88.
- Rinast E, Gmelin E, Hollands-Thorn B.** Digital subtraction sialography, conventional sialography, high-resolution ultrasonography and computed tomography in the diagnosis of salivary gland diseases. *Eur J Radiol* 1989;9:224–230.
- Romanes GJ.** Cunningham manual of practical anatomy. 15th ed. Oxford University Press 1978;3:115-135.
- Rubaltelli, et al.** Infantile recurrence sialectatic parotitis: The Role of sonography and sialography in the diagnosis and follow up .The *British Journal of Radiology* 1987; 60: 1211-1214.
- Rubin JM, Buik RO, Cavson PL, et al.** Power Doppler US:A Potentially useful alternative to mean frequency-based color doppler US. *Radiology* 1994; 190:853-856.
- Sa'do B, Yoshiura K, Yuasa K, et al.** Multimodality imaging of cervicofacial actinomycosis. *Oral Surg Oral Med Oral Pathol* 1993;76:772– 782.
- Sakai O, Nokashima N, Takata Y, et al.** Acinic call carcinoma of the parotid gland: CT and MRI. *Neuroradiology* 1996;38:675-679.
- Schade G, Ussmuller J, Leuwer R.** Stellenwert der duplexsonographie bei der diagnostik von parotistumoren. *Laryngorhinootologie* 1998; 77: 337–341.

- Schick S, Steiner E, Gahleitner A, et al.** Differentiation of benign and malignant tumors of the parotid gland: value of pulsed Doppler and color Doppler sonography. *Eur Radiol* 1998;8:1462–1467.
- Scolozzi P, et al.** Intraoral venous malformation presenting with multiple phleboliths. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2003;96(2):197–200.
- Seifert G, Sobin L.** The World Health Organization histological classification of salivary gland tumors. *Cancer* 1992; 70(2): 379-385.
- Shemen L, Huvos A, Spiro R.** Squamous cell carcinoma of the salivary gland origin. *Head Neck Surg.* 1987;9:235–240.
- Shimizu M, Ussmüller J, Donath K, et al.** Sonographic analysis of recurrent parotitis in children: a comparative study with sialographic findings. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1998;86:606–615.
- Shimizu M, Ussmüller J, Hartwein J, et al.** Statistical study for sonographic differential diagnosis of tumorous lesions in the parotid gland. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1999;88:226–233.
- Siewert B, Kruskal JB, Kelly D, et al.** Utility and safety of ultrasound-guided fine needle aspiration of salivary gland masses including a cytologist's review. *J Ultrasound Med* 2004; 23:777–783.
- Sigal R.** Oral cavity, Oropharynx, and salivary glands. *Neuroimaging Clinc of North Am.* 1996;6:379-3998.
- Sikorowa L, Meyza JW, Ackerman LW.** Salivary gland tumors. New York, NY: Pergamon, 1982.

- Silvers AR, Som PM.** Salivary glands. *Radiol Clin North Am* 1998;36:941–66.
- Snell RS.** Atlas of clinical anatomy .3rd .Little , Brown and company. Boston 1986;407-769.
- Som PM, Biller HF.** The MR identification of high grade parotid tumours. *Radiology* 1989;173:823–6.
- Som PM, Brandwein MS.** salivary glands. In: Som PM, Curtin HD, editors. Head and neck imaging, 3rd ed., vol. 2. St. Louis: Mosby-Year Book; 1996. p. 823–914 [chapter 17].
- Som PM, Brandwein MS.** Salivary glands: anatomy and pathology. In: Som PM, Curtin DC, editors. Head and neck imaging. 4th ed. St. Louis, MO: Mosby; 2003. p. 2005–133.
- Som PM, Shugar JM, Train JS, et al.** Manifestations of parotid gland enlargement : radiologic, pathologic, and clinical collerations. Part II.The diseases of Mikulicz syndrome. *Radiology*1981; 141: 421-426.
- Speight M, Tinkler S.** Oxford book of pathology, Salivary glands. Oxford University Press, New York 1992; vol.2: 1067-1080.
- Spencer M, Fischer D.** Salivary glands in Schwartz principles of Surgery 7th ed.1999; 2: 656-662.
- Stennert E, Kisner D. Jungehuelsing M, et al.** High incidence of lymph node metastasis in major salivary gland cancer. *Arch Otolaryngol Head Neck Surg* 2003;129:720–3.
- Sterman B, Kraus D. Sebek B.** Primary squamous cell carcinoma of the parotid gland. *Laryngoscope*. 1990;100:146–148.

- Suh SI, Seol HY, Kim TK, et al.** Acinic cell carcinoma of the head and neck: radiologic-pathologic correlation. *J Comput Assist Tomogr* 2005; 29:121–126.
- Sutton D.** Radiology and imaging . The salivary glands, pharynx, and esophagus. Chapman AH.6th ed. Churchill Livingstone 1998;789-94.
- Tabor K, and Curtin HD.** MR of salivary glands. *Radiol Clinics of North Am* 1989;27 (2): 379-392.
- Takahashi N, Okamoto K, Ohkubo M, et al.** High-resolution magnetic resonance of the extracranial facial nerve and parotid duct: demonstration of the branches of the intraparotid facial nerve and its relation to parotid tumours by MRI with a surface coil. *Clin Radiol* 2005;60: 349–354.
- Taylor KJW, Holland S.** Doppler US: Part I Basic principles, Instrumentations and pitfalls. *Radiology* 1990; 174:297-307.
- Thiede O, Stoll W, Schmal F.** Clinical aspects of abscess development in parotitis [in German]. *HNO* 2002;50:332–338.
- Thoron JF, Rafaelli C, Carlotti B, et al.** Ultrasonography of the parotid venous plane [in French]. *J Radiol* 1996;77:667–669.
- Traxler M, Schurawitzki H, Ulm C, et al.** Sonography of nonneoplastic disorders of the salivary glands. *Int J Oral Maxillofac Surg* 1992;21:360–363.
- Tschammler A, Ott G, Schang T, et al.** Lymphadenopathy: differentiation of benign from malignant disease—color Doppler US assessment of intranodal angioarchitecture. *Radiology* 1998;208:117–123.

- Valdes Olmos R, Keus R, Takes R, et al.** Scintigraphic assessment of salivary function and excretion response in radiation-induced injury of the major salivary glands. *Cancer*. 1994;73:2886–2893.
- Wiley T.E., Taylor F.C., Wolfer G.K., et al.** Sialography: A simple cannulation method *AJR* 1994; 162: 165-166.
- Williams PL, Warnick R, Dyson M.** Gray 's anatomy. 37th ed .Edinburgh: Churchill Livingstone 1989;6:1370-1379.
- Y.Y.P. Lee et al.** Imaging of salivary gland tumours. *European Journal of Radiology* 2008;66 419–436.
- Yabuuchi H, Fukuya T, Tajima T, et al.** Salivary gland tumours: diagnostic value of gadolinium-enhanced dynamic MR imaging with histopathologic correlation. *Radiology* 2003;226:345–54.
- Ying M, Ahuja A, Metreweli C.** Diagnostic accuracy of sonographic criteria for evaluation of cervical lymphadenopathy. *J Ultrasound Med* 1998; 17:437–445.
- Ying M, Ahuja A.** Sonography of neck lymph nodes. I. Normal lymph nodes. *Clin Radiol* 2003; 58:351–358.
- Yousem DM, Kraut MA, Chalian AA.** Major salivary gland imaging. *Radiology* 2000;216:19–29.
- Zajkowski P, Jakubowski W, Bialek EJ, et al.** Pleomorphic adenoma and adenolymphoma in ultrasonography. *Eur J Ultrasound* 2000;12:23–29.
- Zenk J, Constantinidis J, Kydles S, et al.** Clinical and diagnostic findings of sialolithiasis [in German]. *HNO* 1999;47:963–969.