
REFERENCES

- *Aaslid R., Huber P., Nornes H. et al.*: Evaluation of cerebrovascular spasm with transcranial Doppler ultrasound. *J. Neurosurgery* 1984 60:37-41
 - *Aaslid R., Huber P., Nornes H. et al.*: Transcranial Doppler method in the evaluation of cerebrovascular spasm. *Neurology* 1984 28:11-16.
 - *Aaslid R., Markwalder T., Nornes H. et al.*: Non_invasive transcranial doppler ultrasound recording of flow velocity in basal cerebral arteries. *J. Neurology.* (1982)., 57 :769-774
 - *Aaslid R., Steiger HJ, Stooss R, et al.* Transcranial Doppler monitoring in head injury: relations between type of injury, flow velocities, vasoreactivity and outcome. *Neurosurgery* 1994; 34:79–85
 - *Aaslid R.* : Transcranial Doppler examination techniques .In *Aaslid R. (ed.). transcranial doppler sonography* .Springer-Verlag. New York. 1986, pp 39-59
 - *Adams R. J., Nicholas F. T., Mckie V.C. et al.*: Transcranial Doppler influence of hematocrite in children with sickle cell anemia without stroke, *J. Cardiovasc. Ultrasonogr.* 1989; 8:97-101
-

- *Adams RJ, McKie V, Nichols F et al.*: The use of transcranial ultrasonography to predict stroke in sickle cell disease. *NEnglJMed* 1992; 326:605-10.
 - *Adams RJ, McKie VC, Hsu L, et al.* Prevention of a first stroke by transfusions in children with sickle cell anemia and abnormal results on transcranial Doppler ultrasonography. *N. Engl. J. Med* 2007; 339: 5-11.
 - *Alet Jacobs and Ravi P. Mahajan*: Transcranial Doppler Ultrasonography. In: Philip M. Hopkins, A. R. Bodenham and Scott T. Reeves. 1st ed, Informa Healthcare USA, Inc, New York, USA ;2008. Ch.10: p 183-184
 - *Alexander Y, Michael A And Daniel F. Hanley*: Intensive care unite monitoring .IN; Viken L. and Lawernce R (editors): Transcranial Doppler Ultrasonography. 2nd ed, Elsevier, New York-USA; 1999. Ch.13: p194-195
 - *Alexandrov AV, Demchuk AM, Felberg RA, Grotta JC, Krieger DW.* Intracranial clot dissolution is associated with embolic signals on transcranial Doppler. *Neuroimaging* 2000; 10 (1): 27-32
 - *Alexandrov AV, Sloan MA, Wong LK, Douville C, Razumovsky AY, Koroshetz WJ, Kaps M, Tegeler CH*; American Society of Neuroimaging Practice Guidelines Committee. Practice standards for transcranial Doppler ultrasound: part I--test performance. *J Neuroimaging*. 2007 Jan;17(1):11-8.
 - *Alexandrov AV, Tegeler CH.* Diagnostic criteria for transcranial Doppler sonography: A model for quality assurance and laboratory accreditation. *Vase Ultrasound Today* 1999; 4:1-24.
-

- *American College of Radiology (ACR) : practice guideline for performing and interpreting diagnostic ultrasound examinations . Effective Oct 1, 2006. Revised 2006b. Available at URL address: http://www.acr.org/s_acr/bin.asp?CID=539&DID=12267&DOC=FILE.PDF*

- *Andrei V. Alexandrov, & Marsha M. Neumyer : Diagnostic criteria for cerebrovascular ultrasound.In; Viken L.and Lawernce R(editors):Transcranial Doppler Ultrasonography.2nd ed, Elsevier,New York-USA;2004.Ch.6:p113*

- *Andrei V. Alexandrov, & Marsha M. Neumyer : Diagnostic criteria for cerebrovascular ultrasound.In; Viken L.and Lawernce R(editors):Transcranial Doppler Ultrasonography.2nd ed, Elsevier(New York-USA);2004.Ch.6:p 97*

- *Andrei V. Alexandrov: Cerebral vasospasm after subarachnoid hemorrhage.In; Andrei V. Alexandrov(editor): Cerebrovascular Ultrasound in Stroke Prevention and Treatment(2004);Ch.11.p:160-67*

- *Athanassiou L, Hancock SM, Mahajan RP.et al. Doppler estimation of zero flow pressure during changes in downstream pressure in a bench model of a circulation using pulsatile flow. Anaesthesia 2005; 60:133–138*

- *Babikian V, Sloan MA, Tegeler CH, DeWitt LD, Fayad PB, Feldmann E, Gomez CR. Transcranial Doppler validation study. Neuroimaging 1993; 3: 242-9.*

- *Bapista A.G.* Studies of the arteries of the brain II .The anterior cerebral artery :Some anatomic features and their clinical implications. *Neurology* ,1963;13:825-835
 - *Bartels E.* Color-Coded Duplex Ultrasonography of the Cerebral Vessels. Stuttgart: Schattauer, 1999:123-4.
 - *Baumgartner RW, Arnold M, Baumgartner I, Mosso M, Conner F, Studer A, Schroth G, Schuknecht B, Sturzenegger M.* Carotid dissection with and without ischemic events: local symptoms and cerebral artery findings. *Neurology* 2005; 57 (5): 827-32.
 - *Baumgartner RW, Mattle HP.* Transcranial color-coded duplex sonography in cerebral aneurysms. *Stroke* 2004 ; 25:2429-34.
 - *Baumgartner RW, Mattle PH and Aaslid R.*Transcranial color Doppler duplex sonography , magnetic resonance angiography computed tomography angiography :methods ,applications ,advantages and limitations.Clinical Ultrasound 1999 ;23:89-111
 - *Becker GM, Winkler J.* :Differentiation between ischemic and hemorrhagic stroke by transcranial color-coded realtime sonography. *Neuroimaging* 1993; 3:41-7.
 - *Bock RW, Lusby RJ.* Lesions, dynamics, and pathogenetic mechanisms responsible for ischemic events in the brain. In: Moore WS, ed. Surgery for cerebrovascular disease. Philadelphia: W.B. Saunders, 1996:48-71.
 - *Brass L.,Pavlakis S.,Devivo P.et al.*Transcranial Doppler measurement of the middle cerebral artery effect of hematocrite .*Stroke* 1993; 19:1466-1469
-

- *Brass LM, Duterte DL, Mohr JP.* Anterior cerebral artery velocity changes in disease of the middle cerebral artery stem. *Stroke* 1989; 20 (12): 1737-40.
 - *Broderick J, Brott T, Kothari R, et al.* The Greater Cincinnati/Northern Kentucky Stroke Study: preliminary first-ever and total incidence rates of stroke among blacks. *Stroke* 1998;29:415-21.
 - *Budingen HJ, Staudacher T.* Identification of the basilar artery with Transcranial Doppler Sonography. *Ultraschall Med* 1987; 8 (2): 95-101 [in German].
 - *Burgin WS, Malkoff M, Felberg RA, Demchuk AM, Christou I, Grotta JC, Alexandrov AV.* Transcranial Doppler ultrasound criteria for recanalization after thrombolysis for middle cerebral artery stroke. *Stroke* 2000; 31:1128-32
 - *Caplan L.Brass L.Dewitt L.et al:Transcranial Doppler Ultrasound :Present Status,Neurology, (1996); 40:696:700*
 - *Chadduch W.M.,Seibert J.J.,Adamtez J.Glasier C.et al.:Cranial Doppler ultrasonography correlates with criteria for ventriculoperitoneal shunting ,Surg.Neuro, (1989)31:122-8*
 - *Chernecky CC and Berger BJ.: Doppler Ultrasonographic Flow Studies (Includes Carotid Doppler, Carotid Artery Echography, Carotid Artery Ultrasonography, Duplex Ultrasonography, Transcranial Doppler Ultrasonography)–Diagnostic. In: Laboratory*
-

Tests and Diagnostic Procedures. 5th ed. St Louis, MO: Saunders Elsevier; 2008

- *Chernecky CC, Berger BJ.* Doppler Ultrasonographic Flow Studies (Includes Carotid Doppler, Carotid Artery Echography, Carotid Artery Ultrasonography, Duplex Ultrasonography, Transcranial Doppler Ultrasonography)–Diagnostic. In: Laboratory Tests and Diagnostic Procedures. 5th ed. St Louis, MO: Saunders Elsevier; 2008
- *Chimowitz MI, Kokkinos J, Strong J, Brown MB, Levine SR, Silliman S, Pessin MS, Weichel E, Sila CA, Furlan AJ et al.* The Warfarin-Aspirin Symptomatic Intracranial Disease Study. *Neurology* 1995; 45 (8): 1488-93.
- *Chollet F., Di Piero V., Wise R. J.S. et al.* The functional anatomy of motor recovery after stroke in humans :a study with positron emission tomography. *Ann. neural* (2001),29:63-71
- *Ciller CA, Mathews D, Purdy P, Kopitnik TA, Batjer HH, Samson DS.* The transcranial Doppler appearance of acute carotid artery occlusion. *Ann Neural* 2004; 31: 101-3.
- *Cow Burn P.J., Grosset D.G Squire I.B. et al.* Doppler ultrasound detection of cerebral emboli in patients with mechanical heart valves :correlation with neurological deficit(1992) .*Clin.Sci* 82 (suppl 26):IP abstract
- *David W.,Josef P.Jeanvoine H.Maugin D. et al.:*Evaluation of brain death using TCD.*Neurosurgery*,(1989)24(4):509-513.
- *Davis D.V. and Davis F..*Gray's anatomy .33rd ed. Longman 's ,1962;p:183-189

- *De Bray JM, Pasco A, Tranquart F, Papon X, Alecu C, Giraudeau B, Dubas F, Emile J.* Accuracy of color-Doppler in the quantification of proximal vertebral artery stenoses. *CerebrovascDis* 2001; 11 (4): 335-40.
 - *Del Zoppo GJ, Higashida RT, Furlan AJ, Pessin MS, Rowley HA, Gent M.* PROACT: A phase II randomized trial of recombinant pro-urokinase by direct arterial delivery in acute middle cerebral artery stroke. *Stroke* 1998;29:4-11
 - *Demchuk AM, Burgin WS, Christou I, Felberg RA, Barber PA, Hill MD, Alexandrov AV.* Thrombolysis in brain ischemia (TIBI) transcranial Doppler flow grades predict clinical severity, early recovery, and mortality in patients treated with tissue plasminogen activator. *Stroke* 2001;32:89-93.
 - *Demchuk AM, Christou I, Wein TH, Felberg RA, Malkoff M, Grotta JC, Alexandrov AV.* Specific transcranial Doppler flow findings related to the presence and site of arterial occlusion with transcranial Doppler. *Stroke* 2000;31:140-6.
 - *Demchuk AM, Christou I, Wein TH, Felberg RA, Malkoff M, Grotta JC, Alexandrov AV.* Accuracy and criteria for localizing arterial occlusion with transcranial Doppler. *JNeuroimaging* 2000; 10:1-12.
 - *Ducroq X, Hassler W, Moritake K, Newell DW, von Reutern GM, Shiogai T, Smith RR.* Consensus opinion on diagnosis of cerebral circulatory arrest using Doppler - sonography. Task Force Group on cerebral death of the
-

- Neurosonology Research Group of the World Federation of Neurology. *J Neurol Sci* 1998; 159:145-50.
- *Faris A.A., Porter G.M., Wilmore D.W. et al.* Radiologic visualization of the neck vessels in healthy men. *Neurology*, 1963; Ch 13 :383-396
 - *Fischer CM, Kistler JP, Davis JM.* Relation of cerebral vasospasm to subarachnoid hemorrhage visualized by computed tomographic scanning. *Neurosurgery* 2004; 6:19.
 - *Gosling R.C., Dunbar G., King D.H.:* The quantitative analysis of occlusive peripheral arterial disease by a non-intrusive ultrasonic technique. *Angiology* (1971) 22:52-6
 - *Gosling RG, King DH.* Arterial assessment by Dopplershift ultrasound. *Proc R Soc Med* 1974; 67:447-9.
 - *Grand W.* Microsurgical anatomy of the proximal middle cerebral artery and internal carotid bifurcation. *Neurosurgery*, 1980; 2 : 15-218
 - *Grolimund P. and Seiler R.W.* Age dependence of the flow velocity in the basal cerebral arteries ,A transcranial Doppler ultrasound study .*Ultrasound .Med .Biol* 1988; 14:191-198
 - *Halbach V.V., Higoshida R.T., Hieslima G.B.:* Interventional Neuroradiology .*AJR*, 1989; 153:467-476
 - *Halsey J H:* Response :Letter to the editor .*Stroke* 1996; 27:439
-

- *Hancock SA, Eastwood JR, Mahajan RP.* Effects of inhaled nitrous oxide 50% on estimated cerebral perfusion pressure and zero flow pressure in healthy volunteers. *Anaesthesia* 2005; 60: 129–132.
 - *Harders A.* Neurosurgical Applications of Transcranial Doppler Sonography. Wien: Springer- Verlag, 1986:117.
 - *Heiss WD, Thiel A, Grond M, Graf R.* Which targets are relevant for therapy of acute ischemic stroke? *Stroke* 1999;30:1486-9.
 - *Hennerici M, Neuerburg-Heusler D.* Vascular Diagnosis with Ultrasound: Clinical References with Case Studies. Stuttgart: Thieme, 1998:96.
 - *Hoksbergen W J ,Legemate Da ,ubbink DT et al.* Succes Rate Of Transcranial Color-Coded Duplex Ultrasonography In Visualizing The Basal Cerebral Arteries In Vascular Patients Over 60 years of Age.*Stroke* 1999 ;30:1450-1455
 - *Jhonston T.B .and Willis J.*Gray's anatomy .Longman's,Green and co,1954; p108-109 and 721-758
 - *Jurgen K ,Dirk Sander and Ingo Wittich:*Functional Ultrasonographic Imaging.In;Viken L.and Lawerence R(editors):Transcranial Doppler Ultrasonography.2nd ed, Elsevier(New York-USA);1999.Ch.4:p60
 - *Kader A, Young WL, Pile-Spellman J, et al.* The influence of hemodynamic and anatomic factors on hemorrhage from cerebral arteriovenous malformations. *Neurosurgery* 1994;34: 801–808
-

- *Kelly R.E., Namon R.A., Juang S. H. et al.* Transcranial Doppler ultrasonography of the middle cerebral artery stenosis. *Arch. Neural.* 1990 ;47:960-964
 - *Kety S.S., Shenkin H., Schmidt C.T.*: The effect of increased intracranial pressure on cerebral circulatory functions in man. *J. Clin. Invest.* (1984) 27:493-499
 - *Kety S.S.* Human cerebral blood flow and oxygen consumption as related to aging. *J. Chronic Dis* 1956;3:478-486
 - *Klotzsch C, Bozzato A, Lammers G, Mull M, Noth .* Contrast-enhanced three-dimensional transcranial color-coded sonography of intracranial stenoses. *AJNR Am J Neuroradiol* 2002; 23 (2): 208-12.
 - *Kontos H.A.* Validity of cerebral blood flow calculations from velocity measurements. *Stroke* 2003;20:1-3
 - *Krejza J, Mariak Z, Melhem ER et al.* A guide to identification of major cerebral arteries with transcranial color Doppler sonography. *AJR* 2004;174:1297-1303
 - *Lien LM, Chen WH, Chen JR, Chiu HC, Tsai YF, Choi WM, Reynolds PS, Tegeler CH.* Comparison of transcranial color-coded sonography and magnetic resonance angiography in acute ischemic stroke. */ Neuroimaging* 2001; 11 (4): 363-8.
 - *Lindegaard K, Bakke S, Grolimund P, Aaslid R, Huber P, Nornes H.* Assessment of intracranial hemodynamics in carotid artery disease by transcranial Doppler ultrasound. *J Neurosurg* 2004 ; 63:890-8.
-

- *Lindegaard KF, Nornes H, Bakke SJ, Sorteberg W, Nakstad P.* Cerebral vasospasm after subarachnoid haemorrhage investigated by means of transcranial Doppler ultrasound. *Acta Neurochir (Wien) (Suppl.)* 1988; 42:81-4.

- *Mahajan RP, Cavill G, Simpson EJ.* Reliability of the transient hyperaemic response test in detecting changes in cerebral autoregulation induced by graded variations in end-tidal carbon dioxide. *Anesth Analg* 2004; 87:843–849.

- *Mahla ME, Black S, Cucchiara RF.* Transcranial Doppler Monitoring. In: Miller RD, editor. *Miller's Anesthesia*. 6th ed. Philadelphia, PA: Churchill Livingstone; 2005. Ch 38.

- *Markus H.S and Brown M.M.* Differentiation between different pathological cerebral embolic materials using transcranial Doppler in vivo and in vitro model. *Stroke* (2002),24:1-5

- *Markwalder T.M.Grolimund P.Seiler R. W. et al.* Dependancy of blood flow velocity in the middle cerebral artery on end-tidal carbon partial pressure .A transcranial ultrasound Doppler study. *J Cereb.blood flow metab.*1984;.4:368-372

- *Martin PJ, Evans DH, Naylor AR.* Transcranial color-coded sonography of the basal cerebral circulation. *Stroke* 1994;25:391–396

- *Mayberg MR.* Cerebral vasospasm. *Neurosurg Clin N Am* 2004;9:615-27.

REFERENCES

- *McKie VC, Adams RJ Brambilla D, et al.* Stroke prevention trial in sickle cell anemia. *Control Clin Trials* 2007; 19: 110-29
- *Miera LK* .Intracranial Cerebrovascular Evaluation.In: *Diagnostic Ultrasonography .Rumak MC,Wilson RS and Charboneau WJ* eds,2006.Mosby year book Inc.press.5th edition.Chapter 20.p 496
- *Monsein LH, Razumovsky AY, Ackerman SJ, Nauta HJ, Hanley DF.* Validation of Transcranial Doppler ultrasound with a stereotactic neurosurgical technique. *JNeurosurg* 1995; 82 (6): 972-5.
- *Moppett IK, Mahajan RP.* Transcranial Doppler ultrasonography in anaesthesia and intensive care. *Br J Anaesth* 2004; 93:710–724.
- *Nadvi S.S.,Du Trevou M.D.,Vandellen J.,R.Gouws E.:*The use of TCD as a method of assessing intracranial pressure in hypocephalic children .*Br .J. Neurosurgery*(1995) 8:573-578
- *Pourcelot L, Ribadeau-Dumas JL, Fagret D, Planiol T.* Contribution of the Doppler examination to the diagnosis of subclavian steal syndrome. *Rev Neural (Paris)* 1977; 133 (5): 309-23 [in French].
- *Ring B .A.* Normal middle cerebral artery .In: *Radiology of the skull and the brain .Vol. II. Book 2.*edited by T. H Newton and D.G. Potts. Mosby St.Louis 1974;1442-1470

REFERENCES

- *Ringeistein EB, Holling and Marlin PJ.* Analysis of the circle of willis :Program development, validation and clinical impact .Presented at the second international conference on TCD .Salzburg-Verlag ,1988;p3-28
- *Schwartz A . and Hennerici M.:*Non_invasive trnascranial Doppler ultrasound in intracranial angiomas.neurology(1986);36:626-635
- *Seidel G, Kaps M, Gerriets T.* Potential and limitations of transcranial color-coded sonography in stroke patients. *Stroke* 1995; 26:2061–2066
- *Shirley MO, Darius GN and Ringeisten EB.:* Ultrasound assessment of the intracranial arteries. In :Zwiebel WJ.(ed):Introdution to vascular ultrasonography. 5th edition 2005.Ch 12: p 225
- *Silvestrini M.,Carlo Caltagirone,Letizia M.et al.*Activation of healthy hemisphere in post-stroke recovery:Atranscranial Doppler study.*Stroke* (1995),24:1673-77.
- *Sloan MA, Alexandrov AV, Tegeler CH, et al.* Assessment: transcranial Doppler ultrasonography: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology* 2004; 62: 1468-81.
- *Sloan MA, Alexandrov AV, Tegeler CH, Spencer MP, Caplan LR, Feldmann E, et al.;* Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. Assessment: transcranial Doppler ultrasonography: report of the Therapeutics and

-
- Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology*. 2004 May 11;62(9):1468-81. Accessed Oct 15, 2007. Available URL address:<http://www.neurology.org/cgi/reprint/62/9/1468.pdf>
- *Sloan MA. Transcranial Doppler monitoring of vasospasm after subarachnoid hemorrhage. In: Tegeler CH, Babikian VL, Gomez CR, eds. Neurosonology. St Louis: Mosby, 1996:156-71.*
 - *Spencer M.P., Thomas G .I., Nicholls S.C. Detection of middle cerebral emboli during carotid endarterectomy using transcranial ultrasonography .stroke (2000),21:415:423*
 - *Stolz E, Kaps M, Domdorf W. Assessment of intracranial venous hemodynamics in normal individuals and patients with cerebral venous thrombosis. Stroke 1999; 30: 70-5.*
 - *Tegler C. H Hitchings L.P., Leighton V.J. et al. Carotid ultrasound emboli monitoring in stroke :Initial clinical experience .j .neurosurgery(2002) ,1:6 abstract .*
 - *Toole J.F. Applied anatomy and embryology of the brain arteries. Cerebrovascular Disorders, 4th edition .Ravan Press, 1990; p1-27*
 - *Wariwiche R. and Williams P.L. Gray's anatomy .35th ed. Longman's, 1973; 155-161*
 - *Waxman S.G . Functional recovery in diseases of the nervous system. in :Waxman SG, ed .Functional Recovery In Neurological Disease .Advances in Neurology.(1988);, Vol.77, New York: Ravan Press, 1-7.*
-

REFERENCES

- *Weiller C ., Chollet F.,froston k .j. et al.* Functional recognition of the brain in recovery from striato –capsular infarction in man.*Ann.Neurol* (2003),31:463:472
- *Yoshihara m.bandoh k.marmarou a.*Cerbrovascular Carbon Diaxoide Reactivity Assessed By Intracranial Pressure Dynamics In Severly Head Injured Patients .*J.Neurolurg* 2006 ;82:386-393