

REFERENCES

- 1- **Sieggreen, Kline, Ronald A.** Arterial Insufficiency and Ulceration: Diagnosis and Treatment Options. *Adv Skin Wound Care* 2004; 17:242–51.
- 2- **Iwai T,** Critical Limb Ischemia. *Ann Thorac Cardiovasc Surg* 2004; Vol. 10, No. 4.
- 3- **Patel JV, Bardgett H.** Acute limb ischaemia. *Imaging* 2004; 16: 253–63.
- 4- **Ouwendijk R, de Vries M, Pattynama PM, et al.** Imaging peripheral arterial disease: a randomized controlled trial comparing contrast-enhanced MR angiography and multi-detector row CT angiography. *Radiology* 2005; 236:1094–103.
- 5- **Deguara J, Tahir Ali T, et al.,** upper and lower limb ischemia: 20 years experience from a single center. *Vascular* 2005; 13(2): 84–91.
- 6- **Zweibel and William J.** Introduction to Vascular Ultrasonography 4th Edition. Philadelphia: W. B. Saunders Company, 2000: 205–60.
- 7- **Mansour MA and Labropoulos N.** Vascular Diagnosis, Saunders, 2005. Chapter 1, p 4–13.
- 8- **Robertson I.** Imaging arterovenous disease. *Imaging, the British Institute of Radiology* Volume 16 (2004) Number 3.
- 9- **Chung et al.** Spiral CT angiography of the thoracic aorta. *Radiographics* 1996;16 (4): 811.
- 10- **Bernd F. et al.** Angiography of Intracranial Aneurysms: A Focus on Postprocessing. *RadioGraphics* 2004; 24: 637–55.
- 11- **Elliot K. Fishman.** From the RSNA Refresher Courses: CT angiography: Clinical Applications in the Abdomen. *Radiographics* 2001; 21: S3–S16.

- 12-**Dormandy JA, Rutherford RB.**Management of peripheral arterial disease (PAD).TASC Working Group. TransAtlantic Inter-Society Concensus (TASC). J Vasc Surg 2000; 1:S1-296.
- 13-**Dalrymple NC, Prasad SR, Freckleton MW, et al.** Informatics in Radiology (infoRAD): Introduction to the Language of Three-dimensional Imaging with Multidetector CT. RadioGraphics 2005; 25:1409–28.
- 14-**Rubin GD, Shiau MC, Leung AN, et al.** Aorta and iliac arteries: single versus multiple detector-row helical CT angiography. Radiology 2000; 215:670–6.
- 15-**Schoepf UJ, et al.** Multislice CT angiography. Imaging, The british Institute of Radiology 2001; 13:357–65.
- 16-**Hiatt MD, Fleishmann D, Hellinger, et al.** Angiographic imaging of the lower extremities with multidetector CT. Radio Clin N Am. 2005; 43: 1119–27.
- 17-**Coleman SS, Anson BJ.** Arterial patterns in the hand. Based upon a study of 650 specimens. Surg Gynecol Obstet **1961;113:409–424.**
- 18- **Daseler EH, Anson BJ.** Surgical anatomy of the subclavian artery and its branches. Surg Gynecol Obstet 1959;108:149–174.
- 19- **Ikeda A, Ugawa A, Kazihara Y, Hamada N.** Arterial patterns in the hand based on a three dimensional analysis of 220 cadaver hands. J Hand Surg 1988;13A:501–509.
- 20-**Ryan S. & Mc Nicholas M.** Anatomy for diagnostic imaging. W.B. Saunders Company Ltd. 1998; Chapter 6,7 & 8. p: 217–81.
- 21-**Gray H.** Anatomy of the Human Body, 1918. (reprint), Bartlebt Press., 2000.
- 22-**Paredos P, Golob M, and Jensterle M.** Interrelationship Between Peripheral Arterial Occlusive Disease, Carotid Atherosclerosis and Flow Mediated Dilation of the Brachial Artery. International Angiology 2003; 22(1):83–7.

- 23-**Robbins SL, Cortan RS and Kumar V:** Pathological basis disease, W.B. Saunders company 5th edition, 1994, p: 85-7.
- 24-**Farid AG and Mourad AS.** Systemic pathology. 2nd edition, part II. Al- Ahram Press, 1991.
- 25-**Robbins SL, Angell M and Kumar V:** Basic pathology, WB Saunders company 3rd edition, 1981, p: 27-9.
- 26-**Weitez J & Byrne J.** Diagnosis and treatment of chronic arterial insufficiency of lower extremities: a critical review. Circulation journal 94: 302–6-3049, 1996.
- 27-**National** Library of Medicine web site. Medline Plus.Medical encyclopedia. Arteriosclerosis of the extremities.
<http://www.nlm.nih.gov/medlineplus/encyclopedia.html>, 2005.
- 28-**Titus JL abd Kim H.** blood vessels and lymphatics. In textbook of Anderson's pathology edited by Kissane JM, 9th edition, CV Mosby Company. 1990, p 754–66.
- 29-**Robbins SL, Cortan RS, Kumar V:** Pathological basis disease, W.B. Saunders company, Philadelphia, London, 1979.
- 30-**Schwartz LB, Clark ET and Gewertz BL.** Anastomotic and other pseudoaneurysms. In: Rutherford RB, ed. Vascular surgery. 5th ed. Philadelphia, Pa: Saunders, 2000; 752–63.
- 31-**Jay GD, Ross FL, Mason RA, et al.** clinical manifestations of upper limb arterial diseasaes. J Vas Surg 1989; 9: 448–51.
- 32-**Yao, James.** upper Extremity Occlusive Disease. E-Medicine Journal November 19 2001, Volume 3, Number 11.
- 33- **Dennis JW, Frykberg ER and Crump JM:** New perspectives on the management of penetrating trauma in proximity to major limb arteries. J Vasc Surg 1990; 11(1): 84–92.

- 34-**Selvin E and Erlinger TP.** Prevalence of and risk factors for peripheral arterial disease in the United States: *Circulation* 2004; 110(6):738–43.
- 35-**Gregg L. Semenza.** Tissue ischemia: pathophysiology and therapeutics. *The Journal of Clinical Investigation* 2000; 106 (5): 613.
- 36-**Ouriel K, Green RM.** Arterial disease. In: Schwartz S I et al (Eds.). *Principles of surgery*. 7th edition USA. Library of congress 1999; p. 931–1003.
- 37- **Fleischmann D, Hallett RL, and Rubin GD.** CT Angiography of Peripheral Arterial Disease. *Journal of Vascular and Interventional Radiology* 2006; 17:3–26.
- 38- **Beidle TR, Brom-Ferral R, Letourneau JG.** Pathogenesis of peripheral arterial diseases. *AJR Am J Roentgenol* 1994; 162:443–8.
- 39- **Durham JR, Yao JS, Pearce WH.** Arterial injuries in the thoracic outlet syndrome. *J Vasc Surg.* Jan 1995;21(1):57-69;
- 40- **Eskandari MK, Yao JST.** Occupational Vascular Problems. In: Rutherford RB, ed. *Vascular Surgery*, 6th ed. *Philadelphia, Pa.*: WB Saunders;2005, in press.
- 41- **Halpin DP, Moran KT, Jewell ER.** Arm ischemia secondary to giant cell arteritis. *Ann Vasc Surg.* - Moran KT;2(4):381-4.
- 42-**Norgren L, Hiatt WR, Dormandy JA, et al.** Inter-Society Consensus for the management of peripheral arterial disease (TASC II). *Eur J Vas Endovasc Surg* 2007; 33: S1-S75.
- 43-**Boon NA and Fox KA:** Diseases of cardiovascular system, Davidson's principles and practice of medicine. Textbook 17th edition, chapter 5, Churchill Livingstone press. 1995, 266–74.

- 44-**Odurny A.** Radiological Investigation and Treatment of the Critically Ischemic Limb—A Review. *Int J Low Extrem Wounds*. 2002; 1(1):33–42.
- 45-**Hirsch AT, Haskal ZJ, Hertzner NR, et al.** Practice Guidelines for the management of patients with peripheral arterial disease *Circulation* 2006; 113:e463.
- 46-**Schadt D, Hines EJ and Juergens J.** chronic atherosclerotic occlusion of the femoral artery. *JAMA* 1961; 175: 937–40.
- 47-**William J.** **Acute arterial and graft occlusion.** In: *Vascular Surgery. A Comprehensive Review*, WB Saunders, Philadelphia 1993, p: 648.
- 48-**Menzoian JO, Doyle JE, Cantelmo NL, et al.** A comprehensive approach to extremity vascular trauma. *Arch Surg* 1985; 120:801–5.
- 49-**Dennis JW, Frykberg ER, Veldenz HC, et al.** Validation of nonoperative management of occult vascular injuries and accuracy of physical examination alone in penetrating extremity trauma: 5- to 10-year follow-up. *J Trauma* 1998; 44:243–52.
- 50-**Yeager RA, Moneta GL, Taylor LM, et al.** Surgical management of severe acute lower extremity ischemia. *J Vasc Surg* 1992; 15(2):385–91.
- 51-**Seldinger SI.** Catheter replacement of the needle in percutaneous arteriography: a new technique. Quoted: *Acta Radiol* 1953; 39:368–76.
- 52-**Thomas SM.** The current role of catheter. Imaging, *The British Institute of Radiolog.* 2001; 13:366–75.
- 53-**Hessel SJ, Adams DF, Abrams HL.** Complications of angiography. *Radiology* 1981; 138:273–81.
- 54-**Tins B, Oxtoby J, and Patel S.** Comparison of CT angiography with conventional arterial angiography in upper limb occlusive diseases. *British Journal of Radiology* 2001; 74:219–25.

- 55-**Tatli S, Lipton MJ, et al** · From the RSNA Refresher Courses; MR Imaging of Aortic and Peripheral Vascular Disease. *Radiographics*. 2003; 23:S59–S78.
- 56-**Konkus CJ, Czum M, Jacobacci JT**. Contrast-enhanced MR Angiography of Aorta and lower extremities with routine inclusion of the feet . *AJR*. 2002; 179: 115–17.
- 57-**Wang Y, Winchester PA, Khilnani NM, et al**. Contrast-enhanced peripheral MR angiography from the abdominal aorta to the pedal arteries: combined dynamic two-dimensional and bolus-chase three-dimensional acquisitions. *Invest Radiol* 2001; 36:170–7.
- 58-**Meaney JF, Ridgway JP, Chakraverty S, et al**. Stepping-table gadolinium-enhanced digital subtraction MR angiography of the aorta and lower extremity arteries: preliminary experience. *Radiology* 1999; 211:59–67.
- 59-**Ho KY, Leiner T, van Engelshoven JM**. MR angiography of run-off vessels. *Eur Radiol* 1999; 9:1285–9.
- 60-**Ho KY, Leiner T, de Haan MW, et al**. Peripheral vascular tree stenoses: evaluation with moving-bed infusion-tracking MR angiography. *Radiology* 1998; 206:683–92.
- 61-**Earls JP, Patel NH, Smith PA, et al**. Gadolinium-enhanced three-dimensional MR angiography of the aorta and peripheral arteries: evaluation of a multistation examination using two gadopentetate dimeglumine infusions. *AJR Am J Roentgenol* 1998; 171:599–604.
- 62- **Schoenberg SO, Londy FJ, Licato P, et al**. Multiphase-multistep gadolinium-enhanced MR angiography of the abdominal aorta and runoff vessels. *Invest Radiol* 2001; 36:283–91.
- 63- **Bilecen D, Schulte AC, et al**. Lower Extremity: Low-Dose Contrast Agent Intraarterial MR Angiography in Patients—Initial Results. *Radiology* 2005; 234:250–5.

- 64-**Kohler TR, Nance DR, Cramer MM, et al.** Duplex scanning for diagnosis of brachial artery disease: a prospective study. *Circulation* 1987; 76:1074–80.
- 65-**Whelan JF, Barry MH, Moir JD.** Color flow Doppler ultrasonography: comparison with peripheral arteriography for the investigation of peripheral arterial disease. *J Clin Ultrasound* 1992; 20:369–74.
- 66-**Burns PN. Hemodynamics.** In: Taylor KJW, Burns PN, Wells PNT, eds. *Clinical applications of Doppler ultrasound*. New York, NY: Raven, 1995; 35–54.
- 67-**Polak JF.** Color flow and duplex sonography in upper-extremity ischemia. In: Taylor KJW, Burns PN, Wells PNT, eds. *Clinical applications of Doppler ultrasound*. New York, NY: Raven, 1995; 337–54.
- 68-**Sidhu PS, Allan PL, et al.** Diagnostic efficacy of SonoVue®, a second generation contrast agent, in the assessment of extracranial carotid or peripheral arteries using colour and spectral Doppler ultrasound: a multicentre study. *British Journal of Radiology* 2006; 79:44–51.
- 69-**Moneta GL, Yeager RA, Antonovic A, et al.** Accuracy of lower extremity arterial duplex mapping. *J Vasc Surg* 1992; 15: 275–84.
- 70-**Pinto F, Lenocioni R, Napoli V, et al.** Peripheral ischemic occlusive arterial disease : comparison of color doppler sonography and angiography. *J Ultrasound Med.* 1996; 15: 697–704.
- 71- **Polak JF, Karmel MI, Mennick JA.** Determination of the extent of upper and lower extremity peripheral arterial disease with color-assisted Duplex sonography: comparison with angiography. *AJR* 1990; 155: 1085–9.
- 72-**Catalano C, Laghi A, Reitano I, et al.** Optimization of contrast agent administration in MSCT angiography. *Acad Radiol* 2002; 9(Suppl. 2):S361–3.

- 73-**Cademartiri F, van der Lugt A, Luccichenti G, et al.** Parameters affecting bolus geometry in CTA: a review. *J Comput Assist Tomogr* 2002; 26:598–607.
- 74-**Bae KT, Tran HQ, Heiken JP.** Multiphasic injection method for uniform prolonged vascular enhancement at CT angiography: pharmacokinetic analysis and experimental porcine model. *Radiology* 2000; 216:872–80.
- 75-**Cademartiri F, Nieman K.** Intravenous Contrast Material Administration at 16–Detector Row Helical CT Coronary Angiography: Test Bolus versus Bolus-tracking Technique. *Radiology* 2004;233:817.
- 76-**Hu H, He HD, Foley WD, et al.** Four multidetector-row helical CT: image quality and volume coverage speed. *Radiology* 2000; 215:55–62.
- 77-**Nakayama Y, Imuta M, Funama Y, et al.** CT portography by multidetector helical CT: comparison of three rendering models. *Radiat Med* 2002;20: 273–9.
- 78- **Fleischmann D.** Use of high concentration contrast media: principles and rationale-vascular district. *Eur J Radiol* 2003; 45(Suppl. 1):S88–93
- 79- **MacEneaney PM, and Dachman AH.** CT Angiography Review *Appl Radiol* 2000; 29(12):24–29.
- 80-**Foley WD, Mallisee TA, Hohenwalter MD, et al.** Multiphase hepatic CT with a multirow detector CT scanner. *Am J Roentgenol* 2000; 175:679–85.
- 81- **Fishman EK.** From the RSNA Refresher Courses: CT Angiography: Clinical Applications in the Abdomen. *Radiographics*. 2001; 21:S3–S16.
- 82- **Fuchs T, Krause J, Schaller S, Flohr T, Kalender WA.** Spiral interpolation algorithms for multislice spiral CT. II. Measurement and evaluation of slice sensitivity profiles and noise at a clinical multislice.

- 83- **Hsieh J.** A general approach to the reconstruction of x-ray helical computed tomography. *Med Phys* 1996;23:221–229.
- 84- **Hu H, He HD, Foley WD, Fox SH.** Four multidetector-row helical CT: image quality and volume coverage speed. *Radiology* 2000;215:55–62.
- 85- **Rubin GD, Dake MD, Semba CP.** Current status of three-dimensional spiral CT scanning for imaging the vasculature. *Radiol Clin North Am* 1995; 33:51–70.
- 86- **Rubin GD, Napel S, Leung AN.** Volumetric analysis of volumetric data: achieving a paradigm shift [editorial]. *Radiology* 1996;200:312–317.
- 87- **Prokop M, Shin HO, Schanz A, Schaefer-Prokop CM.** Use of maximum intensity projections in CT angiography: a basic review. *RadioGraphics* 1997; 17:433–451.
- 88- **Ofer A, Nitecki SS, and Linn S.** Multidetector CT Angiography of Peripheral Vascular Disease: A Prospective Comparison with Intraarterial Digital Subtraction Angiography. *AJR Am R Roentgenol* 2003; 180:719–24.
- 89- **Napel S, Marks M, Rubin G, et al.** CT angiography with spiral CT and maximum intensity projection. *Radiology* 1992; 185:607–10.
- 90- **Morcos SK and Weir J.** Multislice CT. *British Journal of Radiology* 2004; 77: S1.
- 91- **ImPACT Technology Update No. 1,** Multi-slice CT scanners, MDA/00/23, March 2000.
- 92- **Kundra V, and Silverman PM.** Impact of multislice CT on imaging of acute abdominal disease. *Radiol Clin N Am* 2003; 41:1083–93.
- 93- **Lewis MA.** Multislice CT: opportunities and challenges . *British Journal of Radiology* 2001; 74: 779–81.

- 94- **Fishman EK, Ney DR, Heath DG, et al.** Volume Rendering versus Maximum Intensity Projection in CT Angiography: What Works Best, When, and Why. *RadioGraphics* 2006;26:905–22.
- 95- **Cahir JG, Freeman AH, and Courtney HM.** Multislice CT of the abdomen. *British Journal of Radiology* 2004; 77: 64–73.
- 96- **Indrajit IK, Shreeram MN and D'souza JD.** Multislice CT : A Quantum Leap in Whole Body Imaging. *Ind J Radiol Imag* 2004; 14:2:209–16.
- 97- **Edwards AJ, Wells IP, Roobottom CA.** Multidetector row CT angiography of the lower limb arteries: a prospective comparison of volume-rendered techniques and intra-arterial digital subtraction angiography. *Clin Radiol* 2005; 60:85–95.
- 98- **Karcaaltincaba M, Akata D, Aydingoz U, et al.** Three-Dimensional MDCT Angiography of the Extremities: Clinical Applications with Emphasis on Musculoskeletal Uses. *AJR* 2004; 183:113–17.
- 99- **Shin CK, Rodino W, Kirwin JD, et al.** Can preoperative spiral CT scans alone determine the feasibility of endovascular AAA repair? A comparison to angiographic measurements. *J Endovasc Ther.* 2000; 7:177– 83.
- 100- **Willmann JK, Mayer D, Banyai M, et al.** Evaluation of peripheral arterial bypass grafts with multidetector row CT angiography: comparaison with duplex US and digital subtraction angiography. *Radiology* 2003; 229(2):465–74.
- 101- **Miller-Thomas MM, West OC, and Cohen AM.** Diagnosing Traumatic Arterial Injury in the Extremities with CT Angiography: Pearls and Pitfalls. *RadioGraphics* 2005; 25:133–42.
- 102- **Katz DS and Hon M.** CT angiography of the upper extremities with a multi-detector row helical CT scanner: promise of a new opportunities fulfilled. *Radiology* 2001; 221: 7–10.

- 103- **Willmann JK, Baumert B, Schertler T, et al.** suclavian and lower extremity arteries assessed with 16-detector row CT angiography: prospective comparison with digital subtraction angiography. *Radiology* 2005; 236:1083–93.
- 104- **Romano M, Mainenti PP, Imbriaco M, et al.** Multi-detector row CT angiography of the abdominal aorta and lower extremities in patients with peripheral arterial occlusive disease : diagnostic accuracy and interobserver agreement. *Eur J Radiol* 2004; 50(3): 303–8.
- 105- **Catalano C, Fraioli F, Laghi A, et al.** upper-extremity arterial disease: diagnostic performance of multi-detector row CT angiography. *Radiology* 2004; 231:555–63.
- 106- **Heuschmid M, Krieger A, Beierlein W, et al.** Assessment of peripheral arterial occlusive disease: comparison of multislice-CT angiography (MS-CTA) and intraarterial digital subtraction angiography (IA-DSA). *Eur J Med Res* 2003; 8:389–96.
- 107- **Rubin GD, Schmidt AJ, Logan LJ, et al.** Multi-detector row CT angiography of lower extremity arterial inflow and runoff: initial experience. *Radiology* 2001; 221:146–58.
- 108- **Schertler T, Wildermuth S, Alkadhi H, et al.** Sixteen–Detector Row CT Angiography for Lower-Leg Arterial Occlusive Disease: Analysis of Section Width *Radiology* 2005;237:649–56.
- 109- **Vilacosta I, San Roman JA.** Acute aortic syndrome. *Heart* 2001;85:365–8.
- 110- **De Monyé W, Murphy M, Hodgson R, et al.** Acute aortic syndromes: pathology and imaging., *Imaging* 2004; 16: 230–9.
- 111- **Gaines P.** Endovascular management of dissection of the descending aorta. *Imaging* 2001; 13:391–8.
- 112- **Soto JA, Munera F, Cardoso N, et al.** Diagnostic performance of helical CT angiography in trauma to large arteries of the extremities. *J Comput Assist Tomogr* 1999; 23:188–96.

- 113- **Busquets AR, Acosta JA, Colone E, et al.** Helical computed tomographic angiography for the diagnosis of traumatic arterial injuries in the extremities. *J Trauma* 2004; 56:625–8.
- 114- **Ouwendijk.** Multislice CT angiography: a practical guide to CT angiography in vascular imaging and intervention. *Br. J. Radiol.* 2004; 77: S27–38S.
- 115- **ZwolakRM** (2000)Arterial duplex scanning. In: Rutherford RB(ed)Vascularsurgery,5thed.Saunders,PhiladelphiaLondonSydney, pp192–214.
- 116- **SchwartzRA,KernsDB,MitchellDG** (1991)Color Doppler ultra- sound imaging in iatrogenic arterial injuries.*AmJSurg*162:4–6
- 117- **Evans DH, McDicken WN, Skidmore R, Woodcock JP.** *Doppler Ultrasound: Physics, Instrumentation, and Clinical Applications.* Chichester: Wiley, 1989.
- 118- **Powis RL, Schwartz RD.** *Practical Doppler Ultrasound for the Clinicia.* Williams and Wilkins, 1991.
- 119- **Goldberg BB, Merton DA, Deane CR.** *An Atlas of Ultrasound Color Flow Imaging.* London: Martin Dunitz, 1997.
- 120- **Gill RW.** Measurement of blood flow by ultrasound: accuracy and sources of error. *Ultrasound Med Bio*, 1985;7:625–42.
- 121- **Rourke C, Hendrickx P, Roth U, Brassel F, Creutzig A, Alexander K.** Color and conventional image-directed ultrasonography: accuracy and sources of error in quantitative blood flow measurement. *J Clin Ultrasound* 1992;20:187–93