

References

- 1) Ackerman AB, Magana-Garcia M. Naming acquired pigmented nevi. Unna's, Miescher's, Spitz's Clark's. Am J Dermatopathol. ;12 (2):193-209. Apr 1999.
- 2) Ackerman AB, Milde P. Naming acquired pigmented nevi. Common and dysplastic, normal and atypical, or Unna, Miescher, Spitz, and Clark. Am. J.Dermato pathol ;14(5):447-53. Oct 1998.
- 3) Anderson CM. The changing prognosis of melanoma. Curr Oncol Rep. ; 2(4):322-8. Jul 2000.
- 4) Arslan H, Sakarya ME, Bozkurt M, Unal O, Dilek ON, Harman M. The role of power Doppler sonography in the evaluation of superficial soft tissue abscesses. Eur J Ultrasound; 8:101–106. 1998.
- 5) Ashbaugh DR. Quantitative-Qualitative Friction Ridge Analysis: An Introduction to Basic and Advanced Ridgeology. 1st. CRC; 1999.
- 6) A. Mahadevan-Jansen, in Biomedical Photonics Handbook, T. Vo-Dinh, Ed.2003
- 7) Balch CM, Buzaid AC, Soong SJ, et al. Final version of the American Joint Committee on Cancer staging system for cutaneous melanoma. J Clin Oncol. ;19(16):3635-48. Aug 15 2001.
- 8) Bale AE, Yu KP. The hedgehog pathway and squamous cell carcinomas. Hum Mol Genet. ;10(7):757 62. Apr 2000.
- 9) Baumann L. Skin ageing and its treatment. J Pathol. ;211(2):241-51. Jan 2007.
- 10) Bernard A. Cohen,MD, Christoph U . Lehmann, MD, Darnard A. Cohen, MD, Christoph U. Lehmann, MD. Derm Atlas, micrograph of basal cell carcinoma, p 144, figure 101. 2008.
- 11) Bernard A. Cohen,MD, Christoph U . Lehmann, MD, Darnard A. Cohen, MD, Christoph U. Lehmann, MD. Derm Atlas, micrograph of squamous cell carcinoma, p 154 a,b,c and d, figure 119. 2008.
- 12) Bernard A. Cohen,MD, Christoph U . Lehmann, MD, Darnard A. Cohen, MD, Christoph U. Lehmann, MD. Derm Atlas, micrograph of malignant melanoma, p 158, figure 123. 2008.
- 13) Berson M, Gregoire JM, Gens F, Rateau J, Jamet F, Vaillant L, Tranquart F, Pourcelot L. High frequency (20 MHz) ultrasonic devices: advantages and applications. Eur J Ultrasound;10:53-63. 2005.

- 14) Berson M, Vaillant L, Patat F, Pourcelot L. High-resolution real-time ultrasonic scanner. *Ultrasound Med Biol*;18:471-8. 2003.
- 15) Berson M, Vaillant L, Patat F, Pourcelot L. High-resolution real-time ultrasonic r. *Ultrasound Med Biol.*;18:471-478. 2000.
- 16) Betti R, Radaelli G, Mussino F, Menni S, Crosti C. Anatomic location and histopathologic subtype of basal cell carcinomas in adults younger than 40 or 90 and older: any difference?. *Dermatol Surg.* ;35(2):201-6. Feb 2009.
- 17) Bond JB, Haik BG, Futosh M, and Gupta KL. Magnetic resonance imaging of malignant melanoma with and without gadolinium contrast enhancement. *Ophthalmol* 98: 459–466. 2000.
- 18) Brook I, Frazier EH. Pathogenesis of wounds and cutaneous abscesses. *Arch Surg*; 125:1445. 2000.
- 19) Brusseau E., et al. Local Estimation of RF Ultrasound Signal Compression for Axial Strain Imaging : Theoretical Developments and Experimental Results, *IEEE Engineering in Medicine and Biology Magazine* – 21(4), , p. 86-94. July/August 2002.
- 20) Burns DA, Breathnach SM, Cox N, Griffiths CE, eds. *Rook's Textbook of Dermatology*. 7th ed. Wiley-Blackwell; 2004.
- 21) Canpolat Murat; AKMAN Ayse; AKIF CIFTCIOGLUM ALPSOYErkan; Department of biophysics, Akdeniz university, Antalya, Turquie.2007.
- 22) Carlson BM. Integumentary, skeletal, and muscular systems. In: *Human Embryology and Developmental Biology*. :153-81. 1st. 1998.
- 23) Cascajo CD, Reichel M, Sanchez JL. Malignant neoplasms associated with seborrheic keratoses. An analysis of 54 cases. *Am J Dermatopathol*. Jun 1996.
- 24) Cesinaro AM, Foroni M, Sighinolfi P, Migaldi M, Trentini GP. Spitz nevus is relatively frequent in adults: a clinico-pathologic study of 247 cases related to patient's age. *Am J Dermatopathol.* ;27(6):469-75. Dec 2005.
- 25) Chen SC, Bravata DM, Weil E & Olkin I. A comparison of dermatologists' and primary care physician accuracy in diagnosing melanoma: A systemic review. *Arch Dermatol* 137: 1627–1634. *Clinical Exp Dermatol*;28:632-8. 2001.
- 26) Coulomb A, Agence Nationale d'Accreditation et d'Évaluation (ANAES). *Recommandations pour la prise en charge et le traitement des carcinomes basocellulaires*. *Ann Dermatol Venereol*;131:661-756. 2004.
- 27) Crockett DJ. Lymphatic anatomy and lymphoedema. *Br J Plast Surg.* ;18:12-25. Jan 1998.

- 28) DeDavid M, Orlow SJ, Provost N, et al. A study of large congenital pigmented nevi and associated malignant melanomas: review of cases in the New York University Registry and the world literature. *J Am Acad Dermatol.* ;36(3 Pt 1):409-16. Mar 1997.
- 29) Delbeke D, Martin WH, Patton JA, et al: Practical FDG imaging. New York, Springer Verlag, 2002.
- 30) Eads TJ, Hood AF, Chuang TY, Faust HB, Farmer ER. The diagnostic yield of histologic examination of seborrheic keratoses. *Arch Dermatol.* ;133(11):1417-20. Nov 1997.
- 31) Edelson RL, Fink JM: The immunological function of the skin. *Sci Am*;256:48. 1999.
- 32) Edwards HGM, Williams AC & Barry BW. Potential applications of FT-Raman Spectroscopy for dermatological diagnosis. *J Mol Struct* **347**: 379–388. 1998.
- 33) El- Gammal S, Auer T, Popp C, et al. Psoriasis vulgaris in 50-MHz B-scan ultrasound: characteristic features of stratum corneum, epidermis and dermis. *Acta Derm Venereol (Stockh)*;74:173-176. 2002.
- 34) Ferrara G, Argenziano G, Soyer HP, et al. The spectrum of Spitz nevi: a clinicopathologic study of 83 cases. *Arch Dermatol.* ;141(11):1381-7. Nov 2005.
- 35) Fongo A, Ferraris E, Bocca M. Skin tension lines and wrinkles. Anatomoclinical observations. *Minerva Chir.* ;21(13):627-30. 1999.
- 36) Gallagher RP, McLean DI. The epidemiology of acquired pigmented nevi. A brief review. *Dermatol Clin.* ;13(3):595-603. Jul 1995.
- 37) Ghoneim AT, McGoldrick J, Blick PW, et al. Aerobic and anaerobic bacteriology of subcutaneous abscesses. *Br J Surg*; 68:498. 1998.
- 38) Ginarte M, Garcia-Caballero T, Fernandez-Redondo V, Beiras A, Toribio J. Expression of growth hormone receptor in benign and malignant cutaneous proliferative entities. *J Cutan Pathol.* ;27(6):276-82. Jul 2000.
- 39) Giovagnorio F, et al. Color Doppler Sonography of focal lesions of the skin and subcutaneous tissue. *J ultrasound Med*; 18:89-93. 1999.
- 40) Gniadecka M, Nielsen OF & Wulf H.C. Water content and protein structure in malignant and benign skin. *J Mol Struct* 662: 405–410. 2001.
- 41) Goldman MP, Shiffman MA, Mirrafati SJ, Lam SM, Cueteaux CG. Simplified Facial Rejuvenation. 2. Springer Berlin Heidelberg; 47-50. 2007.

- 42) Goldsmith LA. Biochemistry and physiology of the skin. Vol 5 and 6. oxford university Press, 1999.
- 43) Gould Rothberg BE, Berger AJ, Molinaro AM, Subtil A, Krauthammer MO, Camp RL, et al. Melanoma prognostic model using tissue microarrays and genetic algorithms. *J Clin Oncol.* ;27(34):5772-80. Dec 1 2009.
- 44) Greenleaf, J.F., et al, Selected Methods for Imaging Elastic Properties of Biological tissues, *Annual Reviews of Biomedical Engineering*, 2003.
- 45) Grossman D and Leffell DJ. Squamous cell carcinoma and its precursors: Clinical biology and molecular basis. In: Chu AC, and Edelson RL, editors. *Malignant tumors of the skin*. London: Arnold, Holder Head Line Group, 19–23. 2001.
- 46) Groves RW, Allen MH, MacDonald DM. Abnormal expression of epidermal growth factor receptor in cutaneous epithelial tumours. *J Cutan Pathol.* ;19(1):66-72. Feb 1998.
- 47) Habibian RM: *Necular medicine imaging: A Teaching file*. Philadilphia, Lippincott Williams& Wilkins, 1999.
- 48) Hafner C, Hartmann A, Vogt T. FGFR3 mutations in epidermal nevi and seborrheic keratoses: lessons from urothelium and skin. *J Invest Dermatol.* ;127(7):1572-3. Jul 2007.
- 49) Harland CC, Kale SG, Jackson P, Mortimer PS, Bamber JC. Differentiation of common benign pigmented skin lesions from melanoma by high-resolution ultrasound. *Br J Dermatol.* 143:281-9. 2003
- 50) Harrison SL, Buettner PG, MacLennan R. Body-site distribution of pigmented nevi in young Australian children. *Arch Dermatol.* ;135(1):47-52. Jan 1999.
- 51) Hintz-Madsen M, Hansen L, Larsen J & Drzewiecki K. A probabilistic neural network framework for detection of malignant melanoma. In: Naguib RNG, Sherbet GV (eds) *Artificial Neural Networks in Cancer Diagnosis, Prognosis and Patient Management* Boca Raton: CRC Press ISBN 0-8493-9692-1, Chap 13, p 141–183. 2001.
- 52) Hoffmann K, el-Gammal S, Schwarze H, Dirschka T, Altmeyer P. Examination of psoriasis vulgaris using 20-MHz B-scan ultrasound. In: Altmeyer P, el-Gammal S, Hoffmann K, eds. *Ultrasound in Dermatology*. New York, NY: Springer-Verlag NY Inc; 244-249. 2000.
- 53) Hofmann UB, Westphal JR, Van Muijen GN & Ruiter DJ. Matrix metalloproteinases in human melanoma. *J Invest Dermatol* 115: 337–344. 1999.
- 54) James MR, Roth RB, Shi MM, et al. BRAF polymorphisms and risk of pigmented neoplasia. *J Invest Dermatol.* ;125(6):1252-8. Dec 2005.

- 55) Jason R Swanson and Jeffrey L. Melton MD, Dermatology atlas. Micrograph of pigmented nevi, p 133, figure 88a,b,c. 1998.
- 56) Jason R Swanson and Jeffrey L. Melton MD, Dermatology atlas. Micrograph of psoriasis, p 67, figure 43. 1998.
- 57) Jason R Swanson and Jeffrey L. Melton MD, Dermatology atlas. Micrograph of seborrheic keratoses, p 130, figure 81a,b. 1998.
- 58) Johansson CK, Gniadecka M, Ullman S, Halberg P, Kobayasi T & Wulf HC. Alterations in collagen structure in hypermobility and Ehlers–Danlos syndromes detected by Raman spectroscopy in vivo. Optical biopsy and tissue optics. Prog Biomed Optics Imaging 1: 138–143. 2000.
- 59) Josef Feit, Hana Jedličková, Zdeněk Vlašín, Günter Burg, Werner Kempf, Leo Schärer, Luděk Matyska . Basic and atlas of dermatopathology. 2003.
- 60) Kantor J, Kantor DE. Routine dermatologist-performed full-body skin examination and early melanoma detection. Arch Dermatol. ;145(8):873-6. Aug 2009.
- 61) Kanzler MH & Mraz-Gernhard S. Primary cutaneous malignant melanoma and its precursor lesions: Diagnostic and therapeutic overview. J Am Acad Dermatol 45: 260–276. 2001.
- 62) Kenneth A, Katz, Basic of dermatology, Department of dermatology, university of Pennsylvania.;105:24-30 .2001.
- 63) Ko CJ, McNiff JM, Glusac EJ. Pigmented nevi with features of Spitz nevi and Clark's/dysplastic nevi ("Spark's" nevi). J Cutan Pathol. ;36(10):1063-8. Oct 2009.
- 64) Konofagou E. E., et al, Elastography: From theory to clinical applications, Summer Bioengineering Conference, June 25-29, Florida, 2003.
- 65) Korte J, Sprangers MA, Mombers FM, et al. Quality of life in patients with psoriasis: a systematic literature review. J Investig Dermatol Symp Proc;9(2):140-7. Mar 2004.
- 66) Knudsen L, Johansson CK, Philipsen PA, Gniadecka M & Wulf HC. Natural variations and reproducibility of in vivo near-infrared Fourier transform Raman spectroscopy of normal human skin. J Raman Spectroscopy ,33: 574–579. 2003.
- 67) Krahn G, Gottlober P, Sander C, Peter RU. Dermatoscopy and high frequency sonography: two useful non-invasive methods to increase preoperative diagnostic accuracy in pigmented skin lesions. Pigment Cell Res;11:151-4. 2001.
- 68) Krueger JG, Bowcock A. Psoriasis pathophysiology: current concepts of pathogenesis. Ann Rheum Dis. 64 Suppl 2:ii30-6, Mar 2005.

- 69) Lamberty BG, Cormack GC. Fasciocutaneous flaps. Clin Plast Surg. ;17(4):713-26. Oct 1999.
- 70) Lassau N, Spatz A, Avril MF et al. Value of high-frequency US for preoperative assessment of skin tumors. Radiographics;17: 1559-65. 2002.
- 71) Lazova R, McNiff JM, Glusac EJ. Under the microscope. Surgeons, pathologists, and pigmented nevi. Clin Plast Surg. ;27(3):323-9, vii. Jul 2000.
- 72) Lilian de Oliveira Nune, Ailton Abrahao Martin, Landulfo Silveira Jr., laboratory of biomedical vibrational spectroscopy, IP&D- institute of research and development, UNIVAP- University of vale do paraiba.2003.
- 73) Liu CH, Das BB & ShaGlassman WL *et al.* Raman, fluorescence, and time-resolved light scattering as optical diagnostic techniques to separate diseased and normal biomedical media. J Photochem Photobiol B - Biol 16: 187–209. 1999.
- 74) Lodish, Berk, Zipursky, Matsudaira, Baltimore & Darnell, eds. sixth edition. W.H. Freeman & Co. Molecular Cell Biology 2003.
- 75) MacKie RM. Malignant melanoma: Clinical variants and prognostic indicators. Clin Exp Dermatol 25: 471–475. 2002.
- 76) Maize JC, Snider RL. Nonmelanoma skin cancers in association with seborrheic keratoses. Clinicopathologic correlations. *Dermatol Surg*;21(11):960-2. Nov 1995 .
- 77) Malloy PC, Fishman EK, Magid D, Russel H, Morgan. Department of radiology and radiological science, Johns Hopkins hospital.1998.
- 78) Marks R, Barton SP, Shuttleworth D, Finlay AY. Assessment of disease progress in psoriasis. Arch Dermatol.;125:235-240. 1999.
- 79) Maurer J, Knolhmann FD, Schhms D, Garbe C, Vogl JJ, Bier I, and Felix R .Role of high resolution magnetic resonance imaging for differentiating melanin containing skin tumors. J Invest Radiol 30: 638–643.2000.
- 80) Maurer J, Strauss A, Ebert W, Bauer H, and Felix R .Contrast-enhanced high resolution magnetic resonance imaging of squamous cell carcinoma, Mn-TPPS4 and Gd-DTPA: Experimental results. Melanoma Res 10: 40–46. 2002.
- 81) Miura T & Thomas G, Jr. Raman spectroscopy of proteins and their assemblies. In: Biswas BB, Siddhartha R, (eds) Subcellular Biochemistry, Vol. 24, Proteins. Structure, Function and Engineering New York: Plenum Press p 55–99. 2001.

- 82) Moganty R Rajeswair, Akilank Jain, Ahok Sharma, Dineh Singh, N R Jagannathan, department of biochemistry and nuclear magnetic resonance, All India Institute of Medical Science, Anand Nagar, New Delhi, India. 2003.
- 83) Mooi WJ. Cutaneous pigmented naevus versus melanoma: pitfalls, surprises, dilemmas. *Eur J Surg Oncol.* ;25(6):622-7. Dec 1999.
- 84) Moore KL, Persaud TVN. The integumentary system. In: *Before We Are Born: Essentials of Embryology and Birth Defects*. 5th ed. :481-96. 1998.
- 85) Morris JL, Gibbins IL. *Autonomic Innervation of the Skin*. 1st. Informa Healthcare; 1997.
- 86) Murali R, McCarthy SW, Scolyer RA. Blue nevi and related lesions: a review highlighting atypical and newly described variants, distinguishing features and diagnostic pitfalls. *Adv Anat Pathol.* ;16(6):365-82. Nov 2009.
- 87) Nakagawa K, Yamamura K, Maeda S, Ichihashi M. bcl-2 expression in epidermal keratinocytic diseases. *Cancer.* ;74(6):1720-4. Sep 15 1996.
- 88) Nijssen A, Bakker Schut TC, Heule F, Caspers PJ, Hayes DP, Neumann MHA & Puppels GJ. Discriminating basal cell carcinoma from its surrounding tissue by Raman spectroscopy. *J Invest Dermatol* 119: 64–69. 2002.
- 89) Nindl M, Nakagawa H, Furue M, Ishibashi Y. Simple epithelial cytokeratin-expression in seborrheic keratosis. *J Cutan Pathol.* ;19(5):415-22. Oct 1997.
- 90) Ophir J., et al. Elastography: Imaging the Elastic Properties of Soft Tissues with Ultrasound. *Journal of Medical Ultrasonics*, Vol.29, 2002.
- 91) Overgaard Olsen L, Serup J. High-frequency ultrasound scan for non-invasive cross-sectional imaging of psoriasis. *Acta Derm Venereol (Stockh).*;73: 185-187. 2000.
- 92) P. Matousek, I.P. Clark, E.R. Draper, M.D. Morris, A.E. Goodship, N. Everall, M. Towrie, W.F. Finney, and A.W. Parker, *Appl. Spectrosc.* 59, 393–400 .2005.
- 93) Palicka GA, Rhodes AR. Acral pigmented nevi: prevalence and distribution of gross morphologic features in white and black adults. *Arch Dermatol.* ;146(10):1085-94. Oct 2010.
- 94) Pallin DJ, Egan DJ, Pelletier AJ, Espinola JA, Hooper DC, Camargo CA Jr. Increased US emergency department visits for skin and soft tissue infections, and changes in antibiotic choices, during the emergence of community associated methicillin-resistant *Staphylococcus aureus*. *Ann Emerg Med*; 51:291–298. 2008.

- 95) Pellacani G, Seidenari S. Preoperative melanoma thickness determination by 20-MHz .sonography and digital videomicroscopy in combination. *Arch Dermatol* 2003;139:293-8
- Poblet E, Jiménez F, Ortega F. The contribution of the arrector pili muscle and sebaceous glands to the follicular unit structure. *J Am Acad Dermatol.* ;51(2):217-22. Aug 2004.
- 96) Poblet E, Jiménez F, Ortega F. The contribution of the arrector pili muscle and sebaceous glands to the follicular unit structure. *J Am Aca Dermatol.* ;51(2):217-22. Aug 2004.
- 97) Puppels GJ. Medical applications of Raman spectroscopy: From proof of principle to clinical implementation. *Biopolymers* (2001) 67: 1–9.
- 98) Prost-Squarcioni C. [Histology of skin and hair follicle]. *Med Sci(Paris).* ;22(2):131-7. Feb 2006.
- 99) Prichard RS, Hill AD, Skehan SJ & O'Higgins NJ. Positron emission tomography for staging and management of malignant melanoma. *Br J Surg* 89: 389–396. 2000.
- 100) Querleux B, Lequeque JL, de Rigal J. echographie ultrasonore. *Ann Dermatol Venereol.*;115:980. Abstract.2001.
- 101) Rabe JH, Mamelak AJ, McElgunn PJ, Morison WL, Sauder DN. Photoaging: mechanisms and repair. *J Am Acad Dermatol.* ;55(1):1-19. Jul 2007.
- 102) Rallan D, Harland CC. Ultrasound in dermatology--basic principles and applications.2003.
- 103) Rigel DS, Carucci JA. Malignant melanoma: prevention, early detection, and treatment in the 21st century. *CA Cancer J Clin.* ;50(4):215-36; quiz 237-40. Jul-Aug 2000.
- 104) Rubin AI, Chen EH, Ratner D. Basal-cell carcinoma. *N Engl J Med.* Nov 24, ;353(21):2262-9.2005.
- 105) Sabel MS, Wong SL. Review of evidence-based support for pretreatment imaging in melanoma. *J Natl Compr Canc Netw*;7(3):281-9. . Mar 2009.
- 106) Sagebiel RW. Pigmented lesion pathology: the specimen and its report. A personal and probably biased approach. *Pathology (Phila).* \;2(2):281-98. 1997.
- 107) Schmid-Wendtner MH, Burgdorf W. Ultrasound scanning in dermatology. *Arch Dermatol*;141:217-24.2005.
- 108) Schuchter LM, Haluska F, Fraker D. Skin: malignant melanoma. In: Abeloff MD, et al, eds. *Clinical Oncology*. 2nd ed. New York: Churchill Livingstone; 1317-50.2000.

- 109) Schwartz, Shires, Spencer, Daly, Fischer & Galloway, eds. Eighth edition. McGraw-Hill. Principles of Surgery 2002.
- 110) Schwinghofer BW, Fruchwald FXI, Pohl-Markl H, Neuhold A, Wicke L, and Landrum WL. MRI evaluation of pigmented skin tumors. *J Invest Radiol* 24: 289–293.1999.
- 111) Serup J. Non-invasive quantification of psoriasis plaques: measurement of skin thickness with 15-mHz pulsed ultrasound. *Clin Exp Dermatol.*;9:502\ x=req- 508.1999.
- 112) Shea CR, Prieto VG. Recent developments in the pathology of pigmented neoplasia. *Dermatol Clin.* ;17(3):615-30, ix. Jul 1999.
- 113) Shimizu N, Ito M, Tazawa T, Sato Y. Immunohistochemical study on keratin expression in certain cutaneous epithelial neoplasms. Basal cell carcinoma, pilomatricoma, and seborrheic keratosis. *Am J Dermatopathol.* ;11(6):534-40. Dec 1996.
- 114) Song HK, Wehrli Fw, and Ma J. MR microscopy of the human skin. *Magn Reson Med* 37: 185–191. 1999.
- 115) Sperry K, Wall J. Adenocarcinoma of the stomach with eruptive seborrheic keratoses: the sign of Leser-Trelat. *Cancer.* ;45(9):2434-7. May 1 1998.
- 116) Squire BT, Fox JC, Anderson C. ABSCESS: applied bedside sonography for convenient evaluation of superficial soft tissue infections. *Acad Emerg Med*; 12:601–606.2006.
- 117) Stevens DL, Bisno AL, Chambers HF, et al. Practice guidelines for the diagnosis and management of skin and soft-tissue infections. *Clin Infect Dis*; 41:1373.2005.
- 118) Stone N, Tavroulaki P, Kendall C, Birchall M & Barr H. Raman spectroscopy for early detection of laryngeal malignancy: Preliminary results. *Laryngoscope* 110: 1756–1763.2000.
- 119) Struk DW, Munk PL, Lee MJ, Ho SG, Worsley DF. Imaging of soft tissue infections. *Radiol Clin North Am*; 39:2001.
- 120) Tayal VS, Hasan N, Norton HJ, Tomaszewski CA. The effect of soft-tissue ultrasound on the management of cellulitis in the emergency department. *Acad Emerg*; 13:384–388. Med 2006.
- 121) Taylor GI, Pan WR. Angiosomes of the leg: anatomic study and clinical implications. *Plast Reconstr Surg.* ;102(3):599-616; discussion 617-8. Sep 1998.
- 122) Teraki E, Tajima S, Manaka I, Kawashima M, Miyagishi M, Imokawa G. Role of endothelin-1 in hyperpigmentation in seborrheic keratosis. *Br J Dermatol.* ;135(6):918-23. Dec 1996

- 123) Tindall JP, Smith JG Jr. Skin lesions of the aged and their association with internal changes. *JAMA*. ;186:1039-42. Dec 21 1998.
- 124) Tojo M, Mori T, Kiyosawa H, Honma Y, Tanno Y, Kanazawa KY, et al. Expression of sonic hedgehog signal transducers, patched and smoothened, in human basal cell carcinoma. *Pathol Int*. ;49(8):687-94. Aug 1999.
- 125) Tran KT, Wright NA, Cockerell CJ. Biopsy of the pigmented lesion--when and how. *J Am Acad Dermatol*. ;59(5):852-71. Nov 2008.
- 126) U. Utzinger and R.R. Richards-Kortum, J. Biomed. Opt. 8, 121–147 (2003).
- 127) Vaillant L, Berson M, Machet L, Collens IA, Pourcelot L, Lorette G. Ultrasound imaging of psoriatic skin: a noninvasive technique to evaluate treatment of psoriasis. *Int J Dermatol*.;33:786-790.2001.
- 128) Verhagen AR, Kolen JW, Chaddah VK, Patel RI. Skin diseases in Kenya. A clinical and histopathological study of 3,168 patients. *Arch Dermatol*;98(6):577-86. . Dec 1999.
- 129) Wheater, Burkitt, Stevens & Lowe, eds. fourth edition. Churchill Livingstone, Basic Histopathology 2005.
- 130) Wheater's Functional histology, a text and colour atlas, micrographs of the sebaceous glands. p. 168, Figure 9.14a &c.2005.
- 131) Wheater's Functional histology, a text and colour atlas, micrographs of the layers of the dermis. p. 165, Figure 9.11a.2005.
- 132) Wheater's Functional Histology, a text and atlas, Micrographs of merocrine sweat glands, p. 169, Figure 9.15.2005.
- 133) Wheater's Functional Histology, a text and colour atlas ,micrograph of the layers of skin, p. 159, Figure 9.4c.2005.
- 134) Wheater's Functional Histology, a text and colour atlas, micrograph of the melanocyte, 2005 p. 160, Figure 9.7a.
- 135) Wheater's Functional Histology, a text and colour atlas, micrograph of the langerhans cell, p. 161, Figure 9.8.2005.
- 136) Wheater's Functional Histology, a text and colour atlas, Micrograph of nail eponychium, p. 171, Figure 9.17.2005.
- 137) Wheater's Functional Histology, a text and colour atlas, Schematic diagram of layers of epidermis p. 159, Figure 9.5. 2005.

- 138) Wheater's Functional Histology, a text and colour atlas, Schematic micrograph of skin blood vessels network, p. 173, Figure 9.19.2005.
- 139) Wheater's Functional Histology, a text and colour atlas, Schematic micrograph of free nerve ending of the skin, p. 174, Figure 9.21.2005.
- 140) Wiassm Bleibel D, Bora Hazar MD and Richard Herman MD, departments of internal medicine, nephrology and radiology, Carita Carney hospital university school of medicine, Boston, MA.2006.
- 141) Wieler HJ, Coleman RE: PET in clinical oncology. New York, Springer Verlag, 2000.
- 142) Winklelmann RK: the Merkel cell system and a comparison between it and the neurosecretory or APUD cell system. *J Invest dermatol*;88;56.1999.
- 143) Xing Y, Bronstein Y, Ross MI, Askew RL, Lee JE, Gershenwald JE, et al. Contemporary Diagnostic Imaging Modalities for the Staging and Surveillance of Melanoma Patients: a Meta-analysis. *J Natl Cancer Inst.* Nov 16 2010.
- 144) Yoshizaki T, Sato H & Furukawa M. Recent advances in the regulation of matrix metalloproteinases activation: From basic research to clinical implication (Review). *Oncol Rep* 9: 607–6011. 2002.
- 145) Z.J. Smith and A.J. Berger, *Opt. Lett.* 30,1363–1365 (2005).
- 146) Zmudzinka M, Czarnecka-Operacz M, Silny W. Department of dermatology, university of medical science, ul.2008.
- 147) Zurada J, Malinowski A & Cloete I. Sensitivity analysis for minimization of input data dimension for feedforward neural network. *Proc IEEE Symp Circuits System* 6: 447–450.2000.
- 148) Zymanska E, Nowicki A, Mlosek K, Litniewski J, Lewandowski M, Secomski W, Tymkiewicz R. Skin imaging with high frequency ultrasound - preliminary results. *J Ultrasound*;12:9-16.2000.