

REFERENCES

- 1- **Abramovitch, R. et al. (2004):** Halofuginone inhibits angiogenesis and growth in implanted metastatic rat brain tumor model: An MRI study. *Neoplasia*; 6: 480-9.
- 2- **Afifi, A. K. and Bergman, R. A. (2005):** Cerebral Cortex in functional neuroanatomy: Text and atlas. United States of America, McGraw-Hill; 229-257.
- 3- **Amaro, E. and Barker, G. J. (2006):** Study design in fMRI: Basic principles. *Brain and Cognition*; 60: 220-232.
- 4- **Araque, A. et al. (1999):** Tripartite synapses: glia, the unacknowledged partner. *Trends Neurosci.*; 22: 208-215.
- 5- **Bandettini, P. A. et al. (2002):** Dynamic nonlinearities in bold contrast: Neuronal or hemodynamic?; 73-85.
- 6- **Bandettini, P. A. et al. (1994):** Spin echo and gradient echo EPI of human brain activation using BOLD contrast: A comparative study at 1.5 T. *NMR Biomed.*; 7: 12-20.
- 7- **Barry, R. et al. (2002):** Functional localization of brainstem and cervical spinal cord nuclei in humans with fMRI. *American Journal of Neuroradiology* 2002; 23: 609-617.
- 8- **Bartuska, D. G. et al. (1993):** The sellar/parasellar endocrinopathies: A brief clinical overview. *Semin US CT MR*; 14: 178-181.
- 9- **Baudelet, C. and Bernard, G. (2005):** Current issues in the utility of blood oxygen level dependent fMRI for the assessment of modulations in tumor oxygenation. *Current Medical Imaging Reviews* 2005; 1 (3): 229-243.
- 10- **Baudelet, C. and Gallez, B. (2002):** How does blood oxygen level-dependent (BOLD) contrast correlate with oxygen partial pressure (P_aO_2) inside tumors?. *Magn. Reson. Med.*; 48:s 980-986.

- 11- Berger, P. C. and Scheithauer, B. W. (1994):** Tumors of the central nervous system. Washington DC, Armed Forces Institute of Pathology.
- 12- Berkman, R. A., Clark, W. C., and Saxena, A. (1992):** Clonal composition of glioblastoma multiformae. *J. Neurosurg.*; 77: 432.
- 13- Binder, J. R. et al. (1996):** Determination of language dominance using functional MRI: A comparison with the Wada test. *Neurology* 1996; 46: 978-984.
- 14- Bitter, R. G. et al. (2000):** Cortical motor and somatosensory representation: Effect of cerebral lesions. *J. Neurosurg.*; 92: 242-248.
- 15- Bjornsson, J. et al. (1993):** Cordoma of mobile spine. A clinicopathologic analysis of 40 patients. *Cancer*; 71: 735-774.
- 16- Black, P. M. (1993):** Meningiomas. *J. Neurosurg.*; 32: 643.
- 17- Blom, R. J. (1988):** Pleomorphic xanthoastrocytoma: CT appearance. *J. Comp. Asst. Tomogr.*; 12: 381.
- 18- Bonnin, J. M. and Gareia, J. H. (1986):** Histology and growth characteristics of brain neoplasms. In Taveras, J. M. and Ferrucci, J. T.: *Radiology: Diagnosis, Imaging, Intervention* (Vol. 3), Philadelphia, JP. Lippincott 1987.
- 19- Boxerman, J. L. et al. (1995):** The intravascular contribution to fMRI signal change: Monte Carlo modeling and diffusion-weighted studies in vivo. *Magn. Reson. Med.*; 34:0 4-10.
- 20- Brown, J. S. (1985):** Glomus jugular tumors revisited: A ten year statistical follow up of 231 cases. *Laryngoscope*; 95: 284-288.
- 21- Buchbinder, B. R. and Cosgrove, G. R. (1998):** Cortical activation MR studies in brain disorders. *MRI Clinics of North America*; 6: 67-93.
- 22- Buetow, H. P., Burton, P. C. and Smirniotopoulos J. G. (1991):** Typical, atypical and misleading features in meningioma. *Radio Graphics*; 11: 1087.
- 23- Burger, P. C., Scheithauer, B. W. and Vogel, F. S. (1991):** Surgical pathology of the nervous system and its converings (ed. 3). New York, Churchill Livingstone; 193.

- 24- Buxton, R. B., Wong, E. C. and Frank, L. R. (1998):** Dynamics of blood flow and oxygenation changes during brain activation: The balloon model. *Magn. Reson. Med.*; 39: 151-164
- 25- Carter, R. (2004):** Mapping the Mind. Phoenix, London, Originally Weidenfeld and Nicolson 1998.
- 26- Christine, C. et al. (1999):** Assessment of functional MR imaging in neurosurgical planning. *AJ NR*; 20: 1511-1519.
- 27- Chusid, J. G. (1988):** Ventricles and covering of the brain: Correlative neuroanatomy and functional neurology (7th edition). Lange Medical publication, California; 114-120.
- 28- Cohen, M. S. and Weisskoff, R. M. (1991):** Ultrafast imaging. *Magn. Reson. Imaging*; 9: 1-37.
- 29- Cordoliani, Y. S., Derosier, C. and Pharabo Z. C. (1992):** Primary cerebral lymphoma in patients with AIDS: MR findings in 17 cases. *AJR*; 159: 841.
- 30- Crenshaw, W. B. and Chew, F. S. (1993):** Rathke's cleft cyst. *AJR*; 158: 1312.
- 31- Crossman, A. R. (2005):** Cerebral hemisphere. London, Elsevier Churchill Living Stone; 387-417.
- 32- Dale, P. et al. (2001):** Dorsal view of the human brain .Neuroscience.
- 33- Demaerel, P., Moseley, I. F. and Scaravilli, F. (1993):** Recurrent craniopharyngioma invading the orbit, cavernous sinus and skull base: A case report. *Neuroradiol.*; 35: 261.
- 34- Dickson, D. W. et al. (1988):** Gliomatosis cerebri presenting with hydrocephalus and dementia. *AJNR*; 9: 200.
- 35- Dolinskas, C. A. and Simeone, F. A. (1987):** CT characteristics of intraventricular oligodendrogliomas. *AJNR*; 8: 1077.
- 36- Dolmans, D. E., Fukumura, D. and Jain, R. K. (2003):** Photodynamic therapy for cancer. *Nat. Rev. Cancer*; 3: 380-387.

- 37- Durand, R. E. (2001):** Intermittent blood flow in solid tumours: An under-appreciated source of drug resistance. *Cancer Metastasis Rev.*; 20: 57-61.
- 38- Duvernoy, H. M. (1978):** Human Brainstem Vessels. New York, Springer-Verlag.
- 39- Egelhoff, J. C., Ross, J. S. and Modic, M. R. (1992):** MR imaging of metastatic GIT adenocarcinoma in brain. *AJNR*; 13: 1221.
- 40- Eberhard, A. et al. (2000):** Heterogeneity of angiogenesis and blood vessel maturation in human tumors: Implications for antiangiogenic tumor therapies. *Cancer Res.*; 60: 1388-1393.
- 41- Elster, A. D. (1993):** Modern imaging of the pituitary. *Radiology*; 187: 1.
- 42- Fan, X. et al. (2002):** Effect of carbogen on tumor oxygenation: Combined fluorine⁻¹⁹ and proton MRI measurements. *Int. J. Radiat. Oncol. Biol. Phys.*; 54: 1202-1209.
- 43- Faro, S. H. and Mohamed, F. B. (2006):** Functional MRI: Basic principle and application. *Neuroanatomical Atlas*. Springer Science & Business Media; 127-135.
- 44- Fine, E. J., Ionita, C. C. and Lohr, L. (2002):** The history of the development of the cerebellar examination. *Semin. Neurol.* 22; 4: 375–384.
- 45- Friston, K. J. et al. (2000):** Nonlinear responses in fMRI: The balloon model, volterra kernels and other hemodynamics. *Neuroimage*; 12: 466-477.
- 46- Friston, K. J. et al. (1996):** Movement related effects in fMRI time series. *Magn. Reson. Med.*; 36: 346-355.
- 47- Gao, J. H. et al. (1996):** Quantitative assessment of blood inflow effects in functional MRI signals. *Magn. Res. Med.*; 36: 314–319.
- 48- Gee, M. S. et al. (2003):** Tumor vessel development and maturation impose limits on the effectiveness of anti-vascular therapy. *Am. J. Pathol.*; 162: 183-193.

- 49- Ghez, C. and Fahn, S. (1985):** The cerebellum. In Kandel, E. R. and Schwartz J. H.: Principles of Neural Science (2nd edition). New York, Elsevier; 502–522.
- 50- Gray, H. (2005):** In Anatomy of the human body. Philadelphia, Lea & Febiger; 1821.
- 51- Gross, S. et al. (2003):** Monitoring photodynamic therapy of solid tumors online by BOLD-contrast MRI. *Nat. Med.*; 9: 1327-1331.
- 52- Grossman, C. B. (1990):** CT and MRI of the head and spine intracranial neoplasms and cysts (1st ed.). Baltimore, Williams, Wilkins & Co.; 103.
- 53- Haberg, A. et al. (2004):** Preoperative blood oxygen level-dependent functional magnetic resonance imaging in patients with primary brain tumors: Clinical application and outcome. *Neurosurgery*; 54: 902–914.
- 54- Hasso, A. N., Kortman, K. E. and Bradley, W. G. (1992):** Supratentorial neoplasms in Stark, D. D. and Bradley, W. G.: Magnetic Resonance imaging. St. Louis, Mosby Year book; 770.
- 55- Haughton, V. M. et al. (2005):** Mapping brain function with functional magnetic resonance imaging. *Imaging of the nervous system*; 89-100.
- 56- Henderson, B. W. et al. (2000):** Photofrin photodynamic therapy can significantly deplete or preserve oxygenation in human basal cell carcinomas during treatment depending on fluence rate. *Cancer Res.*; 60: 525-529.
- 57- Hennig, J. et al. (2003):** Functional magnetic resonance Imaging: A review of methodological aspects and clinical applications. *Journal of Magnetic Resonance Imaging*; 18: 1-15.
- 58- Hicks, R. J. et al. (1990):** Brain neoplasia. In Edelman, R. R. and Hesselink, J. R.: Clinical magnetic resonance imaging. Philadelphia, W.B. Saunders & Co.; 15.
- 59- Higashi, S., Takinami, K. and Yamashita, J. (1995):** Occipital dermal sinus associated with dermoid cyst in the fourth ventricle. *AJNR*; 16: 945.

- 60- Hill, S. A. et al. (1998):** Tumour radiosensitization by high oxygen content gases: Influence of the carbon dioxide content of the inspired gas on PO₂ microcirculatory function and radiosensitivity. *Int. J. Radiat. Oncol. Biol. Phys.*; 40: 943–951.
- 61- Hirose, G. et al. (1993):** Unilateral conjugate gaze palsy due to a lesion of the abducens nucleus: Clinical and neuroradiological correlations. *J. Clin. Neuroophthalmol.*; 13: 54-58.
- 62- Hoffman, H. J., de Silva, M. and Humphries (1992):** Aggressive surgical management of craniopharyngiomas in children. *J. Neurosurg.*; 76: 47.
- 63- Holodny, A. I. et al. (2000):** The effect of brain tumors on BOLD functional MR imaging activation in the adjacent motor cortex: Implications for image-guided neurosurgery. *AJNR*; 21: 1415–1422.
- 64- Horwitz, B., Friston, K. J. and Taylor, J. G. (2000):** Neural modeling and functional brain imaging: An overview. *Neural Networks*; 13: 829-846.
- 65- Howe, F. A. et al. (2001):** Issue in flow and oxygenation dependent contrast (FLOOD) imaging of tumors. *NMR Biomed.*; 14: 497-506.
- 66- Hsu, Y. Y. et al. (2004):** Blood oxygenation level-dependent MRI of cerebral gliomas during breathe holding. *Magn. Reson. Imaging*; 19: 160-167.
- 67- Huber, P. (1970):** Functional tests in angiography of brain tumors. *Neuroradiology*; 1: 132–141.
- 68- Ikezaki, K., Matsushima, T. and Inoue, T. (1993):** Correlation of microanatomical localization with postoperative survival in posterior fossa ependymomas. *J. Neurosurg.*; 32: 38-44.
- 69- Jay, J. P. et al. (2004):** Functional MR imaging study of language-related differences in bilingual cerebellar activation. *AJNR*; 25: 523-532.
- 70- Jiang, A. et al. (1995):** Motion detection and correction in functional MR imaging. *Human Brain Mapping*; 3: 224-235.

- 71- John, L. et al. (2003):** Pseudoreorganization of language cortical function at fMR Imaging: A consequence of tumor-induced neurovascular uncoupling. *AJNR*; 24: 213-217.
- 72- Jones, R. A. et al. (1998):** Signal undershoots following visual stimulation: A comparison of gradient and spin-echo BOLD sequences. *Magnetic Resonance in Medicine*; 40: 112-118.
- 73- Kaanders, J. H., Bussink, J. and Van der Kogel, A. J. (2002):** A novel biology-based approach in radiotherapy. *Lancet Oncology*; 3: 728-737.
- 74- Kastrup, A. et al. (1998):** Functional magnetic resonance imaging of regional cerebral blood oxygenation changes during breath holding. *Stroke* 1998; 29: 2641-2645.
- 75- Kim, M. J. et al. (2005):** The effect of prior surgery on blood oxygen level-dependent functional MR imaging in the preoperative assessment of brain tumors. *AJNR*; 26: 1980-1985.
- 76- Kim, P. E. and Singh, M. (2003):** Functional magnetic resonance imaging for brain mapping in neurosurgery. *American Association of Neurological Surgeons, Neurosurg. Focus*; 15.
- 77- Kingsley, R.E. (2000):** Concise text of neuroscience (2nd ed.). Lippincott Williams and Wilkins.
- 78- Kleihues, P., Burger, P. C. and Scheithauer, B. W. (1993):** The new WHO classification of brain tumours. *Brain Pathology*; 3: 255-268.
- 79- Knorr, J. R., Ragland, R. L. and Stone, B. B. (1992):** Cerebellar T-cell lymphoma and unusual primary intracranial neoplasm. *Neuroradiol.*; 35: 79.
- 80- Kowng, K. K. et al. (1992):** Dynamic magnetic resonance imaging of human brain activity during primary sensory stimulation. *Proc. Natl. Acad. Sci., USA*; 89: 5675-5679.
- 81- Lalwani, A. K. and Jakler, P. K. (1993):** Preoperative differentiation between meningioma of the cerebellopontine angle and acoustic neuroma using MRI. *Otolaryngol. & Haed & Neck Surg.*; 109: 88-95.

- 82- Lawrence, N., Andrew, J. and Diane, M. T. (2002):** Crerebellar hemangioblastoma complicating pregnancy. *The journal of Reproductive Medicine*; 40: 662-664.
- 83- Leek, R. D. (2001):** The prognostic role of angiogenesis in breast cancer. *Anticancer Res.*; 21: 4325-4331.
- 84- Lehericy et al. (2000):** Corrospondance between functional magnetic resonance imaging somatotopy and individual brain anatomy of the central region: Comparizon with intrapoertive stimulation in patients with brain tumors. *J. Neurosurg.*; 92: 589-598.
- 85- Llinas, R. R., Walton, K. D. and Lang, E. J. (2004):** Ch. 7: Cerebellum. In Shepherd G. M.: *The synaptic organization of the brain*. New York, Oxford University Press.
- 86- Logothetis, N. K. and Pfeufer, J. (2004):** On the nature of the BOLD fMRI contrast mechanism. *Magnetic Resonance Imaging*; 22: 1517-1531.
- 87- Lopes, M. B. S., VandenBerg, S. R. and Scheithauer, B. W. (1993):** The World Health Organization classification of nervous system tumors in experimental neuro-oncology. In A. J. Levine and H. H. Schmidek.: *Molecular Genetics of Nervous System Tumors*. Wiley-Liss, New York; 1-36
- 88- Lowe, M. J. and Sorenson, J. A. (1997):** Spatially filtering functional magnetic resonance imaging data. *Magn. Reson. Med.*; 34: 723-729.
- 89- Lurito, J. T. et al. (2000):** Functional brain mapping. *Neuroradiology*; 79: 104.
- 90- Masters, L. T. and Zimmerman, R. D. (1993):** Imaging of supratentorial brain tumors in adults. *Neuro Imaging Clin. N. Am.*; 3 (4): 649.
- 91- McCarthy, G. et al. (1993):** Echo-planar magnetic resonance imaging studies of frontal cortex activation during word generation in human. *Proc. Natl. Acad. Sci.*; 90: 4952-4956.
- 92- Meyer, C. H. and Macovski, A. (1987):** Square spiral fast chemical shift imaging. *Magn. Reson. Imaging*; 5: 519-520.

- 93- Montgomery et al. (2008):** Advanced strategies for defending complex brain and spinal cord cases. *Current Medical Imaging Reviews*; 229-243.
- 94- Murata, Y. et al. (2004):** Decreases of blood oxygenation level-dependent signal in the activated motor cortex during functional recovery after resection of a glioma. *AJNR*; 25: 1242–1246.
- 95- Neumann, H. P. H. et al. (1995):** Von Hippel-Lindau syndrome. *Brain Patholog.*; 5: 181-193.
- 96- Niadich, T. P., Valavanis, A. G. and Kubik (1995):** Anatomic relationship along the two middle convexities. *Neurosurgery*; 36: 517-532.
- 97- Noll, D. C. (2001):** A primer on MRI and functional MRI. Departments of Biomedical Engineering and Radiology University of Michigan.
- 98- Nolte, J. (2002):** The Human Brain (5th edition).
- 99- Obata, T. et al. (2004):** Discrepancies between bold and flow dynamics in primary and supplementary motor areas: Application of the balloon model to the interpretation of bold transients. *Neuroimage*; 21: 144-153.
- 100- Okazaki, H. (1989):** Dynamic computed tomography of the brain: Techniques, data analysis and applications. *AJNR*; 136: 759.
- 101- Osborn. A. G. (1994):** Brain tumors and tumor like processes. *Diagnostic Neuroradiology*, Year Book, Medical Publishers; 401.
- 102- Owaga, S. et al. (1990):** Brain magnetic resonance imaging with contrast dependant on blood oxygenation. *Proc. Natl. Acad. Sci., USA*; 87: 9868–9872.
- 103- Packer, R. J., Perilongo, G. and Tohnson, D. (1992):** Choroid plexus carcinoms of childhood. *Cancer*; 69: 580.
- 104- Pauling, L. and Coryell, C. D. (2006):** The magnetic properties and structure of hemoglobin, oxyhemoglobin and carbonmonoxyhemoglobin. *PNAS*; 22: 210-216.
- 105- Paxinos, G. and Huang, X. F. (1995):** Atlas of the human brainstem. New York, Academic Press.

- 106- Peck, W. W., Dillon, W. P. and Norman, D. (1989):** High resolution MR imaging of pituitary microadenomas at 1.5T: Experience with Cushing disease. *AJR*; 152: 145.
- 107- Pflieger, M. J. and Gerson, L. P. (1993):** Supratentorial tumors in children. *Neuro Imaging Clin. N. Am.*; 3 (4): 671.
- 108- Pogue, B. W. et al. (2003):** Photodynamic therapy with verteporfin in the radiation-induced fibrosarcoma-1 tumor causes enhanced radiation sensitivity. *Cancer Res.*; 63: 1025-1033.
- 109- Price, A. C., Runge, V. M. and Babigian, G. V. (1990):** Brain neoplastic disease. In Runge, V. M.: *Clinical magnetic resonance imaging*. J.B. Lippincott Company, Philadelphia; 113.
- 110- Pronin, I. N. et al. (1997):** The use of hyperventilation in contrast-enhanced MR of brain tumors. *AJNR*; 18: 1705–1708.
- 111- Radner, G. and Dross, P. E. (1997):** Clivus chordoma. *Del Medicine Journal*; 69 (9): 467-679
- 112- Raichle, M. E. and Mintun, M. A. (2006):** Brain work and brain imaging. *The Annual Review of Neuroscience*; 29: 449-476.
- 113- Raichle, M. E. (1988):** Circulatory and metabolic correlates of brain function in normal humans. In Mouncastle, V. B., Plum, K. F. and Geiger, S. R.: *Handbook of physiology. The Nervous System*, V. Bethesda, MD, American Physiological Society; 643-674.
- 114- Ramzy, N. F., Hoogduin, H. and Jansma, J. M. (2002):** Functional MR experiments: Acquisition, analysis and interpretation of data .*European Neuropsychopharmacology*; 12: 517-526.
- 115- Remley, K. B. (1996):** Skull base and temporal bone. *Clinical Magnetic Resonance Imaging*, Saunders, Philadelphia; 1021-1066.
- 116- Reul, J., Weis, J. and Spetzger, U. (1995):** Differential diagnosis of truly supraseellar space occupying masses: Synopsis of clinical findings, CT and MRI. *Eur. Radiol.*; 5: 224.
- 117- Rhoton, and Albert, L. Jr. (2002):** The Cerebrum: The Supratentorial cranial space. *Neurosurgery*; 51(4): S1-1-S1-52.

- 118- Richard, S. et al. (1998):** Hemangioblastoma of the central nervous system in Von Hippel-Lindau disease. *J. Intern. Med.*; 243: 547
- 119- Roman-Goldstein, S. M., Goldman, D. L. and Howieson, J. (1992):** MR in primary CNS lymphoma in immunologically normal patients. *AJNR*; 13: 1207.
- 120- Rostrup, E. et al. (1994):** Functional MRI of CO₂ induced increase in cerebral perfusion. *NMR Biomed.*; 7: 29-34.
- 121- Rostrup, E. et al. (2000):** Regional differences in the CBF and BOLD responses to hypercapnia: A combined PET and fMRI study. *Neuroimage*; 11: 87–97.
- 122- Russell, D. S. and Rubinstein, L. J. (1989):** Pathology of tumors of the nervous system (5th ed.). Baltimore, MD, Williams & Wilkins.
- 123- Schreiber, A. et al. (2000):** The influence of gliomas and nonglial space occupying lesions on blood oxygen level-dependent contrast enhancement. *AJNR*; 21: 1055–1063.
- 124- Sheldon, J. J. (1981):** Blood vessels of the scalp and brain. *Clin. Symp.*; 33(5): 1-36.
- 125- Smirniotopoulos, J. G. (2002):** Differential diagnosis and radiology. The Armed Forces Institute of Pathology, Washington DC; 16: 1022.
- 126- Sokoloff, L. (1981):** Relationships among local functional activity, energy metabolism and blood flow in the central nervous system. *Fed. Pro.*; 40: 2311-2316, 1981.
- 127- Steffey, D. T., Defillipp, G. J. and Spera, T. (1988):** MR imaging of primary epidermoid tumors. *J. Comput. Assist. Tomogr.*; 12: 438.
- 128- Sunaert, S. and Yousry, T. A. (2001):** Clinical application of functional magnetic resonance imaging. *Neuroimaging Clinic of North America: Anatomical Basis of Functional MR Imaging*; 11 (2): 221-236.
- 129- Talairach, J. and Tournoux, P. (1988):** Co planar stereotaxic atlas of human brain: An approach to cerebral imaging. Thieme Medical Publishers, New York.

- 130- Tampieri, D. et al. (1991):** Intracerebral ganglioblastomas in patients with partial complex seizures: CT and MR imaging findings. *AJR*; 157: 843
- 131- Tatter, S. B., Wilson, C. B. and Harsh, G. R. (1995):** Neuroepithelial tumors of the adult brain. In Youmans J. R.: *Neurological Surgery, Fourth Edition, Vol. 4: Tumors.* W. B. Saunders & Co., Philadelphia; 2612-2684
- 132- Taylor, C. R. (1978):** An immunohistological study of immunoglobulin content of primary central nervous system lymphomas. *Cancer*; 41: 2197.
- 133- Tien, R. D., Barkovich, A. J. and Edwards, M. S. B. (1990):** MR imaging of pineal tumors. *AJR*; 155: 143.
- 134- Timmann, D. and Daum, I. (2007):** Cerebellar contributions to cognitive functions: A progress report after two decades of research. *Cerebellum* 6 (3): 159–162.
- 135- Tortora, G. J. (2002):** The brain and cranial nerves. In *Principles of Human Anatomy* (9th edition). United States of America, John Wiley & Sons; 544-589.
- 136- Tozer, G. M. (2003):** Measuring tumour vascular response to antivascular and antiangiogenic drugs. *Br. J. Radiol.*; 76(1): S23-S35.
- 137- Turner, R. et al. (1991):** Echo-planar time course MRI of cat brain oxygenation changes. *Magn. Reson. Med.*; 221: 159-166.
- 138- Vanzetta, I. and Grinvald, A. (2001):** Evidence and lack of evidence for the initial dip in the anesthetized rat: Implications for human functional brain imaging. *Neuroimage*; 13: 959-967.
- 139- Velasco, M. E. (1980):** Immunohistochemical localization of glial fibrillary acidic protein in human glial neoplasms. *Cancer*; 45: 484.
- 140- Vlieger, E. J. et al. (2004):** Functional magnetic resonance imaging for neurosurgical planning in neurooncology. *Eur. Radiol.*; 14: 1143–1153

- 141- Voelker, J. L., Camphell, R. L. and Muller, J. (1991):** Clinical radiographic and pathological features of Rathke's cleft cysts. *J. Neurosurg.*; 74: 535.
- 142- Wang, H. W. et al. (2004):** Treatment-induced changes in tumor oxygenation predict photodynamic therapy outcome. *Cancer Res.*; 64: 7553-7561.
- 143- Western et al. (2006)** *Psychology: Australian and New Zealand edition.* John Wiley; 107.
- 144- Wolf, U., Rapoport, M. J. and Schweizer, T. A. (2009):** Evaluating the affective component of the cerebellar cognitive affective syndrome. *J. Neuropsychiatry Clin. Neurosci.*; 21 (3): 245–253.
- 145- Woods, R. P., Cherry, S. R. and Mazziotta, J. C. (1993):** Rapid automated algorithm for aligning and reslicing PET images. *J. Comput. Assist. Tomogr.*; 16: 620-633.
- 146- Wu, D. H., Lewimi, J. S. and Duerk, J. L. (1997):** Inadequacy of motion correction algorithms in functional MRI: Role of susceptibility-induced artifacts. *J. Magn. Reson. Imaging*; 7: 365-370.
- 147- Yacoub, E. et al. (2001):** Investigation of the initial dip in fMRI at 7 Tesla. *NMR in Biomedicine*; 14: 408-412.
- 148- Zwaag, W. et al. (May 2009):** fMRI at 1.5, 3 and 7T: Characterizing BOLD signal changes. *Neuroimage*; 47: 1425-1434.